Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/3/2010	FIELD BLANK	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	504.1	6/9/2010	1
6/3/2010	FIELD BLANK	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	504.1	6/9/2010	1
6/3/2010	FIELD BLANK	6010B	Barium	TRUE	0	U	0.001	0.005	mg/L	6010B	6/14/2010	1
6/3/2010	FIELD BLANK	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	FIELD BLANK	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	FIELD BLANK	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	6/14/2010	1
6/3/2010	FIELD BLANK	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	FIELD BLANK	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	FIELD BLANK	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	6/14/2010	1
6/3/2010	FIELD BLANK	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	6/14/2010	1
6/3/2010	FIELD BLANK	6020	Beryllium	TRUE	0	U	0.00012	0.001	mg/L	6020	6/14/2010	1
6/3/2010	FIELD BLANK	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	6/14/2010	1
6/3/2010	FIELD BLANK	6020	Copper	TRUE	0	U	0.00052	0.002	mg/L	6020	6/14/2010	1
6/3/2010	FIELD BLANK	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	6/14/2010	1
6/3/2010	FIELD BLANK	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	6/14/2010	1
6/3/2010	FIELD BLANK	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	6/14/2010	1
6/3/2010	FIELD BLANK	6020	Zinc	TRUE	0	U	0.00256	0.01	mg/L	6020	6/15/2010	1
6/3/2010	FIELD BLANK	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/16/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/3/2010	FIELD BLANK	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	6/16/2010	1
6/3/2010	FIELD BLANK	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	6/16/2010	1
6/3/2010	MW-10	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	504.1	6/9/2010	1
6/3/2010	MW-10	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	504.1	6/9/2010	1
6/3/2010	MW-10	6010B	Barium	FALSE	0.018		0.001	0.005	mg/L	6010B	6/14/2010	1
6/3/2010	MW-10	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-10	6010B	Cobalt	FALSE	0.011		0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-10	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	6/14/2010	1
6/3/2010	MW-10	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-10	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-10	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-10	6020	Arsenic	FALSE	0.0012		0.00025	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-10	6020	Beryllium	TRUE	0	U	0.00012	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-10	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	6/13/2010	1
6/3/2010	MW-10	6020	Copper	TRUE	0	U	0.00052	0.002	mg/L	6020	6/13/2010	1
6/3/2010	MW-10	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-10	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-10	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-10	6020	Zinc	FALSE	0.021		0.00256	0.01	mg/L	6020	6/15/2010	1
6/3/2010	MW-10	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	6/17/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/3/2010	MW-10	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	6/17/2010	1
6/3/2010	MW-10	Field	Dissolved Oxygen	FALSE	3.97		0	0	mg/L	Field		0
6/3/2010	MW-10	Field	Oxidation Reduction Potential	FALSE	74.2		0	0	mV	Field		0
6/3/2010	MW-10	Field	pH	FALSE	5.76		0	0	S.U.	Field		0
6/3/2010	MW-10	Field	Specific Conductivity	FALSE	1.038		0	0	mS/cm	Field		0
6/3/2010	MW-10	Field	Temperature	FALSE	14.61		0	0	Degrees C	Field		0
6/3/2010	MW-10	Field	Turbidity	FALSE	-2.6		0	0	NTU	Field		0
6/3/2010	MW-11	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	504.1	6/9/2010	1
6/3/2010	MW-11	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	504.1	6/9/2010	1
6/3/2010	MW-11	6010B	Barium	FALSE	0.043		0.001	0.005	mg/L	6010B	6/14/2010	1
6/3/2010	MW-11	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-11	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-11	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	6/14/2010	1
6/3/2010	MW-11	6010B	Silver	TRUE	0	U,J6	0.0033	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-11	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-11	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	6/17/2010	1
6/3/2010	MW-11	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	6/17/2010	1
6/3/2010	MW-11	6020	Beryllium	TRUE	0	U	0.00012	0.001	mg/L	6020	6/17/2010	1
6/3/2010	MW-11	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	6/17/2010	1
6/3/2010	MW-11	6020	Copper	TRUE	0	U	0.00052	0.002	mg/L	6020	6/17/2010	1
6/3/2010	MW-11	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	6/17/2010	1
6/3/2010	MW-11	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	6/17/2010	1
6/3/2010	MW-11	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	6/17/2010	1
6/3/2010	MW-11	6020	Zinc	TRUE	0	U	0.00256	0.01	mg/L	6020	6/17/2010	1
6/3/2010	MW-11	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	6/17/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/3/2010	MW-11	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	6/17/2010	1
6/3/2010	MW-11	Field	Dissolved Oxygen	FALSE	5.5		0	0	mg/L	Field		0
6/3/2010	MW-11	Field	Oxidation Reduction Potential	FALSE	124		0	0	mV	Field		0
6/3/2010	MW-11	Field	pH	FALSE	5.92		0	0	S.U.	Field		0
6/3/2010	MW-11	Field	Specific Conductivity	FALSE	0.945		0	0	mS/cm	Field		0
6/3/2010	MW-11	Field	Temperature	FALSE	14.65		0	0	Degrees C	Field		0
6/3/2010	MW-11	Field	Turbidity	FALSE	-9.6		0	0	NTU	Field		0
6/3/2010	MW-12	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	504.1	6/9/2010	1
6/3/2010	MW-12	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	504.1	6/9/2010	1
6/3/2010	MW-12	6010B	Barium	FALSE	0.75		0.001	0.005	mg/L	6010B	6/14/2010	1
6/3/2010	MW-12	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-12	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-12	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	6/14/2010	1
6/3/2010	MW-12	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-12	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-12	6020	Antimony	TRUE	0	U,P1	0.00021	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-12	6020	Arsenic	FALSE	0.004		0.00025	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-12	6020	Beryllium	TRUE	0	U	0.00012	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-12	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	6/13/2010	1
6/3/2010	MW-12	6020	Copper	TRUE	0	U	0.00052	0.002	mg/L	6020	6/13/2010	1
6/3/2010	MW-12	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-12	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-12	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	6/13/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/3/2010	MW-12	6020	Zinc	FALSE	0.037		0.00256	0.01	mg/L	6020	6/13/2010	1
6/3/2010	MW-12	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	6/17/2010	1
6/3/2010	MW-12	Field	Dissolved Oxygen	FALSE	8.99		0	0	mg/L	Field		0
6/3/2010	MW-12	Field	Oxidation Reduction Potential	FALSE	-68.9		0	0	mV	Field		0
6/3/2010	MW-12	Field	pH	FALSE	6.96		0	0	S.U.	Field		0
6/3/2010	MW-12	Field	Specific Conductivity	FALSE	0.474		0	0	mS/cm	Field		0
6/3/2010	MW-12	Field	Temperature	FALSE	15.16		0	0	Degrees C	Field		0
6/3/2010	MW-12	Field	Turbidity	FALSE	5		0	0	NTU	Field		0
6/3/2010	MW-14H	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	504.1	6/9/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/3/2010	MW-14H	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	504.1	6/9/2010	1
6/3/2010	MW-14H	6010B	Barium	FALSE	0.28		0.001	0.005	mg/L	6010B	6/14/2010	1
6/3/2010	MW-14H	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-14H	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-14H	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	6/14/2010	1
6/3/2010	MW-14H	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-14H	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-14H	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	6/14/2010	1
6/3/2010	MW-14H	6020	Arsenic	TRUE	0	U,P1	0.00025	0.001	mg/L	6020	6/14/2010	1
6/3/2010	MW-14H	6020	Beryllium	TRUE	0	U	0.00012	0.001	mg/L	6020	6/14/2010	1
6/3/2010	MW-14H	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	6/14/2010	1
6/3/2010	MW-14H	6020	Copper	TRUE	0	U	0.00052	0.002	mg/L	6020	6/14/2010	1
6/3/2010	MW-14H	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	6/14/2010	1
6/3/2010	MW-14H	6020	Selenium	TRUE	0	U,P1	0.00038	0.001	mg/L	6020	6/14/2010	1
6/3/2010	MW-14H	6020	Thallium	TRUE	0		0.00019	0.001	mg/L	6020	6/14/2010	1
6/3/2010	MW-14H	6020	Zinc	FALSE	0.016		0.00256	0.01	mg/L	6020	6/15/2010	1
6/3/2010	MW-14H	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	6/16/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/3/2010	MW-14H	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	6/16/2010	1
6/3/2010	MW-14H	Field	Dissolved Oxygen	FALSE	12.21		0	0	mg/L	Field		0
6/3/2010	MW-14H	Field	Oxidation Reduction Potential	FALSE	190.7		0	0	mV	Field		0
6/3/2010	MW-14H	Field	pH	FALSE	7.18		0	0	S.U.	Field		0
6/3/2010	MW-14H	Field	Specific Conductivity	FALSE	0.291		0	0	mS/cm	Field		0
6/3/2010	MW-14H	Field	Temperature	FALSE	14.43		0	0	Degrees C	Field		0
6/3/2010	MW-14H	Field	Turbidity	FALSE	-46.1		0	0	NTU	Field		0
6/3/2010	MW-3	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	504.1	6/8/2010	1
6/3/2010	MW-3	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	504.1	6/8/2010	1
6/3/2010	MW-3	6010B	Barium	FALSE	0.052		0.001	0.005	mg/L	6010B	6/14/2010	1
6/3/2010	MW-3	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-3	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-3	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	6/14/2010	1
6/3/2010	MW-3	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-3	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-3	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-3	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-3	6020	Beryllium	TRUE	0	U	0.00012	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-3	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	6/13/2010	1
6/3/2010	MW-3	6020	Copper	TRUE	0	U	0.00052	0.002	mg/L	6020	6/13/2010	1
6/3/2010	MW-3	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-3	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-3	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-3	6020	Zinc	FALSE	0.027		0.00256	0.01	mg/L	6020	6/13/2010	1
6/3/2010	MW-3	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	6/17/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/3/2010	MW-3	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	6/17/2010	1
6/3/2010	MW-3	Field	Dissolved Oxygen	FALSE	6.44		0	0	mg/L	Field		0
6/3/2010	MW-3	Field	Oxidation Reduction Potential	FALSE	43.6		0	0	mV	Field		0
6/3/2010	MW-3	Field	pH	FALSE	5.56		0	0	S.U.	Field		0
6/3/2010	MW-3	Field	Specific Conductivity	FALSE	0.493		0	0	mS/cm	Field		0
6/3/2010	MW-3	Field	Temperature	FALSE	11.91		0	0	Degrees C	Field		0
6/3/2010	MW-3	Field	Turbidity	FALSE	0.7		0	0	NTU	Field		0
6/3/2010	MW-4	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	504.1	6/9/2010	1
6/3/2010	MW-4	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	504.1	6/9/2010	1
6/3/2010	MW-4	6010B	Barium	FALSE	0.12		0.001	0.005	mg/L	6010B	6/14/2010	1
6/3/2010	MW-4	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-4	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-4	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	6/14/2010	1
6/3/2010	MW-4	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-4	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-4	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	6/14/2010	1
6/3/2010	MW-4	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	6/14/2010	1
6/3/2010	MW-4	6020	Beryllium	TRUE	0	U	0.00012	0.001	mg/L	6020	6/14/2010	1
6/3/2010	MW-4	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	6/14/2010	1
6/3/2010	MW-4	6020	Copper	TRUE	0	U	0.00052	0.002	mg/L	6020	6/14/2010	1
6/3/2010	MW-4	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	6/14/2010	1
6/3/2010	MW-4	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	6/14/2010	1
6/3/2010	MW-4	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	6/14/2010	1
6/3/2010	MW-4	6020	Zinc	TRUE	0	U	0.00256	0.01	mg/L	6020	6/15/2010	1
6/3/2010	MW-4	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	6/16/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/3/2010	MW-4	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4	Field	Dissolved Oxygen	FALSE	2.59		0	0	mg/L	Field		0
6/3/2010	MW-4	Field	Oxidation Reduction Potential	FALSE	16.9		0	0	mV	Field		0
6/3/2010	MW-4	Field	pH	FALSE	6.86		0	0	S.U.	Field		0
6/3/2010	MW-4	Field	Specific Conductivity	FALSE	0.284		0	0	mS/cm	Field		0
6/3/2010	MW-4	Field	Temperature	FALSE	13.29		0	0	Degrees C	Field		0
6/3/2010	MW-4	Field	Turbidity	FALSE	-6.1		0	0	NTU	Field		0
6/3/2010	MW-4 DUP	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	504.1	6/9/2010	1
6/3/2010	MW-4 DUP	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	504.1	6/9/2010	1
6/3/2010	MW-4 DUP	6010B	Barium	FALSE	0.13		0.001	0.005	mg/L	6010B	6/14/2010	1
6/3/2010	MW-4 DUP	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-4 DUP	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-4 DUP	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	6/14/2010	1
6/3/2010	MW-4 DUP	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-4 DUP	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-4 DUP	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	6/14/2010	1
6/3/2010	MW-4 DUP	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	6/14/2010	1
6/3/2010	MW-4 DUP	6020	Beryllium	TRUE	0	U	0.00012	0.001	mg/L	6020	6/14/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/3/2010	MW-4 DUP	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	6/14/2010	1
6/3/2010	MW-4 DUP	6020	Copper	TRUE	0	U	0.00052	0.002	mg/L	6020	6/14/2010	1
6/3/2010	MW-4 DUP	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	6/14/2010	1
6/3/2010	MW-4 DUP	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	6/14/2010	1
6/3/2010	MW-4 DUP	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	6/14/2010	1
6/3/2010	MW-4 DUP	6020	Zinc	TRUE	0	U	0.00256	0.01	mg/L	6020	6/15/2010	1
6/3/2010	MW-4 DUP	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-4 DUP	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	504.1	6/9/2010	1
6/3/2010	MW-5	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	504.1	6/9/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/3/2010	MW-5	6010B	Barium	FALSE	0.15		0.001	0.005	mg/L	6010B	6/14/2010	1
6/3/2010	MW-5	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-5	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-5	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	6/14/2010	1
6/3/2010	MW-5	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-5	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-5	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-5	6020	Arsenic	FALSE	0.0048		0.00025	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-5	6020	Beryllium	TRUE	0	U	0.00012	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-5	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	6/13/2010	1
6/3/2010	MW-5	6020	Copper	TRUE	0	U	0.00052	0.002	mg/L	6020	6/13/2010	1
6/3/2010	MW-5	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-5	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-5	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	6/13/2010	1
6/3/2010	MW-5	6020	Zinc	TRUE	0	U	0.00256	0.01	mg/L	6020	6/15/2010	1
6/3/2010	MW-5	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	6/16/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/3/2010	MW-5	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	6/16/2010	1
6/3/2010	MW-5	Field	Dissolved Oxygen	FALSE	8.9		0	0	mg/L	Field		0
6/3/2010	MW-5	Field	Oxidation Reduction Potential	FALSE	190.3		0	0	mV	Field		0
6/3/2010	MW-5	Field	pH	FALSE	7.31		0	0	S.U.	Field		0
6/3/2010	MW-5	Field	Specific Conductivity	FALSE	0.318		0	0	mS/cm	Field		0
6/3/2010	MW-5	Field	Temperature	FALSE	13.46		0	0	Degrees C	Field		0
6/3/2010	MW-5	Field	Turbidity	FALSE	4.8		0	0	NTU	Field		0
6/3/2010	MW-7	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	504.1	6/9/2010	1
6/3/2010	MW-7	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	504.1	6/9/2010	1
6/3/2010	MW-7	6010B	Barium	FALSE	0.14		0.001	0.005	mg/L	6010B	6/14/2010	1
6/3/2010	MW-7	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-7	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-7	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	6/14/2010	1
6/3/2010	MW-7	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-7	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	6/14/2010	1
6/3/2010	MW-7	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	6/16/2010	1
6/3/2010	MW-7	6020	Arsenic	FALSE	0.0012		0.00025	0.001	mg/L	6020	6/16/2010	1
6/3/2010	MW-7	6020	Beryllium	TRUE	0	U	0.00012	0.001	mg/L	6020	6/16/2010	1
6/3/2010	MW-7	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	6/16/2010	1
6/3/2010	MW-7	6020	Copper	TRUE	0	U	0.00052	0.002	mg/L	6020	6/16/2010	1
6/3/2010	MW-7	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	6/16/2010	1
6/3/2010	MW-7	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	6/16/2010	1
6/3/2010	MW-7	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	6/16/2010	1
6/3/2010	MW-7	6020	Zinc	TRUE	0	U	0.00256	0.01	mg/L	6020	6/15/2010	1
6/3/2010	MW-7	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Carbon disulfide	FALSE	0.88	J	0.28	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	6/16/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/3/2010	MW-7	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	6/16/2010	1
6/3/2010	MW-7	Field	Dissolved Oxygen	FALSE	3.7		0	0	mg/L	Field		0
6/3/2010	MW-7	Field	Oxidation Reduction Potential	FALSE	-112.1		0	0	mV	Field		0
6/3/2010	MW-7	Field	pH	FALSE	7.66		0	0	S.U.	Field		0
6/3/2010	MW-7	Field	Specific Conductivity	FALSE	0.832		0	0	mS/cm	Field		0
6/3/2010	MW-7	Field	Temperature	FALSE	14.87		0	0	Degrees C	Field		0
6/3/2010	MW-7	Field	Turbidity	FALSE	-4.4		0	0	NTU	Field		0
6/3/2010	TRIP BLANK-1	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	6/17/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/3/2010	TRIP BLANK-1	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-1	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	6/17/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/3/2010	TRIP BLANK-2	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-2	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	6/17/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
6/3/2010	TRIP BLANK-3	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	6/17/2010	1
6/3/2010	TRIP BLANK-3	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	6/17/2010	1
8/12/2010	FIELD BLANK	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	504.1	8/17/2010	1
8/12/2010	FIELD BLANK	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0068	0.01	ug/L	504.1	8/17/2010	1
8/12/2010	FIELD BLANK	6010B	Barium	TRUE	0	U	0.001	0.005	mg/L	6010B	8/19/2010	1
8/12/2010	FIELD BLANK	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	FIELD BLANK	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	FIELD BLANK	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	8/19/2010	1
8/12/2010	FIELD BLANK	6010B	Silver	FALSE	0.013		0.0033	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	FIELD BLANK	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	FIELD BLANK	6020	Antimony	FALSE	0.0003	J	0.00021	0.001	mg/L	6020	8/18/2010	1
8/12/2010	FIELD BLANK	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	8/18/2010	1
8/12/2010	FIELD BLANK	6020	Beryllium	TRUE	0	U,O	0.0006	0.005	mg/L	6020	8/18/2010	5
8/12/2010	FIELD BLANK	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	8/18/2010	1
8/12/2010	FIELD BLANK	6020	Copper	FALSE	0.00078	J	0.00052	0.002	mg/L	6020	8/18/2010	1
8/12/2010	FIELD BLANK	6020	Lead	FALSE	0.00064	J	0.00024	0.001	mg/L	6020	8/18/2010	1
8/12/2010	FIELD BLANK	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	8/18/2010	1
8/12/2010	FIELD BLANK	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	8/18/2010	1
8/12/2010	FIELD BLANK	6020	Zinc	TRUE	0	U	0.0026	0.01	mg/L	6020	8/18/2010	1
8/12/2010	FIELD BLANK	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	8/17/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
8/12/2010	FIELD BLANK	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	8/17/2010	1
8/12/2010	FIELD BLANK	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	8/17/2010	1
8/12/2010	MW-10	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	504.1	8/17/2010	1
8/12/2010	MW-10	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0068	0.01	ug/L	504.1	8/17/2010	1
8/12/2010	MW-10	6010B	Barium	FALSE	0.02		0.001	0.005	mg/L	6010B	8/18/2010	1
8/12/2010	MW-10	6010B	Chromium	FALSE	0.0018	J,P1	0.0017	0.01	mg/L	6010B	8/18/2010	1
8/12/2010	MW-10	6010B	Cobalt	FALSE	0.0095	J	0.0017	0.01	mg/L	6010B	8/18/2010	1
8/12/2010	MW-10	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	8/18/2010	1
8/12/2010	MW-10	6010B	Silver	TRUE	0	U,J6	0.0033	0.01	mg/L	6010B	8/18/2010	1
8/12/2010	MW-10	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	8/18/2010	1
8/12/2010	MW-10	6020	Antimony	FALSE	0.00069	J,P1,B	0.00021	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-10	6020	Arsenic	FALSE	0.00088	J	0.00025	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-10	6020	Beryllium	TRUE	0	U,O	0.0006	0.005	mg/L	6020	8/18/2010	5
8/12/2010	MW-10	6020	Cadmium	FALSE	0.00021	J	0.00016	0.0005	mg/L	6020	8/18/2010	1
8/12/2010	MW-10	6020	Copper	FALSE	0.004		0.00052	0.002	mg/L	6020	8/18/2010	1
8/12/2010	MW-10	6020	Lead	FALSE	0.00088	J	0.00024	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-10	6020	Selenium	FALSE	0.00055	J,P1	0.00038	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-10	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-10	6020	Zinc	FALSE	0.016		0.0026	0.01	mg/L	6020	8/18/2010	1
8/12/2010	MW-10	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	8/16/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
8/12/2010	MW-10	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	8/16/2010	1
8/12/2010	MW-10	Field	Dissolved Oxygen	FALSE	0.88		0	0	mg/L	Field		0
8/12/2010	MW-10	Field	Oxidation Reduction Potential	FALSE	214.9		0	0	mV	Field		0
8/12/2010	MW-10	Field	pH	FALSE	5.83		0	0	S.U.	Field		0
8/12/2010	MW-10	Field	Specific Conductivity	FALSE	0.944		0	0	mS/cm	Field		0
8/12/2010	MW-10	Field	Temperature	FALSE	15.67		0	0	Degrees C	Field		0
8/12/2010	MW-10	Field	Turbidity	FALSE	6.2		0	0	NTU	Field		0
8/12/2010	MW-11	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	504.1	8/17/2010	1
8/12/2010	MW-11	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0068	0.01	ug/L	504.1	8/17/2010	1
8/12/2010	MW-11	6010B	Barium	FALSE	0.036		0.001	0.005	mg/L	6010B	8/19/2010	1
8/12/2010	MW-11	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-11	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-11	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	8/19/2010	1
8/12/2010	MW-11	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-11	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-11	6020	Antimony	FALSE	0.00034	J,B	0.00021	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-11	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-11	6020	Beryllium	TRUE	0	U,O	0.0006	0.005	mg/L	6020	8/18/2010	5
8/12/2010	MW-11	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	8/18/2010	1
8/12/2010	MW-11	6020	Copper	FALSE	0.0007	J,B	0.00052	0.002	mg/L	6020	8/18/2010	1
8/12/2010	MW-11	6020	Lead	FALSE	0.00077	J	0.00024	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-11	6020	Selenium	FALSE	0.00052	J	0.00038	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-11	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-11	6020	Zinc	FALSE	0.0046	J	0.0026	0.01	mg/L	6020	8/18/2010	1
8/12/2010	MW-11	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	8/17/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
8/12/2010	MW-11	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Chloroethane	TRUE	0	U,J5,J3	0.87	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Vinyl chloride	TRUE	0	U,J3	0.34	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	8/17/2010	1
8/12/2010	MW-11	Field	Dissolved Oxygen	FALSE	0.35		0	0	mg/L	Field		0
8/12/2010	MW-11	Field	Oxidation Reduction Potential	FALSE	207.1		0	0	mV	Field		0
8/12/2010	MW-11	Field	pH	FALSE	6.1		0	0	S.U.	Field		0
8/12/2010	MW-11	Field	Specific Conductivity	FALSE	0.833		0	0	mS/cm	Field		0
8/12/2010	MW-11	Field	Temperature	FALSE	16.75		0	0	Degrees C	Field		0
8/12/2010	MW-11	Field	Turbidity	FALSE	0		0	0	NTU	Field		0
8/12/2010	MW-12	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	504.1	8/17/2010	1
8/12/2010	MW-12	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0068	0.01	ug/L	504.1	8/17/2010	1
8/12/2010	MW-12	6010B	Barium	FALSE	0.57		0.001	0.005	mg/L	6010B	8/19/2010	1
8/12/2010	MW-12	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-12	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-12	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	8/19/2010	1
8/12/2010	MW-12	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-12	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-12	6020	Antimony	FALSE	0.0004	J,B	0.00021	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-12	6020	Arsenic	FALSE	0.0023		0.00025	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-12	6020	Beryllium	TRUE	0	U	0.00012	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-12	6020	Cadmium	FALSE	0.00016	J	0.00016	0.0005	mg/L	6020	8/18/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
8/12/2010	MW-12	6020	Copper	FALSE	0.0007	J,B	0.00052	0.002	mg/L	6020	8/18/2010	1
8/12/2010	MW-12	6020	Lead	FALSE	0.0006	J	0.00024	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-12	6020	Selenium	FALSE	0.0012		0.00038	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-12	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-12	6020	Zinc	FALSE	0.025		0.0026	0.01	mg/L	6020	8/18/2010	1
8/12/2010	MW-12	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	8/17/2010	1
8/12/2010	MW-12	Field	Dissolved Oxygen	FALSE	0.17		0	0	mg/L	Field		0
8/12/2010	MW-12	Field	Oxidation Reduction Potential	FALSE	112.1		0	0	mV	Field		0
8/12/2010	MW-12	Field	pH	FALSE	6.87		0	0	S.U.	Field		0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
8/12/2010	MW-12	Field	Specific Conductivity	FALSE	0.717		0	0	mS/cm	Field		0
8/12/2010	MW-12	Field	Temperature	FALSE	15.05		0	0	Degrees C	Field		0
8/12/2010	MW-12	Field	Turbidity	FALSE	0		0	0	NTU	Field		0
8/12/2010	MW-14H	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	504.1	8/17/2010	1
8/12/2010	MW-14H	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0068	0.01	ug/L	504.1	8/17/2010	1
8/12/2010	MW-14H	6010B	Barium	FALSE	0.21		0.001	0.005	mg/L	6010B	8/19/2010	1
8/12/2010	MW-14H	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-14H	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-14H	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	8/19/2010	1
8/12/2010	MW-14H	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-14H	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-14H	6020	Antimony	FALSE	0.00058	J,B	0.00021	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-14H	6020	Arsenic	FALSE	0.0022		0.00025	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-14H	6020	Beryllium	TRUE	0	U,O	0.0006	0.005	mg/L	6020	8/18/2010	5
8/12/2010	MW-14H	6020	Cadmium	FALSE	0.0002	J	0.00016	0.0005	mg/L	6020	8/18/2010	1
8/12/2010	MW-14H	6020	Copper	FALSE	0.00093	J,B	0.00052	0.002	mg/L	6020	8/18/2010	1
8/12/2010	MW-14H	6020	Lead	FALSE	0.00094	J	0.00024	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-14H	6020	Selenium	FALSE	0.00049	J	0.00038	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-14H	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-14H	6020	Zinc	FALSE	0.016		0.0026	0.01	mg/L	6020	8/18/2010	1
8/12/2010	MW-14H	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	8/17/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
8/12/2010	MW-14H	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	8/17/2010	1
8/12/2010	MW-14H	Field	Dissolved Oxygen	FALSE	8.52		0	0	mg/L	Field		0
8/12/2010	MW-14H	Field	Oxidation Reduction Potential	FALSE	241.9		0	0	mV	Field		0
8/12/2010	MW-14H	Field	pH	FALSE	6.66		0	0	S.U.	Field		0
8/12/2010	MW-14H	Field	Specific Conductivity	FALSE	0.25		0	0	mS/cm	Field		0
8/12/2010	MW-14H	Field	Temperature	FALSE	17.35		0	0	Degrees C	Field		0
8/12/2010	MW-14H	Field	Turbidity	FALSE	10.1		0	0	NTU	Field		0
8/12/2010	MW-3	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	504.1	8/24/2010	1
8/12/2010	MW-3	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0068	0.01	ug/L	504.1	8/24/2010	1
8/12/2010	MW-3	6010B	Barium	FALSE	0.054		0.001	0.005	mg/L	6010B	8/19/2010	1
8/12/2010	MW-3	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-3	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-3	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	8/19/2010	1
8/12/2010	MW-3	6010B	Silver	FALSE	0.0034	J,B	0.0033	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-3	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-3	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-3	6020	Arsenic	FALSE	0.0093		0.00025	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-3	6020	Beryllium	FALSE	0.00076	J	0.0006	0.005	mg/L	6020	8/18/2010	5
8/12/2010	MW-3	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	8/18/2010	1
8/12/2010	MW-3	6020	Copper	TRUE	0	U	0.00052	0.002	mg/L	6020	8/18/2010	1
8/12/2010	MW-3	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-3	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-3	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-3	6020	Zinc	FALSE	0.0035	J	0.0026	0.01	mg/L	6020	8/18/2010	1
8/12/2010	MW-3	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/16/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
8/12/2010	MW-3	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	8/16/2010	1
8/12/2010	MW-3	Field	Dissolved Oxygen	FALSE	2.3		0	0	mg/L	Field		0
8/12/2010	MW-3	Field	Oxidation Reduction Potential	FALSE	220.2		0	0	mV	Field		0
8/12/2010	MW-3	Field	pH	FALSE	6.5		0	0	S.U.	Field		0
8/12/2010	MW-3	Field	Specific Conductivity	FALSE	0.587		0	0	mS/cm	Field		0
8/12/2010	MW-3	Field	Temperature	FALSE	14.55		0	0	Degrees C	Field		0
8/12/2010	MW-3	Field	Turbidity	FALSE	0.7		0	0	NTU	Field		0
8/12/2010	MW-4	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	504.1	8/17/2010	1
8/12/2010	MW-4	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0068	0.01	ug/L	504.1	8/17/2010	1
8/12/2010	MW-4	6010B	Barium	FALSE	0.15		0.001	0.005	mg/L	6010B	8/19/2010	1
8/12/2010	MW-4	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-4	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-4	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	8/19/2010	1
8/12/2010	MW-4	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-4	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-4	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-4	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-4	6020	Beryllium	TRUE	0	U	0.00012	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-4	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	8/18/2010	1
8/12/2010	MW-4	6020	Copper	TRUE	0	U	0.00052	0.002	mg/L	6020	8/18/2010	1
8/12/2010	MW-4	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-4	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-4	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-4	6020	Zinc	FALSE	0.0055	J	0.0026	0.01	mg/L	6020	8/18/2010	1
8/12/2010	MW-4	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	8/16/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
8/12/2010	MW-4	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	8/16/2010	1
8/12/2010	MW-4	Field	Dissolved Oxygen	FALSE	2.07		0	0	mg/L	Field		0
8/12/2010	MW-4	Field	Oxidation Reduction Potential	FALSE	221.5		0	0	mV	Field		0
8/12/2010	MW-4	Field	pH	FALSE	6.7		0	0	S.U.	Field		0
8/12/2010	MW-4	Field	Specific Conductivity	FALSE	0.342		0	0	mS/cm	Field		0
8/12/2010	MW-4	Field	Temperature	FALSE	13.24		0	0	Degrees C	Field		0
8/12/2010	MW-4	Field	Turbidity	FALSE	13.8		0	0	NTU	Field		0
8/12/2010	MW-5	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	504.1	8/17/2010	1
8/12/2010	MW-5	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0068	0.01	ug/L	504.1	8/17/2010	1
8/12/2010	MW-5	6010B	Barium	FALSE	0.14		0.001	0.005	mg/L	6010B	8/19/2010	1
8/12/2010	MW-5	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-5	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-5	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	8/19/2010	1
8/12/2010	MW-5	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	8/19/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
8/12/2010	MW-5	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-5	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-5	6020	Arsenic	FALSE	0.0034		0.00025	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-5	6020	Beryllium	TRUE	0	U	0.00012	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-5	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	8/18/2010	1
8/12/2010	MW-5	6020	Copper	TRUE	0	U	0.00052	0.002	mg/L	6020	8/18/2010	1
8/12/2010	MW-5	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-5	6020	Selenium	FALSE	0.0009	J	0.00038	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-5	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-5	6020	Zinc	FALSE	0.01		0.0026	0.01	mg/L	6020	8/18/2010	1
8/12/2010	MW-5	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Chloroethane	FALSE	1.7	J	0.87	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	8/17/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
8/12/2010	MW-5	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	8/17/2010	1
8/12/2010	MW-5	Field	Dissolved Oxygen	FALSE	9.55		0	0	mg/L	Field		0
8/12/2010	MW-5	Field	Oxidation Reduction Potential	FALSE	247.3		0	0	mV	Field		0
8/12/2010	MW-5	Field	pH	FALSE	7.07		0	0	S.U.	Field		0
8/12/2010	MW-5	Field	Specific Conductivity	FALSE	0.309		0	0	mS/cm	Field		0
8/12/2010	MW-5	Field	Temperature	FALSE	13.37		0	0	Degrees C	Field		0
8/12/2010	MW-5 DUP	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	504.1	8/17/2010	1
8/12/2010	MW-5 DUP	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0068	0.01	ug/L	504.1	8/17/2010	1
8/12/2010	MW-5 DUP	6010B	Barium	FALSE	0.13		0.001	0.005	mg/L	6010B	8/17/2010	1
8/12/2010	MW-5 DUP	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	8/17/2010	1
8/12/2010	MW-5 DUP	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	8/17/2010	1
8/12/2010	MW-5 DUP	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	8/17/2010	1
8/12/2010	MW-5 DUP	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	8/17/2010	1
8/12/2010	MW-5 DUP	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	8/17/2010	1
8/12/2010	MW-5 DUP	6020	Antimony	FALSE	0.00074	J,B	0.00021	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-5 DUP	6020	Arsenic	FALSE	0.004		0.00025	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-5 DUP	6020	Beryllium	TRUE	0	U,O	0.0006	0.005	mg/L	6020	8/18/2010	5
8/12/2010	MW-5 DUP	6020	Cadmium	FALSE	0.00027	J	0.00016	0.0005	mg/L	6020	8/18/2010	1
8/12/2010	MW-5 DUP	6020	Copper	FALSE	0.00095	J,B	0.00052	0.002	mg/L	6020	8/18/2010	1
8/12/2010	MW-5 DUP	6020	Lead	FALSE	0.0008	J	0.00024	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-5 DUP	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-5 DUP	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-5 DUP	6020	Zinc	FALSE	0.0081	J	0.0026	0.01	mg/L	6020	8/18/2010	1
8/12/2010	MW-5 DUP	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	8/16/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
8/12/2010	MW-5 DUP	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	2-Butanone (MEK)	TRUE	0	U,J4	3.4	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	8/16/2010	1
8/12/2010	MW-5 DUP	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	8/16/2010	1
8/12/2010	MW-7	504.1	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	504.1	8/17/2010	1
8/12/2010	MW-7	504.1	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0068	0.01	ug/L	504.1	8/17/2010	1
8/12/2010	MW-7	6010B	Barium	FALSE	0.092		0.001	0.005	mg/L	6010B	8/19/2010	1
8/12/2010	MW-7	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-7	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-7	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	8/19/2010	1
8/12/2010	MW-7	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-7	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	8/19/2010	1
8/12/2010	MW-7	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-7	6020	Arsenic	FALSE	0.00097	J	0.00025	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-7	6020	Beryllium	TRUE	0	U	0.00012	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-7	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	8/18/2010	1
8/12/2010	MW-7	6020	Copper	TRUE	0	U	0.00052	0.002	mg/L	6020	8/18/2010	1
8/12/2010	MW-7	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-7	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-7	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	8/18/2010	1
8/12/2010	MW-7	6020	Zinc	FALSE	0.0051	J	0.0026	0.01	mg/L	6020	8/18/2010	1
8/12/2010	MW-7	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	8/17/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
8/12/2010	MW-7	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	8/17/2010	1
8/12/2010	MW-7	Field	Dissolved Oxygen	FALSE	0.38		0	0	mg/L	Field		0
8/12/2010	MW-7	Field	Oxidation Reduction Potential	FALSE	176.3		0	0	mV	Field		0
8/12/2010	MW-7	Field	pH	FALSE	6.99		0	0	S.U.	Field		0
8/12/2010	MW-7	Field	Specific Conductivity	FALSE	1.098		0	0	mS/cm	Field		0
8/12/2010	MW-7	Field	Temperature	FALSE	17.05		0	0	Degrees C	Field		0
8/12/2010	MW-7	Field	Turbidity	FALSE	3.4		0	0	NTU	Field		0
8/12/2010	TRIP BLANK	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.3	5	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.27	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.74	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Bromochloromethane	TRUE	0	U	0.33	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Carbon disulfide	TRUE	0	U	0.28	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.82	2.5	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	8/16/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
8/12/2010	TRIP BLANK	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	2-Butanone (MEK)	TRUE	0	U,J4	3.4	10	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	8/16/2010	1
8/12/2010	TRIP BLANK	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	8/16/2010	1
10/20/2010	FIELD BLANK	6010B	Barium	TRUE	0	U	0.001	0.005	mg/L	6010B	11/7/2010	1
10/20/2010	FIELD BLANK	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	11/7/2010	1
10/20/2010	FIELD BLANK	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	FIELD BLANK	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	FIELD BLANK	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	11/7/2010	1
10/20/2010	FIELD BLANK	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	11/7/2010	1
10/20/2010	FIELD BLANK	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	FIELD BLANK	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	FIELD BLANK	6010B	Zinc	FALSE	0.018	J	0.0068	0.03	mg/L	6010B	11/7/2010	1
10/20/2010	FIELD BLANK	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	11/4/2010	1
10/20/2010	FIELD BLANK	6020	Arsenic	FALSE	0.00029	J	0.00025	0.001	mg/L	6020	11/2/2010	1
10/20/2010	FIELD BLANK	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	11/4/2010	1
10/20/2010	FIELD BLANK	6020	Lead	FALSE	0.00027	J	0.00024	0.001	mg/L	6020	11/2/2010	1
10/20/2010	FIELD BLANK	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	11/2/2010	1
10/20/2010	FIELD BLANK	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	11/2/2010	1
10/20/2010	FIELD BLANK	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	11/1/2010	1
10/20/2010	FIELD BLANK	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	8011	11/1/2010	1
10/20/2010	FIELD BLANK	8260B	1,2,3-Trichloropropane	TRUE	0	U,J4	0.745	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Acetone	TRUE	0	U,J4	16.4	50	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Acrylonitrile	TRUE	0	U,J4	1.86	10	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	10/28/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/20/2010	FIELD BLANK	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	2-Hexanone (MBK)	TRUE	0	U,J4,J3	3.58	10	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	2-Butanone (MEK)	TRUE	0	U,J4	3.44	10	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U,J4	1.68	10	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	10/28/2010	1
10/20/2010	FIELD BLANK	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	6010B	Barium	FALSE	0.018		0.001	0.005	mg/L	6010B	11/4/2010	1
10/20/2010	MW-10	6010B	Beryllium	FALSE	0.001	J,P1	0.0003	0.002	mg/L	6010B	11/4/2010	1
10/20/2010	MW-10	6010B	Chromium	FALSE	0.002	J,P1	0.0017	0.01	mg/L	6010B	11/4/2010	1
10/20/2010	MW-10	6010B	Cobalt	FALSE	0.005	J,P1	0.0017	0.01	mg/L	6010B	11/4/2010	1
10/20/2010	MW-10	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	11/4/2010	1
10/20/2010	MW-10	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	11/4/2010	1
10/20/2010	MW-10	6010B	Silver	TRUE	0	U,J3,J6	0.0033	0.01	mg/L	6010B	11/4/2010	1
10/20/2010	MW-10	6010B	Vanadium	FALSE	0.025		0.0022	0.01	mg/L	6010B	11/4/2010	1
10/20/2010	MW-10	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	11/4/2010	1
10/20/2010	MW-10	6020	Antimony	FALSE	0.0005	J,P1	0.00021	0.001	mg/L	6020	11/4/2010	1
10/20/2010	MW-10	6020	Arsenic	FALSE	0.001	,B	0.00025	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-10	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	11/4/2010	1
10/20/2010	MW-10	6020	Lead	FALSE	0.00047	J,B	0.00024	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-10	6020	Selenium	FALSE	0.00088	J	0.00038	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-10	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-10	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	11/1/2010	1
10/20/2010	MW-10	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	8011	11/1/2010	1
10/20/2010	MW-10	8260B	1,2,3-Trichloropropane	TRUE	0	U,J4	0.745	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Acetone	TRUE	0	U,J4	16.4	50	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Acrylonitrile	TRUE	0	U,J4	1.86	10	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	10/28/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/20/2010	MW-10	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	2-Hexanone (MBK)	TRUE	0	U,J4,J3	3.58	10	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	2-Butanone (MEK)	TRUE	0	U,J4,J3	3.44	10	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U,J4	1.68	10	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	10/28/2010	1
10/20/2010	MW-10	Field	Dissolved Oxygen	FALSE	1.39		0	0	mg/L	Field		0
10/20/2010	MW-10	Field	Oxidation Reduction Potential	FALSE	52.7		0	0	mV	Field		0
10/20/2010	MW-10	Field	pH	FALSE	6.16		0	0	S.U.	Field		0
10/20/2010	MW-10	Field	Specific Conductivity	FALSE	1.083		0	0	mS/cm	Field		0
10/20/2010	MW-10	Field	Temperature	FALSE	15.31		0	0	Degrees C	Field		0
10/20/2010	MW-10	Field	Turbidity	FALSE	0.9		0	0	NTU	Field		0
10/20/2010	MW-11	6010B	Barium	FALSE	0.034		0.001	0.005	mg/L	6010B	11/4/2010	1
10/20/2010	MW-11	6010B	Beryllium	FALSE	0.0004	J	0.0003	0.002	mg/L	6010B	11/4/2010	1
10/20/2010	MW-11	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	11/4/2010	1
10/20/2010	MW-11	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	11/4/2010	1
10/20/2010	MW-11	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	11/4/2010	1
10/20/2010	MW-11	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	11/4/2010	1
10/20/2010	MW-11	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	11/4/2010	1
10/20/2010	MW-11	6010B	Vanadium	FALSE	0.01		0.0022	0.01	mg/L	6010B	11/4/2010	1
10/20/2010	MW-11	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	11/4/2010	1
10/20/2010	MW-11	6020	Antimony	FALSE	0.00023	J	0.00021	0.001	mg/L	6020	11/4/2010	1
10/20/2010	MW-11	6020	Arsenic	FALSE	0.00045	J,B	0.00025	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-11	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	11/4/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/20/2010	MW-11	6020	Lead	FALSE	0.00042	J,B	0.00024	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-11	6020	Selenium	FALSE	0.00066	J	0.00038	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-11	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-11	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	11/2/2010	1
10/20/2010	MW-11	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	8011	11/2/2010	1
10/20/2010	MW-11	8260B	1,2,3-Trichloropropane	TRUE	0	U,J4	0.745	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Acetone	TRUE	0	U,J4	16.4	50	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Acrylonitrile	TRUE	0	U,J4	1.86	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	2-Hexanone (MBK)	TRUE	0	U,J4,J3	3.58	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	2-Butanone (MEK)	TRUE	0	U,J4	3.44	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U,J4	1.68	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	10/29/2010	1
10/20/2010	MW-11	Field	Dissolved Oxygen	FALSE	1.5		0	0	mg/L	Field		0
10/20/2010	MW-11	Field	Oxidation Reduction Potential	FALSE	12.9		0	0	mV	Field		0
10/20/2010	MW-11	Field	pH	FALSE	6.84		0	0	S.U.	Field		0
10/20/2010	MW-11	Field	Specific Conductivity	FALSE	1.005		0	0	mS/cm	Field		0
10/20/2010	MW-11	Field	Temperature	FALSE	15.69		0	0	Degrees C	Field		0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/20/2010	MW-11	Field	Turbidity	FALSE	-1		0	0	NTU	Field		0
10/20/2010	MW-12	6010B	Barium	FALSE	0.66		0.001	0.005	mg/L	6010B	11/7/2010	1
10/20/2010	MW-12	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	11/7/2010	1
10/20/2010	MW-12	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-12	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-12	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	11/7/2010	1
10/20/2010	MW-12	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	11/7/2010	1
10/20/2010	MW-12	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-12	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-12	6010B	Zinc	FALSE	0.031	,B	0.0068	0.03	mg/L	6010B	11/7/2010	1
10/20/2010	MW-12	6020	Antimony	FALSE	0.00034	J	0.00021	0.001	mg/L	6020	11/4/2010	1
10/20/2010	MW-12	6020	Arsenic	FALSE	0.0036		0.00025	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-12	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	11/4/2010	1
10/20/2010	MW-12	6020	Lead	FALSE	0.00062	J,B	0.00024	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-12	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-12	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-12	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	11/1/2010	1
10/20/2010	MW-12	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	8011	11/1/2010	1
10/20/2010	MW-12	8260B	1,2,3-Trichloropropane	TRUE	0	U,J4	0.745	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Acetone	TRUE	0	U,J4	16.4	50	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Acrylonitrile	TRUE	0	U,J4	1.86	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	2-Hexanone (MBK)	TRUE	0	U,J4,J3	3.58	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	2-Butanone (MEK)	TRUE	0	U,J4	3.44	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U,J4	1.68	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	10/29/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/20/2010	MW-12	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12	Field	Dissolved Oxygen	FALSE	2.34		0	0	mg/L	Field		0
10/20/2010	MW-12	Field	Oxidation Reduction Potential	FALSE	-119		0	0	mV	Field		0
10/20/2010	MW-12	Field	pH	FALSE	7.55		0	0	S.U.	Field		0
10/20/2010	MW-12	Field	Specific Conductivity	FALSE	0.54		0	0	mS/cm	Field		0
10/20/2010	MW-12	Field	Temperature	FALSE	13.68		0	0	Degrees C	Field		0
10/20/2010	MW-12	Field	Turbidity	FALSE	2.6		0	0	NTU	Field		0
10/20/2010	MW-12 DUP	6010B	Barium	FALSE	0.67		0.001	0.005	mg/L	6010B	11/7/2010	1
10/20/2010	MW-12 DUP	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	11/7/2010	1
10/20/2010	MW-12 DUP	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-12 DUP	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-12 DUP	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	11/7/2010	1
10/20/2010	MW-12 DUP	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	11/7/2010	1
10/20/2010	MW-12 DUP	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-12 DUP	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-12 DUP	6010B	Zinc	FALSE	0.012	J,B	0.0068	0.03	mg/L	6010B	11/7/2010	1
10/20/2010	MW-12 DUP	6020	Antimony	FALSE	0.00061	J	0.00021	0.001	mg/L	6020	11/4/2010	1
10/20/2010	MW-12 DUP	6020	Arsenic	FALSE	0.0035		0.00025	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-12 DUP	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	11/4/2010	1
10/20/2010	MW-12 DUP	6020	Lead	FALSE	0.00059	J,B	0.00024	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-12 DUP	6020	Selenium	FALSE	0.00055	J	0.00038	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-12 DUP	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-12 DUP	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	11/1/2010	1
10/20/2010	MW-12 DUP	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	8011	11/1/2010	1
10/20/2010	MW-12 DUP	8260B	1,2,3-Trichloropropane	TRUE	0	U,J4	0.745	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Acetone	TRUE	0	U,J4	16.4	50	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Acrylonitrile	TRUE	0	U,J4	1.86	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	10/29/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/20/2010	MW-12 DUP	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	2-Hexanone (MBK)	TRUE	0	U,J4,J3	3.58	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	2-Butanone (MEK)	TRUE	0	U,J4	3.44	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U,J4	1.68	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-12 DUP	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	6010B	Barium	FALSE	0.24		0.001	0.005	mg/L	6010B	11/7/2010	1
10/20/2010	MW-14H	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	11/7/2010	1
10/20/2010	MW-14H	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-14H	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-14H	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	11/7/2010	1
10/20/2010	MW-14H	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	11/7/2010	1
10/20/2010	MW-14H	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-14H	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-14H	6010B	Zinc	FALSE	0.022	J,B	0.0068	0.03	mg/L	6010B	11/7/2010	1
10/20/2010	MW-14H	6020	Antimony	FALSE	0.00061	J	0.00021	0.001	mg/L	6020	11/4/2010	1
10/20/2010	MW-14H	6020	Arsenic	FALSE	0.003		0.00025	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-14H	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	11/4/2010	1
10/20/2010	MW-14H	6020	Lead	FALSE	0.00042	J,B	0.00024	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-14H	6020	Selenium	FALSE	0.00072	J	0.00038	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-14H	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-14H	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	11/1/2010	1
10/20/2010	MW-14H	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	8011	11/1/2010	1
10/20/2010	MW-14H	8260B	1,2,3-Trichloropropane	TRUE	0	U,J4	0.745	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Acetone	TRUE	0	U,J4	16.4	50	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Acrylonitrile	TRUE	0	U,J4	1.86	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	10/29/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/20/2010	MW-14H	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	2-Hexanone (MBK)	TRUE	0	U,J4,J3	3.58	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	2-Butanone (MEK)	TRUE	0	U,J4	3.44	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U,J4	1.68	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	10/29/2010	1
10/20/2010	MW-14H	Field	Dissolved Oxygen	FALSE	11.68		0	0	mg/L	Field		0
10/20/2010	MW-14H	Field	Oxidation Reduction Potential	FALSE	76.3		0	0	mV	Field		0
10/20/2010	MW-14H	Field	pH	FALSE	6.74		0	0	S.U.	Field		0
10/20/2010	MW-14H	Field	Specific Conductivity	FALSE	0.204		0	0	mS/cm	Field		0
10/20/2010	MW-14H	Field	Temperature	FALSE	13.05		0	0	Degrees C	Field		0
10/20/2010	MW-14H	Field	Turbidity	FALSE	9.7		0	0	NTU	Field		0
10/20/2010	MW-3	6010B	Barium	FALSE	0.059		0.001	0.005	mg/L	6010B	11/7/2010	1
10/20/2010	MW-3	6010B	Beryllium	FALSE	0.00097	J, P1	0.0003	0.002	mg/L	6010B	11/7/2010	1
10/20/2010	MW-3	6010B	Chromium	FALSE	0.0019	J, P1	0.0017	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-3	6010B	Cobalt	FALSE	0.0024	J, P1	0.0017	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-3	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	11/7/2010	1
10/20/2010	MW-3	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	11/7/2010	1
10/20/2010	MW-3	6010B	Silver	TRUE	0	U,J3,J6	0.0033	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-3	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-3	6010B	Zinc	FALSE	0.013	J, P1,B	0.0068	0.03	mg/L	6010B	11/7/2010	1
10/20/2010	MW-3	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	11/4/2010	1
10/20/2010	MW-3	6020	Arsenic	FALSE	0.0009	J,B	0.00025	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-3	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	11/4/2010	1
10/20/2010	MW-3	6020	Lead	FALSE	0.00042	J,B	0.00024	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-3	6020	Selenium	FALSE	0.0004	J	0.00038	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-3	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-3	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	11/1/2010	1
10/20/2010	MW-3	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	8011	11/1/2010	1
10/20/2010	MW-3	8260B	1,2,3-Trichloropropane	TRUE	0	U,J4	0.745	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Acetone	TRUE	0	U,J4	16.4	50	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Acrylonitrile	TRUE	0	U,J4	1.86	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	10/29/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/20/2010	MW-3	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	2-Hexanone (MBK)	TRUE	0	U,J4,J3	3.58	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	2-Butanone (MEK)	TRUE	0	U,J4	3.44	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U,J4	1.68	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	10/29/2010	1
10/20/2010	MW-3	Field	Dissolved Oxygen	FALSE	0.16		0	0	mg/L	Field		0
10/20/2010	MW-3	Field	Oxidation Reduction Potential	FALSE	-27.1		0	0	mV	Field		0
10/20/2010	MW-3	Field	pH	FALSE	6.79		0	0	S.U.	Field		0
10/20/2010	MW-3	Field	Specific Conductivity	FALSE	0.601		0	0	mS/cm	Field		0
10/20/2010	MW-3	Field	Temperature	FALSE	13.8		0	0	Degrees C	Field		0
10/20/2010	MW-3	Field	Turbidity	FALSE	2.2		0	0	NTU	Field		0
10/20/2010	MW-4	6010B	Barium	FALSE	0.16		0.001	0.005	mg/L	6010B	11/7/2010	1
10/20/2010	MW-4	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	11/7/2010	1
10/20/2010	MW-4	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-4	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-4	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	11/7/2010	1
10/20/2010	MW-4	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	11/7/2010	1
10/20/2010	MW-4	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-4	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	11/7/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/20/2010	MW-4	6010B	Zinc	FALSE	0.02	J,B	0.0068	0.03	mg/L	6010B	11/7/2010	1
10/20/2010	MW-4	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	11/4/2010	1
10/20/2010	MW-4	6020	Arsenic	FALSE	0.00083	J,B	0.00025	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-4	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	11/4/2010	1
10/20/2010	MW-4	6020	Lead	FALSE	0.00054	J,B	0.00024	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-4	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-4	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-4	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	11/1/2010	1
10/20/2010	MW-4	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	8011	11/1/2010	1
10/20/2010	MW-4	8260B	1,2,3-Trichloropropane	TRUE	0	U,J4	0.745	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Acetone	TRUE	0	U,J4	16.4	50	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Acrylonitrile	TRUE	0	U,J4	1.86	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	2-Hexanone (MBK)	TRUE	0	U,J4,J3	3.58	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	2-Butanone (MEK)	TRUE	0	U,J4	3.44	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U,J4	1.68	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	10/29/2010	1
10/20/2010	MW-4	Field	Dissolved Oxygen	FALSE	2.71		0	0	mg/L	Field		0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/20/2010	MW-4	Field	Oxidation Reduction Potential	FALSE	20.2		0	0	mV	Field		0
10/20/2010	MW-4	Field	pH	FALSE	6.81		0	0	S.U.	Field		0
10/20/2010	MW-4	Field	Specific Conductivity	FALSE	0.323		0	0	mS/cm	Field		0
10/20/2010	MW-4	Field	Temperature	FALSE	12.89		0	0	Degrees C	Field		0
10/20/2010	MW-4	Field	Turbidity	FALSE	8.6		0	0	NTU	Field		0
10/20/2010	MW-5	6010B	Barium	FALSE	0.15		0.001	0.005	mg/L	6010B	11/7/2010	1
10/20/2010	MW-5	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	11/7/2010	1
10/20/2010	MW-5	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-5	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-5	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	11/7/2010	1
10/20/2010	MW-5	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	11/7/2010	1
10/20/2010	MW-5	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-5	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-5	6010B	Zinc	FALSE	0.011	J,B	0.0068	0.03	mg/L	6010B	11/7/2010	1
10/20/2010	MW-5	6020	Antimony	FALSE	0.00042	J	0.00021	0.001	mg/L	6020	11/4/2010	1
10/20/2010	MW-5	6020	Arsenic	FALSE	0.0034		0.00025	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-5	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	11/4/2010	1
10/20/2010	MW-5	6020	Lead	FALSE	0.00044	J,B	0.00024	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-5	6020	Selenium	FALSE	0.00051	J	0.00038	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-5	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-5	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	11/1/2010	1
10/20/2010	MW-5	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	8011	11/1/2010	1
10/20/2010	MW-5	8260B	1,2,3-Trichloropropane	TRUE	0	U,J4	0.745	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Acetone	TRUE	0	U,J4	16.4	50	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Acrylonitrile	TRUE	0	U,J4	1.86	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	2-Hexanone (MBK)	TRUE	0	U,J4,J3	3.58	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	2-Butanone (MEK)	TRUE	0	U,J4	3.44	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U,J4	1.68	10	ug/L	8260B	10/29/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/20/2010	MW-5	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	10/29/2010	1
10/20/2010	MW-5	Field	Dissolved Oxygen	FALSE	13.95		0	0	mg/L	Field		0
10/20/2010	MW-5	Field	Oxidation Reduction Potential	FALSE	96.8		0	0	mV	Field		0
10/20/2010	MW-5	Field	pH	FALSE	7.15		0	0	S.U.	Field		0
10/20/2010	MW-5	Field	Specific Conductivity	FALSE	0.275		0	0	mS/cm	Field		0
10/20/2010	MW-5	Field	Temperature	FALSE	12.64		0	0	Degrees C	Field		0
10/20/2010	MW-5	Field	Turbidity	FALSE	28.6		0	0	NTU	Field		0
10/20/2010	MW-7	6010B	Barium	FALSE	0.1		0.001	0.005	mg/L	6010B	11/7/2010	1
10/20/2010	MW-7	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	11/7/2010	1
10/20/2010	MW-7	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-7	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-7	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	11/7/2010	1
10/20/2010	MW-7	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	11/7/2010	1
10/20/2010	MW-7	6010B	Silver	FALSE	0.0034	J	0.0033	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-7	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	11/7/2010	1
10/20/2010	MW-7	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	11/7/2010	1
10/20/2010	MW-7	6020	Antimony	FALSE	0.00065	J	0.00021	0.001	mg/L	6020	11/4/2010	1
10/20/2010	MW-7	6020	Arsenic	FALSE	0.0019		0.00025	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-7	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	11/4/2010	1
10/20/2010	MW-7	6020	Lead	FALSE	0.0004	J,B	0.00024	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-7	6020	Selenium	FALSE	0.0012		0.00038	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-7	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	11/2/2010	1
10/20/2010	MW-7	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	11/1/2010	1
10/20/2010	MW-7	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	8011	11/1/2010	1
10/20/2010	MW-7	8260B	1,2,3-Trichloropropane	TRUE	0	U,J4	0.745	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Acetone	TRUE	0	U,J4	16.4	50	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Acrylonitrile	TRUE	0	U,J4	1.86	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Carbon disulfide	FALSE	1.6		0.285	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	10/29/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/20/2010	MW-7	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	2-Hexanone (MBK)	TRUE	0	U,J4,J3	3.58	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	2-Butanone (MEK)	TRUE	0	U,J4	3.44	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U,J4	1.68	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	10/29/2010	1
10/20/2010	MW-7	Field	Dissolved Oxygen	FALSE	2.01		0	0	mg/L	Field		0
10/20/2010	MW-7	Field	Oxidation Reduction Potential	FALSE	-132.4		0	0	mV	Field		0
10/20/2010	MW-7	Field	pH	FALSE	7.7		0	0	S.U.	Field		0
10/20/2010	MW-7	Field	Specific Conductivity	FALSE	1.033		0	0	mS/cm	Field		0
10/20/2010	MW-7	Field	Temperature	FALSE	14.34		0	0	Degrees C	Field		0
10/20/2010	MW-7	Field	Turbidity	FALSE	0.1		0	0	NTU	Field		0
10/20/2010	TRIP BLANK	8260B	1,2,3-Trichloropropane	TRUE	0	U,J4	0.745	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Acetone	TRUE	0	U,J4	16.4	50	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Acrylonitrile	TRUE	0	U,J4	1.86	10	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	10/28/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/20/2010	TRIP BLANK	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	2-Hexanone (MBK)	TRUE	0	U,J4,J3	3.58	10	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	2-Butanone (MEK)	TRUE	0	U,J4	3.44	10	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U,J4	1.68	10	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	10/28/2010	1
10/20/2010	TRIP BLANK	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	10/28/2010	1
12/29/2010	FIELD BLANK	6010B	Barium	TRUE	0	U	0.001	0.005	mg/L	6010B	1/5/2011	1
12/29/2010	FIELD BLANK	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	1/5/2011	1
12/29/2010	FIELD BLANK	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	1/5/2011	1
12/29/2010	FIELD BLANK	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	1/5/2011	1
12/29/2010	FIELD BLANK	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	1/5/2011	1
12/29/2010	FIELD BLANK	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	1/5/2011	1
12/29/2010	FIELD BLANK	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	1/5/2011	1
12/29/2010	FIELD BLANK	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	1/5/2011	1
12/29/2010	FIELD BLANK	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	1/5/2011	1
12/29/2010	FIELD BLANK	6020	Antimony	FALSE	0.00026	J	0.00021	0.001	mg/L	6020	1/4/2011	1
12/29/2010	FIELD BLANK	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	1/4/2011	1
12/29/2010	FIELD BLANK	6020	Cadmium	FALSE	0.0003	J	0.00016	0.0005	mg/L	6020	1/4/2011	1
12/29/2010	FIELD BLANK	6020	Lead	FALSE	0.00045	J	0.00024	0.001	mg/L	6020	1/4/2011	1
12/29/2010	FIELD BLANK	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	1/4/2011	1
12/29/2010	FIELD BLANK	6020	Thallium	FALSE	0.00021	J	0.00019	0.001	mg/L	6020	1/4/2011	1
12/29/2010	FIELD BLANK	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	1/6/2011	1
12/29/2010	FIELD BLANK	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00258	0.01	ug/L	8011	1/6/2011	1
12/29/2010	FIELD BLANK	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	12/31/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/29/2010	FIELD BLANK	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	12/31/2010	1
12/29/2010	FIELD BLANK	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	6010B	Barium	FALSE	0.02		0.001	0.005	mg/L	6010B	1/7/2011	1
12/29/2010	MW-10	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	1/7/2011	1
12/29/2010	MW-10	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	1/7/2011	1
12/29/2010	MW-10	6010B	Cobalt	FALSE	0.014		0.0017	0.01	mg/L	6010B	1/7/2011	1
12/29/2010	MW-10	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	1/7/2011	1
12/29/2010	MW-10	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	1/7/2011	1
12/29/2010	MW-10	6010B	Silver	TRUE	0	U,J6	0.0033	0.01	mg/L	6010B	1/7/2011	1
12/29/2010	MW-10	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	1/7/2011	1
12/29/2010	MW-10	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	1/7/2011	1
12/29/2010	MW-10	6020	Antimony	FALSE	0.0005	J,B	0.00021	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-10	6020	Arsenic	FALSE	0.00083	J	0.00025	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-10	6020	Cadmium	FALSE	0.0003	J,B	0.00016	0.0005	mg/L	6020	1/4/2011	1
12/29/2010	MW-10	6020	Lead	FALSE	0.0008	J,B	0.00024	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-10	6020	Selenium	FALSE	0.00077	J	0.00038	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-10	6020	Thallium	FALSE	0.00037	J,B	0.00019	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-10	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	1/6/2011	1
12/29/2010	MW-10	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00258	0.01	ug/L	8011	1/6/2011	1
12/29/2010	MW-10	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	12/31/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/29/2010	MW-10	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	12/31/2010	1
12/29/2010	MW-10	Field	Dissolved Oxygen	FALSE	0.31		0	0	mg/L	Field		0
12/29/2010	MW-10	Field	Oxidation Reduction Potential	FALSE	-300.9		0	0	mV	Field		0
12/29/2010	MW-10	Field	pH	FALSE	6.4		0	0	S.U.	Field		0
12/29/2010	MW-10	Field	Specific Conductivity	FALSE	1.279		0	0	mS/cm	Field		0
12/29/2010	MW-10	Field	Temperature	FALSE	13.18		0	0	Degrees C	Field		0
12/29/2010	MW-10	Field	Turbidity	FALSE	0		0	0	NTU	Field		0
12/29/2010	MW-10 DUP	6010B	Barium	FALSE	0.019		0.001	0.005	mg/L	6010B	1/8/2011	1
12/29/2010	MW-10 DUP	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	1/8/2011	1
12/29/2010	MW-10 DUP	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-10 DUP	6010B	Cobalt	FALSE	0.014		0.0017	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-10 DUP	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	1/8/2011	1
12/29/2010	MW-10 DUP	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	1/8/2011	1
12/29/2010	MW-10 DUP	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-10 DUP	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-10 DUP	6010B	Zinc	FALSE	0.015	J	0.0068	0.03	mg/L	6010B	1/8/2011	1
12/29/2010	MW-10 DUP	6020	Antimony	FALSE	0.00028	J,B	0.00021	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-10 DUP	6020	Arsenic	FALSE	0.00068	J	0.00025	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-10 DUP	6020	Cadmium	FALSE	0.00032	J,B	0.00016	0.0005	mg/L	6020	1/4/2011	1
12/29/2010	MW-10 DUP	6020	Lead	FALSE	0.00095	J,B	0.00024	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-10 DUP	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	1/4/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/29/2010	MW-10 DUP	6020	Thallium	FALSE	0.00037	J,B	0.00019	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-10 DUP	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	1/6/2011	1
12/29/2010	MW-10 DUP	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00258	0.01	ug/L	8011	1/6/2011	1
12/29/2010	MW-10 DUP	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-10 DUP	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	1/1/2011	1
12/29/2010	MW-11	6010B	Barium	FALSE	0.038		0.001	0.005	mg/L	6010B	1/8/2011	1
12/29/2010	MW-11	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	1/8/2011	1
12/29/2010	MW-11	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-11	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-11	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	1/8/2011	1
12/29/2010	MW-11	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	1/8/2011	1
12/29/2010	MW-11	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	1/8/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/29/2010	MW-11	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-11	6010B	Zinc	FALSE	0.013	J	0.0068	0.03	mg/L	6010B	1/8/2011	1
12/29/2010	MW-11	6020	Antimony	FALSE	0.0003	J,B	0.00021	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-11	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-11	6020	Cadmium	FALSE	0.0003	J,B	0.00016	0.0005	mg/L	6020	1/4/2011	1
12/29/2010	MW-11	6020	Lead	FALSE	0.00049	J,B	0.00024	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-11	6020	Selenium	FALSE	0.00044	J	0.00038	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-11	6020	Thallium	FALSE	0.00027	J,B	0.00019	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-11	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	1/4/2011	1
12/29/2010	MW-11	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	8011	1/4/2011	1
12/29/2010	MW-11	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-11	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	12/31/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/29/2010	MW-11	Field	Dissolved Oxygen	FALSE	0.33		0	0	mg/L	Field		0
12/29/2010	MW-11	Field	Oxidation Reduction Potential	FALSE	-306.4		0	0	mV	Field		0
12/29/2010	MW-11	Field	pH	FALSE	7.04		0	0	S.U.	Field		0
12/29/2010	MW-11	Field	Specific Conductivity	FALSE	1.109		0	0	mS/cm	Field		0
12/29/2010	MW-11	Field	Temperature	FALSE	11.51		0	0	Degrees C	Field		0
12/29/2010	MW-11	Field	Turbidity	FALSE	1.5		0	0	NTU	Field		0
12/29/2010	MW-12	6010B	Barium	FALSE	0.67		0.001	0.005	mg/L	6010B	1/8/2011	1
12/29/2010	MW-12	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	1/8/2011	1
12/29/2010	MW-12	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-12	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-12	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	1/8/2011	1
12/29/2010	MW-12	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	1/8/2011	1
12/29/2010	MW-12	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-12	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-12	6010B	Zinc	FALSE	0.0088	J	0.0068	0.03	mg/L	6010B	1/8/2011	1
12/29/2010	MW-12	6020	Antimony	FALSE	0.00052	J,B	0.00021	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-12	6020	Arsenic	FALSE	0.0027		0.00025	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-12	6020	Cadmium	FALSE	0.00032	J,B	0.00016	0.0005	mg/L	6020	1/4/2011	1
12/29/2010	MW-12	6020	Lead	FALSE	0.00055	J,B	0.00024	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-12	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-12	6020	Thallium	FALSE	0.00023	J,B	0.00019	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-12	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	1/6/2011	1
12/29/2010	MW-12	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00258	0.01	ug/L	8011	1/6/2011	1
12/29/2010	MW-12	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	1/4/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/29/2010	MW-12	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	1/4/2011	1
12/29/2010	MW-12	Field	Dissolved Oxygen	FALSE	1.59		0	0	mg/L	Field		0
12/29/2010	MW-12	Field	Oxidation Reduction Potential	FALSE	-339.1		0	0	mV	Field		0
12/29/2010	MW-12	Field	pH	FALSE	7.7		0	0	S.U.	Field		0
12/29/2010	MW-12	Field	Specific Conductivity	FALSE	0.544		0	0	mS/cm	Field		0
12/29/2010	MW-12	Field	Temperature	FALSE	12.18		0	0	Degrees C	Field		0
12/29/2010	MW-12	Field	Turbidity	FALSE	-1.1		0	0	NTU	Field		0
12/29/2010	MW-14H	6010B	Barium	FALSE	0.28		0.001	0.005	mg/L	6010B	1/8/2011	1
12/29/2010	MW-14H	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	1/8/2011	1
12/29/2010	MW-14H	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-14H	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-14H	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	1/8/2011	1
12/29/2010	MW-14H	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	1/8/2011	1
12/29/2010	MW-14H	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-14H	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-14H	6010B	Zinc	FALSE	0.011	J	0.0068	0.03	mg/L	6010B	1/8/2011	1
12/29/2010	MW-14H	6020	Antimony	FALSE	0.00052	J,B	0.00021	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-14H	6020	Arsenic	FALSE	0.002		0.00025	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-14H	6020	Cadmium	FALSE	0.00032	J,B	0.00016	0.0005	mg/L	6020	1/4/2011	1
12/29/2010	MW-14H	6020	Lead	FALSE	0.0014	,B	0.00024	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-14H	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-14H	6020	Thallium	FALSE	0.00022	J,B	0.00019	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-14H	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	1/6/2011	1
12/29/2010	MW-14H	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00258	0.01	ug/L	8011	1/6/2011	1
12/29/2010	MW-14H	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	1/4/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/29/2010	MW-14H	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	1/4/2011	1
12/29/2010	MW-14H	Field	Dissolved Oxygen	FALSE	12.04		0	0	mg/L	Field		0
12/29/2010	MW-14H	Field	Oxidation Reduction Potential	FALSE	-259.3		0	0	mV	Field		0
12/29/2010	MW-14H	Field	pH	FALSE	6.9		0	0	S.U.	Field		0
12/29/2010	MW-14H	Field	Specific Conductivity	FALSE	0.287		0	0	mS/cm	Field		0
12/29/2010	MW-14H	Field	Temperature	FALSE	11.55		0	0	Degrees C	Field		0
12/29/2010	MW-14H	Field	Turbidity	FALSE	16.7		0	0	NTU	Field		0
12/29/2010	MW-3	6010B	Barium	FALSE	0.051		0.001	0.005	mg/L	6010B	1/8/2011	1
12/29/2010	MW-3	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	1/8/2011	1
12/29/2010	MW-3	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-3	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-3	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	1/8/2011	1
12/29/2010	MW-3	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	1/8/2011	1
12/29/2010	MW-3	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-3	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-3	6010B	Zinc	FALSE	0.01	J	0.0068	0.03	mg/L	6010B	1/8/2011	1
12/29/2010	MW-3	6020	Antimony	FALSE	0.00027	J,B	0.00021	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-3	6020	Arsenic	FALSE	0.00042	J	0.00025	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-3	6020	Cadmium	FALSE	0.0003	J,B	0.00016	0.0005	mg/L	6020	1/4/2011	1
12/29/2010	MW-3	6020	Lead	FALSE	0.00051	J,B	0.00024	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-3	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-3	6020	Thallium	FALSE	0.00022	J,B	0.00019	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-3	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	1/6/2011	1
12/29/2010	MW-3	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00258	0.01	ug/L	8011	1/6/2011	1
12/29/2010	MW-3	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	1/1/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/29/2010	MW-3	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	1/1/2011	1
12/29/2010	MW-3	Field	Dissolved Oxygen	FALSE	7.35		0	0	mg/L	Field		0
12/29/2010	MW-3	Field	Oxidation Reduction Potential	FALSE	-354.9		0	0	mV	Field		0
12/29/2010	MW-3	Field	pH	FALSE	6.83		0	0	S.U.	Field		0
12/29/2010	MW-3	Field	Specific Conductivity	FALSE	0.569		0	0	mS/cm	Field		0
12/29/2010	MW-3	Field	Temperature	FALSE	11.63		0	0	Degrees C	Field		0
12/29/2010	MW-3	Field	Turbidity	FALSE	4.7		0	0	NTU	Field		0
12/29/2010	MW-4	6010B	Barium	FALSE	0.12		0.001	0.005	mg/L	6010B	1/8/2011	1
12/29/2010	MW-4	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	1/8/2011	1
12/29/2010	MW-4	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-4	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-4	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	1/8/2011	1
12/29/2010	MW-4	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	1/8/2011	1
12/29/2010	MW-4	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-4	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-4	6010B	Zinc	FALSE	0.0078	J	0.0068	0.03	mg/L	6010B	1/8/2011	1
12/29/2010	MW-4	6020	Antimony	FALSE	0.00061	J,B	0.00021	0.001	mg/L	6020	1/5/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/29/2010	MW-4	6020	Arsenic	FALSE	0.0007	J	0.00025	0.001	mg/L	6020	1/5/2011	1
12/29/2010	MW-4	6020	Cadmium	FALSE	0.00031	J,B	0.00016	0.0005	mg/L	6020	1/5/2011	1
12/29/2010	MW-4	6020	Lead	FALSE	0.00085	J,B	0.00024	0.001	mg/L	6020	1/5/2011	1
12/29/2010	MW-4	6020	Selenium	FALSE	0.00076	J	0.00038	0.001	mg/L	6020	1/5/2011	1
12/29/2010	MW-4	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	1/5/2011	1
12/29/2010	MW-4	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	1/4/2011	1
12/29/2010	MW-4	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	8011	1/4/2011	1
12/29/2010	MW-4	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	12/31/2010	1
12/29/2010	MW-4	Field	Dissolved Oxygen	FALSE	0.3		0	0	mg/L	Field		0
12/29/2010	MW-4	Field	Oxidation Reduction Potential	FALSE	-297.5		0	0	mV	Field		0
12/29/2010	MW-4	Field	pH	FALSE	6.83		0	0	S.U.	Field		0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/29/2010	MW-4	Field	Specific Conductivity	FALSE	0.343		0	0	mS/cm	Field		0
12/29/2010	MW-4	Field	Temperature	FALSE	11.22		0	0	Degrees C	Field		0
12/29/2010	MW-4	Field	Turbidity	FALSE	16		0	0	NTU	Field		0
12/29/2010	MW-5	6010B	Barium	FALSE	0.14		0.001	0.005	mg/L	6010B	1/8/2011	1
12/29/2010	MW-5	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	1/8/2011	1
12/29/2010	MW-5	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-5	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-5	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	1/8/2011	1
12/29/2010	MW-5	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	1/8/2011	1
12/29/2010	MW-5	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-5	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-5	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	1/8/2011	1
12/29/2010	MW-5	6020	Antimony	FALSE	0.00076	J,B	0.00021	0.001	mg/L	6020	1/5/2011	1
12/29/2010	MW-5	6020	Arsenic	FALSE	0.0029		0.00025	0.001	mg/L	6020	1/5/2011	1
12/29/2010	MW-5	6020	Cadmium	FALSE	0.00031	J,B	0.00016	0.0005	mg/L	6020	1/5/2011	1
12/29/2010	MW-5	6020	Lead	FALSE	0.00076	J,B	0.00024	0.001	mg/L	6020	1/5/2011	1
12/29/2010	MW-5	6020	Selenium	FALSE	0.0013		0.00038	0.001	mg/L	6020	1/5/2011	1
12/29/2010	MW-5	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	1/5/2011	1
12/29/2010	MW-5	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	1/4/2011	1
12/29/2010	MW-5	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00675	0.01	ug/L	8011	1/4/2011	1
12/29/2010	MW-5	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	12/31/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/29/2010	MW-5	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	12/31/2010	1
12/29/2010	MW-5	Field	Dissolved Oxygen	FALSE	6.09		0	0	mg/L	Field		0
12/29/2010	MW-5	Field	Oxidation Reduction Potential	FALSE	-289.9		0	0	mV	Field		0
12/29/2010	MW-5	Field	pH	FALSE	8.16		0	0	S.U.	Field		0
12/29/2010	MW-5	Field	Specific Conductivity	FALSE	0.299		0	0	mS/cm	Field		0
12/29/2010	MW-5	Field	Temperature	FALSE	11.24		0	0	Degrees C	Field		0
12/29/2010	MW-5	Field	Turbidity	FALSE	1		0	0	NTU	Field		0
12/29/2010	MW-7	6010B	Barium	FALSE	0.099		0.001	0.005	mg/L	6010B	1/8/2011	1
12/29/2010	MW-7	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	1/8/2011	1
12/29/2010	MW-7	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-7	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-7	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	1/8/2011	1
12/29/2010	MW-7	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	1/8/2011	1
12/29/2010	MW-7	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-7	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	1/8/2011	1
12/29/2010	MW-7	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	1/8/2011	1
12/29/2010	MW-7	6020	Antimony	FALSE	0.00027	J,B	0.00021	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-7	6020	Arsenic	FALSE	0.0014		0.00025	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-7	6020	Cadmium	FALSE	0.00031	J,B	0.00016	0.0005	mg/L	6020	1/4/2011	1
12/29/2010	MW-7	6020	Lead	FALSE	0.0007	J,B	0.00024	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-7	6020	Selenium	FALSE	0.0014		0.00038	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-7	6020	Thallium	FALSE	0.00025	J,B	0.00019	0.001	mg/L	6020	1/4/2011	1
12/29/2010	MW-7	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00303	0.02	ug/L	8011	1/6/2011	1
12/29/2010	MW-7	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00258	0.01	ug/L	8011	1/6/2011	1
12/29/2010	MW-7	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	1/1/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/29/2010	MW-7	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	1/1/2011	1
12/29/2010	MW-7	Field	Dissolved Oxygen	FALSE	4.75		0	0	mg/L	Field		0
12/29/2010	MW-7	Field	Oxidation Reduction Potential	FALSE	-349.2		0	0	mV	Field		0
12/29/2010	MW-7	Field	pH	FALSE	8.06		0	0	S.U.	Field		0
12/29/2010	MW-7	Field	Specific Conductivity	FALSE	1.158		0	0	mS/cm	Field		0
12/29/2010	MW-7	Field	Temperature	FALSE	11.77		0	0	Degrees C	Field		0
12/29/2010	MW-7	Field	Turbidity	FALSE	6.4		0	0	NTU	Field		0
12/29/2010	TRIP BLANK	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	12/31/2010	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/29/2010	TRIP BLANK	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	12/31/2010	1
12/29/2010	TRIP BLANK	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	12/31/2010	1
3/4/2011	FIELD BLANK	6010B	Barium	TRUE	0	U	0.001	0.005	mg/L	6010B	3/17/2011	1
3/4/2011	FIELD BLANK	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	3/17/2011	1
3/4/2011	FIELD BLANK	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/17/2011	1
3/4/2011	FIELD BLANK	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/17/2011	1
3/4/2011	FIELD BLANK	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	3/17/2011	1
3/4/2011	FIELD BLANK	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	3/17/2011	1
3/4/2011	FIELD BLANK	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	3/17/2011	1
3/4/2011	FIELD BLANK	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	3/17/2011	1
3/4/2011	FIELD BLANK	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	3/17/2011	1
3/4/2011	FIELD BLANK	6020	Antimony	FALSE	0.00029	J	0.00021	0.001	mg/L	6020	3/9/2011	1
3/4/2011	FIELD BLANK	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	3/9/2011	1
3/4/2011	FIELD BLANK	6020	Cadmium	FALSE	0.00032	J	0.00016	0.0005	mg/L	6020	3/9/2011	1
3/4/2011	FIELD BLANK	6020	Lead	FALSE	0.00024	J	0.00024	0.001	mg/L	6020	3/9/2011	1
3/4/2011	FIELD BLANK	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	3/9/2011	1
3/4/2011	FIELD BLANK	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	3/9/2011	1
3/4/2011	FIELD BLANK	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.0024	0.02	ug/L	8011	3/9/2011	1
3/4/2011	FIELD BLANK	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00258	0.01	ug/L	8011	3/9/2011	1
3/4/2011	FIELD BLANK	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	3/8/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/4/2011	FIELD BLANK	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	3/8/2011	1
3/4/2011	FIELD BLANK	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	6010B	Barium	FALSE	0.02		0.001	0.005	mg/L	6010B	3/16/2011	1
3/4/2011	MW-10	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	3/16/2011	1
3/4/2011	MW-10	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-10	6010B	Cobalt	FALSE	0.016		0.0017	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-10	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	3/16/2011	1
3/4/2011	MW-10	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	3/16/2011	1
3/4/2011	MW-10	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-10	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-10	6010B	Zinc	FALSE	0.01	J	0.0068	0.03	mg/L	6010B	3/16/2011	1
3/4/2011	MW-10	6020	Antimony	FALSE	0.00031	J	0.00021	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-10	6020	Arsenic	FALSE	0.001	J	0.00025	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-10	6020	Cadmium	FALSE	0.00034	J	0.00016	0.0005	mg/L	6020	3/9/2011	1
3/4/2011	MW-10	6020	Lead	FALSE	0.00033	J	0.00024	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-10	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-10	6020	Thallium	FALSE	0.00028	J	0.00019	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-10	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.0024	0.02	ug/L	8011	3/9/2011	1
3/4/2011	MW-10	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00258	0.01	ug/L	8011	3/9/2011	1
3/4/2011	MW-10	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	3/8/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/4/2011	MW-10	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	3/8/2011	1
3/4/2011	MW-10	Field	Dissolved Oxygen	FALSE	0.36		0	0	mg/L	Field		0
3/4/2011	MW-10	Field	Oxidation Reduction Potential	FALSE	62.4		0	0	mV	Field		0
3/4/2011	MW-10	Field	pH	FALSE	6.18		0	0	S.U.	Field		0
3/4/2011	MW-10	Field	Specific Conductivity	FALSE	2.418		0	0	mS/cm	Field		0
3/4/2011	MW-10	Field	Temperature	FALSE	13.65		0	0	Degrees C	Field		0
3/4/2011	MW-10	Field	Turbidity	FALSE	6.6		0	0	NTU	Field		0
3/4/2011	MW-11	6010B	Barium	FALSE	0.04		0.001	0.005	mg/L	6010B	3/16/2011	1
3/4/2011	MW-11	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	3/16/2011	1
3/4/2011	MW-11	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-11	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-11	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	3/16/2011	1
3/4/2011	MW-11	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	3/16/2011	1
3/4/2011	MW-11	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-11	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-11	6010B	Zinc	FALSE	0.0076	J	0.0068	0.03	mg/L	6010B	3/16/2011	1
3/4/2011	MW-11	6020	Antimony	FALSE	0.00031	J	0.00021	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-11	6020	Arsenic	FALSE	0.00035	J	0.00025	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-11	6020	Cadmium	FALSE	0.00035	J	0.00016	0.0005	mg/L	6020	3/9/2011	1
3/4/2011	MW-11	6020	Lead	FALSE	0.0012		0.00024	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-11	6020	Selenium	FALSE	0.0005	J	0.00038	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-11	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-11	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.0024	0.02	ug/L	8011	3/9/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/4/2011	MW-11	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00258	0.01	ug/L	8011	3/9/2011	1
3/4/2011	MW-11	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	3/8/2011	1
3/4/2011	MW-11	Field	Dissolved Oxygen	FALSE	0.51		0	0	mg/L	Field		0
3/4/2011	MW-11	Field	Oxidation Reduction Potential	FALSE	94.2		0	0	mV	Field		0
3/4/2011	MW-11	Field	pH	FALSE	6.85		0	0	S.U.	Field		0
3/4/2011	MW-11	Field	Specific Conductivity	FALSE	1.936		0	0	mS/cm	Field		0
3/4/2011	MW-11	Field	Temperature	FALSE	12.15		0	0	Degrees C	Field		0
3/4/2011	MW-11	Field	Turbidity	FALSE	2.4		0	0	NTU	Field		0
3/4/2011	MW-12	6010B	Barium	FALSE	0.63		0.001	0.005	mg/L	6010B	3/16/2011	1
3/4/2011	MW-12	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	3/16/2011	1
3/4/2011	MW-12	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/16/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/4/2011	MW-12	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-12	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	3/16/2011	1
3/4/2011	MW-12	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	3/16/2011	1
3/4/2011	MW-12	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-12	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-12	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	3/16/2011	1
3/4/2011	MW-12	6020	Antimony	FALSE	0.00036	J	0.00021	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-12	6020	Arsenic	FALSE	0.0025		0.00025	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-12	6020	Cadmium	FALSE	0.00033	J	0.00016	0.0005	mg/L	6020	3/9/2011	1
3/4/2011	MW-12	6020	Lead	FALSE	0.0003	J	0.00024	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-12	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-12	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-12	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.0024	0.02	ug/L	8011	3/9/2011	1
3/4/2011	MW-12	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00258	0.01	ug/L	8011	3/9/2011	1
3/4/2011	MW-12	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	3/8/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/4/2011	MW-12	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	3/8/2011	1
3/4/2011	MW-12	Field	Dissolved Oxygen	FALSE	0.27		0	0	mg/L	Field		0
3/4/2011	MW-12	Field	Oxidation Reduction Potential	FALSE	9.2		0	0	mV	Field		0
3/4/2011	MW-12	Field	pH	FALSE	7.52		0	0	S.U.	Field		0
3/4/2011	MW-12	Field	Specific Conductivity	FALSE	0.927		0	0	mS/cm	Field		0
3/4/2011	MW-12	Field	Temperature	FALSE	11.66		0	0	Degrees C	Field		0
3/4/2011	MW-12	Field	Turbidity	FALSE	6		0	0	NTU	Field		0
3/4/2011	MW-14H	6010B	Barium	FALSE	0.28		0.001	0.005	mg/L	6010B	3/17/2011	1
3/4/2011	MW-14H	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	3/17/2011	1
3/4/2011	MW-14H	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/17/2011	1
3/4/2011	MW-14H	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/17/2011	1
3/4/2011	MW-14H	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	3/17/2011	1
3/4/2011	MW-14H	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	3/17/2011	1
3/4/2011	MW-14H	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	3/17/2011	1
3/4/2011	MW-14H	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	3/17/2011	1
3/4/2011	MW-14H	6010B	Zinc	FALSE	0.01	J	0.0068	0.03	mg/L	6010B	3/17/2011	1
3/4/2011	MW-14H	6020	Antimony	FALSE	0.00052	J	0.00021	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-14H	6020	Arsenic	FALSE	0.0015		0.00025	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-14H	6020	Cadmium	FALSE	0.00032	J	0.00016	0.0005	mg/L	6020	3/9/2011	1
3/4/2011	MW-14H	6020	Lead	FALSE	0.00028	J	0.00024	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-14H	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-14H	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-14H	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.0024	0.02	ug/L	8011	3/9/2011	1
3/4/2011	MW-14H	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00258	0.01	ug/L	8011	3/9/2011	1
3/4/2011	MW-14H	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	3/8/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/4/2011	MW-14H	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	3/8/2011	1
3/4/2011	MW-14H	Field	Dissolved Oxygen	FALSE	8.13		0	0	mg/L	Field		0
3/4/2011	MW-14H	Field	Oxidation Reduction Potential	FALSE	54.7		0	0	mV	Field		0
3/4/2011	MW-14H	Field	pH	FALSE	6.76		0	0	S.U.	Field		0
3/4/2011	MW-14H	Field	Specific Conductivity	FALSE	0.596		0	0	mS/cm	Field		0
3/4/2011	MW-14H	Field	Temperature	FALSE	11.87		0	0	Degrees C	Field		0
3/4/2011	MW-14H	Field	Turbidity	FALSE	13.4		0	0	NTU	Field		0
3/4/2011	MW-3	6010B	Barium	FALSE	0.051		0.001	0.005	mg/L	6010B	3/16/2011	1
3/4/2011	MW-3	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	3/16/2011	1
3/4/2011	MW-3	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-3	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-3	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	3/16/2011	1
3/4/2011	MW-3	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	3/16/2011	1
3/4/2011	MW-3	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-3	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-3	6010B	Zinc	FALSE	0.008	J	0.0068	0.03	mg/L	6010B	3/16/2011	1
3/4/2011	MW-3	6020	Antimony	FALSE	0.00031	J	0.00021	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-3	6020	Arsenic	FALSE	0.00058	J	0.00025	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-3	6020	Cadmium	FALSE	0.00035	J	0.00016	0.0005	mg/L	6020	3/9/2011	1
3/4/2011	MW-3	6020	Lead	FALSE	0.0003	J	0.00024	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-3	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-3	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-3	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.0024	0.02	ug/L	8011	3/9/2011	1
3/4/2011	MW-3	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00258	0.01	ug/L	8011	3/9/2011	1
3/4/2011	MW-3	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/4/2011	MW-3	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3	Field	Dissolved Oxygen	FALSE	1.78		0	0	mg/L	Field		0
3/4/2011	MW-3	Field	Oxidation Reduction Potential	FALSE	-47.6		0	0	mV	Field		0
3/4/2011	MW-3	Field	pH	FALSE	6.59		0	0	S.U.	Field		0
3/4/2011	MW-3	Field	Specific Conductivity	FALSE	1.132		0	0	mS/cm	Field		0
3/4/2011	MW-3	Field	Temperature	FALSE	11.19		0	0	Degrees C	Field		0
3/4/2011	MW-3	Field	Turbidity	FALSE	8.5		0	0	NTU	Field		0
3/4/2011	MW-3 DUP	6010B	Barium	FALSE	0.052		0.001	0.005	mg/L	6010B	3/17/2011	1
3/4/2011	MW-3 DUP	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	3/17/2011	1
3/4/2011	MW-3 DUP	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/17/2011	1
3/4/2011	MW-3 DUP	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/17/2011	1
3/4/2011	MW-3 DUP	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	3/17/2011	1
3/4/2011	MW-3 DUP	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	3/17/2011	1
3/4/2011	MW-3 DUP	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	3/17/2011	1
3/4/2011	MW-3 DUP	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	3/17/2011	1
3/4/2011	MW-3 DUP	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	3/17/2011	1
3/4/2011	MW-3 DUP	6020	Antimony	FALSE	0.00032	J	0.00021	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-3 DUP	6020	Arsenic	FALSE	0.00049	J	0.00025	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-3 DUP	6020	Cadmium	FALSE	0.00034	J	0.00016	0.0005	mg/L	6020	3/9/2011	1
3/4/2011	MW-3 DUP	6020	Lead	FALSE	0.00059	J	0.00024	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-3 DUP	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-3 DUP	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-3 DUP	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.0024	0.02	ug/L	8011	3/9/2011	1
3/4/2011	MW-3 DUP	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00258	0.01	ug/L	8011	3/9/2011	1
3/4/2011	MW-3 DUP	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	3/8/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/4/2011	MW-3 DUP	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	3/8/2011	1
3/4/2011	MW-3 DUP	Field	Dissolved Oxygen	FALSE	1.78		0	0	mg/L	Field		0
3/4/2011	MW-3 DUP	Field	Oxidation Reduction Potential	FALSE	-47.6		0	0	mV	Field		0
3/4/2011	MW-3 DUP	Field	pH	FALSE	6.59		0	0	S.U.	Field		0
3/4/2011	MW-3 DUP	Field	Specific Conductivity	FALSE	1.132		0	0	mS/cm	Field		0
3/4/2011	MW-3 DUP	Field	Temperature	FALSE	11.19		0	0	Degrees C	Field		0
3/4/2011	MW-3 DUP	Field	Turbidity	FALSE	8.5		0	0	NTU	Field		0
3/4/2011	MW-4	6010B	Barium	FALSE	0.12		0.001	0.005	mg/L	6010B	3/16/2011	1
3/4/2011	MW-4	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	3/16/2011	1
3/4/2011	MW-4	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-4	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-4	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	3/16/2011	1
3/4/2011	MW-4	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	3/16/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/4/2011	MW-4	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-4	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-4	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	3/16/2011	1
3/4/2011	MW-4	6020	Antimony	FALSE	0.00062	J	0.00021	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-4	6020	Arsenic	FALSE	0.00048	J	0.00025	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-4	6020	Cadmium	FALSE	0.00036	J	0.00016	0.0005	mg/L	6020	3/9/2011	1
3/4/2011	MW-4	6020	Lead	FALSE	0.00069	J	0.00024	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-4	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-4	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-4	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.0024	0.02	ug/L	8011	3/9/2011	1
3/4/2011	MW-4	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00258	0.01	ug/L	8011	3/9/2011	1
3/4/2011	MW-4	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	3/8/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/4/2011	MW-4	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	3/8/2011	1
3/4/2011	MW-4	Field	Dissolved Oxygen	FALSE	0.24		0	0	mg/L	Field		0
3/4/2011	MW-4	Field	Oxidation Reduction Potential	FALSE	18.9		0	0	mV	Field		0
3/4/2011	MW-4	Field	pH	FALSE	6.77		0	0	S.U.	Field		0
3/4/2011	MW-4	Field	Specific Conductivity	FALSE	0.643		0	0	mS/cm	Field		0
3/4/2011	MW-4	Field	Temperature	FALSE	11.71		0	0	Degrees C	Field		0
3/4/2011	MW-4	Field	Turbidity	FALSE	6.9		0	0	NTU	Field		0
3/4/2011	MW-5	6010B	Barium	FALSE	0.14		0.001	0.005	mg/L	6010B	3/16/2011	1
3/4/2011	MW-5	6010B	Beryllium	FALSE	0.00045	J	0.0003	0.002	mg/L	6010B	3/16/2011	1
3/4/2011	MW-5	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-5	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-5	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	3/16/2011	1
3/4/2011	MW-5	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	3/16/2011	1
3/4/2011	MW-5	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-5	6010B	Vanadium	FALSE	0.0024	J	0.0022	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-5	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	3/16/2011	1
3/4/2011	MW-5	6020	Antimony	FALSE	0.00064	J	0.00021	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-5	6020	Arsenic	FALSE	0.003		0.00025	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-5	6020	Cadmium	FALSE	0.00034	J	0.00016	0.0005	mg/L	6020	3/9/2011	1
3/4/2011	MW-5	6020	Lead	FALSE	0.00041	J	0.00024	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-5	6020	Selenium	FALSE	0.00042	J	0.00038	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-5	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-5	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.0024	0.02	ug/L	8011	3/9/2011	1
3/4/2011	MW-5	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00258	0.01	ug/L	8011	3/9/2011	1
3/4/2011	MW-5	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	3/8/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/4/2011	MW-5	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	3/8/2011	1
3/4/2011	MW-5	Field	Dissolved Oxygen	FALSE	8.28		0	0	mg/L	Field		0
3/4/2011	MW-5	Field	Oxidation Reduction Potential	FALSE	134.4		0	0	mV	Field		0
3/4/2011	MW-5	Field	pH	FALSE	7.93		0	0	S.U.	Field		0
3/4/2011	MW-5	Field	Specific Conductivity	FALSE	0.563		0	0	mS/cm	Field		0
3/4/2011	MW-5	Field	Temperature	FALSE	10.34		0	0	Degrees C	Field		0
3/4/2011	MW-5	Field	Turbidity	FALSE	11		0	0	NTU	Field		0
3/4/2011	MW-7	6010B	Barium	FALSE	0.08		0.001	0.005	mg/L	6010B	3/16/2011	1
3/4/2011	MW-7	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	3/16/2011	1
3/4/2011	MW-7	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-7	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-7	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	3/16/2011	1
3/4/2011	MW-7	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	3/16/2011	1
3/4/2011	MW-7	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-7	6010B	Vanadium	FALSE	0.0027	J	0.0022	0.01	mg/L	6010B	3/16/2011	1
3/4/2011	MW-7	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	3/16/2011	1
3/4/2011	MW-7	6020	Antimony	FALSE	0.00032	J	0.00021	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-7	6020	Arsenic	FALSE	0.0025		0.00025	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-7	6020	Cadmium	FALSE	0.00036	J	0.00016	0.0005	mg/L	6020	3/9/2011	1
3/4/2011	MW-7	6020	Lead	FALSE	0.00034	J	0.00024	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-7	6020	Selenium	FALSE	0.00084	J	0.00038	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-7	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	3/9/2011	1
3/4/2011	MW-7	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.0024	0.02	ug/L	8011	3/9/2011	1
3/4/2011	MW-7	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00258	0.01	ug/L	8011	3/9/2011	1
3/4/2011	MW-7	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	3/8/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/4/2011	MW-7	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	3/8/2011	1
3/4/2011	MW-7	Field	Dissolved Oxygen	FALSE	1.88		0	0	mg/L	Field		0
3/4/2011	MW-7	Field	Oxidation Reduction Potential	FALSE	-78		0	0	mV	Field		0
3/4/2011	MW-7	Field	pH	FALSE	7.63		0	0	S.U.	Field		0
3/4/2011	MW-7	Field	Specific Conductivity	FALSE	2.314		0	0	mS/cm	Field		0
3/4/2011	MW-7	Field	Temperature	FALSE	11.84		0	0	Degrees C	Field		0
3/4/2011	MW-7	Field	Turbidity	FALSE	4.2		0	0	NTU	Field		0
3/4/2011	TRIP BLANK	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	3/8/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/4/2011	TRIP BLANK	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Styrene	TRUE	0	U	0.244	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	3/8/2011	1
3/4/2011	TRIP BLANK	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	3/8/2011	1
5/10/2011	FIELD BLANK	6010B	Barium	TRUE	0	U	0.001	0.005	mg/L	6010B	5/13/2011	1
5/10/2011	FIELD BLANK	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	5/13/2011	1
5/10/2011	FIELD BLANK	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	FIELD BLANK	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	FIELD BLANK	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	FIELD BLANK	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	FIELD BLANK	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	FIELD BLANK	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	FIELD BLANK	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	5/13/2011	1
5/10/2011	FIELD BLANK	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	5/13/2011	1
5/10/2011	FIELD BLANK	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	5/13/2011	1
5/10/2011	FIELD BLANK	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	5/13/2011	1
5/10/2011	FIELD BLANK	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	5/13/2011	1
5/10/2011	FIELD BLANK	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	5/13/2011	1
5/10/2011	FIELD BLANK	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	5/13/2011	1
5/10/2011	FIELD BLANK	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00301	0.02	ug/L	8011	5/16/2011	1
5/10/2011	FIELD BLANK	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00368	0.01	ug/L	8011	5/16/2011	1
5/10/2011	FIELD BLANK	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	2.5	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Carbon disulfide	TRUE	0	U,J3	0.285	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	5/12/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/10/2011	FIELD BLANK	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	trans-1,2-Dichloroethene	TRUE	0	U,J4	0.26	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	1,2-Dichloropropane	TRUE	0	U,J4	0.394	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Styrene	TRUE	0	U,J4	0.244	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Vinyl chloride	TRUE	0	U,J3	0.335	1	ug/L	8260B	5/12/2011	1
5/10/2011	FIELD BLANK	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	6010B	Barium	FALSE	0.019		0.001	0.005	mg/L	6010B	5/13/2011	1
5/10/2011	MW-10	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	5/13/2011	1
5/10/2011	MW-10	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-10	6010B	Cobalt	FALSE	0.011		0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-10	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	MW-10	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	MW-10	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-10	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-10	6010B	Zinc	FALSE	0.011	J	0.0068	0.03	mg/L	6010B	5/13/2011	1
5/10/2011	MW-10	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-10	6020	Arsenic	FALSE	0.00053	J	0.00025	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-10	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	5/13/2011	1
5/10/2011	MW-10	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-10	6020	Selenium	FALSE	0.00058	J	0.00038	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-10	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-10	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00301	0.02	ug/L	8011	5/16/2011	1
5/10/2011	MW-10	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00368	0.01	ug/L	8011	5/16/2011	1
5/10/2011	MW-10	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	2.5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Carbon disulfide	TRUE	0	U,J3	0.285	1	ug/L	8260B	5/12/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/10/2011	MW-10	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	trans-1,2-Dichloroethene	TRUE	0	U,J4	0.26	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	1,2-Dichloropropane	TRUE	0	U,J4	0.394	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Styrene	TRUE	0	U,J4	0.244	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Vinyl chloride	TRUE	0	U,J3	0.335	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	5/12/2011	1
5/10/2011	MW-10	Field	Dissolved Oxygen	FALSE	2.89		0	0	mg/L	Field		0
5/10/2011	MW-10	Field	Oxidation Reduction Potential	FALSE	75.9		0	0	mV	Field		0
5/10/2011	MW-10	Field	pH	FALSE	6.14		0	0	S.U.	Field		0
5/10/2011	MW-10	Field	Specific Conductivity	FALSE	1.359		0	0	mS/cm	Field		0
5/10/2011	MW-10	Field	Temperature	FALSE	15.35		0	0	Degrees C	Field		0
5/10/2011	MW-10	Field	Turbidity	FALSE	-6.7		0	0	NTU	Field		0
5/10/2011	MW-11	6010B	Barium	FALSE	0.034		0.001	0.005	mg/L	6010B	5/13/2011	1
5/10/2011	MW-11	6010B	Beryllium	FALSE	0.00097	J	0.0003	0.002	mg/L	6010B	5/13/2011	1
5/10/2011	MW-11	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-11	6010B	Cobalt	FALSE	0.002	J	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-11	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	MW-11	6010B	Nickel	FALSE	0.0094	J	0.0053	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	MW-11	6010B	Silver	FALSE	0.0035	J	0.0033	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-11	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-11	6010B	Zinc	FALSE	0.023	J	0.0068	0.03	mg/L	6010B	5/13/2011	1
5/10/2011	MW-11	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-11	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-11	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	5/13/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/10/2011	MW-11	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-11	6020	Selenium	FALSE	0.0005	J	0.00038	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-11	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-11	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00301	0.02	ug/L	8011	5/13/2011	1
5/10/2011	MW-11	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00368	0.01	ug/L	8011	5/13/2011	1
5/10/2011	MW-11	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	2.5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Carbon disulfide	TRUE	0	U,J3	0.285	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	trans-1,2-Dichloroethene	TRUE	0	U,J4	0.26	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	1,2-Dichloropropane	TRUE	0	U,J4	0.394	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Styrene	TRUE	0	U,J4	0.244	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Vinyl chloride	TRUE	0	U,J3	0.335	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	5/12/2011	1
5/10/2011	MW-11	Field	Dissolved Oxygen	FALSE	4.09		0	0	mg/L	Field		0
5/10/2011	MW-11	Field	Oxidation Reduction Potential	FALSE	259.7		0	0	mV	Field		0
5/10/2011	MW-11	Field	pH	FALSE	6.31		0	0	S.U.	Field		0
5/10/2011	MW-11	Field	Specific Conductivity	FALSE	1.259		0	0	mS/cm	Field		0
5/10/2011	MW-11	Field	Temperature	FALSE	14.04		0	0	Degrees C	Field		0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/10/2011	MW-11	Field	Turbidity	FALSE	-6		0	0	NTU	Field		0
5/10/2011	MW-11 DUP	6010B	Barium	FALSE	0.032		0.001	0.005	mg/L	6010B	5/13/2011	1
5/10/2011	MW-11 DUP	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	5/13/2011	1
5/10/2011	MW-11 DUP	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-11 DUP	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-11 DUP	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	MW-11 DUP	6010B	Nickel	FALSE	0.0059	J	0.0053	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	MW-11 DUP	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-11 DUP	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-11 DUP	6010B	Zinc	FALSE	0.017	J	0.0068	0.03	mg/L	6010B	5/13/2011	1
5/10/2011	MW-11 DUP	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	5/16/2011	1
5/10/2011	MW-11 DUP	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	5/16/2011	1
5/10/2011	MW-11 DUP	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	5/16/2011	1
5/10/2011	MW-11 DUP	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	5/16/2011	1
5/10/2011	MW-11 DUP	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	5/16/2011	1
5/10/2011	MW-11 DUP	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	5/16/2011	1
5/10/2011	MW-11 DUP	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	5/13/2011	1
5/10/2011	MW-11 DUP	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.75	2.5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Carbon disulfide	TRUE	0	U	0.29	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.83	2.5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Styrene	TRUE	0	U,J4	0.24	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	5/13/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/10/2011	MW-11 DUP	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.31	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-11 DUP	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	5/13/2011	1
5/10/2011	MW-12	6010B	Barium	FALSE	0.68		0.001	0.005	mg/L	6010B	5/13/2011	1
5/10/2011	MW-12	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	5/13/2011	1
5/10/2011	MW-12	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-12	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-12	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	MW-12	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	MW-12	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-12	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-12	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	5/13/2011	1
5/10/2011	MW-12	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-12	6020	Arsenic	FALSE	0.0013		0.00025	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-12	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	5/13/2011	1
5/10/2011	MW-12	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-12	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-12	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-12	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00301	0.02	ug/L	8011	5/16/2011	1
5/10/2011	MW-12	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00368	0.01	ug/L	8011	5/16/2011	1
5/10/2011	MW-12	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.75	2.5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Carbon disulfide	TRUE	0	U,J3	0.29	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	trans-1,2-Dichloroethene	TRUE	0	U,J4	0.26	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	1,2-Dichloropropane	TRUE	0	U,J4	0.39	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	5/12/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/10/2011	MW-12	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Styrene	TRUE	0	U,J4	0.24	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Vinyl chloride	TRUE	0	U,J3	0.34	1	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	5/12/2011	1
5/10/2011	MW-12	Field	Dissolved Oxygen	FALSE	9.88		0	0	mg/L	Field		0
5/10/2011	MW-12	Field	Oxidation Reduction Potential	FALSE	-56.3		0	0	mV	Field		0
5/10/2011	MW-12	Field	pH	FALSE	7.25		0	0	S.U.	Field		0
5/10/2011	MW-12	Field	Specific Conductivity	FALSE	0.487		0	0	mS/cm	Field		0
5/10/2011	MW-12	Field	Temperature	FALSE	14.9		0	0	Degrees C	Field		0
5/10/2011	MW-12	Field	Turbidity	FALSE	-9.4		0	0	NTU	Field		0
5/10/2011	MW-14H	6010B	Barium	FALSE	0.27		0.001	0.005	mg/L	6010B	5/13/2011	1
5/10/2011	MW-14H	6010B	Beryllium	FALSE	0.0012	J	0.0003	0.002	mg/L	6010B	5/13/2011	1
5/10/2011	MW-14H	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-14H	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-14H	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	MW-14H	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	MW-14H	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-14H	6010B	Vanadium	FALSE	0.0033	J	0.0022	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-14H	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	5/13/2011	1
5/10/2011	MW-14H	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	5/16/2011	1
5/10/2011	MW-14H	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	5/16/2011	1
5/10/2011	MW-14H	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	5/16/2011	1
5/10/2011	MW-14H	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	5/16/2011	1
5/10/2011	MW-14H	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	5/16/2011	1
5/10/2011	MW-14H	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	5/16/2011	1
5/10/2011	MW-14H	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00301	0.02	ug/L	8011	5/13/2011	1
5/10/2011	MW-14H	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00368	0.01	ug/L	8011	5/13/2011	1
5/10/2011	MW-14H	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	2.5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	5/13/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/10/2011	MW-14H	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Styrene	TRUE	0	U,J4	0.244	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	5/13/2011	1
5/10/2011	MW-14H	Field	Dissolved Oxygen	FALSE	13.47		0	0	mg/L	Field		0
5/10/2011	MW-14H	Field	Oxidation Reduction Potential	FALSE	165.3		0	0	mV	Field		0
5/10/2011	MW-14H	Field	pH	FALSE	6.82		0	0	S.U.	Field		0
5/10/2011	MW-14H	Field	Specific Conductivity	FALSE	0.313		0	0	mS/cm	Field		0
5/10/2011	MW-14H	Field	Temperature	FALSE	12.97		0	0	Degrees C	Field		0
5/10/2011	MW-14H	Field	Turbidity	FALSE	0.2		0	0	NTU	Field		0
5/10/2011	MW-3	6010B	Barium	FALSE	0.054		0.001	0.005	mg/L	6010B	5/13/2011	1
5/10/2011	MW-3	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	5/13/2011	1
5/10/2011	MW-3	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-3	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-3	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	MW-3	6010B	Nickel	FALSE	0.0059	J	0.0053	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	MW-3	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-3	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-3	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	5/13/2011	1
5/10/2011	MW-3	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-3	6020	Arsenic	FALSE	0.00031	J	0.00025	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-3	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	5/13/2011	1
5/10/2011	MW-3	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-3	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-3	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-3	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00301	0.02	ug/L	8011	5/16/2011	1
5/10/2011	MW-3	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00368	0.01	ug/L	8011	5/16/2011	1
5/10/2011	MW-3	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	2.5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	5/13/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/10/2011	MW-3	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Carbon disulfide	TRUE	0	U,J3	0.285	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	trans-1,2-Dichloroethene	TRUE	0	U,J4	0.26	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	1,2-Dichloropropane	TRUE	0	U,J4	0.394	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Styrene	TRUE	0	U,J4	0.244	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Vinyl chloride	TRUE	0	U,J3	0.335	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	5/13/2011	1
5/10/2011	MW-3	Field	Dissolved Oxygen	FALSE	1.95		0	0	mg/L	Field		0
5/10/2011	MW-3	Field	Oxidation Reduction Potential	FALSE	7.2		0	0	mV	Field		0
5/10/2011	MW-3	Field	pH	FALSE	6.56		0	0	S.U.	Field		0
5/10/2011	MW-3	Field	Specific Conductivity	FALSE	0.563		0	0	mS/cm	Field		0
5/10/2011	MW-3	Field	Temperature	FALSE	12.84		0	0	Degrees C	Field		0
5/10/2011	MW-3	Field	Turbidity	FALSE	0		0	0	NTU	Field		0
5/10/2011	MW-4	6010B	Barium	FALSE	0.1		0.001	0.005	mg/L	6010B	5/13/2011	1
5/10/2011	MW-4	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	5/13/2011	1
5/10/2011	MW-4	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-4	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-4	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	MW-4	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	MW-4	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-4	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	5/13/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/10/2011	MW-4	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	5/13/2011	1
5/10/2011	MW-4	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	5/16/2011	1
5/10/2011	MW-4	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	5/16/2011	1
5/10/2011	MW-4	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	5/16/2011	1
5/10/2011	MW-4	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	5/16/2011	1
5/10/2011	MW-4	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	5/16/2011	1
5/10/2011	MW-4	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	5/16/2011	1
5/10/2011	MW-4	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00301	0.02	ug/L	8011	5/13/2011	1
5/10/2011	MW-4	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00368	0.01	ug/L	8011	5/13/2011	1
5/10/2011	MW-4	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.75	2.5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Carbon disulfide	TRUE	0	U	0.29	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.83	2.5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Styrene	TRUE	0	U,J4	0.24	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.31	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	5/13/2011	1
5/10/2011	MW-4	Field	Dissolved Oxygen	FALSE	19.55		0	0	mg/L	Field		0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/10/2011	MW-4	Field	Oxidation Reduction Potential	FALSE	-4.6		0	0	mV	Field		0
5/10/2011	MW-4	Field	pH	FALSE	6.77		0	0	S.U.	Field		0
5/10/2011	MW-4	Field	Specific Conductivity	FALSE	0.368		0	0	mS/cm	Field		0
5/10/2011	MW-4	Field	Temperature	FALSE	12.29		0	0	Degrees C	Field		0
5/10/2011	MW-4	Field	Turbidity	FALSE	-4.1		0	0	NTU	Field		0
5/10/2011	MW-5	6010B	Barium	FALSE	0.14		0.001	0.005	mg/L	6010B	5/13/2011	1
5/10/2011	MW-5	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	5/13/2011	1
5/10/2011	MW-5	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-5	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-5	6010B	Copper	FALSE	0.0086	J	0.0042	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	MW-5	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	MW-5	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-5	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-5	6010B	Zinc	FALSE	0.011	J	0.0068	0.03	mg/L	6010B	5/13/2011	1
5/10/2011	MW-5	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-5	6020	Arsenic	FALSE	0.0018		0.00025	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-5	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	5/13/2011	1
5/10/2011	MW-5	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-5	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-5	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-5	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00301	0.02	ug/L	8011	5/13/2011	1
5/10/2011	MW-5	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00368	0.01	ug/L	8011	5/13/2011	1
5/10/2011	MW-5	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	2.5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Carbon disulfide	TRUE	0	U	0.285	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	1,2-Dichloropropane	TRUE	0	U	0.394	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	5/13/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/10/2011	MW-5	8260B	Styrene	TRUE	0	U,J4	0.244	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Vinyl chloride	TRUE	0	U	0.335	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	5/13/2011	1
5/10/2011	MW-5	Field	Dissolved Oxygen	FALSE	6.85		0	0	mg/L	Field		0
5/10/2011	MW-5	Field	Oxidation Reduction Potential	FALSE	91.9		0	0	mV	Field		0
5/10/2011	MW-5	Field	pH	FALSE	8.22		0	0	S.U.	Field		0
5/10/2011	MW-5	Field	Specific Conductivity	FALSE	0.302		0	0	mS/cm	Field		0
5/10/2011	MW-5	Field	Temperature	FALSE	12.72		0	0	Degrees C	Field		0
5/10/2011	MW-5	Field	Turbidity	FALSE	-4.4		0	0	NTU	Field		0
5/10/2011	MW-7	6010B	Barium	FALSE	0.078		0.001	0.005	mg/L	6010B	5/13/2011	1
5/10/2011	MW-7	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	5/13/2011	1
5/10/2011	MW-7	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-7	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-7	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	MW-7	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	5/13/2011	1
5/10/2011	MW-7	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-7	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	5/13/2011	1
5/10/2011	MW-7	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	5/13/2011	1
5/10/2011	MW-7	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-7	6020	Arsenic	FALSE	0.0021		0.00025	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-7	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	5/13/2011	1
5/10/2011	MW-7	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-7	6020	Selenium	FALSE	0.002		0.00038	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-7	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	5/13/2011	1
5/10/2011	MW-7	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.00301	0.02	ug/L	8011	5/16/2011	1
5/10/2011	MW-7	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.00368	0.01	ug/L	8011	5/16/2011	1
5/10/2011	MW-7	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.745	2.5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Acetone	TRUE	0	U	16.4	50	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Acrylonitrile	TRUE	0	U	1.86	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Benzene	TRUE	0	U	0.227	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Bromodichloromethane	TRUE	0	U	0.229	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Bromoform	TRUE	0	U	0.366	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Carbon disulfide	TRUE	0	U,J3	0.285	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Carbon tetrachloride	TRUE	0	U	0.204	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Chloroethane	TRUE	0	U	0.873	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Chloroform	TRUE	0	U	0.269	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Dibromochloromethane	TRUE	0	U	0.235	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.311	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.825	2.5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	1,1-Dichloroethane	TRUE	0	U	0.323	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	1,2-Dichloroethane	TRUE	0	U	0.246	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.336	1	ug/L	8260B	5/13/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/10/2011	MW-7	8260B	trans-1,2-Dichloroethene	TRUE	0	U,J4	0.26	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	1,2-Dichloropropane	TRUE	0	U,J4	0.394	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.251	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.236	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Ethylbenzene	TRUE	0	U	0.217	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	2-Hexanone (MBK)	TRUE	0	U	3.58	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Chloromethane	TRUE	0	U	0.761	2.5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Dibromomethane	TRUE	0	U	0.353	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Methylene Chloride	TRUE	0	U	0.907	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	2-Butanone (MEK)	TRUE	0	U	3.44	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Iodomethane	TRUE	0	U	1.87	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.68	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Styrene	TRUE	0	U,J4	0.244	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.319	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.248	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Tetrachloroethene	TRUE	0	U	0.316	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Toluene	TRUE	0	U	0.321	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.287	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Trichloroethene	TRUE	0	U	0.306	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Trichlorofluoromethane	TRUE	0	U	1.08	5	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Vinyl acetate	TRUE	0	U	3.99	10	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Vinyl chloride	TRUE	0	U,J3	0.335	1	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	5/13/2011	1
5/10/2011	MW-7	Field	Dissolved Oxygen	FALSE	6.87		0	0	mg/L	Field		0
5/10/2011	MW-7	Field	Oxidation Reduction Potential	FALSE	-96.4		0	0	mV	Field		0
5/10/2011	MW-7	Field	pH	FALSE	7.53		0	0	S.U.	Field		0
5/10/2011	MW-7	Field	Specific Conductivity	FALSE	1.309		0	0	mS/cm	Field		0
5/10/2011	MW-7	Field	Temperature	FALSE	14.54		0	0	Degrees C	Field		0
5/10/2011	MW-7	Field	Turbidity	FALSE	-5.6		0	0	NTU	Field		0
5/10/2011	TRIP BLANK	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.75	2.5	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Carbon disulfide	TRUE	0	U	0.29	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.83	2.5	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	5/12/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/10/2011	TRIP BLANK	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Tetrachloroethene	TRUE	0	U	0.31	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.31	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	5/12/2011	1
5/10/2011	TRIP BLANK	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	5/12/2011	1
7/14/2011	FIELD BLANK	6010B	Barium	TRUE	0	U	0.001	0.005	mg/L	6010B	7/19/2011	1
7/14/2011	FIELD BLANK	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	7/19/2011	1
7/14/2011	FIELD BLANK	6010B	Chromium	FALSE	0.005	J	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	FIELD BLANK	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	FIELD BLANK	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	FIELD BLANK	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	FIELD BLANK	6010B	Silver	FALSE	0.0043	J	0.0033	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	FIELD BLANK	6010B	Vanadium	FALSE	0.0046	J	0.0022	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	FIELD BLANK	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	7/19/2011	1
7/14/2011	FIELD BLANK	6020	Antimony	FALSE	0.00032	J	0.00021	0.001	mg/L	6020	7/25/2011	1
7/14/2011	FIELD BLANK	6020	Arsenic	FALSE	0.00061	J	0.00025	0.001	mg/L	6020	7/25/2011	1
7/14/2011	FIELD BLANK	6020	Cadmium	FALSE	0.00022	J	0.00016	0.0005	mg/L	6020	7/25/2011	1
7/14/2011	FIELD BLANK	6020	Lead	FALSE	0.00027	J	0.00024	0.001	mg/L	6020	7/25/2011	1
7/14/2011	FIELD BLANK	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	7/25/2011	1
7/14/2011	FIELD BLANK	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	7/25/2011	1
7/14/2011	FIELD BLANK	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	7/21/2011	1
7/14/2011	FIELD BLANK	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	7/21/2011	1
7/14/2011	FIELD BLANK	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.75	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Carbon disulfide	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.83	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/14/2011	FIELD BLANK	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	7/18/2011	1
7/14/2011	FIELD BLANK	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	6010B	Barium	FALSE	0.017		0.001	0.005	mg/L	6010B	7/19/2011	1
7/14/2011	MW-10	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	7/19/2011	1
7/14/2011	MW-10	6010B	Chromium	FALSE	0.007	J,B	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-10	6010B	Cobalt	FALSE	0.008	J	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-10	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	MW-10	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	MW-10	6010B	Silver	FALSE	0.0074	J,B	0.0033	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-10	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-10	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	7/19/2011	1
7/14/2011	MW-10	6020	Antimony	FALSE	0.00044	J	0.00021	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-10	6020	Arsenic	FALSE	0.0016	,B	0.00025	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-10	6020	Cadmium	FALSE	0.00027	J,B	0.00016	0.0005	mg/L	6020	7/25/2011	1
7/14/2011	MW-10	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-10	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-10	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-10	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	7/21/2011	1
7/14/2011	MW-10	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	7/21/2011	1
7/14/2011	MW-10	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.75	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Carbon disulfide	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	7/18/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/14/2011	MW-10	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.83	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	7/18/2011	1
7/14/2011	MW-10	Field	Dissolved Oxygen	FALSE	1.03		0	0	mg/L	Field		0
7/14/2011	MW-10	Field	Oxidation Reduction Potential	FALSE	145.8		0	0	mV	Field		0
7/14/2011	MW-10	Field	pH	FALSE	4.37		0	0	S.U.	Field		0
7/14/2011	MW-10	Field	Specific Conductivity	FALSE	1.168		0	0	mS/cm	Field		0
7/14/2011	MW-10	Field	Temperature	FALSE	15.31		0	0	Degrees C	Field		0
7/14/2011	MW-10	Field	Turbidity	FALSE	8.7		0	0	NTU	Field		0
7/14/2011	MW-11	6010B	Barium	FALSE	0.025		0.001	0.005	mg/L	6010B	7/19/2011	1
7/14/2011	MW-11	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	7/19/2011	1
7/14/2011	MW-11	6010B	Chromium	FALSE	0.006	J,B	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-11	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-11	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	MW-11	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	MW-11	6010B	Silver	FALSE	0.0061	J,B	0.0033	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-11	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-11	6010B	Zinc	FALSE	0.016	J	0.0068	0.03	mg/L	6010B	7/19/2011	1
7/14/2011	MW-11	6020	Antimony	FALSE	0.00036	J	0.00021	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-11	6020	Arsenic	FALSE	0.00082	J,B	0.00025	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-11	6020	Cadmium	FALSE	0.00025	J,B	0.00016	0.0005	mg/L	6020	7/25/2011	1
7/14/2011	MW-11	6020	Lead	FALSE	0.00045	J,B	0.00024	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-11	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	7/25/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/14/2011	MW-11	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-11	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	7/21/2011	1
7/14/2011	MW-11	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	7/21/2011	1
7/14/2011	MW-11	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.75	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Carbon disulfide	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.83	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	7/18/2011	1
7/14/2011	MW-11	Field	Dissolved Oxygen	FALSE	1.68		0	0	mg/L	Field		0
7/14/2011	MW-11	Field	Oxidation Reduction Potential	FALSE	179.3		0	0	mV	Field		0
7/14/2011	MW-11	Field	pH	FALSE	5.66		0	0	S.U.	Field		0
7/14/2011	MW-11	Field	Specific Conductivity	FALSE	1.033		0	0	mS/cm	Field		0
7/14/2011	MW-11	Field	Temperature	FALSE	14.79		0	0	Degrees C	Field		0
7/14/2011	MW-11	Field	Turbidity	FALSE	-2.3		0	0	NTU	Field		0
7/14/2011	MW-12	6010B	Barium	FALSE	0.59		0.001	0.005	mg/L	6010B	7/19/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/14/2011	MW-12	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	7/19/2011	1
7/14/2011	MW-12	6010B	Chromium	FALSE	0.004	J,B	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-12	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-12	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	MW-12	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	MW-12	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-12	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-12	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	7/19/2011	1
7/14/2011	MW-12	6020	Antimony	FALSE	0.0004	J	0.00021	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-12	6020	Arsenic	FALSE	0.0032		0.00025	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-12	6020	Cadmium	FALSE	0.00024	J,B	0.00016	0.0005	mg/L	6020	7/25/2011	1
7/14/2011	MW-12	6020	Lead	FALSE	0.00039	J,B	0.00024	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-12	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-12	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-12	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	7/21/2011	1
7/14/2011	MW-12	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	7/21/2011	1
7/14/2011	MW-12	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.75	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Carbon disulfide	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.83	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	7/18/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/14/2011	MW-12	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	7/18/2011	1
7/14/2011	MW-12	Field	Dissolved Oxygen	FALSE	0.53		0	0	mg/L	Field		0
7/14/2011	MW-12	Field	Oxidation Reduction Potential	FALSE	-57.4		0	0	mV	Field		0
7/14/2011	MW-12	Field	pH	FALSE	5.8		0	0	S.U.	Field		0
7/14/2011	MW-12	Field	Specific Conductivity	FALSE	0.546		0	0	mS/cm	Field		0
7/14/2011	MW-12	Field	Temperature	FALSE	15.13		0	0	Degrees C	Field		0
7/14/2011	MW-12	Field	Turbidity	FALSE	3.8		0	0	NTU	Field		0
7/14/2011	MW-14H	6010B	Barium	FALSE	0.25		0.001	0.005	mg/L	6010B	7/19/2011	1
7/14/2011	MW-14H	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	7/19/2011	1
7/14/2011	MW-14H	6010B	Chromium	FALSE	0.004	J,B	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-14H	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-14H	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	MW-14H	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	MW-14H	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-14H	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-14H	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	7/19/2011	1
7/14/2011	MW-14H	6020	Antimony	FALSE	0.00048	J	0.00021	0.001	mg/L	6020	7/22/2011	1
7/14/2011	MW-14H	6020	Arsenic	FALSE	0.0015	,B	0.00025	0.001	mg/L	6020	7/22/2011	1
7/14/2011	MW-14H	6020	Cadmium	FALSE	0.00025	J,B	0.00016	0.0005	mg/L	6020	7/22/2011	1
7/14/2011	MW-14H	6020	Lead	FALSE	0.00045	J,B	0.00024	0.001	mg/L	6020	7/22/2011	1
7/14/2011	MW-14H	6020	Selenium	FALSE	0.00059	J	0.00038	0.001	mg/L	6020	7/22/2011	1
7/14/2011	MW-14H	6020	Thallium	FALSE	0.00019	J	0.00019	0.001	mg/L	6020	7/22/2011	1
7/14/2011	MW-14H	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	7/21/2011	1
7/14/2011	MW-14H	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	7/21/2011	1
7/14/2011	MW-14H	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.75	2.5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Carbon disulfide	TRUE	0	U	0.29	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.83	2.5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	7/17/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/14/2011	MW-14H	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	7/17/2011	1
7/14/2011	MW-14H	Field	Dissolved Oxygen	FALSE	10.54		0	0	mg/L	Field		0
7/14/2011	MW-14H	Field	Oxidation Reduction Potential	FALSE	133		0	0	mV	Field		0
7/14/2011	MW-14H	Field	pH	FALSE	6.38		0	0	S.U.	Field		0
7/14/2011	MW-14H	Field	Specific Conductivity	FALSE	0.282		0	0	mS/cm	Field		0
7/14/2011	MW-14H	Field	Temperature	FALSE	13.63		0	0	Degrees C	Field		0
7/14/2011	MW-14H	Field	Turbidity	FALSE	1.7		0	0	NTU	Field		0
7/14/2011	MW-3	6010B	Barium	FALSE	0.057		0.001	0.005	mg/L	6010B	7/19/2011	1
7/14/2011	MW-3	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	7/19/2011	1
7/14/2011	MW-3	6010B	Chromium	FALSE	0.004	J,B	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-3	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-3	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	MW-3	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	MW-3	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-3	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-3	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	7/19/2011	1
7/14/2011	MW-3	6020	Antimony	FALSE	0.00034	J	0.00021	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-3	6020	Arsenic	FALSE	0.0012	,B	0.00025	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-3	6020	Cadmium	FALSE	0.00024	J,B	0.00016	0.0005	mg/L	6020	7/25/2011	1
7/14/2011	MW-3	6020	Lead	FALSE	0.00024	J,B	0.00024	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-3	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-3	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-3	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	7/21/2011	1
7/14/2011	MW-3	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	7/21/2011	1
7/14/2011	MW-3	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.75	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Carbon disulfide	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/14/2011	MW-3	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.83	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	7/18/2011	1
7/14/2011	MW-3	Field	Dissolved Oxygen	FALSE	0.5		0	0	mg/L	Field		0
7/14/2011	MW-3	Field	Oxidation Reduction Potential	FALSE	20.3		0	0	mV	Field		0
7/14/2011	MW-3	Field	pH	FALSE	4.03		0	0	S.U.	Field		0
7/14/2011	MW-3	Field	Specific Conductivity	FALSE	0.626		0	0	mS/cm	Field		0
7/14/2011	MW-3	Field	Temperature	FALSE	13.33		0	0	Degrees C	Field		0
7/14/2011	MW-3	Field	Turbidity	FALSE	1.6		0	0	NTU	Field		0
7/14/2011	MW-4	6010B	Barium	FALSE	0.097		0.001	0.005	mg/L	6010B	7/19/2011	1
7/14/2011	MW-4	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	7/19/2011	1
7/14/2011	MW-4	6010B	Chromium	FALSE	0.005	J,B	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-4	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-4	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	MW-4	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	MW-4	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-4	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-4	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	7/19/2011	1
7/14/2011	MW-4	6020	Antimony	FALSE	0.00034	J	0.00021	0.001	mg/L	6020	7/22/2011	1
7/14/2011	MW-4	6020	Arsenic	FALSE	0.0012	,B	0.00025	0.001	mg/L	6020	7/22/2011	1
7/14/2011	MW-4	6020	Cadmium	FALSE	0.00023	J,B	0.00016	0.0005	mg/L	6020	7/22/2011	1
7/14/2011	MW-4	6020	Lead	FALSE	0.00083	J,B	0.00024	0.001	mg/L	6020	7/22/2011	1
7/14/2011	MW-4	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	7/22/2011	1
7/14/2011	MW-4	6020	Thallium	FALSE	0.00019	J	0.00019	0.001	mg/L	6020	7/22/2011	1
7/14/2011	MW-4	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	7/21/2011	1
7/14/2011	MW-4	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	7/21/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/14/2011	MW-4	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.75	2.5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Carbon disulfide	TRUE	0	U	0.29	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.83	2.5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	7/17/2011	1
7/14/2011	MW-4	Field	Dissolved Oxygen	FALSE	0.59		0	0	mg/L	Field		0
7/14/2011	MW-4	Field	Oxidation Reduction Potential	FALSE	-27.5		0	0	mV	Field		0
7/14/2011	MW-4	Field	pH	FALSE	6.39		0	0	S.U.	Field		0
7/14/2011	MW-4	Field	Specific Conductivity	FALSE	0.395		0	0	mS/cm	Field		0
7/14/2011	MW-4	Field	Temperature	FALSE	12.76		0	0	Degrees C	Field		0
7/14/2011	MW-4	Field	Turbidity	FALSE	-0.9		0	0	NTU	Field		0
7/14/2011	MW-4 DUP	6010B	Barium	FALSE	0.098		0.001	0.005	mg/L	6010B	7/19/2011	1
7/14/2011	MW-4 DUP	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	7/19/2011	1
7/14/2011	MW-4 DUP	6010B	Chromium	FALSE	0.004	J,B	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-4 DUP	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	7/19/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/14/2011	MW-4 DUP	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	MW-4 DUP	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	MW-4 DUP	6010B	Silver	FALSE	0.0034	J,B	0.0033	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-4 DUP	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-4 DUP	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	7/19/2011	1
7/14/2011	MW-4 DUP	6020	Antimony	FALSE	0.00034	J	0.00021	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-4 DUP	6020	Arsenic	FALSE	0.0011	,B	0.00025	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-4 DUP	6020	Cadmium	FALSE	0.00022	J,B	0.00016	0.0005	mg/L	6020	7/25/2011	1
7/14/2011	MW-4 DUP	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-4 DUP	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-4 DUP	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-4 DUP	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	7/21/2011	1
7/14/2011	MW-4 DUP	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	7/21/2011	1
7/14/2011	MW-4 DUP	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.75	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Carbon disulfide	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.83	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	7/18/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/14/2011	MW-4 DUP	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-4 DUP	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	7/18/2011	1
7/14/2011	MW-5	6010B	Barium	FALSE	0.21		0.001	0.005	mg/L	6010B	7/19/2011	1
7/14/2011	MW-5	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	7/19/2011	1
7/14/2011	MW-5	6010B	Chromium	FALSE	0.003	J,B	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-5	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-5	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	MW-5	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	MW-5	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-5	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-5	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	7/19/2011	1
7/14/2011	MW-5	6020	Antimony	FALSE	0.0012		0.00021	0.001	mg/L	6020	7/22/2011	1
7/14/2011	MW-5	6020	Arsenic	FALSE	0.0025	,B	0.00025	0.001	mg/L	6020	7/22/2011	1
7/14/2011	MW-5	6020	Cadmium	FALSE	0.00024	J,B	0.00016	0.0005	mg/L	6020	7/22/2011	1
7/14/2011	MW-5	6020	Lead	FALSE	0.0005	J,B	0.00024	0.001	mg/L	6020	7/22/2011	1
7/14/2011	MW-5	6020	Selenium	FALSE	0.0012		0.00038	0.001	mg/L	6020	7/22/2011	1
7/14/2011	MW-5	6020	Thallium	FALSE	0.0002	J	0.00019	0.001	mg/L	6020	7/22/2011	1
7/14/2011	MW-5	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	7/21/2011	1
7/14/2011	MW-5	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	7/21/2011	1
7/14/2011	MW-5	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.75	2.5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Carbon disulfide	TRUE	0	U	0.29	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.83	2.5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/17/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/14/2011	MW-5	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	7/17/2011	1
7/14/2011	MW-5	Field	Dissolved Oxygen	FALSE	10.3		0	0	mg/L	Field		0
7/14/2011	MW-5	Field	Oxidation Reduction Potential	FALSE	117.2		0	0	mV	Field		0
7/14/2011	MW-5	Field	pH	FALSE	6.81		0	0	S.U.	Field		0
7/14/2011	MW-5	Field	Specific Conductivity	FALSE	0.364		0	0	mS/cm	Field		0
7/14/2011	MW-5	Field	Temperature	FALSE	14.44		0	0	Degrees C	Field		0
7/14/2011	MW-5	Field	Turbidity	FALSE	-1.8		0	0	NTU	Field		0
7/14/2011	MW-7	6010B	Barium	FALSE	0.1		0.001	0.005	mg/L	6010B	7/19/2011	1
7/14/2011	MW-7	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	7/19/2011	1
7/14/2011	MW-7	6010B	Chromium	FALSE	0.004	J,B	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-7	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-7	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	MW-7	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	MW-7	6010B	Silver	TRUE	0	U,J6J3	0.0033	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-7	6010B	Vanadium	FALSE	0.0093	J,B	0.0022	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	MW-7	6010B	Zinc	TRUE	0	U	0.0068	0.03	mg/L	6010B	7/19/2011	1
7/14/2011	MW-7	6020	Antimony	FALSE	0.00048	J	0.00021	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-7	6020	Arsenic	FALSE	0.0026	,B	0.00025	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-7	6020	Cadmium	FALSE	0.00027	J,B	0.00016	0.0005	mg/L	6020	7/25/2011	1
7/14/2011	MW-7	6020	Lead	FALSE	0.0005	J,B P1	0.00024	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-7	6020	Selenium	FALSE	0.0011		0.00038	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-7	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	7/25/2011	1
7/14/2011	MW-7	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	7/21/2011	1
7/14/2011	MW-7	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	7/21/2011	1
7/14/2011	MW-7	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.75	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Carbon disulfide	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.83	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	7/18/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/14/2011	MW-7	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	7/18/2011	1
7/14/2011	MW-7	Field	Dissolved Oxygen	FALSE	3.99		0	0	mg/L	Field		0
7/14/2011	MW-7	Field	Oxidation Reduction Potential	FALSE	-120.1		0	0	mV	Field		0
7/14/2011	MW-7	Field	pH	FALSE	5.9		0	0	S.U.	Field		0
7/14/2011	MW-7	Field	Specific Conductivity	FALSE	1.279		0	0	mS/cm	Field		0
7/14/2011	MW-7	Field	Temperature	FALSE	15.35		0	0	Degrees C	Field		0
7/14/2011	MW-7	Field	Turbidity	FALSE	-2.5		0	0	NTU	Field		0
7/14/2011	TRIP BLANK	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.75	2.5	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Carbon disulfide	TRUE	0	U	0.29	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.83	2.5	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	7/17/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/14/2011	TRIP BLANK	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	7/17/2011	1
7/14/2011	TRIP BLANK	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	7/17/2011	1
7/14/2011	UD-1	6010B	Barium	FALSE	0.066		0.001	0.005	mg/L	6010B	7/19/2011	1
7/14/2011	UD-1	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	7/19/2011	1
7/14/2011	UD-1	6010B	Chromium	FALSE	0.007	J,B	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	UD-1	6010B	Cobalt	FALSE	0.008	J	0.0017	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	UD-1	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	UD-1	6010B	Nickel	FALSE	0.009	J	0.0053	0.02	mg/L	6010B	7/19/2011	1
7/14/2011	UD-1	6010B	Silver	FALSE	0.0043	J,B	0.0033	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	UD-1	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	7/19/2011	1
7/14/2011	UD-1	6010B	Zinc	FALSE	0.007	J	0.0068	0.03	mg/L	6010B	7/19/2011	1
7/14/2011	UD-1	6020	Antimony	FALSE	0.00036	J	0.00021	0.001	mg/L	6020	7/25/2011	1
7/14/2011	UD-1	6020	Arsenic	FALSE	0.0016	,B	0.00025	0.001	mg/L	6020	7/25/2011	1
7/14/2011	UD-1	6020	Cadmium	FALSE	0.00027	J,B	0.00016	0.0005	mg/L	6020	7/25/2011	1
7/14/2011	UD-1	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	7/25/2011	1
7/14/2011	UD-1	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	7/25/2011	1
7/14/2011	UD-1	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	7/25/2011	1
7/14/2011	UD-1	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	7/21/2011	1
7/14/2011	UD-1	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	7/21/2011	1
7/14/2011	UD-1	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.75	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Acetone	TRUE	0	U	16	50	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Acrylonitrile	TRUE	0	U	1.9	10	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Benzene	TRUE	0	U	0.23	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Bromochloromethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Bromodichloromethane	TRUE	0	U	0.23	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Bromoform	TRUE	0	U	0.37	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Carbon disulfide	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Carbon tetrachloride	TRUE	0	U	0.2	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Chlorobenzene	TRUE	0	U	0.3	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Chloroethane	TRUE	0	U	0.87	5	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Chloroform	TRUE	0	U	0.27	5	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Dibromochloromethane	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.31	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.83	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	1,1-Dichloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	1,2-Dichloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	1,1-Dichloroethene	TRUE	0	U	0.41	1	ug/L	8260B	7/18/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
7/14/2011	UD-1	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.34	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.26	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	1,2-Dichloropropane	TRUE	0	U	0.39	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Ethylbenzene	TRUE	0	U	0.22	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	2-Hexanone (MBK)	TRUE	0	U	3.6	10	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Bromomethane	TRUE	0	U	1.6	5	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Chloromethane	TRUE	0	U	0.76	2.5	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Dibromomethane	TRUE	0	U	0.35	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Methylene Chloride	TRUE	0	U	0.91	5	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	2-Butanone (MEK)	TRUE	0	U	3.4	10	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Iodomethane	TRUE	0	U	1.9	10	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	1.7	10	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Styrene	TRUE	0	U	0.24	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.25	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Tetrachloroethene	TRUE	0	U	0.32	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Toluene	TRUE	0	U	0.32	5	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.311	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Trichloroethene	TRUE	0	U	0.31	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Trichlorofluoromethane	TRUE	0	U	1.1	5	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Vinyl acetate	TRUE	0	U	4	10	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Vinyl chloride	TRUE	0	U	0.34	1	ug/L	8260B	7/18/2011	1
7/14/2011	UD-1	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	7/18/2011	1
9/21/2011	FIELD BLANK	6010B	Barium	FALSE	0.0023	J	0.0018	0.005	mg/L	6010B	10/1/2011	1
9/21/2011	FIELD BLANK	6010B	Beryllium	TRUE	0	U	0.0006	0.002	mg/L	6010B	10/1/2011	1
9/21/2011	FIELD BLANK	6010B	Chromium	TRUE	0	U	0.004	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	FIELD BLANK	6010B	Cobalt	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	FIELD BLANK	6010B	Copper	TRUE	0	U	0.0016	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	FIELD BLANK	6010B	Nickel	TRUE	0	U	0.0052	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	FIELD BLANK	6010B	Silver	TRUE	0	U	0.0038	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	FIELD BLANK	6010B	Vanadium	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	FIELD BLANK	6010B	Zinc	TRUE	0	U	0.01	0.03	mg/L	6010B	10/1/2011	1
9/21/2011	FIELD BLANK	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	9/28/2011	1
9/21/2011	FIELD BLANK	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	9/28/2011	1
9/21/2011	FIELD BLANK	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	9/28/2011	1
9/21/2011	FIELD BLANK	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	9/28/2011	1
9/21/2011	FIELD BLANK	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	9/28/2011	1
9/21/2011	FIELD BLANK	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	9/28/2011	1
9/21/2011	FIELD BLANK	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	9/27/2011	1
9/21/2011	FIELD BLANK	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	9/27/2011	1
9/21/2011	FIELD BLANK	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Bromochloromethane	TRUE	0	U	0.42	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Bromoform	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	9/26/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/2011	FIELD BLANK	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.89	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	2-Hexanone (MBK)	TRUE	0	U	2.4	10	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Styrene	TRUE	0	U,J4	0.3	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Tetrachloroethene	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Toluene	TRUE	0	U	0.17	5	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	9/26/2011	1
9/21/2011	FIELD BLANK	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	6010B	Barium	FALSE	0.019		0.0018	0.005	mg/L	6010B	10/1/2011	1
9/21/2011	MW-10	6010B	Beryllium	TRUE	0	U	0.0006	0.002	mg/L	6010B	10/1/2011	1
9/21/2011	MW-10	6010B	Chromium	TRUE	0	U	0.0004	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-10	6010B	Cobalt	FALSE	0.0064	J	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-10	6010B	Copper	TRUE	0	U	0.0016	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	MW-10	6010B	Nickel	TRUE	0	U	0.0052	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	MW-10	6010B	Silver	TRUE	0	U	0.0038	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-10	6010B	Vanadium	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-10	6010B	Zinc	FALSE	0.03	J	0.01	0.03	mg/L	6010B	10/1/2011	1
9/21/2011	MW-10	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-10	6020	Arsenic	FALSE	0.00067	J	0.00025	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-10	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	9/28/2011	1
9/21/2011	MW-10	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-10	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-10	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-10	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	9/26/2011	1
9/21/2011	MW-10	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	9/26/2011	1
9/21/2011	MW-10	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Bromochloromethane	TRUE	0	U	0.42	1	ug/L	8260B	9/26/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/2011	MW-10	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Bromoform	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.89	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	2-Hexanone (MBK)	TRUE	0	U	2.4	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Styrene	TRUE	0	U,J4	0.3	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Tetrachloroethene	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Toluene	TRUE	0	U	0.17	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	9/26/2011	1
9/21/2011	MW-10	Field	Dissolved Oxygen	FALSE	0.26		0	0	mg/L	Field		0
9/21/2011	MW-10	Field	Oxidation Reduction Potential	FALSE	39.6		0	0	mV	Field		0
9/21/2011	MW-10	Field	pH	FALSE	6.31		0	0	S.U.	Field		0
9/21/2011	MW-10	Field	Specific Conductivity	FALSE	2.03		0	0	mS/cm	Field		0
9/21/2011	MW-10	Field	Temperature	FALSE	15.44		0	0	Degrees C	Field		0
9/21/2011	MW-10	Field	Turbidity	FALSE	5.7		0	0	NTU	Field		0
9/21/2011	MW-11	6010B	Barium	FALSE	0.025		0.0018	0.005	mg/L	6010B	10/1/2011	1
9/21/2011	MW-11	6010B	Beryllium	TRUE	0	U	0.0006	0.002	mg/L	6010B	10/1/2011	1
9/21/2011	MW-11	6010B	Chromium	TRUE	0	U	0.004	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-11	6010B	Cobalt	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-11	6010B	Copper	FALSE	0.013	J	0.0016	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	MW-11	6010B	Nickel	TRUE	0	U	0.0052	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	MW-11	6010B	Silver	TRUE	0	U,J6	0.0038	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-11	6010B	Vanadium	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-11	6010B	Zinc	FALSE	0.031		0.01	0.03	mg/L	6010B	10/1/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/2011	MW-11	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	9/27/2011	1
9/21/2011	MW-11	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	9/27/2011	1
9/21/2011	MW-11	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	9/27/2011	1
9/21/2011	MW-11	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	9/27/2011	1
9/21/2011	MW-11	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	9/27/2011	1
9/21/2011	MW-11	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	9/27/2011	1
9/21/2011	MW-11	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	9/26/2011	1
9/21/2011	MW-11	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	9/26/2011	1
9/21/2011	MW-11	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Bromochloromethane	TRUE	0	U	0.42	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Bromoform	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.89	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	2-Hexanone (MBK)	TRUE	0	U	2.4	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Styrene	TRUE	0	U,J4	0.3	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Tetrachloroethene	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Toluene	TRUE	0	U	0.17	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	9/26/2011	1
9/21/2011	MW-11	Field	Dissolved Oxygen	FALSE	8.52		0	0	mg/L	Field		0
9/21/2011	MW-11	Field	Oxidation Reduction Potential	FALSE	111.3		0	0	mV	Field		0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/2011	MW-11	Field	pH	FALSE	6.71		0	0	S.U.	Field		0
9/21/2011	MW-11	Field	Specific Conductivity	FALSE	2.069		0	0	mS/cm	Field		0
9/21/2011	MW-11	Field	Temperature	FALSE	15.58		0	0	Degrees C	Field		0
9/21/2011	MW-11	Field	Turbidity	FALSE	2.5		0	0	NTU	Field		0
9/21/2011	MW-12	6010B	Barium	FALSE	0.93		0.001	0.005	mg/L	6010B	10/1/2011	1
9/21/2011	MW-12	6010B	Beryllium	TRUE	0	U	0.0003	0.002	mg/L	6010B	10/1/2011	1
9/21/2011	MW-12	6010B	Chromium	TRUE	0	U	0.0017	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-12	6010B	Cobalt	TRUE	0	U	0.0017	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-12	6010B	Copper	TRUE	0	U	0.0042	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	MW-12	6010B	Nickel	TRUE	0	U	0.0053	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	MW-12	6010B	Silver	TRUE	0	U	0.0033	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-12	6010B	Vanadium	TRUE	0	U	0.0022	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-12	6010B	Zinc	FALSE	0.013	J	0.01	0.03	mg/L	6010B	10/1/2011	1
9/21/2011	MW-12	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-12	6020	Arsenic	FALSE	0.00098	J	0.00025	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-12	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	9/28/2011	1
9/21/2011	MW-12	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-12	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-12	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-12	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	9/27/2011	1
9/21/2011	MW-12	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	9/27/2011	1
9/21/2011	MW-12	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Bromochloromethane	TRUE	0	U	0.42	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Bromoform	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.89	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	2-Hexanone (MBK)	TRUE	0	U	2.4	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Styrene	TRUE	0	U,J4	0.3	1	ug/L	8260B	9/26/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/2011	MW-12	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Tetrachloroethene	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Toluene	TRUE	0	U	0.17	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	9/26/2011	1
9/21/2011	MW-12	Field	Dissolved Oxygen	FALSE	11.88		0	0	mg/L	Field		0
9/21/2011	MW-12	Field	Oxidation Reduction Potential	FALSE	-141.1		0	0	mV	Field		0
9/21/2011	MW-12	Field	pH	FALSE	7.53		0	0	S.U.	Field		0
9/21/2011	MW-12	Field	Specific Conductivity	FALSE	1.295		0	0	mS/cm	Field		0
9/21/2011	MW-12	Field	Temperature	FALSE	14.89		0	0	Degrees C	Field		0
9/21/2011	MW-12	Field	Turbidity	FALSE	1.5		0	0	NTU	Field		0
9/21/2011	MW-14H	6010B	Barium	FALSE	0.27		0.0018	0.005	mg/L	6010B	10/1/2011	1
9/21/2011	MW-14H	6010B	Beryllium	TRUE	0	U	0.0006	0.002	mg/L	6010B	10/1/2011	1
9/21/2011	MW-14H	6010B	Chromium	TRUE	0	U	0.004	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-14H	6010B	Cobalt	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-14H	6010B	Copper	TRUE	0	U	0.0016	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	MW-14H	6010B	Nickel	TRUE	0	U	0.0052	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	MW-14H	6010B	Silver	TRUE	0	U	0.0038	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-14H	6010B	Vanadium	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-14H	6010B	Zinc	FALSE	0.013	J	0.01	0.03	mg/L	6010B	10/1/2011	1
9/21/2011	MW-14H	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	9/27/2011	1
9/21/2011	MW-14H	6020	Arsenic	FALSE	0.00039	J	0.00025	0.001	mg/L	6020	9/27/2011	1
9/21/2011	MW-14H	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	9/27/2011	1
9/21/2011	MW-14H	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	9/27/2011	1
9/21/2011	MW-14H	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	9/27/2011	1
9/21/2011	MW-14H	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	9/27/2011	1
9/21/2011	MW-14H	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	9/27/2011	1
9/21/2011	MW-14H	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	9/27/2011	1
9/21/2011	MW-14H	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Bromochloromethane	TRUE	0	U	0.42	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Bromoform	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.89	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/2011	MW-14H	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	2-Hexanone (MBK)	TRUE	0	U	2.4	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Styrene	TRUE	0	U,J4	0.3	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Tetrachloroethene	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Toluene	TRUE	0	U	0.17	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	9/26/2011	1
9/21/2011	MW-14H	Field	Dissolved Oxygen	FALSE	8.8		0	0	mg/L	Field		0
9/21/2011	MW-14H	Field	Oxidation Reduction Potential	FALSE	100.5		0	0	mV	Field		0
9/21/2011	MW-14H	Field	pH	FALSE	6.87		0	0	S.U.	Field		0
9/21/2011	MW-14H	Field	Specific Conductivity	FALSE	0.551		0	0	mS/cm	Field		0
9/21/2011	MW-14H	Field	Temperature	FALSE	13.67		0	0	Degrees C	Field		0
9/21/2011	MW-14H	Field	Turbidity	FALSE	3.1		0	0	NTU	Field		0
9/21/2011	MW-3	6010B	Barium	FALSE	0.061		0.0018	0.005	mg/L	6010B	10/1/2011	1
9/21/2011	MW-3	6010B	Beryllium	TRUE	0	U	0.0006	0.002	mg/L	6010B	10/1/2011	1
9/21/2011	MW-3	6010B	Chromium	TRUE	0	U	0.004	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-3	6010B	Cobalt	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-3	6010B	Copper	TRUE	0	U	0.0016	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	MW-3	6010B	Nickel	TRUE	0	U	0.0052	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	MW-3	6010B	Silver	TRUE	0	U	0.0038	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-3	6010B	Vanadium	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-3	6010B	Zinc	FALSE	0.017	J	0.01	0.03	mg/L	6010B	10/1/2011	1
9/21/2011	MW-3	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-3	6020	Arsenic	FALSE	0.00037	J	0.00025	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-3	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	9/28/2011	1
9/21/2011	MW-3	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-3	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-3	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-3	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	9/27/2011	1
9/21/2011	MW-3	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	9/27/2011	1
9/21/2011	MW-3	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Bromochloromethane	TRUE	0	U	0.42	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Bromoform	TRUE	0	U	0.47	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	9/27/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/2011	MW-3	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.89	2.5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	2-Hexanone (MBK)	TRUE	0	U	2.4	10	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Styrene	TRUE	0	U,J4	0.3	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Tetrachloroethene	TRUE	0	U	0.24	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Toluene	TRUE	0	U	0.17	5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.24	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	9/27/2011	1
9/21/2011	MW-3	Field	Dissolved Oxygen	FALSE	12.06		0	0	mg/L	Field		0
9/21/2011	MW-3	Field	Oxidation Reduction Potential	FALSE	-24		0	0	mV	Field		0
9/21/2011	MW-3	Field	pH	FALSE	6.61		0	0	S.U.	Field		0
9/21/2011	MW-3	Field	Specific Conductivity	FALSE	1.008		0	0	mS/cm	Field		0
9/21/2011	MW-3	Field	Temperature	FALSE	14.57		0	0	Degrees C	Field		0
9/21/2011	MW-3	Field	Turbidity	FALSE	1.8		0	0	NTU	Field		0
9/21/2011	MW-4	6010B	Barium	FALSE	0.085		0.0018	0.005	mg/L	6010B	10/1/2011	1
9/21/2011	MW-4	6010B	Beryllium	TRUE	0	U	0.0006	0.002	mg/L	6010B	10/1/2011	1
9/21/2011	MW-4	6010B	Chromium	TRUE	0	U	0.004	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-4	6010B	Cobalt	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-4	6010B	Copper	TRUE	0	U	0.0016	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	MW-4	6010B	Nickel	TRUE	0	U	0.0052	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	MW-4	6010B	Silver	TRUE	0	U	0.0038	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-4	6010B	Vanadium	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-4	6010B	Zinc	FALSE	0.019	J	0.01	0.03	mg/L	6010B	10/1/2011	1
9/21/2011	MW-4	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-4	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-4	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	9/28/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/2011	MW-4	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-4	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-4	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-4	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	9/27/2011	1
9/21/2011	MW-4	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	9/27/2011	1
9/21/2011	MW-4	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Bromochloromethane	TRUE	0	U	0.42	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Bromoform	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.89	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	2-Hexanone (MBK)	TRUE	0	U	2.4	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Styrene	TRUE	0	U,J4	0.3	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Tetrachloroethene	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Toluene	TRUE	0	U	0.17	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	9/26/2011	1
9/21/2011	MW-4	Field	Dissolved Oxygen	FALSE	0.16		0	0	mg/L	Field		0
9/21/2011	MW-4	Field	Oxidation Reduction Potential	FALSE	-60.9		0	0	mV	Field		0
9/21/2011	MW-4	Field	pH	FALSE	6.77		0	0	S.U.	Field		0
9/21/2011	MW-4	Field	Specific Conductivity	FALSE	0.785		0	0	mS/cm	Field		0
9/21/2011	MW-4	Field	Temperature	FALSE	13.07		0	0	Degrees C	Field		0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/2011	MW-4	Field	Turbidity	FALSE	1.8		0	0	NTU	Field		0
9/21/2011	MW-4 DUP	6010B	Barium	FALSE	0.086		0.0018	0.005	mg/L	6010B	10/1/2011	1
9/21/2011	MW-4 DUP	6010B	Beryllium	TRUE	0	U	0.0006	0.002	mg/L	6010B	10/1/2011	1
9/21/2011	MW-4 DUP	6010B	Chromium	TRUE	0	U	0.004	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-4 DUP	6010B	Cobalt	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-4 DUP	6010B	Copper	TRUE	0	U	0.0016	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	MW-4 DUP	6010B	Nickel	TRUE	0	U	0.0052	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	MW-4 DUP	6010B	Silver	TRUE	0	U	0.0038	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-4 DUP	6010B	Vanadium	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-4 DUP	6010B	Zinc	FALSE	0.016	J	0.01	0.03	mg/L	6010B	10/1/2011	1
9/21/2011	MW-4 DUP	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-4 DUP	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-4 DUP	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	9/28/2011	1
9/21/2011	MW-4 DUP	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-4 DUP	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-4 DUP	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-4 DUP	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	9/27/2011	1
9/21/2011	MW-4 DUP	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Bromochloromethane	TRUE	0	U	0.42	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Bromoform	TRUE	0	U	0.47	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.89	2.5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	2-Hexanone (MBK)	TRUE	0	U	2.4	10	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Styrene	TRUE	0	U,J4	0.3	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Tetrachloroethene	TRUE	0	U	0.24	1	ug/L	8260B	9/27/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/2011	MW-4 DUP	8260B	Toluene	TRUE	0	U	0.17	5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.24	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-4 DUP	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	9/27/2011	1
9/21/2011	MW-5	6010B	Barium	FALSE	0.28		0.0018	0.005	mg/L	6010B	10/1/2011	1
9/21/2011	MW-5	6010B	Beryllium	TRUE	0	U	0.0006	0.002	mg/L	6010B	10/1/2011	1
9/21/2011	MW-5	6010B	Chromium	TRUE	0	U	0.004	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-5	6010B	Cobalt	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-5	6010B	Copper	TRUE	0	U	0.0016	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	MW-5	6010B	Nickel	TRUE	0	U	0.0052	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	MW-5	6010B	Silver	TRUE	0	U	0.0038	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-5	6010B	Vanadium	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-5	6010B	Zinc	FALSE	0.011	J	0.01	0.03	mg/L	6010B	10/1/2011	1
9/21/2011	MW-5	6020	Antimony	FALSE	0.00046	J	0.00021	0.001	mg/L	6020	9/27/2011	1
9/21/2011	MW-5	6020	Arsenic	FALSE	0.0012		0.00025	0.001	mg/L	6020	9/27/2011	1
9/21/2011	MW-5	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	9/27/2011	1
9/21/2011	MW-5	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	9/27/2011	1
9/21/2011	MW-5	6020	Selenium	FALSE	0.0011		0.00038	0.001	mg/L	6020	9/27/2011	1
9/21/2011	MW-5	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	9/27/2011	1
9/21/2011	MW-5	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	9/27/2011	1
9/21/2011	MW-5	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	9/27/2011	1
9/21/2011	MW-5	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Bromochloromethane	TRUE	0	U	0.42	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Bromoform	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.89	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	2-Hexanone (MBK)	TRUE	0	U	2.4	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	9/26/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/2011	MW-5	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Styrene	TRUE	0	U,J4	0.3	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Tetrachloroethene	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Toluene	TRUE	0	U	0.17	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	9/26/2011	1
9/21/2011	MW-5	Field	Dissolved Oxygen	FALSE	4.23		0	0	mg/L	Field		0
9/21/2011	MW-5	Field	Oxidation Reduction Potential	FALSE	100.6		0	0	mV	Field		0
9/21/2011	MW-5	Field	pH	FALSE	7.31		0	0	S.U.	Field		0
9/21/2011	MW-5	Field	Specific Conductivity	FALSE	0.771		0	0	mS/cm	Field		0
9/21/2011	MW-5	Field	Temperature	FALSE	13.36		0	0	Degrees C	Field		0
9/21/2011	MW-5	Field	Turbidity	FALSE	18.8		0	0	NTU	Field		0
9/21/2011	MW-7	6010B	Barium	FALSE	0.12		0.0018	0.005	mg/L	6010B	10/1/2011	1
9/21/2011	MW-7	6010B	Beryllium	TRUE	0	U	0.0006	0.002	mg/L	6010B	10/1/2011	1
9/21/2011	MW-7	6010B	Chromium	TRUE	0	U	0.004	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-7	6010B	Cobalt	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-7	6010B	Copper	TRUE	0	U	0.0016	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	MW-7	6010B	Nickel	TRUE	0	U	0.0052	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	MW-7	6010B	Silver	TRUE	0	U	0.0038	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-7	6010B	Vanadium	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	MW-7	6010B	Zinc	TRUE	0	U	0.01	0.03	mg/L	6010B	10/1/2011	1
9/21/2011	MW-7	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-7	6020	Arsenic	FALSE	0.002		0.00025	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-7	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	9/28/2011	1
9/21/2011	MW-7	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-7	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-7	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	9/28/2011	1
9/21/2011	MW-7	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	9/27/2011	1
9/21/2011	MW-7	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	9/27/2011	1
9/21/2011	MW-7	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Bromochloromethane	TRUE	0	U	0.42	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Bromoform	TRUE	0	U	0.47	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.89	2.5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/27/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/2011	MW-7	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	2-Hexanone (MBK)	TRUE	0	U	2.4	10	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Styrene	TRUE	0	U,J4	0.3	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Tetrachloroethene	TRUE	0	U	0.24	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Toluene	TRUE	0	U	0.17	5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.24	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	9/27/2011	1
9/21/2011	MW-7	Field	Dissolved Oxygen	FALSE	11.79		0	0	mg/L	Field		0
9/21/2011	MW-7	Field	Oxidation Reduction Potential	FALSE	-190.8		0	0	mV	Field		0
9/21/2011	MW-7	Field	pH	FALSE	7.84		0	0	S.U.	Field		0
9/21/2011	MW-7	Field	Specific Conductivity	FALSE	2.34		0	0	mS/cm	Field		0
9/21/2011	MW-7	Field	Temperature	FALSE	15.67		0	0	Degrees C	Field		0
9/21/2011	MW-7	Field	Turbidity	FALSE	6.3		0	0	NTU	Field		0
9/21/2011	TRIP BLANK	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Bromochloromethane	TRUE	0	U	0.42	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Bromoform	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.89	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/2011	TRIP BLANK	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	2-Hexanone (MBK)	TRUE	0	U	2.4	10	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Styrene	TRUE	0	U,J4	0.3	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Tetrachloroethene	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Toluene	TRUE	0	U	0.17	5	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	9/26/2011	1
9/21/2011	TRIP BLANK	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	6010B	Barium	FALSE	0.065		0.0018	0.005	mg/L	6010B	10/1/2011	1
9/21/2011	UD-1	6010B	Beryllium	TRUE	0	U	0.0006	0.002	mg/L	6010B	10/1/2011	1
9/21/2011	UD-1	6010B	Chromium	TRUE	0	U	0.004	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	UD-1	6010B	Cobalt	FALSE	0.012		0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	UD-1	6010B	Copper	TRUE	0	U	0.0016	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	UD-1	6010B	Nickel	FALSE	0.021		0.0052	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	UD-1	6010B	Silver	TRUE	0	U	0.0038	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	UD-1	6010B	Vanadium	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	UD-1	6010B	Zinc	FALSE	0.039		0.01	0.03	mg/L	6010B	10/1/2011	1
9/21/2011	UD-1	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	9/28/2011	1
9/21/2011	UD-1	6020	Arsenic	FALSE	0.00056	J	0.00025	0.001	mg/L	6020	9/28/2011	1
9/21/2011	UD-1	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	9/28/2011	1
9/21/2011	UD-1	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	9/28/2011	1
9/21/2011	UD-1	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	9/28/2011	1
9/21/2011	UD-1	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	9/28/2011	1
9/21/2011	UD-1	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	9/27/2011	1
9/21/2011	UD-1	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	9/27/2011	1
9/21/2011	UD-1	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Bromochloromethane	TRUE	0	U	0.42	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Bromoform	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/2011	UD-1	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.89	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	2-Hexanone (MBK)	TRUE	0	U	2.4	10	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Styrene	TRUE	0	U,J4	0.3	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Tetrachloroethene	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Toluene	TRUE	0	U	0.17	5	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	9/26/2011	1
9/21/2011	UD-1	Field	pH	FALSE	6.45		0	0	S.U.	Field		0
9/21/2011	UD-1	Field	Specific Conductivity	FALSE	2.451		0	0	mS/cm	Field		0
9/21/2011	UD-1	Field	Temperature	FALSE	15.15		0	0	Degrees C	Field		0
9/21/2011	UD-1	Field	Turbidity	FALSE	0.5		0	0	NTU	Field		0
9/21/2011	UD-2	6010B	Barium	FALSE	0.044		0.0018	0.005	mg/L	6010B	10/1/2011	1
9/21/2011	UD-2	6010B	Beryllium	TRUE	0	U	0.0006	0.002	mg/L	6010B	10/1/2011	1
9/21/2011	UD-2	6010B	Chromium	TRUE	0	U	0.004	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	UD-2	6010B	Cobalt	FALSE	0.011		0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	UD-2	6010B	Copper	FALSE	0.0042	J	0.0016	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	UD-2	6010B	Nickel	FALSE	0.062		0.0052	0.02	mg/L	6010B	10/1/2011	1
9/21/2011	UD-2	6010B	Silver	TRUE	0	U	0.0038	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	UD-2	6010B	Vanadium	TRUE	0	U	0.0023	0.01	mg/L	6010B	10/1/2011	1
9/21/2011	UD-2	6010B	Zinc	FALSE	0.14		0.01	0.03	mg/L	6010B	10/1/2011	1
9/21/2011	UD-2	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	9/27/2011	1
9/21/2011	UD-2	6020	Arsenic	TRUE	0	U	0.00025	0.001	mg/L	6020	9/27/2011	1
9/21/2011	UD-2	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	9/27/2011	1
9/21/2011	UD-2	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	9/27/2011	1
9/21/2011	UD-2	6020	Selenium	FALSE	0.02		0.00038	0.001	mg/L	6020	9/27/2011	1
9/21/2011	UD-2	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	9/27/2011	1
9/21/2011	UD-2	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	9/27/2011	1
9/21/2011	UD-2	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	9/27/2011	1
9/21/2011	UD-2	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	9/26/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/21/2011	UD-2	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Bromochloromethane	TRUE	0	U	0.42	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Bromoform	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.89	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	2-Hexanone (MBK)	TRUE	0	U	2.4	10	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Styrene	TRUE	0	U,J4	0.3	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Tetrachloroethene	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Toluene	TRUE	0	U	0.17	5	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.24	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	9/26/2011	1
9/21/2011	UD-2	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	9/26/2011	1
11/15/2011	TRIP BLANK	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.1	5	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.44	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Bromochloromethane	TRUE	0	U	0.42	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Bromoform	TRUE	0	U	0.46	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	11/17/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/15/2011	TRIP BLANK	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.89	2.5	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	2-Hexanone (MBK)	TRUE	0	U	2.4	10	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Styrene	TRUE	0	U	0.3	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Tetrachloroethene	TRUE	0	U,J4	0.24	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Toluene	TRUE	0	U	0.16	5	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.239	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	11/17/2011	1
11/15/2011	TRIP BLANK	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	11/17/2011	1
11/15/2011	UD-1	6010B	Barium	FALSE	0.065		0.0018	0.005	mg/L	6010B	11/18/2011	1
11/15/2011	UD-1	6010B	Beryllium	TRUE	0	U	0.0006	0.002	mg/L	6010B	11/18/2011	1
11/15/2011	UD-1	6010B	Chromium	TRUE	0	U	0.004	0.01	mg/L	6010B	11/18/2011	1
11/15/2011	UD-1	6010B	Cobalt	FALSE	0.012		0.0023	0.01	mg/L	6010B	11/18/2011	1
11/15/2011	UD-1	6010B	Copper	TRUE	0	U	0.0016	0.02	mg/L	6010B	11/18/2011	1
11/15/2011	UD-1	6010B	Nickel	FALSE	0.014	J	0.0052	0.02	mg/L	6010B	11/18/2011	1
11/15/2011	UD-1	6010B	Silver	TRUE	0	U	0.0038	0.01	mg/L	6010B	11/18/2011	1
11/15/2011	UD-1	6010B	Vanadium	TRUE	0	U	0.0023	0.01	mg/L	6010B	11/18/2011	1
11/15/2011	UD-1	6010B	Zinc	FALSE	0.024	J	0.01	0.03	mg/L	6010B	11/18/2011	1
11/15/2011	UD-1	6020	Antimony	FALSE	0.00035	J, P1	0.00021	0.001	mg/L	6020	11/18/2011	1
11/15/2011	UD-1	6020	Arsenic	FALSE	0.0014		0.00025	0.001	mg/L	6020	11/18/2011	1
11/15/2011	UD-1	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	11/18/2011	1
11/15/2011	UD-1	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	11/18/2011	1
11/15/2011	UD-1	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	11/18/2011	1
11/15/2011	UD-1	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	11/18/2011	1
11/15/2011	UD-1	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	11/17/2011	1
11/15/2011	UD-1	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	11/17/2011	1
11/15/2011	UD-1	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	11/16/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/15/2011	UD-1	8260B	Bromochloromethane	TRUE	0	U	0.421	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Bromoform	TRUE	0	U	0.47	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.89	2.5	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	2-Hexanone (MBK)	TRUE	0	U	2.4	10	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Styrene	TRUE	0	U	0.3	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Tetrachloroethene	TRUE	0	U,J4	0.24	1	ug/L	8260B	11/17/2011	1
11/15/2011	UD-1	8260B	Toluene	TRUE	0	U	0.17	5	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.239	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	11/16/2011	1
11/15/2011	UD-1	9040C	pH	FALSE	6.4	T8	0	0	S.U.	9040C	11/19/2011	1
11/15/2011	UD-1	9050A	Specific Conductivity	FALSE	1.2		0.0003763	0.0018	umhos/cm	9050A	11/20/2011	1
11/15/2011	UD-1	SM2130B	Turbidity	FALSE	6.2		0.033	0.1	NTU	SM2130B	11/17/2011	1
11/15/2011	UD-2	6010B	Barium	FALSE	0.043		0.0018	0.005	mg/L	6010B	11/18/2011	1
11/15/2011	UD-2	6010B	Beryllium	TRUE	0	U	0.0006	0.002	mg/L	6010B	11/18/2011	1
11/15/2011	UD-2	6010B	Chromium	TRUE	0	U	0.004	0.01	mg/L	6010B	11/18/2011	1
11/15/2011	UD-2	6010B	Cobalt	FALSE	0.003	J	0.0023	0.01	mg/L	6010B	11/18/2011	1
11/15/2011	UD-2	6010B	Copper	TRUE	0	U	0.0016	0.02	mg/L	6010B	11/18/2011	1
11/15/2011	UD-2	6010B	Nickel	FALSE	0.014	J	0.0052	0.02	mg/L	6010B	11/18/2011	1
11/15/2011	UD-2	6010B	Silver	TRUE	0	U	0.0038	0.01	mg/L	6010B	11/18/2011	1
11/15/2011	UD-2	6010B	Vanadium	TRUE	0	U	0.0023	0.01	mg/L	6010B	11/18/2011	1
11/15/2011	UD-2	6010B	Zinc	FALSE	0.037		0.01	0.03	mg/L	6010B	11/18/2011	1
11/15/2011	UD-2	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	11/19/2011	1
11/15/2011	UD-2	6020	Arsenic	FALSE	0.0011		0.00025	0.001	mg/L	6020	11/19/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/15/2011	UD-2	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	11/19/2011	1
11/15/2011	UD-2	6020	Lead	FALSE	0.00036	J	0.00024	0.001	mg/L	6020	11/21/2011	1
11/15/2011	UD-2	6020	Selenium	FALSE	0.0095		0.00038	0.001	mg/L	6020	11/19/2011	1
11/15/2011	UD-2	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	11/19/2011	1
11/15/2011	UD-2	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	11/17/2011	1
11/15/2011	UD-2	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	11/17/2011	1
11/15/2011	UD-2	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Bromochloromethane	TRUE	0	U	0.421	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Bromoform	TRUE	0	U	0.47	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U,J3	0.89	2.5	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	2-Hexanone (MBK)	TRUE	0	U,J3	2.4	10	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Styrene	TRUE	0	U	0.3	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Tetrachloroethene	TRUE	0	U	0.24	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Toluene	TRUE	0	U	0.17	5	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.239	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	11/16/2011	1
11/15/2011	UD-2	9040C	pH	FALSE	6.8	T8	0	0	S.U.	9040C	11/19/2011	1
11/15/2011	UD-2	9050A	Specific Conductivity	FALSE	1.2		0.0003763	0.0018	umhos/cm	9050A	11/20/2011	1
11/15/2011	UD-2	SM2130B	Turbidity	FALSE	25		0.033	0.1	NTU	SM2130B	11/17/2011	1
11/29/2011	FIELD BLANK	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	12/29/2011	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/29/2011	FIELD BLANK	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/29/2011	FIELD BLANK	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/29/2011	FIELD BLANK	7010	Barium	TRUE	0		0.003	0.015	mg/L	7010	12/28/2011	0
11/29/2011	FIELD BLANK	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	12/21/2011	0
11/29/2011	FIELD BLANK	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	12/21/2011	0
11/29/2011	FIELD BLANK	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/29/2011	FIELD BLANK	7010	Cobalt	TRUE	0		0.0006	0.003	mg/L	7010	12/21/2011	0
11/29/2011	FIELD BLANK	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/29/2011	FIELD BLANK	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/29/2011	FIELD BLANK	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	12/21/2011	0
11/29/2011	FIELD BLANK	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/29/2011	FIELD BLANK	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	12/29/2011	0
11/29/2011	FIELD BLANK	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	12/21/2011	0
11/29/2011	FIELD BLANK	7010	Tin	TRUE	0		0.005	0.025	mg/L	7010	12/28/2011	0
11/29/2011	FIELD BLANK	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/29/2011	FIELD BLANK	7470A	Mercury	TRUE	0		0.0002	0.001	mg/L	7470A	12/13/2011	0
11/29/2011	FIELD BLANK	8260B	Acetone	TRUE	0		7	10	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Acetonitrile	TRUE	0		5.9	40	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Acrolein	TRUE	0		5.1	10	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Allyl chloride	TRUE	0		0.6	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Benzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Bromoform	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Carbon disulfide	TRUE	0		1	10	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Chloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Chloroprene	TRUE	0		0.8	5	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	1,3-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Dichlorodifluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	1,3-Dichloropropane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	2,2-Dichloropropane	TRUE	0		0.3	2	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	1,1-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Ethyl methacrylate	TRUE	0		0.5	5	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Hexachlorobutadiene	TRUE	0		0.3	0.8	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Isobutyl alcohol	TRUE	0		18	40	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Methacrylonitrile	TRUE	0		0.5	0.5	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Bromomethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/29/2011	FIELD BLANK	8260B	Chloromethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Methylene Chloride	TRUE	0		1	4	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Iodomethane	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Methyl methacrylate	TRUE	0		0.6	2	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Propionitrile	TRUE	0		7.5	40	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Styrene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Toluene	FALSE	0.3	J	0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	1,2,4-Trichlorobenzene	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	8260B	12/5/2011	1
11/29/2011	FIELD BLANK	Kelada-01	Cyanide	TRUE	0		0.01	0.01	mg/L	Kelada-01	12/13/2011	1
11/29/2011	FIELD BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	12/8/2011	1
11/29/2011	FIELD BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	12/8/2011	1
11/29/2011	FIELD BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	12/8/2011	1
11/29/2011	FIELD BLANK	SW8081B	Aldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8081B	alpha-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8081B	beta-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8081B	delta-BHC	TRUE	0		0.012	0.051	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8081B	gamma-BHC (Lindane)	TRUE	0		0.005	0.02	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8081B	Chlordane	TRUE	0		0.1	0.2	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8081B	4,4-DDD	TRUE	0		0.005	0.102	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8081B	4,4-DDE	TRUE	0		0.005	0.041	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8081B	4,4-DDT	TRUE	0		0.005	0.01	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8081B	Dieldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8081B	Endosulfan I	TRUE	0		0.005	0.102	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8081B	Endosulfan II	TRUE	0		0.005	0.041	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8081B	Endosulfan sulfate	TRUE	0		0.005	0.01	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8081B	Endrin	TRUE	0		0.005	0.102	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8081B	Endrin aldehyde	TRUE	0		0.01	0.204	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8081B	Heptachlor	TRUE	0		0.005	0.051	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8081B	Heptachlor epoxide	TRUE	0		0.005	0.051	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8081B	Methoxychlor	TRUE	0		0.01	1.02	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8081B	Toxaphene	TRUE	0		0.2	1.02	ug/L	SW8081B	12/6/2011	1
11/29/2011	FIELD BLANK	SW8082A	PCB as Aroclor 1016	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	FIELD BLANK	SW8082A	PCB as Aroclor 1221	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	FIELD BLANK	SW8082A	PCB as Aroclor 1232	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	FIELD BLANK	SW8082A	PCB as Aroclor 1242	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	FIELD BLANK	SW8082A	PCB as Aroclor 1248	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	FIELD BLANK	SW8082A	PCB as Aroclor 1254	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	FIELD BLANK	SW8082A	PCB as Aroclor 1260	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	FIELD BLANK	SW8151A	2,4-D	TRUE	0		0.1	0.25	ug/L	SW8151A	12/14/2011	1
11/29/2011	FIELD BLANK	SW8151A	Dinoseb	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/29/2011	FIELD BLANK	SW8151A	Pentachlorophenol	TRUE	0		0.1	1	ug/L	SW8151A	12/14/2011	1
11/29/2011	FIELD BLANK	SW8151A	2,4,5-TP (Silvex)	TRUE	0		0.1	0.34	ug/L	SW8151A	12/14/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/29/2011	FIELD BLANK	SW8151A	2,4,5-T	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/29/2011	FIELD BLANK	SW8270D	Acenaphthene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Acenaphthylene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Acetophenone	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	2-Acetylaminofluorene	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	4-Aminobiphenyl	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Anthracene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Benzo (a) anthracene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Benzo (b) fluoranthene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Benzo (k) fluoranthene	TRUE	0	H	0.1	0.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Benzo (g,h,i) perylene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Benzo (a) pyrene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Benzyl alcohol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	bis (2-Chloroethoxy) methane	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	bis (2-Chloroethyl) ether	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	bis (2-Chloro-1-methylethyl) ether	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	bis (2-Ethylhexyl) phthalate	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	4-Bromophenyl phenyl ether	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Butyl benzyl phthalate	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	p-Chloroaniline	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Chlorobenzilate	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	4-Chloro-3-methylphenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	2-Chloronaphthalene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	2-Chlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	4-Chlorophenyl phenyl ether	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Chrysene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	m,p-Cresols	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	o-Cresol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Diallate	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Dibenz (a,h) anthracene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Dibenzofuran	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Di-n-butyl phthalate	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Di-n-octyl phthalate	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	3,3-Dichlorobenzidine	TRUE	0	H	2.6	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	2,4-Dichlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	2,6-Dichlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Diethyl phthalate	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	o,o-Diethyl o-2-pyrazinyl phosphorothioate	TRUE	0	H	2	20.4	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Dimethoate	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	p-(Dimethylamino) azobenzene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	7,12-Dimethylbenz (a) anthracene	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	3,3-Dimethylbenzidine	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	2,4-Dimethylphenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Dimethyl phthalate	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	m-Dinitrobenzene	TRUE	0	H	2.6	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	4,6-Dinitro-2-methylphenol	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	2,4-Dinitrophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	2,4-Dinitrotoluene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	2,6-Dinitrotoluene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Diphenylamine	TRUE	0	H	2	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Disulfoton	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Ethyl methanesulfonate	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Famphur	TRUE	0	H	2	20.4	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Fluoranthene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Fluorene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/29/2011	FIELD BLANK	SW8270D	Hexachlorobenzene	TRUE	0	H	1	1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Hexachlorocyclopentadiene	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Hexachloroethane	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Hexachloropropene	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Indeno (1,2,3-cd) pyrene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Isodrin	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Isophorone	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Isosafrole	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Kepone	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Methapyrilene	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	3-Methylcholanthrene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Methyl methanesulfonate	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	2-Methylnaphthalene	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Methyl parathion	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Naphthalene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	1,4-Naphthoquinone	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	1-Naphthylamine	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	2-Naphthylamine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	o-Nitroaniline	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	m-Nitroaniline	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	p-Nitroaniline	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Nitrobenzene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	2-Nitrophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	4-Nitrophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	N-Nitrosodi-N-butylamine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	N-Nitrosodiethylamine	TRUE	0	H	2.6	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	N-Nitrosodimethylamine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	N-Nitrosodiphenylamine	TRUE	0	H	2	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	N-Nitrosodi-N-propylamine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	N-Nitrosomethylethylamine	TRUE	0	H	2	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	N-Nitrosopiperidine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	N-Nitrosopyrrolidine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	5-Nitro-o-toluidine	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Parathion	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Pentachlorobenzene	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Pentachloronitrobenzene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Phenacetin	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Phenanthrene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Phenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	p-Phenylenediamine	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Phorate	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Pronamide	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Pyrene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	Safrole	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	1,2,4,5-Tetrachlorobenzene	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	2,3,4,6-Tetrachlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	o-Toluidine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	2,4,5-Trichlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	2,4,6-Trichlorophenol	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	o,o,o-Triethyl phosphorothioate	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW8270D	1,3,5-Trinitrobenzene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	FIELD BLANK	SW9034 M	Sulfide	TRUE	0		1	1	mg/L	SW9034 M	12/6/2011	1
11/29/2011	MW-10	7000B	Zinc	FALSE	0.014	J	0.01	0.03	mg/L	7000B	12/29/2011	0
11/29/2011	MW-10	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/29/2011	MW-10	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/29/2011	MW-10	7010	Barium	FALSE	0.014	J	0.003	0.015	mg/L	7010	12/28/2011	0
11/29/2011	MW-10	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	12/21/2011	0
11/29/2011	MW-10	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	12/21/2011	0
11/29/2011	MW-10	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/29/2011	MW-10	7010	Cobalt	FALSE	0.0061		0.0006	0.003	mg/L	7010	12/21/2011	0
11/29/2011	MW-10	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/29/2011	MW-10	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/29/2011	MW-10	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	12/21/2011	0
11/29/2011	MW-10	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/29/2011	MW-10	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	12/29/2011	0
11/29/2011	MW-10	7010	Thallium	FALSE	0.0002	J	0.0002	0.002	mg/L	7010	12/21/2011	0
11/29/2011	MW-10	7010	Tin	TRUE	0		0.005	0.025	mg/L	7010	12/28/2011	0
11/29/2011	MW-10	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/29/2011	MW-10	7470A	Mercury	TRUE	0		0.0002	0.001	mg/L	7470A	12/13/2011	0
11/29/2011	MW-10	8260B	Acetone	TRUE	0		7	10	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Acetonitrile	TRUE	0		5.9	40	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Acrolein	TRUE	0		5.1	10	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Allyl chloride	TRUE	0		0.6	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Benzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Bromoform	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Carbon disulfide	TRUE	0		1	10	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Chloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Chloroprene	TRUE	0		0.8	5	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	1,3-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Dichlorodifluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	1,3-Dichloropropane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	2,2-Dichloropropane	TRUE	0		0.3	2	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	1,1-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Ethyl methacrylate	TRUE	0		0.5	5	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Hexachlorobutadiene	TRUE	0		0.3	0.8	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Isobutyl alcohol	TRUE	0		18	40	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Methacrylonitrile	TRUE	0		0.5	0.5	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Bromomethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Chloromethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/29/2011	MW-10	8260B	Methylene Chloride	TRUE	0		1	4	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Iodomethane	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Methyl methacrylate	TRUE	0		0.6	2	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Propionitrile	TRUE	0		7.5	40	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Styrene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Toluene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	1,2,4-Trichlorobenzene	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10	Field	pH	FALSE	6.45		0	0	S.U.	Field	11/29/2011	0
11/29/2011	MW-10	Field	Specific Conductivity	FALSE	1.104		0	0	mS/cm	Field	11/29/2011	0
11/29/2011	MW-10	Field	Temperature	FALSE	13.09		0	0	Degrees C	Field	11/29/2011	0
11/29/2011	MW-10	Field	Turbidity	FALSE	8.57		0	0	NTU	Field	11/29/2011	0
11/29/2011	MW-10	Kelada-01	Cyanide	TRUE	0		0.01	0.01	mg/L	Kelada-01	12/6/2011	1
11/29/2011	MW-10	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	12/8/2011	1
11/29/2011	MW-10	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	12/8/2011	1
11/29/2011	MW-10	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	12/8/2011	1
11/29/2011	MW-10	SW8081B	Aldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8081B	alpha-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8081B	beta-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8081B	delta-BHC	TRUE	0		0.012	0.051	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8081B	gamma-BHC (Lindane)	TRUE	0		0.005	0.02	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8081B	Chlordane	TRUE	0		0.1	0.2	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8081B	4,4-DDD	TRUE	0		0.005	0.102	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8081B	4,4-DDE	TRUE	0		0.005	0.041	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8081B	4,4-DDT	TRUE	0		0.005	0.01	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8081B	Dieldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8081B	Endosulfan I	TRUE	0		0.005	0.102	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8081B	Endosulfan II	TRUE	0		0.005	0.041	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8081B	Endosulfan sulfate	TRUE	0		0.005	0.01	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8081B	Endrin	TRUE	0		0.005	0.102	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8081B	Endrin aldehyde	TRUE	0		0.01	0.204	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8081B	Heptachlor	TRUE	0		0.005	0.051	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8081B	Heptachlor epoxide	TRUE	0		0.005	0.051	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8081B	Methoxychlor	TRUE	0		0.01	1.02	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8081B	Toxaphene	TRUE	0		0.2	1.02	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10	SW8082A	PCB as Aroclor 1016	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	MW-10	SW8082A	PCB as Aroclor 1221	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	MW-10	SW8082A	PCB as Aroclor 1232	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	MW-10	SW8082A	PCB as Aroclor 1242	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	MW-10	SW8082A	PCB as Aroclor 1248	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	MW-10	SW8082A	PCB as Aroclor 1254	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	MW-10	SW8082A	PCB as Aroclor 1260	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	MW-10	SW8151A	2,4-D	TRUE	0		0.1	0.25	ug/L	SW8151A	12/14/2011	1
11/29/2011	MW-10	SW8151A	Dinoseb	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/29/2011	MW-10	SW8151A	Pentachlorophenol	TRUE	0		0.1	1	ug/L	SW8151A	12/14/2011	1
11/29/2011	MW-10	SW8151A	2,4,5-TP (Silvex)	TRUE	0		0.1	0.34	ug/L	SW8151A	12/14/2011	1
11/29/2011	MW-10	SW8151A	2,4,5-T	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/29/2011	MW-10	SW8270D	Acenaphthene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Acenaphthylene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Acetophenone	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	2-Acetylaminofluorene	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	4-Aminobiphenyl	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Anthracene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Benzo (a) anthracene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Benzo (b) fluoranthene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Benzo (k) fluoranthene	TRUE	0	H	0.1	0.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Benzo (g,h,i) perylene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Benzo (a) pyrene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Benzyl alcohol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	bis (2-Chloroethoxy) methane	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	bis (2-Chloroethyl) ether	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	bis (2-Chloro-1-methylethyl) ether	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	bis (2-Ethylhexyl) phthalate	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	4-Bromophenyl phenyl ether	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Butyl benzyl phthalate	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	p-Chloroaniline	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Chlorobenzilate	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	4-Chloro-3-methylphenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	2-Chloronaphthalene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	2-Chlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	4-Chlorophenyl phenyl ether	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Chrysene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	m,p-Cresols	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	o-Cresol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Diallate	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Dibenz (a,h) anthracene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Dibenzofuran	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Di-n-butyl phthalate	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Di-n-octyl phthalate	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	3,3-Dichlorobenzidine	TRUE	0	H	2.6	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	2,4-Dichlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	2,6-Dichlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Diethyl phthalate	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	o,o-Diethyl o-2-pyrazinyl phosphorothioate	TRUE	0	H	2	20.4	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Dimethoate	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	p-(Dimethylamino) azobenzene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	7,12-Dimethylbenz (a) anthracene	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	3,3-Dimethylbenzidine	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	2,4-Dimethylphenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Dimethyl phthalate	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	m-Dinitrobenzene	TRUE	0	H	2.6	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	4,6-Dinitro-2-methylphenol	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	2,4-Dinitrophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	2,4-Dinitrotoluene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	2,6-Dinitrotoluene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Diphenylamine	TRUE	0	H	2	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Disulfoton	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Ethyl methanesulfonate	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Famphur	TRUE	0	H	2	20.4	ug/L	SW8270D	12/12/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/29/2011	MW-10	SW8270D	Fluoranthene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Fluorene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Hexachlorobenzene	TRUE	0	H	1	1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Hexachlorocyclopentadiene	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Hexachloroethane	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Hexachloropropene	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Indeno (1,2,3-cd) pyrene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Isodrin	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Isophorone	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Isosafrole	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Kepone	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Methapyrilene	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	3-Methylcholanthrene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Methyl methanesulfonate	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	2-Methylnaphthalene	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Methyl parathion	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Naphthalene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	1,4-Naphthoquinone	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	1-Naphthylamine	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	2-Naphthylamine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	o-Nitroaniline	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	m-Nitroaniline	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	p-Nitroaniline	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Nitrobenzene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	2-Nitrophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	4-Nitrophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	N-Nitrosodi-N-butylamine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	N-Nitrosodiethylamine	TRUE	0	H	2.6	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	N-Nitrosodimethylamine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	N-Nitrosodiphenylamine	TRUE	0	H	2	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	N-Nitrosodi-N-propylamine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	N-Nitrosomethylethylamine	TRUE	0	H	2	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	N-Nitrosopiperidine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	N-Nitrosopyrrolidine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	5-Nitro-o-toluidine	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Parathion	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Pentachlorobenzene	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Pentachloronitrobenzene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Phenacetin	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Phenanthrene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Phenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	p-Phenylenediamine	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Phorate	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Pronamide	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Pyrene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	Safrole	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	1,2,4,5-Tetrachlorobenzene	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	2,3,4,6-Tetrachlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	o-Toluidine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	2,4,5-Trichlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	2,4,6-Trichlorophenol	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	o,o,o-Triethyl phosphorothioate	TRUE	0	H	2	10.2	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW8270D	1,3,5-Trinitrobenzene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10	SW9034 M	Sulfide	TRUE	0		1	1	mg/L	SW9034 M	12/6/2011	1
11/29/2011	MW-10 DUP	7000B	Zinc	FALSE	0.016	J	0.01	0.03	mg/L	7000B	12/29/2011	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/29/2011	MW-10 DUP	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/29/2011	MW-10 DUP	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/29/2011	MW-10 DUP	7010	Barium	FALSE	0.015		0.003	0.015	mg/L	7010	12/28/2011	0
11/29/2011	MW-10 DUP	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	12/21/2011	0
11/29/2011	MW-10 DUP	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	12/21/2011	0
11/29/2011	MW-10 DUP	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/29/2011	MW-10 DUP	7010	Cobalt	FALSE	0.0059		0.0006	0.003	mg/L	7010	12/21/2011	0
11/29/2011	MW-10 DUP	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/29/2011	MW-10 DUP	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/29/2011	MW-10 DUP	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	12/21/2011	0
11/29/2011	MW-10 DUP	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/29/2011	MW-10 DUP	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	12/29/2011	0
11/29/2011	MW-10 DUP	7010	Thallium	FALSE	0.0003	J	0.0002	0.002	mg/L	7010	12/21/2011	0
11/29/2011	MW-10 DUP	7010	Tin	TRUE	0		0.005	0.025	mg/L	7010	12/28/2011	0
11/29/2011	MW-10 DUP	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/29/2011	MW-10 DUP	7470A	Mercury	TRUE	0		0.0002	0.001	mg/L	7470A	12/13/2011	0
11/29/2011	MW-10 DUP	8260B	Acetone	TRUE	0		7	10	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Acetonitrile	TRUE	0		5.9	40	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Acrolein	TRUE	0		5.1	10	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Allyl chloride	TRUE	0		0.6	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Benzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Bromoform	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Carbon disulfide	TRUE	0		1	10	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Chloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Chloroprene	TRUE	0		0.8	5	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	1,3-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Dichlorodifluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	1,3-Dichloropropane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	2,2-Dichloropropane	TRUE	0		0.3	2	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	1,1-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Ethyl methacrylate	TRUE	0		0.5	5	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Hexachlorobutadiene	TRUE	0		0.3	0.8	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Isobutyl alcohol	TRUE	0		18	40	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Methacrylonitrile	TRUE	0		0.5	0.5	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Bromomethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/29/2011	MW-10 DUP	8260B	Chloromethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Methylene Chloride	TRUE	0		1	4	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Iodomethane	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Methyl methacrylate	TRUE	0		0.6	2	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Propionitrile	TRUE	0		7.5	40	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Styrene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Toluene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	1,2,4-Trichlorobenzene	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	8260B	12/5/2011	1
11/29/2011	MW-10 DUP	Field	pH	FALSE	6.45		0	0	S.U.	Field	11/29/2011	0
11/29/2011	MW-10 DUP	Field	Specific Conductivity	FALSE	1.104		0	0	mS/cm	Field	11/29/2011	0
11/29/2011	MW-10 DUP	Field	Temperature	FALSE	13.1		0	0	Degrees C	Field	11/29/2011	0
11/29/2011	MW-10 DUP	Field	Turbidity	FALSE	8.46		0	0	NTU	Field	11/29/2011	0
11/29/2011	MW-10 DUP	Kelada-01	Cyanide	TRUE	0		0.01	0.01	mg/L	Kelada-01	12/6/2011	1
11/29/2011	MW-10 DUP	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	12/8/2011	1
11/29/2011	MW-10 DUP	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	12/8/2011	1
11/29/2011	MW-10 DUP	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	12/8/2011	1
11/29/2011	MW-10 DUP	SW8081B	Aldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8081B	alpha-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8081B	beta-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8081B	delta-BHC	TRUE	0		0.012	0.051	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8081B	gamma-BHC (Lindane)	TRUE	0		0.005	0.02	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8081B	Chlordane	TRUE	0		0.1	0.2	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8081B	4,4-DDD	TRUE	0		0.005	0.102	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8081B	4,4-DDE	TRUE	0		0.005	0.041	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8081B	4,4-DDT	TRUE	0		0.005	0.01	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8081B	Dieldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8081B	Endosulfan I	TRUE	0		0.005	0.102	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8081B	Endosulfan II	TRUE	0		0.005	0.041	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8081B	Endosulfan sulfate	TRUE	0		0.005	0.01	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8081B	Endrin	TRUE	0		0.005	0.102	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8081B	Endrin aldehyde	TRUE	0		0.01	0.204	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8081B	Heptachlor	TRUE	0		0.005	0.051	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8081B	Heptachlor epoxide	TRUE	0		0.005	0.051	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8081B	Methoxychlor	TRUE	0		0.01	1.02	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8081B	Toxaphene	TRUE	0		0.2	1.02	ug/L	SW8081B	12/6/2011	1
11/29/2011	MW-10 DUP	SW8082A	PCB as Aroclor 1016	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	MW-10 DUP	SW8082A	PCB as Aroclor 1221	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	MW-10 DUP	SW8082A	PCB as Aroclor 1232	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	MW-10 DUP	SW8082A	PCB as Aroclor 1242	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	MW-10 DUP	SW8082A	PCB as Aroclor 1248	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	MW-10 DUP	SW8082A	PCB as Aroclor 1254	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1
11/29/2011	MW-10 DUP	SW8082A	PCB as Aroclor 1260	TRUE	0		0.2	0.5	ug/L	SW8082A	12/6/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/29/2011	MW-10 DUP	SW8151A	2,4-D	TRUE	0		0.1	0.25	ug/L	SW8151A	12/14/2011	1
11/29/2011	MW-10 DUP	SW8151A	Dinoseb	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/29/2011	MW-10 DUP	SW8151A	Pentachlorophenol	TRUE	0		0.1	1	ug/L	SW8151A	12/14/2011	1
11/29/2011	MW-10 DUP	SW8151A	2,4,5-TP (Silvex)	TRUE	0		0.1	0.34	ug/L	SW8151A	12/14/2011	1
11/29/2011	MW-10 DUP	SW8151A	2,4,5-T	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/29/2011	MW-10 DUP	SW8270D	Acenaphthene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Acenaphthylene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Acetophenone	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	2-Acetylaminofluorene	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	4-Aminobiphenyl	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Anthracene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Benzo (a) anthracene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Benzo (b) fluoranthene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Benzo (k) fluoranthene	TRUE	0	H	0.1	0.1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Benzo (g,h,i) perylene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Benzo (a) pyrene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Benzyl alcohol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	bis (2-Chloroethoxy) methane	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	bis (2-Chloroethyl) ether	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	bis (2-Chloro-1-methylethyl) ether	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	bis (2-Ethylhexyl) phthalate	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	4-Bromophenyl phenyl ether	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Butyl benzyl phthalate	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	p-Chloroaniline	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Chlorobenzilate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	4-Chloro-3-methylphenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	2-Chloronaphthalene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	2-Chlorophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	4-Chlorophenyl phenyl ether	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Chrysene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	m,p-Cresols	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	o-Cresol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Diallate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Dibenz (a,h) anthracene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Dibenzofuran	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Di-n-butyl phthalate	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Di-n-octyl phthalate	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	3,3-Dichlorobenzidine	TRUE	0	H	2.5	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	2,4-Dichlorophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	2,6-Dichlorophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Diethyl phthalate	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	o,o-Diethyl o-2-pyrazinyl phosphorothioate	TRUE	0	H	2	20	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Dimethoate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	p-(Dimethylamino) azobenzene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	7,12-Dimethylbenz (a) anthracene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	3,3-Dimethylbenzidine	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	2,4-Dimethylphenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Dimethyl phthalate	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	m-Dinitrobenzene	TRUE	0	H	2.5	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	4,6-Dinitro-2-methylphenol	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	2,4-Dinitrophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	2,4-Dinitrotoluene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	2,6-Dinitrotoluene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Diphenylamine	TRUE	0	H	2	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Disulfoton	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/29/2011	MW-10 DUP	SW8270D	Ethyl methanesulfonate	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Famphur	TRUE	0	H	2	20	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Fluoranthene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Fluorene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Hexachlorobenzene	TRUE	0	H	1	1	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Hexachlorocyclopentadiene	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Hexachloroethane	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Hexachloropropene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Indeno (1,2,3-cd) pyrene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Isodrin	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Isophorone	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Isosafrole	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Kepone	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Methapyrilene	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	3-Methylcholanthrene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Methyl methanesulfonate	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	2-Methylnaphthalene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Methyl parathion	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Naphthalene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	1,4-Naphthoquinone	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	1-Naphthylamine	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	2-Naphthylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	o-Nitroaniline	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	m-Nitroaniline	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	p-Nitroaniline	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Nitrobenzene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	2-Nitrophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	4-Nitrophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	N-Nitrosodi-N-butylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	N-Nitrosodiethylamine	TRUE	0	H	2.5	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	N-Nitrosodimethylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	N-Nitrosodiphenylamine	TRUE	0	H	2	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	N-Nitrosodi-N-propylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	N-Nitrosomethylethylamine	TRUE	0	H	2	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	N-Nitrosopiperidine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	N-Nitrosopyrrolidine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	5-Nitro-o-toluidine	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Parathion	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Pentachlorobenzene	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Pentachloronitrobenzene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Phenacetin	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Phenanthrene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Phenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	p-Phenylenediamine	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Phorate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Pronamide	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Pyrene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	Safrole	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	1,2,4,5-Tetrachlorobenzene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	2,3,4,6-Tetrachlorophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	o-Toluidine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	2,4,5-Trichlorophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	2,4,6-Trichlorophenol	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	o,o,o-Triethyl phosphorothioate	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/29/2011	MW-10 DUP	SW8270D	1,3,5-Trinitrobenzene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/29/2011	MW-10 DUP	SW9034 M	Sulfide	TRUE	0		1	1	mg/L	SW9034 M	12/6/2011	1
11/30/2011	MW-11	7000B	Zinc	FALSE	0.018	J	0.01	0.03	mg/L	7000B	12/29/2011	0
11/30/2011	MW-11	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	MW-11	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/30/2011	MW-11	7010	Barium	FALSE	0.036		0.003	0.015	mg/L	7010	12/28/2011	0
11/30/2011	MW-11	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	12/21/2011	0
11/30/2011	MW-11	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	12/21/2011	0
11/30/2011	MW-11	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/30/2011	MW-11	7010	Cobalt	FALSE	0.0007	J	0.0006	0.003	mg/L	7010	12/21/2011	0
11/30/2011	MW-11	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	MW-11	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	MW-11	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	12/21/2011	0
11/30/2011	MW-11	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/30/2011	MW-11	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	12/29/2011	0
11/30/2011	MW-11	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	12/21/2011	0
11/30/2011	MW-11	7010	Tin	TRUE	0		0.005	0.025	mg/L	7010	12/28/2011	0
11/30/2011	MW-11	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/30/2011	MW-11	7470A	Mercury	TRUE	0		0.0002	0.001	mg/L	7470A	12/13/2011	0
11/30/2011	MW-11	8260B	Acetone	TRUE	0		7	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Acetonitrile	TRUE	0		5.9	40	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Acrolein	TRUE	0		5.1	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Allyl chloride	TRUE	0		0.6	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Benzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Bromoform	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Carbon disulfide	TRUE	0		1	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Chloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Chloroprene	TRUE	0		0.8	5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	1,3-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Dichlorodifluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	1,3-Dichloropropane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	2,2-Dichloropropane	TRUE	0		0.3	2	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	1,1-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Ethyl methacrylate	TRUE	0		0.5	5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Hexachlorobutadiene	TRUE	0		0.3	0.8	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Isobutyl alcohol	TRUE	0		18	40	ug/L	8260B	12/5/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-11	8260B	Methacrylonitrile	TRUE	0		0.5	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Bromomethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Chloromethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Methylene Chloride	TRUE	0		1	4	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Iodomethane	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Methyl methacrylate	TRUE	0		0.6	2	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Propionitrile	TRUE	0		7.5	40	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Styrene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Toluene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	1,2,4-Trichlorobenzene	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	8260B	12/5/2011	1
11/30/2011	MW-11	Field	pH	FALSE	6.46		0	0	S.U.	Field	11/30/2011	0
11/30/2011	MW-11	Field	Specific Conductivity	FALSE	1.069		0	0	mS/cm	Field	11/30/2011	0
11/30/2011	MW-11	Field	Temperature	FALSE	12.94		0	0	Degrees C	Field	11/30/2011	0
11/30/2011	MW-11	Field	Turbidity	FALSE	10.1		0	0	NTU	Field	11/30/2011	0
11/30/2011	MW-11	Kelada-01	Cyanide	TRUE	0		0.01	0.01	mg/L	Kelada-01	12/6/2011	1
11/30/2011	MW-11	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	12/8/2011	1
11/30/2011	MW-11	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	12/8/2011	1
11/30/2011	MW-11	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	12/8/2011	1
11/30/2011	MW-11	SW8081B	Aldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8081B	alpha-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8081B	beta-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8081B	delta-BHC	TRUE	0		0.012	0.05	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8081B	gamma-BHC (Lindane)	TRUE	0		0.005	0.02	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8081B	Chlordane	TRUE	0		0.1	0.2	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8081B	4,4-DDD	TRUE	0		0.005	0.1	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8081B	4,4-DDE	TRUE	0		0.005	0.04	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8081B	4,4-DDT	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8081B	Dieldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8081B	Endosulfan I	TRUE	0		0.005	0.1	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8081B	Endosulfan II	TRUE	0		0.005	0.04	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8081B	Endosulfan sulfate	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8081B	Endrin	TRUE	0		0.005	0.1	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8081B	Endrin aldehyde	TRUE	0		0.01	0.2	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8081B	Heptachlor	TRUE	0		0.005	0.05	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8081B	Heptachlor epoxide	TRUE	0		0.005	0.05	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8081B	Methoxychlor	TRUE	0		0.01	1	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8081B	Toxaphene	TRUE	0		0.2	1	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-11	SW8082A	PCB as Aroclor 1016	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-11	SW8082A	PCB as Aroclor 1221	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-11	SW8082A	PCB as Aroclor 1232	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-11	SW8082A	PCB as Aroclor 1242	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-11	SW8082A	PCB as Aroclor 1248	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-11	SW8082A	PCB as Aroclor 1254	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-11	SW8082A	PCB as Aroclor 1260	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-11	SW8151A	2,4-D	TRUE	0		0.1	0.25	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-11	SW8151A	Dinoseb	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-11	SW8151A	Pentachlorophenol	TRUE	0		0.1	1	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-11	SW8151A	2,4,5-TP (Silvex)	TRUE	0		0.1	0.34	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-11	SW8151A	2,4,5-T	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-11	SW8270D	Acenaphthene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Acenaphthylene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Acetophenone	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	2-Acetylaminofluorene	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	4-Aminobiphenyl	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Anthracene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Benzo (a) anthracene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Benzo (b) fluoranthene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Benzo (k) fluoranthene	TRUE	0	H	0.1	0.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Benzo (g,h,i) perylene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Benzo (a) pyrene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Benzyl alcohol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	bis (2-Chloroethoxy) methane	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	bis (2-Chloroethyl) ether	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	bis (2-Chloro-1-methylethyl) ether	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	bis (2-Ethylhexyl) phthalate	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	4-Bromophenyl phenyl ether	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Butyl benzyl phthalate	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	p-Chloroaniline	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Chlorobenzilate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	4-Chloro-3-methylphenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	2-Chloronaphthalene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	2-Chlorophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	4-Chlorophenyl phenyl ether	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Chrysene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	m,p-Cresols	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	o-Cresol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Diallate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Dibenz (a,h) anthracene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Dibenzofuran	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Di-n-butyl phthalate	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Di-n-octyl phthalate	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	3,3-Dichlorobenzidine	TRUE	0	H	2.5	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	2,4-Dichlorophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	2,6-Dichlorophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Diethyl phthalate	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	o,o-Diethyl o-2-pyrazinyl phosphorothioate	TRUE	0	H	2	20.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Dimethoate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	p-(Dimethylamino) azobenzene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	7,12-Dimethylbenz (a) anthracene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	3,3-Dimethylbenzidine	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	2,4-Dimethylphenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Dimethyl phthalate	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	m-Dinitrobenzene	TRUE	0	H	2.5	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	4,6-Dinitro-2-methylphenol	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	2,4-Dinitrophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	2,4-Dinitrotoluene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	2,6-Dinitrotoluene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-11	SW8270D	Diphenylamine	TRUE	0	H	2	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Disulfoton	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Ethyl methanesulfonate	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Famphur	TRUE	0	H	2	20.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Fluoranthene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Fluorene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Hexachlorobenzene	TRUE	0	H	1	1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Hexachlorocyclopentadiene	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Hexachloroethane	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Hexachloropropene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Indeno (1,2,3-cd) pyrene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Isodrin	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Isophorone	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Isosafrole	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Kepone	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Methapyrilene	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	3-Methylcholanthrene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Methyl methanesulfonate	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	2-Methylnaphthalene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Methyl parathion	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Naphthalene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	1,4-Naphthoquinone	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	1-Naphthylamine	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	2-Naphthylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	o-Nitroaniline	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	m-Nitroaniline	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	p-Nitroaniline	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Nitrobenzene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	2-Nitrophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	4-Nitrophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	N-Nitrosodi-N-butylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	N-Nitrosodiethylamine	TRUE	0	H	2.5	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	N-Nitrosodimethylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	N-Nitrosodiphenylamine	TRUE	0	H	2	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	N-Nitrosodi-N-propylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	N-Nitrosomethylethylamine	TRUE	0	H	2	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	N-Nitrosopiperidine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	N-Nitrosopyrrolidine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	5-Nitro-o-toluidine	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Parathion	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Pentachlorobenzene	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Pentachloronitrobenzene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Phenacetin	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Phenanthrene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Phenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	p-Phenylenediamine	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Phorate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Pronamide	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Pyrene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	Safrole	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	1,2,4,5-Tetrachlorobenzene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	2,3,4,6-Tetrachlorophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	o-Toluidine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	2,4,5-Trichlorophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	2,4,6-Trichlorophenol	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-11	SW8270D	o,o,o-Triethyl phosphorothioate	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW8270D	1,3,5-Trinitrobenzene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-11	SW9034 M	Sulfide	TRUE	0		1	1	mg/L	SW9034 M	12/6/2011	1
11/30/2011	MW-12	7000B	Zinc	FALSE	0.01	J	0.01	0.03	mg/L	7000B	12/29/2011	0
11/30/2011	MW-12	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	MW-12	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/30/2011	MW-12	7010	Barium	FALSE	1.617		0.003	0.015	mg/L	7010	12/28/2011	0
11/30/2011	MW-12	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	12/21/2011	0
11/30/2011	MW-12	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	12/21/2011	0
11/30/2011	MW-12	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/30/2011	MW-12	7010	Cobalt	TRUE	0		0.0006	0.003	mg/L	7010	12/21/2011	0
11/30/2011	MW-12	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	MW-12	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	MW-12	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	12/21/2011	0
11/30/2011	MW-12	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/30/2011	MW-12	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	12/29/2011	0
11/30/2011	MW-12	7010	Thallium	FALSE	0.0002	J	0.0002	0.002	mg/L	7010	12/21/2011	0
11/30/2011	MW-12	7010	Tin	TRUE	0		0.005	0.025	mg/L	7010	12/28/2011	0
11/30/2011	MW-12	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/30/2011	MW-12	7470A	Mercury	TRUE	0		0.0002	0.001	mg/L	7470A	12/13/2011	0
11/30/2011	MW-12	8260B	Acetone	TRUE	0		7	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Acetonitrile	TRUE	0		5.9	40	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Acrolein	TRUE	0		5.1	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Allyl chloride	TRUE	0		0.6	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Benzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Bromoform	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Carbon disulfide	TRUE	0		1	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Chloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Chloroprene	TRUE	0		0.8	5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	1,3-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Dichlorodifluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	1,3-Dichloropropane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	2,2-Dichloropropane	TRUE	0		0.3	2	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	1,1-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Ethyl methacrylate	TRUE	0		0.5	5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Hexachlorobutadiene	TRUE	0		0.3	0.8	ug/L	8260B	12/5/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-12	8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Isobutyl alcohol	TRUE	0		18	40	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Methacrylonitrile	TRUE	0		0.5	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Bromomethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Chloromethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Methylene Chloride	TRUE	0		1	4	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Iodomethane	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Methyl methacrylate	TRUE	0		0.6	2	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Propionitrile	TRUE	0		7.5	40	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Styrene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Toluene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	1,2,4-Trichlorobenzene	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	8260B	12/5/2011	1
11/30/2011	MW-12	Field	pH	FALSE	7.42		0	0	S.U.	Field	11/30/2011	0
11/30/2011	MW-12	Field	Specific Conductivity	FALSE	0.749		0	0	mS/cm	Field	11/30/2011	0
11/30/2011	MW-12	Field	Temperature	FALSE	12.39		0	0	Degrees C	Field	11/30/2011	0
11/30/2011	MW-12	Field	Turbidity	FALSE	1.81		0	0	NTU	Field	11/30/2011	0
11/30/2011	MW-12	Kelada-01	Cyanide	TRUE	0		0.01	0.01	mg/L	Kelada-01	12/13/2011	1
11/30/2011	MW-12	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	12/8/2011	1
11/30/2011	MW-12	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	12/8/2011	1
11/30/2011	MW-12	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	12/8/2011	1
11/30/2011	MW-12	SW8081B	Aldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8081B	alpha-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8081B	beta-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8081B	delta-BHC	TRUE	0		0.012	0.052	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8081B	gamma-BHC (Lindane)	TRUE	0		0.005	0.021	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8081B	Chlordane	TRUE	0		0.1	0.21	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8081B	4,4-DDD	TRUE	0		0.005	0.104	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8081B	4,4-DDE	TRUE	0		0.005	0.042	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8081B	4,4-DDT	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8081B	Dieldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8081B	Endosulfan I	TRUE	0		0.005	0.104	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8081B	Endosulfan II	TRUE	0		0.005	0.042	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8081B	Endosulfan sulfate	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8081B	Endrin	TRUE	0		0.005	0.104	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8081B	Endrin aldehyde	TRUE	0		0.01	0.208	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8081B	Heptachlor	TRUE	0		0.005	0.052	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8081B	Heptachlor epoxide	TRUE	0		0.005	0.052	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8081B	Methoxychlor	TRUE	0		0.01	1.04	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8081B	Toxaphene	TRUE	0		0.21	1.04	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-12	SW8082A	PCB as Aroclor 1016	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-12	SW8082A	PCB as Aroclor 1221	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-12	SW8082A	PCB as Aroclor 1232	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-12	SW8082A	PCB as Aroclor 1242	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-12	SW8082A	PCB as Aroclor 1248	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-12	SW8082A	PCB as Aroclor 1254	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-12	SW8082A	PCB as Aroclor 1260	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-12	SW8151A	2,4-D	TRUE	0		0.1	0.25	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-12	SW8151A	Dinoseb	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-12	SW8151A	Pentachlorophenol	TRUE	0		0.1	1	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-12	SW8151A	2,4,5-TP (Silvex)	TRUE	0		0.1	0.34	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-12	SW8151A	2,4,5-T	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-12	SW8270D	Acenaphthene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Acenaphthylene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Acetophenone	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	2-Acetylaminofluorene	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	4-Aminobiphenyl	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Anthracene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Benzo (a) anthracene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Benzo (b) fluoranthene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Benzo (k) fluoranthene	TRUE	0	H	0.1	0.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Benzo (g,h,i) perylene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Benzo (a) pyrene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Benzyl alcohol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	bis (2-Chloroethoxy) methane	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	bis (2-Chloroethyl) ether	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	bis (2-Chloro-1-methylethyl) ether	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	bis (2-Ethylhexyl) phthalate	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	4-Bromophenyl phenyl ether	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Butyl benzyl phthalate	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	p-Chloroaniline	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Chlorobenzilate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	4-Chloro-3-methylphenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	2-Chloronaphthalene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	2-Chlorophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	4-Chlorophenyl phenyl ether	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Chrysene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	m,p-Cresols	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	o-Cresol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Diallate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Dibenz (a,h) anthracene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Dibenzofuran	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Di-n-butyl phthalate	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Di-n-octyl phthalate	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	3,3-Dichlorobenzidine	TRUE	0	H	2.5	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	2,4-Dichlorophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	2,6-Dichlorophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Diethyl phthalate	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	o,o-Diethyl o-2-pyrazinyl phosphorothioate	TRUE	0	H	2	20.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Dimethoate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	p-(Dimethylamino) azobenzene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	7,12-Dimethylbenz (a) anthracene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	3,3-Dimethylbenzidine	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	2,4-Dimethylphenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Dimethyl phthalate	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	m-Dinitrobenzene	TRUE	0	H	2.5	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	4,6-Dinitro-2-methylphenol	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	2,4-Dinitrophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-12	SW8270D	2,4-Dinitrotoluene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	2,6-Dinitrotoluene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Diphenylamine	TRUE	0	H	2	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Disulfoton	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Ethyl methanesulfonate	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Famphur	TRUE	0	H	2	20.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Fluoranthene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Fluorene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Hexachlorobenzene	TRUE	0	H	1	1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Hexachlorocyclopentadiene	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Hexachloroethane	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Hexachloropropene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Indeno (1,2,3-cd) pyrene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Isodrin	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Isophorone	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Isosafrole	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Kepone	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Methapyrilene	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	3-Methylcholanthrene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Methyl methanesulfonate	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	2-Methylnaphthalene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Methyl parathion	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Naphthalene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	1,4-Naphthoquinone	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	1-Naphthylamine	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	2-Naphthylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	o-Nitroaniline	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	m-Nitroaniline	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	p-Nitroaniline	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Nitrobenzene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	2-Nitrophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	4-Nitrophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	N-Nitrosodi-N-butylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	N-Nitrosodiethylamine	TRUE	0	H	2.5	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	N-Nitrosodimethylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	N-Nitrosodiphenylamine	TRUE	0	H	2	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	N-Nitrosodi-N-propylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	N-Nitrosomethylethylamine	TRUE	0	H	2	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	N-Nitrosopiperidine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	N-Nitrosopyrrolidine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	5-Nitro-o-toluidine	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Parathion	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Pentachlorobenzene	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Pentachloronitrobenzene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Phenacetin	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Phenanthrene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Phenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	p-Phenylenediamine	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Phorate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Pronamide	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Pyrene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	Safrole	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	1,2,4,5-Tetrachlorobenzene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	2,3,4,6-Tetrachlorophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	o-Toluidine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-12	SW8270D	2,4,5-Trichlorophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	2,4,6-Trichlorophenol	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	o,o,o-Triethyl phosphorothioate	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW8270D	1,3,5-Trinitrobenzene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-12	SW9034 M	Sulfide	TRUE	0		1	1	mg/L	SW9034 M	12/6/2011	1
11/30/2011	MW-14H	7000B	Zinc	FALSE	0.016	J	0.01	0.03	mg/L	7000B	12/29/2011	0
11/30/2011	MW-14H	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	MW-14H	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/30/2011	MW-14H	7010	Barium	FALSE	0.389		0.003	0.015	mg/L	7010	12/28/2011	0
11/30/2011	MW-14H	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	12/21/2011	0
11/30/2011	MW-14H	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	12/21/2011	0
11/30/2011	MW-14H	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/30/2011	MW-14H	7010	Cobalt	TRUE	0		0.0006	0.003	mg/L	7010	12/21/2011	0
11/30/2011	MW-14H	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	MW-14H	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	MW-14H	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	12/21/2011	0
11/30/2011	MW-14H	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/30/2011	MW-14H	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	12/29/2011	0
11/30/2011	MW-14H	7010	Thallium	FALSE	0.0003	J	0.0002	0.002	mg/L	7010	12/21/2011	0
11/30/2011	MW-14H	7010	Tin	TRUE	0		0.005	0.025	mg/L	7010	12/28/2011	0
11/30/2011	MW-14H	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/30/2011	MW-14H	7470A	Mercury	TRUE	0		0.0002	0.001	mg/L	7470A	12/13/2011	0
11/30/2011	MW-14H	8260B	Acetone	TRUE	0		7	10	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Acetonitrile	TRUE	0		5.9	40	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Acrolein	TRUE	0		5.1	10	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Allyl chloride	TRUE	0		0.6	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Benzene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Bromoform	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Carbon disulfide	TRUE	0		1	10	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Chloroethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Chloroprene	TRUE	0		0.8	5	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	1,3-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Dichlorodifluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	1,3-Dichloropropane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	2,2-Dichloropropane	TRUE	0		0.3	2	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	1,1-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	8260B	12/6/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-14H	8260B	Ethyl methacrylate	TRUE	0		0.5	5	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Hexachlorobutadiene	TRUE	0		0.3	0.8	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Isobutyl alcohol	TRUE	0		18	40	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Methacrylonitrile	TRUE	0		0.5	0.5	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Bromomethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Chloromethane	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Methylene Chloride	TRUE	0		1	4	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Iodomethane	TRUE	0		1.7	10	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Methyl methacrylate	TRUE	0		0.6	2	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Propionitrile	TRUE	0		7.5	40	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Styrene	TRUE	0		0.1	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Toluene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	1,2,4-Trichlorobenzene	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	8260B	12/6/2011	1
11/30/2011	MW-14H	Field	pH	FALSE	7.04		0	0	S.U.	Field	11/30/2011	0
11/30/2011	MW-14H	Field	Specific Conductivity	FALSE	0.302		0	0	mS/cm	Field	11/30/2011	0
11/30/2011	MW-14H	Field	Temperature	FALSE	12.46		0	0	Degrees C	Field	11/30/2011	0
11/30/2011	MW-14H	Field	Turbidity	FALSE	2.96		0	0	NTU	Field	11/30/2011	0
11/30/2011	MW-14H	Kelada-01	Cyanide	TRUE	0		0.01	0.01	mg/L	Kelada-01	12/6/2011	1
11/30/2011	MW-14H	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	12/8/2011	1
11/30/2011	MW-14H	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	12/8/2011	1
11/30/2011	MW-14H	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	12/8/2011	1
11/30/2011	MW-14H	SW8081B	Aldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8081B	alpha-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8081B	beta-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8081B	delta-BHC	TRUE	0		0.012	0.05	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8081B	gamma-BHC (Lindane)	TRUE	0		0.005	0.02	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8081B	Chlordane	TRUE	0		0.1	0.2	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8081B	4,4-DDD	TRUE	0		0.005	0.1	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8081B	4,4-DDE	TRUE	0		0.005	0.04	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8081B	4,4-DDT	TRUE	0		0.005	0.01	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8081B	Dieldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8081B	Endosulfan I	TRUE	0		0.005	0.1	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8081B	Endosulfan II	TRUE	0		0.005	0.04	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8081B	Endosulfan sulfate	TRUE	0		0.005	0.01	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8081B	Endrin	TRUE	0		0.005	0.1	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8081B	Endrin aldehyde	TRUE	0		0.01	0.2	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8081B	Heptachlor	TRUE	0		0.005	0.05	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8081B	Heptachlor epoxide	TRUE	0		0.005	0.05	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8081B	Methoxychlor	TRUE	0		0.01	1	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8081B	Toxaphene	TRUE	0		0.2	1	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-14H	SW8082A	PCB as Aroclor 1016	TRUE	0		0.2	0.5	ug/L	SW8082A	12/8/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-14H	SW8082A	PCB as Aroclor 1221	TRUE	0		0.2	0.5	ug/L	SW8082A	12/8/2011	1
11/30/2011	MW-14H	SW8082A	PCB as Aroclor 1232	TRUE	0		0.2	0.5	ug/L	SW8082A	12/8/2011	1
11/30/2011	MW-14H	SW8082A	PCB as Aroclor 1242	TRUE	0		0.2	0.5	ug/L	SW8082A	12/8/2011	1
11/30/2011	MW-14H	SW8082A	PCB as Aroclor 1248	TRUE	0		0.2	0.5	ug/L	SW8082A	12/8/2011	1
11/30/2011	MW-14H	SW8082A	PCB as Aroclor 1254	TRUE	0		0.2	0.5	ug/L	SW8082A	12/8/2011	1
11/30/2011	MW-14H	SW8082A	PCB as Aroclor 1260	TRUE	0		0.2	0.5	ug/L	SW8082A	12/8/2011	1
11/30/2011	MW-14H	SW8151A	2,4-D	TRUE	0		0.1	0.25	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-14H	SW8151A	Dinoseb	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-14H	SW8151A	Pentachlorophenol	TRUE	0		0.1	1	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-14H	SW8151A	2,4,5-TP (Silvex)	TRUE	0		0.1	0.34	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-14H	SW8151A	2,4,5-T	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-14H	SW8270D	Acenaphthene	TRUE	0	H	1	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Acenaphthylene	TRUE	0	H	1	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Acetophenone	TRUE	0	H	2	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	2-Acetylaminofluorene	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	4-Aminobiphenyl	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Anthracene	TRUE	0	H	1	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Benzo (a) anthracene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Benzo (b) fluoranthene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Benzo (k) fluoranthene	TRUE	0	H	0.1	0.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Benzo (g,h,i) perylene	TRUE	0	H	1	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Benzo (a) pyrene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Benzyl alcohol	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	bis (2-Chloroethoxy) methane	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	bis (2-Chloroethyl) ether	TRUE	0	H	1	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	bis (2-Chloro-1-methylethyl) ether	TRUE	0	H	1	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	bis (2-Ethylhexyl) phthalate	TRUE	0	H	1	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	4-Bromophenyl phenyl ether	TRUE	0	H	1	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Butyl benzyl phthalate	TRUE	0	H	1	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	p-Chloroaniline	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Chlorobenzilate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	4-Chloro-3-methylphenol	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	2-Chloronaphthalene	TRUE	0	H	1	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	2-Chlorophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	4-Chlorophenyl phenyl ether	TRUE	0	H	1	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Chrysene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	m,p-Cresols	TRUE	0	H	2	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	o-Cresol	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Diallate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Dibenz (a,h) anthracene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Dibenzofuran	TRUE	0	H	2	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Di-n-butyl phthalate	TRUE	0	H	2	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Di-n-octyl phthalate	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	3,3-Dichlorobenzidine	TRUE	0	H	2.5	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	2,4-Dichlorophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	2,6-Dichlorophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Diethyl phthalate	TRUE	0	H	1	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	o,o-Diethyl o-2-pyrazinyl phosphorothioate	TRUE	0	H	2	20	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Dimethoate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	p-(Dimethylamino) azobenzene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	7,12-Dimethylbenz (a) anthracene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	3,3-Dimethylbenzidine	TRUE	0	H	1	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	2,4-Dimethylphenol	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Dimethyl phthalate	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	m-Dinitrobenzene	TRUE	0	H	2.5	2.5	ug/L	SW8270D	12/13/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-14H	SW8270D	4,6-Dinitro-2-methylphenol	TRUE	0	H	1	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	2,4-Dinitrophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	2,4-Dinitrotoluene	TRUE	0	H	1	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	2,6-Dinitrotoluene	TRUE	0	H	1	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Diphenylamine	TRUE	0	H	2	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Disulfoton	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Ethyl methanesulfonate	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Famphur	TRUE	0	H	2	20	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Fluoranthene	TRUE	0	H	1	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Fluorene	TRUE	0	H	1	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Hexachlorobenzene	TRUE	0	H	1	1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Hexachlorocyclopentadiene	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Hexachloroethane	TRUE	0	H	1	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Hexachloropropene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Indeno (1,2,3-cd) pyrene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Isodrin	TRUE	0	H	2	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Isophorone	TRUE	0	H	1	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Isosafrole	TRUE	0	H	2	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Kepone	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Methapyrilene	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	3-Methylcholanthrene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Methyl methanesulfonate	TRUE	0	H	1	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	2-Methylnaphthalene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Methyl parathion	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Naphthalene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	1,4-Naphthoquinone	TRUE	0	H	2	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	1-Naphthylamine	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	2-Naphthylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	o-Nitroaniline	TRUE	0	H	2	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	m-Nitroaniline	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	p-Nitroaniline	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Nitrobenzene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	2-Nitrophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	4-Nitrophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	N-Nitrosodi-N-butylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	N-Nitrosodiethylamine	TRUE	0	H	2.5	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	N-Nitrosodimethylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	N-Nitrosodiphenylamine	TRUE	0	H	2	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	N-Nitrosodi-N-propylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	N-Nitrosomethylethylamine	TRUE	0	H	2	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	N-Nitrosopiperidine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	N-Nitrosopyrrolidine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	5-Nitro-o-toluidine	TRUE	0	H	1	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Parathion	TRUE	0	H	2	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Pentachlorobenzene	TRUE	0	H	2	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Pentachloronitrobenzene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Phenacetin	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Phenanthrene	TRUE	0	H	1	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Phenol	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	p-Phenylenediamine	TRUE	0	H	2	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Phorate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Pronamide	TRUE	0	H	2	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Pyrene	TRUE	0	H	1	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	Safrole	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	1,2,4,5-Tetrachlorobenzene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-14H	SW8270D	2,3,4,6-Tetrachlorophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	o-Toluidine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	2,4,5-Trichlorophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	2,4,6-Trichlorophenol	TRUE	0	H	1	2.5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	o,o,o-Triethyl phosphorothioate	TRUE	0	H	2	10	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW8270D	1,3,5-Trinitrobenzene	TRUE	0	H	1	5	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-14H	SW9034 M	Sulfide	TRUE	0		1	1	mg/L	SW9034 M	12/6/2011	1
11/30/2011	MW-3	7000B	Zinc	FALSE	0.011	J	0.01	0.03	mg/L	7000B	12/29/2011	0
11/30/2011	MW-3	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	MW-3	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/30/2011	MW-3	7010	Barium	FALSE	0.081		0.003	0.015	mg/L	7010	12/28/2011	0
11/30/2011	MW-3	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	12/21/2011	0
11/30/2011	MW-3	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	12/21/2011	0
11/30/2011	MW-3	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/30/2011	MW-3	7010	Cobalt	TRUE	0		0.0006	0.003	mg/L	7010	12/21/2011	0
11/30/2011	MW-3	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	MW-3	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	MW-3	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	12/21/2011	0
11/30/2011	MW-3	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/30/2011	MW-3	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	12/29/2011	0
11/30/2011	MW-3	7010	Thallium	FALSE	0.0003	J	0.0002	0.002	mg/L	7010	12/21/2011	0
11/30/2011	MW-3	7010	Tin	TRUE	0		0.005	0.025	mg/L	7010	12/28/2011	0
11/30/2011	MW-3	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/30/2011	MW-3	7470A	Mercury	TRUE	0		0.0002	0.001	mg/L	7470A	12/13/2011	0
11/30/2011	MW-3	8260B	Acetone	TRUE	0		7	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Acetonitrile	TRUE	0		5.9	40	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Acrolein	TRUE	0		5.1	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Allyl chloride	TRUE	0		0.6	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Benzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Bromoform	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Carbon disulfide	TRUE	0		1	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Chloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Chloroprene	TRUE	0		0.8	5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	1,3-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Dichlorodifluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	1,3-Dichloropropane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	2,2-Dichloropropane	TRUE	0		0.3	2	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	1,1-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-3	8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Ethyl methacrylate	TRUE	0		0.5	5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Hexachlorobutadiene	TRUE	0		0.3	0.8	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Isobutyl alcohol	TRUE	0		18	40	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Methacrylonitrile	TRUE	0		0.5	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Bromomethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Chloromethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Methylene Chloride	TRUE	0		1	4	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Iodomethane	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Methyl methacrylate	TRUE	0		0.6	2	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Propionitrile	TRUE	0		7.5	40	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Styrene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Toluene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	1,2,4-Trichlorobenzene	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	8260B	12/5/2011	1
11/30/2011	MW-3	Field	pH	FALSE	6.41		0	0	S.U.	Field	11/30/2011	0
11/30/2011	MW-3	Field	Specific Conductivity	FALSE	0.513		0	0	mS/cm	Field	11/30/2011	0
11/30/2011	MW-3	Field	Temperature	FALSE	12.24		0	0	Degrees C	Field	11/30/2011	0
11/30/2011	MW-3	Field	Turbidity	FALSE	2.12		0	0	NTU	Field	11/30/2011	0
11/30/2011	MW-3	Kelada-01	Cyanide	TRUE	0		0.01	0.01	mg/L	Kelada-01	12/13/2011	1
11/30/2011	MW-3	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	12/8/2011	1
11/30/2011	MW-3	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	12/8/2011	1
11/30/2011	MW-3	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	12/8/2011	1
11/30/2011	MW-3	SW8081B	Aldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-3	SW8081B	alpha-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-3	SW8081B	beta-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-3	SW8081B	delta-BHC	TRUE	0		0.012	0.05	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-3	SW8081B	gamma-BHC (Lindane)	TRUE	0		0.005	0.02	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-3	SW8081B	Chlordane	TRUE	0		0.1	0.2	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-3	SW8081B	4,4-DDD	TRUE	0		0.005	0.1	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-3	SW8081B	4,4-DDE	TRUE	0		0.005	0.04	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-3	SW8081B	4,4-DDT	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-3	SW8081B	Dieldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-3	SW8081B	Endosulfan I	TRUE	0		0.005	0.1	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-3	SW8081B	Endosulfan II	TRUE	0		0.005	0.04	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-3	SW8081B	Endosulfan sulfate	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-3	SW8081B	Endrin	TRUE	0		0.005	0.1	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-3	SW8081B	Endrin aldehyde	TRUE	0		0.01	0.2	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-3	SW8081B	Heptachlor	TRUE	0		0.005	0.05	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-3	SW8081B	Heptachlor epoxide	TRUE	0		0.005	0.05	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-3	SW8081B	Methoxychlor	TRUE	0		0.01	1	ug/L	SW8081B	12/7/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-3	SW8081B	Toxaphene	TRUE	0		0.2	1	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-3	SW8082A	PCB as Aroclor 1016	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-3	SW8082A	PCB as Aroclor 1221	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-3	SW8082A	PCB as Aroclor 1232	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-3	SW8082A	PCB as Aroclor 1242	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-3	SW8082A	PCB as Aroclor 1248	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-3	SW8082A	PCB as Aroclor 1254	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-3	SW8082A	PCB as Aroclor 1260	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-3	SW8151A	2,4-D	TRUE	0		0.1	0.25	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-3	SW8151A	Dinoseb	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-3	SW8151A	Pentachlorophenol	TRUE	0		0.1	1	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-3	SW8151A	2,4,5-TP (Silvex)	TRUE	0		0.1	0.34	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-3	SW8151A	2,4,5-T	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-3	SW8270D	Acenaphthene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Acenaphthylene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Acetophenone	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	2-Acetylaminofluorene	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	4-Aminobiphenyl	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Anthracene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Benzo (a) anthracene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Benzo (b) fluoranthene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Benzo (k) fluoranthene	TRUE	0	H	0.1	0.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Benzo (g,h,i) perylene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Benzo (a) pyrene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Benzyl alcohol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	bis (2-Chloroethoxy) methane	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	bis (2-Chloroethyl) ether	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	bis (2-Chloro-1-methylethyl) ether	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	bis (2-Ethylhexyl) phthalate	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	4-Bromophenyl phenyl ether	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Butyl benzyl phthalate	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	p-Chloroaniline	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Chlorobenzilate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	4-Chloro-3-methylphenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	2-Chloronaphthalene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	2-Chlorophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	4-Chlorophenyl phenyl ether	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Chrysene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	m,p-Cresols	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	o-Cresol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Diallate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Dibenz (a,h) anthracene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Dibenzofuran	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Di-n-butyl phthalate	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Di-n-octyl phthalate	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	3,3-Dichlorobenzidine	TRUE	0	H	2.5	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	2,4-Dichlorophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	2,6-Dichlorophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Diethyl phthalate	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	o,o-Diethyl o-2-pyrazinyl phosphorothioate	TRUE	0	H	2	20	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Dimethoate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	p-(Dimethylamino) azobenzene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	7,12-Dimethylbenz (a) anthracene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	3,3-Dimethylbenzidine	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	2,4-Dimethylphenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-3	SW8270D	Dimethyl phthalate	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	m-Dinitrobenzene	TRUE	0	H	2.5	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	4,6-Dinitro-2-methylphenol	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	2,4-Dinitrophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	2,4-Dinitrotoluene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	2,6-Dinitrotoluene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Diphenylamine	TRUE	0	H	2	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Disulfoton	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Ethyl methanesulfonate	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Famphur	TRUE	0	H	2	20	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Fluoranthene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Fluorene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Hexachlorobenzene	TRUE	0	H	1	1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Hexachlorocyclopentadiene	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Hexachloroethane	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Hexachloropropene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Indeno (1,2,3-cd) pyrene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Isodrin	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Isophorone	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Isosafrole	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Kepone	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Methapyrilene	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	3-Methylcholanthrene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Methyl methanesulfonate	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	2-Methylnaphthalene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Methyl parathion	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Naphthalene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	1,4-Naphthoquinone	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	1-Naphthylamine	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	2-Naphthylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	o-Nitroaniline	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	m-Nitroaniline	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	p-Nitroaniline	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Nitrobenzene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	2-Nitrophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	4-Nitrophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	N-Nitrosodi-N-butylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	N-Nitrosodiethylamine	TRUE	0	H	2.5	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	N-Nitrosodimethylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	N-Nitrosodiphenylamine	TRUE	0	H	2	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	N-Nitrosodi-N-propylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	N-Nitrosomethylethylamine	TRUE	0	H	2	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	N-Nitrosopiperidine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	N-Nitrosopyrrolidine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	5-Nitro-o-toluidine	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Parathion	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Pentachlorobenzene	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Pentachloronitrobenzene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Phenacetin	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Phenanthrene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Phenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	p-Phenylenediamine	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Phorate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Pronamide	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	Pyrene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-3	SW8270D	Safrole	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	1,2,4,5-Tetrachlorobenzene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	2,3,4,6-Tetrachlorophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	o-Toluidine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	2,4,5-Trichlorophenol	TRUE	0	H	1	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	2,4,6-Trichlorophenol	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	o,o,o-Triethyl phosphorothioate	TRUE	0	H	2	10	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW8270D	1,3,5-Trinitrobenzene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-3	SW9034 M	Sulfide	TRUE	0		1	1	mg/L	SW9034 M	12/6/2011	1
11/30/2011	MW-4	7000B	Zinc	FALSE	0.01	J	0.01	0.03	mg/L	7000B	12/29/2011	0
11/30/2011	MW-4	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	MW-4	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/30/2011	MW-4	7010	Barium	FALSE	0.089		0.003	0.015	mg/L	7010	12/28/2011	0
11/30/2011	MW-4	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	12/21/2011	0
11/30/2011	MW-4	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	12/21/2011	0
11/30/2011	MW-4	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/30/2011	MW-4	7010	Cobalt	TRUE	0		0.0006	0.003	mg/L	7010	12/21/2011	0
11/30/2011	MW-4	7010	Copper	FALSE	0.002	J	0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	MW-4	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	MW-4	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	12/21/2011	0
11/30/2011	MW-4	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/30/2011	MW-4	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	12/29/2011	0
11/30/2011	MW-4	7010	Thallium	FALSE	0.0002	J	0.0002	0.002	mg/L	7010	12/21/2011	0
11/30/2011	MW-4	7010	Tin	TRUE	0		0.005	0.025	mg/L	7010	12/28/2011	0
11/30/2011	MW-4	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/30/2011	MW-4	7470A	Mercury	TRUE	0		0.0002	0.001	mg/L	7470A	12/13/2011	0
11/30/2011	MW-4	8260B	Acetone	TRUE	0		7	10	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Acetonitrile	TRUE	0		5.9	40	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Acrolein	TRUE	0		5.1	10	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Allyl chloride	TRUE	0		0.6	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Benzene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Bromoform	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Carbon disulfide	TRUE	0		1	10	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Chloroethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Chloroprene	TRUE	0		0.8	5	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	1,3-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Dichlorodifluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	1,3-Dichloropropane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	2,2-Dichloropropane	TRUE	0		0.3	2	ug/L	8260B	12/6/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-4	8260B	1,1-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Ethyl methacrylate	TRUE	0		0.5	5	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Hexachlorobutadiene	TRUE	0		0.3	0.8	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Isobutyl alcohol	TRUE	0		18	40	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Methacrylonitrile	TRUE	0		0.5	0.5	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Bromomethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Chloromethane	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Methylene Chloride	TRUE	0		1	4	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Iodomethane	TRUE	0		1.7	10	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Methyl methacrylate	TRUE	0		0.6	2	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Propionitrile	TRUE	0		7.5	40	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Styrene	TRUE	0		0.1	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Toluene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	1,2,4-Trichlorobenzene	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	8260B	12/6/2011	1
11/30/2011	MW-4	Field	pH	FALSE	6.79		0	0	S.U.	Field	11/30/2011	0
11/30/2011	MW-4	Field	Specific Conductivity	FALSE	0.415		0	0	mS/cm	Field	11/30/2011	0
11/30/2011	MW-4	Field	Temperature	FALSE	12.1		0	0	Degrees C	Field	11/30/2011	0
11/30/2011	MW-4	Field	Turbidity	FALSE	7.52		0	0	NTU	Field	11/30/2011	0
11/30/2011	MW-4	Kelada-01	Cyanide	TRUE	0		0.01	0.01	mg/L	Kelada-01	12/13/2011	1
11/30/2011	MW-4	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	12/8/2011	1
11/30/2011	MW-4	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	12/8/2011	1
11/30/2011	MW-4	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	12/8/2011	1
11/30/2011	MW-4	SW8081B	Aldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-4	SW8081B	alpha-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-4	SW8081B	beta-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-4	SW8081B	delta-BHC	TRUE	0		0.012	0.052	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-4	SW8081B	gamma-BHC (Lindane)	TRUE	0		0.005	0.021	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-4	SW8081B	Chlordane	TRUE	0		0.1	0.21	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-4	SW8081B	4,4-DDD	TRUE	0		0.005	0.103	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-4	SW8081B	4,4-DDE	TRUE	0		0.005	0.041	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-4	SW8081B	4,4-DDT	TRUE	0		0.005	0.01	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-4	SW8081B	Dieldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-4	SW8081B	Endosulfan I	TRUE	0		0.005	0.103	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-4	SW8081B	Endosulfan II	TRUE	0		0.005	0.041	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-4	SW8081B	Endosulfan sulfate	TRUE	0		0.005	0.01	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-4	SW8081B	Endrin	TRUE	0		0.005	0.103	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-4	SW8081B	Endrin aldehyde	TRUE	0		0.01	0.206	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-4	SW8081B	Heptachlor	TRUE	0		0.005	0.052	ug/L	SW8081B	12/8/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-4	SW8081B	Heptachlor epoxide	TRUE	0		0.005	0.052	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-4	SW8081B	Methoxychlor	TRUE	0		0.01	1.03	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-4	SW8081B	Toxaphene	TRUE	0		0.21	1.03	ug/L	SW8081B	12/8/2011	1
11/30/2011	MW-4	SW8082A	PCB as Aroclor 1016	TRUE	0		0.2	0.5	ug/L	SW8082A	12/8/2011	1
11/30/2011	MW-4	SW8082A	PCB as Aroclor 1221	TRUE	0		0.2	0.5	ug/L	SW8082A	12/8/2011	1
11/30/2011	MW-4	SW8082A	PCB as Aroclor 1232	TRUE	0		0.2	0.5	ug/L	SW8082A	12/8/2011	1
11/30/2011	MW-4	SW8082A	PCB as Aroclor 1242	TRUE	0		0.2	0.5	ug/L	SW8082A	12/8/2011	1
11/30/2011	MW-4	SW8082A	PCB as Aroclor 1248	TRUE	0		0.2	0.5	ug/L	SW8082A	12/8/2011	1
11/30/2011	MW-4	SW8082A	PCB as Aroclor 1254	TRUE	0		0.2	0.5	ug/L	SW8082A	12/8/2011	1
11/30/2011	MW-4	SW8082A	PCB as Aroclor 1260	TRUE	0		0.2	0.5	ug/L	SW8082A	12/8/2011	1
11/30/2011	MW-4	SW8151A	2,4-D	TRUE	0		0.1	0.25	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-4	SW8151A	Dinoseb	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-4	SW8151A	Pentachlorophenol	TRUE	0		0.1	1	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-4	SW8151A	2,4,5-TP (Silvex)	TRUE	0		0.1	0.34	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-4	SW8151A	2,4,5-T	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-4	SW8270D	Acenaphthene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Acenaphthylene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Acetophenone	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	2-Acetylaminofluorene	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	4-Aminobiphenyl	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Anthracene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Benzo (a) anthracene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Benzo (b) fluoranthene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Benzo (k) fluoranthene	TRUE	0	H	0.1	0.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Benzo (g,h,i) perylene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Benzo (a) pyrene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Benzyl alcohol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	bis (2-Chloroethoxy) methane	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	bis (2-Chloroethyl) ether	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	bis (2-Chloro-1-methylethyl) ether	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	bis (2-Ethylhexyl) phthalate	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	4-Bromophenyl phenyl ether	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Butyl benzyl phthalate	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	p-Chloroaniline	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Chlorobenzilate	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	4-Chloro-3-methylphenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	2-Chloronaphthalene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	2-Chlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	4-Chlorophenyl phenyl ether	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Chrysene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	m,p-Cresols	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	o-Cresol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Diallate	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Dibenz (a,h) anthracene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Dibenzofuran	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Di-n-butyl phthalate	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Di-n-octyl phthalate	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	3,3-Dichlorobenzidine	TRUE	0	H	2.6	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	2,4-Dichlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	2,6-Dichlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Diethyl phthalate	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	o,o-Diethyl o-2-pyrazinyl phosphorothioate	TRUE	0	H	2	20.4	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Dimethoate	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	p-(Dimethylamino) azobenzene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	7,12-Dimethylbenz (a) anthracene	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-4	SW8270D	3,3-Dimethylbenzidine	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	2,4-Dimethylphenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Dimethyl phthalate	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	m-Dinitrobenzene	TRUE	0	H	2.6	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	4,6-Dinitro-2-methylphenol	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	2,4-Dinitrophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	2,4-Dinitrotoluene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	2,6-Dinitrotoluene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Diphenylamine	TRUE	0	H	2	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Disulfoton	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Ethyl methanesulfonate	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Famphur	TRUE	0	H	2	20.4	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Fluoranthene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Fluorene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Hexachlorobenzene	TRUE	0	H	1	1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Hexachlorocyclopentadiene	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Hexachloroethane	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Hexachloropropene	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Indeno (1,2,3-cd) pyrene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Isodrin	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Isophorone	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Isosafrole	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Kepone	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Methapyrilene	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	3-Methylcholanthrene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Methyl methanesulfonate	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	2-Methylnaphthalene	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Methyl parathion	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Naphthalene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	1,4-Naphthoquinone	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	1-Naphthylamine	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	2-Naphthylamine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	o-Nitroaniline	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	m-Nitroaniline	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	p-Nitroaniline	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Nitrobenzene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	2-Nitrophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	4-Nitrophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	N-Nitrosodi-N-butylamine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	N-Nitrosodiethylamine	TRUE	0	H	2.6	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	N-Nitrosodimethylamine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	N-Nitrosodiphenylamine	TRUE	0	H	2	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	N-Nitrosodi-N-propylamine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	N-Nitrosomethylethylamine	TRUE	0	H	2	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	N-Nitrosopiperidine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	N-Nitrosopyrrolidine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	5-Nitro-o-toluidine	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Parathion	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Pentachlorobenzene	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Pentachloronitrobenzene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Phenacetin	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Phenanthrene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Phenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	p-Phenylenediamine	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Phorate	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-4	SW8270D	Pronamide	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Pyrene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	Safrole	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	1,2,4,5-Tetrachlorobenzene	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	2,3,4,6-Tetrachlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	o-Toluidine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	2,4,5-Trichlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	2,4,6-Trichlorophenol	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	o,o,o-Triethyl phosphorothioate	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW8270D	1,3,5-Trinitrobenzene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
11/30/2011	MW-4	SW9034 M	Sulfide	TRUE	0		1	1	mg/L	SW9034 M	12/6/2011	1
11/30/2011	MW-7	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	12/29/2011	0
11/30/2011	MW-7	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	MW-7	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/30/2011	MW-7	7010	Barium	FALSE	0.21		0.003	0.015	mg/L	7010	12/28/2011	0
11/30/2011	MW-7	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	12/21/2011	0
11/30/2011	MW-7	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	12/21/2011	0
11/30/2011	MW-7	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/30/2011	MW-7	7010	Cobalt	TRUE	0		0.0006	0.003	mg/L	7010	12/21/2011	0
11/30/2011	MW-7	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	MW-7	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	MW-7	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	12/21/2011	0
11/30/2011	MW-7	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/30/2011	MW-7	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	12/29/2011	0
11/30/2011	MW-7	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	12/21/2011	0
11/30/2011	MW-7	7010	Tin	TRUE	0		0.005	0.025	mg/L	7010	12/28/2011	0
11/30/2011	MW-7	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/30/2011	MW-7	7470A	Mercury	TRUE	0		0.0002	0.001	mg/L	7470A	12/13/2011	0
11/30/2011	MW-7	8260B	Acetone	TRUE	0		7	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Acetonitrile	TRUE	0		5.9	40	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Acrolein	TRUE	0		5.1	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Allyl chloride	TRUE	0		0.6	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Benzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Bromoform	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Carbon disulfide	TRUE	0		1	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Chloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Chloroprene	TRUE	0		0.8	5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	1,3-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Dichlorodifluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-7	8260B	1,3-Dichloropropane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	2,2-Dichloropropane	TRUE	0		0.3	2	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	1,1-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Ethyl methacrylate	TRUE	0		0.5	5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Hexachlorobutadiene	TRUE	0		0.3	0.8	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Isobutyl alcohol	TRUE	0		18	40	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Methacrylonitrile	TRUE	0		0.5	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Bromomethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Chloromethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Methylene Chloride	TRUE	0		1	4	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Iodomethane	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Methyl methacrylate	TRUE	0		0.6	2	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Propionitrile	TRUE	0		7.5	40	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Styrene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Toluene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	1,2,4-Trichlorobenzene	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	8260B	12/5/2011	1
11/30/2011	MW-7	Field	pH	FALSE	7.79		0	0	S.U.	Field	11/30/2011	0
11/30/2011	MW-7	Field	Specific Conductivity	FALSE	1.297		0	0	mS/cm	Field	11/30/2011	0
11/30/2011	MW-7	Field	Temperature	FALSE	12.69		0	0	Degrees C	Field	11/30/2011	0
11/30/2011	MW-7	Field	Turbidity	FALSE	4.05		0	0	NTU	Field	11/30/2011	0
11/30/2011	MW-7	Kelada-01	Cyanide	TRUE	0		0.01	0.01	mg/L	Kelada-01	12/13/2011	1
11/30/2011	MW-7	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	12/8/2011	1
11/30/2011	MW-7	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	12/8/2011	1
11/30/2011	MW-7	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	12/8/2011	1
11/30/2011	MW-7	SW8081B	Aldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-7	SW8081B	alpha-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-7	SW8081B	beta-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-7	SW8081B	delta-BHC	TRUE	0		0.012	0.05	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-7	SW8081B	gamma-BHC (Lindane)	TRUE	0		0.005	0.02	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-7	SW8081B	Chlordane	TRUE	0		0.1	0.2	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-7	SW8081B	4,4-DDD	TRUE	0		0.005	0.1	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-7	SW8081B	4,4-DDE	TRUE	0		0.005	0.04	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-7	SW8081B	4,4-DDT	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-7	SW8081B	Dieldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-7	SW8081B	Endosulfan I	TRUE	0		0.005	0.1	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-7	SW8081B	Endosulfan II	TRUE	0		0.005	0.04	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-7	SW8081B	Endosulfan sulfate	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-7	SW8081B	Endrin	TRUE	0		0.005	0.1	ug/L	SW8081B	12/7/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-7	SW8081B	Endrin aldehyde	TRUE	0		0.01	0.2	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-7	SW8081B	Heptachlor	TRUE	0		0.005	0.05	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-7	SW8081B	Heptachlor epoxide	TRUE	0		0.005	0.05	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-7	SW8081B	Methoxychlor	TRUE	0		0.01	1	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-7	SW8081B	Toxaphene	TRUE	0		0.2	1	ug/L	SW8081B	12/7/2011	1
11/30/2011	MW-7	SW8082A	PCB as Aroclor 1016	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-7	SW8082A	PCB as Aroclor 1221	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-7	SW8082A	PCB as Aroclor 1232	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-7	SW8082A	PCB as Aroclor 1242	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-7	SW8082A	PCB as Aroclor 1248	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-7	SW8082A	PCB as Aroclor 1254	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-7	SW8082A	PCB as Aroclor 1260	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	MW-7	SW8151A	2,4-D	TRUE	0		0.1	0.25	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-7	SW8151A	Dinoseb	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-7	SW8151A	Pentachlorophenol	TRUE	0		0.1	1	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-7	SW8151A	2,4,5-TP (Silvex)	TRUE	0		0.1	0.34	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-7	SW8151A	2,4,5-T	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/30/2011	MW-7	SW8270D	Acenaphthene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Acenaphthylene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Acetophenone	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	2-Acetylaminofluorene	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	4-Aminobiphenyl	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Anthracene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Benzo (a) anthracene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Benzo (b) fluoranthene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Benzo (k) fluoranthene	TRUE	0	H	0.1	0.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Benzo (g,h,i) perylene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Benzo (a) pyrene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Benzyl alcohol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	bis (2-Chloroethoxy) methane	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	bis (2-Chloroethyl) ether	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	bis (2-Chloro-1-methylethyl) ether	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	bis (2-Ethylhexyl) phthalate	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	4-Bromophenyl phenyl ether	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Butyl benzyl phthalate	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	p-Chloroaniline	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Chlorobenzilate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	4-Chloro-3-methylphenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	2-Chloronaphthalene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	2-Chlorophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	4-Chlorophenyl phenyl ether	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Chrysene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	m,p-Cresols	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	o-Cresol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Diallate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Dibenz (a,h) anthracene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Dibenzofuran	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Di-n-butyl phthalate	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Di-n-octyl phthalate	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	3,3-Dichlorobenzidine	TRUE	0	H	2.5	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	2,4-Dichlorophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	2,6-Dichlorophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Diethyl phthalate	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	o,o-Diethyl o-2-pyrazinyl phosphorothioate	TRUE	0	H	2	20.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Dimethoate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-7	SW8270D	p-(Dimethylamino) azobenzene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	7,12-Dimethylbenz (a) anthracene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	3,3-Dimethylbenzidine	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	2,4-Dimethylphenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Dimethyl phthalate	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	m-Dinitrobenzene	TRUE	0	H	2.5	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	4,6-Dinitro-2-methylphenol	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	2,4-Dinitrophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	2,4-Dinitrotoluene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	2,6-Dinitrotoluene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Diphenylamine	TRUE	0	H	2	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Disulfoton	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Ethyl methanesulfonate	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Famphur	TRUE	0	H	2	20.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Fluoranthene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Fluorene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Hexachlorobenzene	TRUE	0	H	1	1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Hexachlorocyclopentadiene	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Hexachloroethane	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Hexachloropropene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Indeno (1,2,3-cd) pyrene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Isodrin	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Isophorone	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Isosafrole	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Kepone	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Methapyrilene	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	3-Methylcholanthrene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Methyl methanesulfonate	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	2-Methylnaphthalene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Methyl parathion	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Naphthalene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	1,4-Naphthoquinone	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	1-Naphthylamine	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	2-Naphthylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	o-Nitroaniline	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	m-Nitroaniline	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	p-Nitroaniline	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Nitrobenzene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	2-Nitrophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	4-Nitrophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	N-Nitrosodi-N-butylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	N-Nitrosodiethylamine	TRUE	0	H	2.5	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	N-Nitrosodimethylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	N-Nitrosodiphenylamine	TRUE	0	H	2	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	N-Nitrosodi-N-propylamine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	N-Nitrosomethylethylamine	TRUE	0	H	2	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	N-Nitrosopiperidine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	N-Nitrosopyrrolidine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	5-Nitro-o-toluidine	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Parathion	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Pentachlorobenzene	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Pentachloronitrobenzene	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Phenacetin	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Phenanthrene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Phenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	MW-7	SW8270D	p-Phenylenediamine	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Phorate	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Pronamide	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Pyrene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	Safrole	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	1,2,4,5-Tetrachlorobenzene	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	2,3,4,6-Tetrachlorophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	o-Toluidine	TRUE	0	H	2	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	2,4,5-Trichlorophenol	TRUE	0	H	1	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	2,4,6-Trichlorophenol	TRUE	0	H	1	2.5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	o,o,o-Triethyl phosphorothioate	TRUE	0	H	2	10.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW8270D	1,3,5-Trinitrobenzene	TRUE	0	H	1	5	ug/L	SW8270D	12/12/2011	1
11/30/2011	MW-7	SW9034 M	Sulfide	TRUE	0		1	1	mg/L	SW9034 M	12/6/2011	1
11/30/2011	TRIP BLANK-1	8260B	Acetone	TRUE	0		7	10	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Acetonitrile	TRUE	0		5.9	40	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Acrolein	TRUE	0		5.1	10	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Allyl chloride	TRUE	0		0.6	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Benzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Bromoform	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Carbon disulfide	TRUE	0		1	10	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Chloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Chloroprene	TRUE	0		0.8	5	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	1,3-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Dichlorodifluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	1,3-Dichloropropane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	2,2-Dichloropropane	TRUE	0		0.3	2	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	1,1-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Ethyl methacrylate	TRUE	0		0.5	5	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Hexachlorobutadiene	TRUE	0		0.3	0.8	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Isobutyl alcohol	TRUE	0		18	40	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Methacrylonitrile	TRUE	0		0.5	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Bromomethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Chloromethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Methylene Chloride	TRUE	0		1	4	ug/L	8260B	12/5/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	TRIP BLANK-1	8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Iodomethane	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Methyl methacrylate	TRUE	0		0.6	2	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Propionitrile	TRUE	0		7.5	40	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Styrene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Toluene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	1,2,4-Trichlorobenzene	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-1	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	12/8/2011	1
11/30/2011	TRIP BLANK-1	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	12/8/2011	1
11/30/2011	TRIP BLANK-1	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	12/8/2011	1
11/30/2011	TRIP BLANK-2	8260B	Acetone	TRUE	0		7	10	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Acetonitrile	TRUE	0		5.9	40	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Acrolein	TRUE	0		5.1	10	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Allyl chloride	TRUE	0		0.6	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Benzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Bromoform	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Carbon disulfide	TRUE	0		1	10	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Chloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Chloroprene	TRUE	0		0.8	5	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	1,3-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Dichlorodifluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	1,3-Dichloropropane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	2,2-Dichloropropane	TRUE	0		0.3	2	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	1,1-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Ethyl methacrylate	TRUE	0		0.5	5	ug/L	8260B	12/5/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	TRIP BLANK-2	8260B	Hexachlorobutadiene	TRUE	0		0.3	0.8	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Isobutyl alcohol	TRUE	0		18	40	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Methacrylonitrile	TRUE	0		0.5	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Bromomethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Chloromethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Methylene Chloride	TRUE	0		1	4	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Iodomethane	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Methyl methacrylate	TRUE	0		0.6	2	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Propionitrile	TRUE	0		7.5	40	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Styrene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Toluene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	1,2,4-Trichlorobenzene	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	8260B	12/5/2011	1
11/30/2011	TRIP BLANK-2	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	12/8/2011	1
11/30/2011	TRIP BLANK-2	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	12/8/2011	1
11/30/2011	TRIP BLANK-2	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	12/8/2011	1
11/30/2011	UD-1	7000B	Zinc	FALSE	0.018	J	0.01	0.03	mg/L	7000B	12/29/2011	0
11/30/2011	UD-1	7010	Antimony	FALSE	0.002	J	0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	UD-1	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/30/2011	UD-1	7010	Barium	FALSE	0.072		0.003	0.015	mg/L	7010	12/28/2011	0
11/30/2011	UD-1	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	12/21/2011	0
11/30/2011	UD-1	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	12/21/2011	0
11/30/2011	UD-1	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
11/30/2011	UD-1	7010	Cobalt	FALSE	0.0037		0.0006	0.003	mg/L	7010	12/21/2011	0
11/30/2011	UD-1	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	UD-1	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
11/30/2011	UD-1	7010	Nickel	FALSE	0.023	J	0.005	0.025	mg/L	7010	12/21/2011	0
11/30/2011	UD-1	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
11/30/2011	UD-1	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	12/29/2011	0
11/30/2011	UD-1	7010	Thallium	FALSE	0.0002	J	0.0002	0.002	mg/L	7010	12/21/2011	0
11/30/2011	UD-1	7010	Tin	TRUE	0		0.005	0.025	mg/L	7010	12/28/2011	0
11/30/2011	UD-1	7010	Vanadium	FALSE	0.002	J	0.001	0.005	mg/L	7010	12/22/2011	0
11/30/2011	UD-1	7470A	Mercury	TRUE	0		0.0002	0.001	mg/L	7470A	12/13/2011	0
11/30/2011	UD-1	8260B	Acetone	TRUE	0		7	10	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Acetonitrile	TRUE	0		5.9	40	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Acrolein	TRUE	0		5.1	10	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Allyl chloride	TRUE	0		0.6	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Benzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Bromoform	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	UD-1	8260B	Carbon disulfide	TRUE	0		1	10	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Chloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Chloroprene	TRUE	0		0.8	5	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	1,3-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Dichlorodifluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	1,3-Dichloropropane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	2,2-Dichloropropane	TRUE	0		0.3	2	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	1,1-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Ethyl methacrylate	TRUE	0		0.5	5	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Hexachlorobutadiene	TRUE	0		0.3	0.8	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Isobutyl alcohol	TRUE	0		18	40	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Methacrylonitrile	TRUE	0		0.5	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Bromomethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Chloromethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Methylene Chloride	TRUE	0		1	4	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Iodomethane	TRUE	0		1.7	10	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Methyl methacrylate	TRUE	0		0.6	2	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Propionitrile	TRUE	0		7.5	40	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Styrene	TRUE	0		0.1	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Toluene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	1,2,4-Trichlorobenzene	TRUE	0		0.3	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	8260B	12/5/2011	1
11/30/2011	UD-1	Field	pH	FALSE	6.69		0	0	S.U.	Field	11/30/2011	0
11/30/2011	UD-1	Field	Specific Conductivity	FALSE	1.301		0	0	mS/cm	Field	11/30/2011	0
11/30/2011	UD-1	Field	Temperature	FALSE	12.58		0	0	Degrees C	Field	11/30/2011	0
11/30/2011	UD-1	Field	Turbidity	FALSE	2.39		0	0	NTU	Field	11/30/2011	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	UD-1	Kelada-01	Cyanide	TRUE	0		0.01	0.01	mg/L	Kelada-01	12/6/2011	1
11/30/2011	UD-1	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	12/8/2011	1
11/30/2011	UD-1	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	12/8/2011	1
11/30/2011	UD-1	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	12/8/2011	1
11/30/2011	UD-1	SW8081B	Aldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8081B	alpha-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8081B	beta-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8081B	delta-BHC	TRUE	0		0.012	0.052	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8081B	gamma-BHC (Lindane)	TRUE	0		0.005	0.021	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8081B	Chlordane	TRUE	0		0.1	0.21	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8081B	4,4-DDD	TRUE	0		0.005	0.104	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8081B	4,4-DDE	TRUE	0		0.005	0.042	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8081B	4,4-DDT	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8081B	Dieldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8081B	Endosulfan I	TRUE	0		0.005	0.104	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8081B	Endosulfan II	TRUE	0		0.005	0.042	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8081B	Endosulfan sulfate	TRUE	0		0.005	0.01	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8081B	Endrin	TRUE	0		0.005	0.104	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8081B	Endrin aldehyde	TRUE	0		0.01	0.208	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8081B	Heptachlor	TRUE	0		0.005	0.052	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8081B	Heptachlor epoxide	TRUE	0		0.005	0.052	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8081B	Methoxychlor	TRUE	0		0.01	1.04	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8081B	Toxaphene	TRUE	0		0.21	1.04	ug/L	SW8081B	12/7/2011	1
11/30/2011	UD-1	SW8082A	PCB as Aroclor 1016	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	UD-1	SW8082A	PCB as Aroclor 1221	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	UD-1	SW8082A	PCB as Aroclor 1232	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	UD-1	SW8082A	PCB as Aroclor 1242	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	UD-1	SW8082A	PCB as Aroclor 1248	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	UD-1	SW8082A	PCB as Aroclor 1254	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	UD-1	SW8082A	PCB as Aroclor 1260	TRUE	0		0.2	0.5	ug/L	SW8082A	12/7/2011	1
11/30/2011	UD-1	SW8151A	2,4-D	TRUE	0		0.1	0.25	ug/L	SW8151A	12/14/2011	1
11/30/2011	UD-1	SW8151A	Dinoseb	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/30/2011	UD-1	SW8151A	Pentachlorophenol	TRUE	0		0.1	1	ug/L	SW8151A	12/14/2011	1
11/30/2011	UD-1	SW8151A	2,4,5-TP (Silvex)	TRUE	0		0.1	0.34	ug/L	SW8151A	12/14/2011	1
11/30/2011	UD-1	SW8151A	2,4,5-T	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
11/30/2011	UD-1	SW8270D	Acenaphthene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Acenaphthylene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Acetophenone	TRUE	0	H	2.1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	2-Acetylaminofluorene	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	4-Aminobiphenyl	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Anthracene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Benzo (a) anthracene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Benzo (b) fluoranthene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Benzo (k) fluoranthene	TRUE	0	H	0.1	0.1	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Benzo (g,h,i) perylene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Benzo (a) pyrene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Benzyl alcohol	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	bis (2-Chloroethoxy) methane	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	bis (2-Chloroethyl) ether	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	bis (2-Chloro-1-methylethyl) ether	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	bis (2-Ethylhexyl) phthalate	TRUE	0	H	1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	4-Bromophenyl phenyl ether	TRUE	0	H	1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Butyl benzyl phthalate	TRUE	0	H	1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	p-Chloroaniline	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Chlorobenzilate	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	UD-1	SW8270D	4-Chloro-3-methylphenol	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	2-Chloronaphthalene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	2-Chlorophenol	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	4-Chlorophenyl phenyl ether	TRUE	0	H	1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Chrysene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	m,p-Cresols	TRUE	0	H	2.1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	o-Cresol	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Diallate	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Dibenz (a,h) anthracene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Dibenzofuran	TRUE	0	H	2.1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Di-n-butyl phthalate	TRUE	0	H	2.1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Di-n-octyl phthalate	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	3,3-Dichlorobenzidine	TRUE	0	H	2.6	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	2,4-Dichlorophenol	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	2,6-Dichlorophenol	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Diethyl phthalate	TRUE	0	H	1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	o,o-Diethyl o-2-pyrazinyl phosphorothioate	TRUE	0	H	2.1	20.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Dimethoate	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	p-(Dimethylamino) azobenzene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	7,12-Dimethylbenz (a) anthracene	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	3,3-Dimethylbenzidine	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	2,4-Dimethylphenol	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Dimethyl phthalate	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	m-Dinitrobenzene	TRUE	0	H	2.6	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	4,6-Dinitro-2-methylphenol	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	2,4-Dinitrophenol	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	2,4-Dinitrotoluene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	2,6-Dinitrotoluene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Diphenylamine	TRUE	0	H	2.1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Disulfoton	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Ethyl methanesulfonate	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Famphur	TRUE	0	H	2.1	20.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Fluoranthene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Fluorene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Hexachlorobenzene	TRUE	0	H	1	1	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Hexachlorocyclopentadiene	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Hexachloroethane	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Hexachloropropene	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Indeno (1,2,3-cd) pyrene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Isodrin	TRUE	0	H	2.1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Isophorone	TRUE	0	H	1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Isosafrole	TRUE	0	H	2.1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Kepone	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Methapyrilene	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	3-Methylcholanthrene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Methyl methanesulfonate	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	2-Methylnaphthalene	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Methyl parathion	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Naphthalene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	1,4-Naphthoquinone	TRUE	0	H	2.1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	1-Naphthylamine	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	2-Naphthylamine	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	o-Nitroaniline	TRUE	0	H	2.1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	m-Nitroaniline	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	p-Nitroaniline	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/30/2011	UD-1	SW8270D	Nitrobenzene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	2-Nitrophenol	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	4-Nitrophenol	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	N-Nitrosodi-N-butylamine	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	N-Nitrosodiethylamine	TRUE	0	H	2.6	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	N-Nitrosodimethylamine	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	N-Nitrosodiphenylamine	TRUE	0	H	2.1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	N-Nitrosodi-N-propylamine	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	N-Nitrosomethylethylamine	TRUE	0	H	2.1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	N-Nitrosopiperidine	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	N-Nitrosopyrrolidine	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	5-Nitro-o-toluidine	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Parathion	TRUE	0	H	2.1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Pentachlorobenzene	TRUE	0	H	2.1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Pentachloronitrobenzene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Phenacetin	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Phenanthrene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Phenol	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	p-Phenylenediamine	TRUE	0	H	2.1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Phorate	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Pronamide	TRUE	0	H	2.1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Pyrene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	Safrole	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	1,2,4,5-Tetrachlorobenzene	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	2,3,4,6-Tetrachlorophenol	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	o-Toluidine	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	2,4,5-Trichlorophenol	TRUE	0	H	1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	2,4,6-Trichlorophenol	TRUE	0	H	1	2.6	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	o,o,o-Triethyl phosphorothioate	TRUE	0	H	2.1	10.3	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW8270D	1,3,5-Trinitrobenzene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/12/2011	1
11/30/2011	UD-1	SW9034 M	Sulfide	TRUE	0		1	1	mg/L	SW9034 M	12/6/2011	1
12/1/2011	MW-5	7000B	Zinc	FALSE	0.01	J	0.01	0.03	mg/L	7000B	12/29/2011	0
12/1/2011	MW-5	7010	Antimony	FALSE	0.002	J	0.001	0.005	mg/L	7010	12/21/2011	0
12/1/2011	MW-5	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
12/1/2011	MW-5	7010	Barium	FALSE	0.352		0.003	0.015	mg/L	7010	12/28/2011	0
12/1/2011	MW-5	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	12/21/2011	0
12/1/2011	MW-5	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	12/21/2011	0
12/1/2011	MW-5	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
12/1/2011	MW-5	7010	Cobalt	TRUE	0		0.0006	0.003	mg/L	7010	12/21/2011	0
12/1/2011	MW-5	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
12/1/2011	MW-5	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
12/1/2011	MW-5	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	12/21/2011	0
12/1/2011	MW-5	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
12/1/2011	MW-5	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	12/29/2011	0
12/1/2011	MW-5	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	12/21/2011	0
12/1/2011	MW-5	7010	Tin	TRUE	0		0.005	0.025	mg/L	7010	12/28/2011	0
12/1/2011	MW-5	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
12/1/2011	MW-5	7470A	Mercury	TRUE	0		0.0002	0.001	mg/L	7470A	12/13/2011	0
12/1/2011	MW-5	8260B	Acetone	TRUE	0		7	10	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Acetonitrile	TRUE	0		5.9	40	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Acrolein	TRUE	0		5.1	10	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Allyl chloride	TRUE	0		0.6	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Benzene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	8260B	12/6/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/1/2011	MW-5	8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Bromoform	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Carbon disulfide	TRUE	0		1	10	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Chloroethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Chloroprene	TRUE	0		0.8	5	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	1,3-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Dichlorodifluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	1,3-Dichloropropane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	2,2-Dichloropropane	TRUE	0		0.3	2	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	1,1-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Ethyl methacrylate	TRUE	0		0.5	5	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Hexachlorobutadiene	TRUE	0		0.3	0.8	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Isobutyl alcohol	TRUE	0		18	40	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Methacrylonitrile	TRUE	0		0.5	0.5	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Bromomethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Chloromethane	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Methylene Chloride	TRUE	0		1	4	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Iodomethane	TRUE	0		1.7	10	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Methyl methacrylate	TRUE	0		0.6	2	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Propionitrile	TRUE	0		7.5	40	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Styrene	TRUE	0		0.1	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Toluene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	1,2,4-Trichlorobenzene	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	8260B	12/6/2011	1
12/1/2011	MW-5	Field	pH	FALSE	7.68		0	0	S.U.	Field	12/1/2011	0
12/1/2011	MW-5	Field	Specific Conductivity	FALSE	0.405		0	0	mS/cm	Field	12/1/2011	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/1/2011	MW-5	Field	Temperature	FALSE	9.41		0	0	Degrees C	Field	12/1/2011	0
12/1/2011	MW-5	Field	Turbidity	FALSE	1.52		0	0	NTU	Field	12/1/2011	0
12/1/2011	MW-5	Kelada-01	Cyanide	TRUE	0		0.01	0.01	mg/L	Kelada-01	12/13/2011	1
12/1/2011	MW-5	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	12/8/2011	1
12/1/2011	MW-5	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	12/8/2011	1
12/1/2011	MW-5	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	12/8/2011	1
12/1/2011	MW-5	SW8081B	Aldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8081B	alpha-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8081B	beta-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8081B	delta-BHC	TRUE	0		0.012	0.05	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8081B	gamma-BHC (Lindane)	TRUE	0		0.005	0.02	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8081B	Chlordane	TRUE	0		0.1	0.2	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8081B	4,4-DDD	TRUE	0		0.005	0.1	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8081B	4,4-DDE	TRUE	0		0.005	0.04	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8081B	4,4-DDT	TRUE	0		0.005	0.01	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8081B	Dieldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8081B	Endosulfan I	TRUE	0		0.005	0.1	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8081B	Endosulfan II	TRUE	0		0.005	0.04	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8081B	Endosulfan sulfate	TRUE	0		0.005	0.01	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8081B	Endrin	TRUE	0		0.005	0.1	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8081B	Endrin aldehyde	TRUE	0		0.01	0.2	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8081B	Heptachlor	TRUE	0		0.005	0.05	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8081B	Heptachlor epoxide	TRUE	0		0.005	0.05	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8081B	Methoxychlor	TRUE	0		0.01	1	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8081B	Toxaphene	TRUE	0		0.2	1	ug/L	SW8081B	12/12/2011	1
12/1/2011	MW-5	SW8082A	PCB as Aroclor 1016	TRUE	0		0.2	0.5	ug/L	SW8082A	12/12/2011	1
12/1/2011	MW-5	SW8082A	PCB as Aroclor 1221	TRUE	0		0.2	0.5	ug/L	SW8082A	12/12/2011	1
12/1/2011	MW-5	SW8082A	PCB as Aroclor 1232	TRUE	0		0.2	0.5	ug/L	SW8082A	12/12/2011	1
12/1/2011	MW-5	SW8082A	PCB as Aroclor 1242	TRUE	0		0.2	0.5	ug/L	SW8082A	12/12/2011	1
12/1/2011	MW-5	SW8082A	PCB as Aroclor 1248	TRUE	0		0.2	0.5	ug/L	SW8082A	12/12/2011	1
12/1/2011	MW-5	SW8082A	PCB as Aroclor 1254	TRUE	0		0.2	0.5	ug/L	SW8082A	12/12/2011	1
12/1/2011	MW-5	SW8082A	PCB as Aroclor 1260	TRUE	0		0.2	0.5	ug/L	SW8082A	12/12/2011	1
12/1/2011	MW-5	SW8151A	2,4-D	TRUE	0		0.1	0.25	ug/L	SW8151A	12/14/2011	1
12/1/2011	MW-5	SW8151A	Dinoseb	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
12/1/2011	MW-5	SW8151A	Pentachlorophenol	TRUE	0		0.1	1	ug/L	SW8151A	12/14/2011	1
12/1/2011	MW-5	SW8151A	2,4,5-TP (Silvex)	TRUE	0		0.1	0.34	ug/L	SW8151A	12/14/2011	1
12/1/2011	MW-5	SW8151A	2,4,5-T	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
12/1/2011	MW-5	SW8270D	Acenaphthene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Acenaphthylene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Acetophenone	TRUE	0	H	2.1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	2-Acetylaminofluorene	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	4-Aminobiphenyl	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Anthracene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Benzo (a) anthracene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Benzo (b) fluoranthene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Benzo (k) fluoranthene	TRUE	0	H	0.1	0.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Benzo (g,h,i) perylene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Benzo (a) pyrene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Benzyl alcohol	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	bis (2-Chloroethoxy) methane	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	bis (2-Chloroethyl) ether	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	bis (2-Chloro-1-methylethyl) ether	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	bis (2-Ethylhexyl) phthalate	TRUE	0	H	1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	4-Bromophenyl phenyl ether	TRUE	0	H	1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Butyl benzyl phthalate	TRUE	0	H	1	5.2	ug/L	SW8270D	12/13/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/1/2011	MW-5	SW8270D	p-Chloroaniline	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Chlorobenzilate	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	4-Chloro-3-methylphenol	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	2-Chloronaphthalene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	2-Chlorophenol	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	4-Chlorophenyl phenyl ether	TRUE	0	H	1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Chrysene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	m,p-Cresols	TRUE	0	H	2.1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	o-Cresol	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Diallate	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Dibenz (a,h) anthracene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Dibenzofuran	TRUE	0	H	2.1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Di-n-butyl phthalate	TRUE	0	H	2.1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Di-n-octyl phthalate	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	3,3-Dichlorobenzidine	TRUE	0	H	2.6	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	2,4-Dichlorophenol	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	2,6-Dichlorophenol	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Diethyl phthalate	TRUE	0	H	1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	o,o-Diethyl o-2-pyrazinyl phosphorothioate	TRUE	0	H	2.1	20.8	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Dimethoate	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	p-(Dimethylamino) azobenzene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	7,12-Dimethylbenz (a) anthracene	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	3,3-Dimethylbenzidine	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	2,4-Dimethylphenol	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Dimethyl phthalate	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	m-Dinitrobenzene	TRUE	0	H	2.6	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	4,6-Dinitro-2-methylphenol	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	2,4-Dinitrophenol	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	2,4-Dinitrotoluene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	2,6-Dinitrotoluene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Diphenylamine	TRUE	0	H	2.1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Disulfoton	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Ethyl methanesulfonate	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Famphur	TRUE	0	H	2.1	20.8	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Fluoranthene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Fluorene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Hexachlorobenzene	TRUE	0	H	1	1	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Hexachlorocyclopentadiene	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Hexachloroethane	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Hexachloropropene	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Indeno (1,2,3-cd) pyrene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Isodrin	TRUE	0	H	2.1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Isophorone	TRUE	0	H	1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Isosafrole	TRUE	0	H	2.1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Kepone	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Methapyrilene	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	3-Methylcholanthrene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Methyl methanesulfonate	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	2-Methylnaphthalene	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Methyl parathion	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Naphthalene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	1,4-Naphthoquinone	TRUE	0	H	2.1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	1-Naphthylamine	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	2-Naphthylamine	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	o-Nitroaniline	TRUE	0	H	2.1	10.4	ug/L	SW8270D	12/13/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/1/2011	MW-5	SW8270D	m-Nitroaniline	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	p-Nitroaniline	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Nitrobenzene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	2-Nitrophenol	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	4-Nitrophenol	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	N-Nitrosodi-N-butylamine	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	N-Nitrosodiethylamine	TRUE	0	H	2.6	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	N-Nitrosodimethylamine	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	N-Nitrosodiphenylamine	TRUE	0	H	2.1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	N-Nitrosodi-N-propylamine	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	N-Nitrosomethylethylamine	TRUE	0	H	2.1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	N-Nitrosopiperidine	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	N-Nitrosopyrrolidine	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	5-Nitro-o-toluidine	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Parathion	TRUE	0	H	2.1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Pentachlorobenzene	TRUE	0	H	2.1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Pentachloronitrobenzene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Phenacetin	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Phenanthrene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Phenol	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	p-Phenylenediamine	TRUE	0	H	2.1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Phorate	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Pronamide	TRUE	0	H	2.1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Pyrene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	Safrole	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	1,2,4,5-Tetrachlorobenzene	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	2,3,4,6-Tetrachlorophenol	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	o-Toluidine	TRUE	0	H	2.1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	2,4,5-Trichlorophenol	TRUE	0	H	1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	2,4,6-Trichlorophenol	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	o,o,o-Triethyl phosphorothioate	TRUE	0	H	2.1	10.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW8270D	1,3,5-Trinitrobenzene	TRUE	0	H	1	5.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	MW-5	SW9034 M	Sulfide	TRUE	0		1	1	mg/L	SW9034 M	12/6/2011	1
12/1/2011	UD-2	7000B	Zinc	FALSE	0.063		0.01	0.03	mg/L	7000B	12/29/2011	0
12/1/2011	UD-2	7010	Antimony	FALSE	0.003	J	0.001	0.005	mg/L	7010	12/21/2011	0
12/1/2011	UD-2	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/12/2011	0
12/1/2011	UD-2	7010	Barium	FALSE	0.051		0.003	0.015	mg/L	7010	12/28/2011	0
12/1/2011	UD-2	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	12/21/2011	0
12/1/2011	UD-2	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	12/21/2011	0
12/1/2011	UD-2	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
12/1/2011	UD-2	7010	Cobalt	FALSE	0.0069		0.0006	0.003	mg/L	7010	12/21/2011	0
12/1/2011	UD-2	7010	Copper	FALSE	0.001	J	0.001	0.005	mg/L	7010	12/21/2011	0
12/1/2011	UD-2	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	12/21/2011	0
12/1/2011	UD-2	7010	Nickel	FALSE	0.041		0.005	0.025	mg/L	7010	12/21/2011	0
12/1/2011	UD-2	7010	Selenium	FALSE	0.008	J	0.003	0.01	mg/L	7010	12/12/2011	0
12/1/2011	UD-2	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	12/29/2011	0
12/1/2011	UD-2	7010	Thallium	FALSE	0.0003	J	0.0002	0.002	mg/L	7010	12/21/2011	0
12/1/2011	UD-2	7010	Tin	TRUE	0		0.005	0.025	mg/L	7010	12/28/2011	0
12/1/2011	UD-2	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	12/22/2011	0
12/1/2011	UD-2	7470A	Mercury	TRUE	0		0.0002	0.001	mg/L	7470A	12/13/2011	0
12/1/2011	UD-2	8260B	Acetone	TRUE	0		7	10	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Acetonitrile	TRUE	0		5.9	40	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Acrolein	TRUE	0		5.1	10	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Allyl chloride	TRUE	0		0.6	1	ug/L	8260B	12/6/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/1/2011	UD-2	8260B	Benzene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Bromoform	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Carbon disulfide	TRUE	0		1	10	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Chloroethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Chloroprene	TRUE	0		0.8	5	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	1,3-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Dichlorodifluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	1,3-Dichloropropane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	2,2-Dichloropropane	TRUE	0		0.3	2	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	1,1-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Ethyl methacrylate	TRUE	0		0.5	5	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Hexachlorobutadiene	TRUE	0		0.3	0.8	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Isobutyl alcohol	TRUE	0		18	40	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Methacrylonitrile	TRUE	0		0.5	0.5	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Bromomethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Chloromethane	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Methylene Chloride	TRUE	0		1	4	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Iodomethane	TRUE	0		1.7	10	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Methyl methacrylate	TRUE	0		0.6	2	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Propionitrile	TRUE	0		7.5	40	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Styrene	TRUE	0		0.1	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Toluene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	1,2,4-Trichlorobenzene	TRUE	0		0.3	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	8260B	12/6/2011	1
12/1/2011	UD-2	8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	8260B	12/6/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/1/2011	UD-2	Field	pH	FALSE	6.91		0	0	S.U.	Field	12/1/2011	0
12/1/2011	UD-2	Field	Specific Conductivity	FALSE	2.02		0	0	mS/cm	Field	12/1/2011	0
12/1/2011	UD-2	Field	Temperature	FALSE	14.59		0	0	Degrees C	Field	12/1/2011	0
12/1/2011	UD-2	Field	Turbidity	FALSE	2.72		0	0	NTU	Field	12/1/2011	0
12/1/2011	UD-2	Kelada-01	Cyanide	TRUE	0		0.01	0.01	mg/L	Kelada-01	12/6/2011	1
12/1/2011	UD-2	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	12/8/2011	1
12/1/2011	UD-2	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	12/8/2011	1
12/1/2011	UD-2	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	12/8/2011	1
12/1/2011	UD-2	SW8081B	Aldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8081B	alpha-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8081B	beta-BHC	TRUE	0		0.005	0.01	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8081B	delta-BHC	TRUE	0		0.012	0.052	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8081B	gamma-BHC (Lindane)	TRUE	0		0.005	0.021	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8081B	Chlordane	TRUE	0		0.1	0.21	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8081B	4,4-DDD	TRUE	0		0.005	0.103	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8081B	4,4-DDE	TRUE	0		0.005	0.041	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8081B	4,4-DDT	TRUE	0		0.005	0.01	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8081B	Dieldrin	TRUE	0		0.005	0.005	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8081B	Endosulfan I	TRUE	0		0.005	0.103	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8081B	Endosulfan II	TRUE	0		0.005	0.041	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8081B	Endosulfan sulfate	TRUE	0		0.005	0.01	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8081B	Endrin	TRUE	0		0.005	0.103	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8081B	Endrin aldehyde	TRUE	0		0.01	0.206	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8081B	Heptachlor	TRUE	0		0.005	0.052	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8081B	Heptachlor epoxide	TRUE	0		0.005	0.052	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8081B	Methoxychlor	TRUE	0		0.01	1.03	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8081B	Toxaphene	TRUE	0		0.21	1.03	ug/L	SW8081B	12/12/2011	1
12/1/2011	UD-2	SW8082A	PCB as Aroclor 1016	TRUE	0		0.2	0.5	ug/L	SW8082A	12/12/2011	1
12/1/2011	UD-2	SW8082A	PCB as Aroclor 1221	TRUE	0		0.2	0.5	ug/L	SW8082A	12/12/2011	1
12/1/2011	UD-2	SW8082A	PCB as Aroclor 1232	TRUE	0		0.2	0.5	ug/L	SW8082A	12/12/2011	1
12/1/2011	UD-2	SW8082A	PCB as Aroclor 1242	TRUE	0		0.2	0.5	ug/L	SW8082A	12/12/2011	1
12/1/2011	UD-2	SW8082A	PCB as Aroclor 1248	TRUE	0		0.2	0.5	ug/L	SW8082A	12/12/2011	1
12/1/2011	UD-2	SW8082A	PCB as Aroclor 1254	TRUE	0		0.2	0.5	ug/L	SW8082A	12/12/2011	1
12/1/2011	UD-2	SW8082A	PCB as Aroclor 1260	TRUE	0		0.2	0.5	ug/L	SW8082A	12/12/2011	1
12/1/2011	UD-2	SW8151A	2,4-D	TRUE	0		0.1	0.25	ug/L	SW8151A	12/14/2011	1
12/1/2011	UD-2	SW8151A	Dinoseb	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
12/1/2011	UD-2	SW8151A	Pentachlorophenol	TRUE	0		0.1	1	ug/L	SW8151A	12/14/2011	1
12/1/2011	UD-2	SW8151A	2,4,5-TP (Silvex)	TRUE	0		0.1	0.34	ug/L	SW8151A	12/14/2011	1
12/1/2011	UD-2	SW8151A	2,4,5-T	TRUE	0		0.1	0.4	ug/L	SW8151A	12/14/2011	1
12/1/2011	UD-2	SW8270D	Acenaphthene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Acenaphthylene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Acetophenone	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	2-Acetylaminofluorene	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	4-Aminobiphenyl	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Anthracene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Benzo (a) anthracene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Benzo (b) fluoranthene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Benzo (k) fluoranthene	TRUE	0	H	0.1	0.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Benzo (g,h,i) perylene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Benzo (a) pyrene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Benzyl alcohol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	bis (2-Chloroethoxy) methane	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	bis (2-Chloroethyl) ether	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	bis (2-Chloro-1-methylethyl) ether	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	bis (2-Ethylhexyl) phthalate	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/1/2011	UD-2	SW8270D	4-Bromophenyl phenyl ether	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Butyl benzyl phthalate	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	p-Chloroaniline	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Chlorobenzilate	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	4-Chloro-3-methylphenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	2-Chloronaphthalene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	2-Chlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	4-Chlorophenyl phenyl ether	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Chrysene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	m,p-Cresols	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	o-Cresol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Diallate	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Dibenz (a,h) anthracene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Dibenzofuran	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Di-n-butyl phthalate	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Di-n-octyl phthalate	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	3,3-Dichlorobenzidine	TRUE	0	H	2.6	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	2,4-Dichlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	2,6-Dichlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Diethyl phthalate	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	o,o-Diethyl o-2-pyrazinyl phosphorothioate	TRUE	0	H	2	20.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Dimethoate	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	p-(Dimethylamino) azobenzene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	7,12-Dimethylbenz (a) anthracene	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	3,3-Dimethylbenzidine	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	2,4-Dimethylphenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Dimethyl phthalate	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	m-Dinitrobenzene	TRUE	0	H	2.6	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	4,6-Dinitro-2-methylphenol	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	2,4-Dinitrophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	2,4-Dinitrotoluene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	2,6-Dinitrotoluene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Diphenylamine	TRUE	0	H	2	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Disulfoton	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Ethyl methanesulfonate	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Famphur	TRUE	0	H	2	20.4	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Fluoranthene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Fluorene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Hexachlorobenzene	TRUE	0	H	1	1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Hexachlorocyclopentadiene	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Hexachloroethane	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Hexachloropropene	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Indeno (1,2,3-cd) pyrene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Isodrin	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Isophorone	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Isosafrole	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Kepone	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Methapyrilene	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	3-Methylcholanthrene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Methyl methanesulfonate	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	2-Methylnaphthalene	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Methyl parathion	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Naphthalene	TRUE	0	H	0.05	0.05	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	1,4-Naphthoquinone	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	1-Naphthylamine	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/1/2011	UD-2	SW8270D	2-Naphthylamine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	o-Nitroaniline	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	m-Nitroaniline	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	p-Nitroaniline	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Nitrobenzene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	2-Nitrophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	4-Nitrophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	N-Nitrosodi-N-butylamine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	N-Nitrosodiethylamine	TRUE	0	H	2.6	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	N-Nitrosodimethylamine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	N-Nitrosodiphenylamine	TRUE	0	H	2	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	N-Nitrosodi-N-propylamine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	N-Nitrosomethylethylamine	TRUE	0	H	2	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	N-Nitrosopiperidine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	N-Nitrosopyrrolidine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	5-Nitro-o-toluidine	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Parathion	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Pentachlorobenzene	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Pentachloronitrobenzene	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Phenacetin	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Phenanthrene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Phenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	p-Phenylenediamine	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Phorate	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Pronamide	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Pyrene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	Safrole	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	1,2,4,5-Tetrachlorobenzene	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	2,3,4,6-Tetrachlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	o-Toluidine	TRUE	0	H	2	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	2,4,5-Trichlorophenol	TRUE	0	H	1	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	2,4,6-Trichlorophenol	TRUE	0	H	1	2.6	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	o,o,o-Triethyl phosphorothioate	TRUE	0	H	2	10.2	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW8270D	1,3,5-Trinitrobenzene	TRUE	0	H	1	5.1	ug/L	SW8270D	12/13/2011	1
12/1/2011	UD-2	SW9034 M	Sulfide	TRUE	0		1	1	mg/L	SW9034 M	12/6/2011	1
12/14/2011	TRIP BLANK	8260B	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	1.1	5	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	1,2-Dibromoethane (EDB)	TRUE	0	U	0.44	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Bromochloromethane	TRUE	0	U	0.42	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Bromoform	TRUE	0	U	0.46	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.89	2.5	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	12/16/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/14/2011	TRIP BLANK	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	2-Hexanone (MBK)	TRUE	0	U	2.4	10	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Styrene	TRUE	0	U	0.3	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Tetrachloroethene	TRUE	0	U	0.24	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Toluene	TRUE	0	U	0.16	5	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.239	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	12/16/2011	1
12/14/2011	TRIP BLANK	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	12/16/2011	1
12/14/2011	UD-1	6010B	Barium	FALSE	0.053		0.0018	0.005	mg/L	6010B	12/18/2011	1
12/14/2011	UD-1	6010B	Beryllium	TRUE	0	U	0.0006	0.002	mg/L	6010B	12/18/2011	1
12/14/2011	UD-1	6010B	Chromium	TRUE	0	U	0.004	0.01	mg/L	6010B	12/18/2011	1
12/14/2011	UD-1	6010B	Cobalt	FALSE	0.0079	J	0.0023	0.01	mg/L	6010B	12/18/2011	1
12/14/2011	UD-1	6010B	Copper	TRUE	0	U	0.0016	0.02	mg/L	6010B	12/18/2011	1
12/14/2011	UD-1	6010B	Nickel	FALSE	0.018	J	0.0052	0.02	mg/L	6010B	12/18/2011	1
12/14/2011	UD-1	6010B	Silver	TRUE	0	U	0.0038	0.01	mg/L	6010B	12/18/2011	1
12/14/2011	UD-1	6010B	Vanadium	TRUE	0	U	0.0023	0.01	mg/L	6010B	12/18/2011	1
12/14/2011	UD-1	6010B	Zinc	FALSE	0.053		0.01	0.03	mg/L	6010B	12/18/2011	1
12/14/2011	UD-1	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	12/21/2011	1
12/14/2011	UD-1	6020	Arsenic	FALSE	0.00048	J	0.00025	0.001	mg/L	6020	12/21/2011	1
12/14/2011	UD-1	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	12/21/2011	1
12/14/2011	UD-1	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	12/21/2011	1
12/14/2011	UD-1	6020	Selenium	TRUE	0	U	0.00038	0.001	mg/L	6020	12/21/2011	1
12/14/2011	UD-1	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	12/21/2011	1
12/14/2011	UD-1	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	12/20/2011	1
12/14/2011	UD-1	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	12/20/2011	1
12/14/2011	UD-1	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Bromochloromethane	TRUE	0	U	0.421	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Bromoform	TRUE	0	U	0.47	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	12/15/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/14/2011	UD-1	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.89	2.5	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	2-Hexanone (MBK)	TRUE	0	U	2.4	10	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Styrene	TRUE	0	U	0.3	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Tetrachloroethene	TRUE	0	U	0.24	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Toluene	TRUE	0	U	0.17	5	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.239	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	12/15/2011	1
12/14/2011	UD-1	9040C	pH	FALSE	6.8	T8	0	0	S.U.	9040C	12/20/2011	1
12/14/2011	UD-1	9050A	Specific Conductivity	FALSE	1.1		0.0003763	0.0018	mS/cm	9050A	12/16/2011	1
12/14/2011	UD-1	SM2130B	Turbidity	FALSE	2.5		0.033	0.1	NTU	SM2130B	12/16/2011	1
12/14/2011	UD-2	6010B	Barium	FALSE	0.039		0.0018	0.005	mg/L	6010B	12/18/2011	1
12/14/2011	UD-2	6010B	Beryllium	TRUE	0	U	0.0006	0.002	mg/L	6010B	12/18/2011	1
12/14/2011	UD-2	6010B	Chromium	TRUE	0	U	0.004	0.01	mg/L	6010B	12/18/2011	1
12/14/2011	UD-2	6010B	Cobalt	FALSE	0.01	J	0.0023	0.01	mg/L	6010B	12/18/2011	1
12/14/2011	UD-2	6010B	Copper	FALSE	0.002	J	0.0016	0.02	mg/L	6010B	12/18/2011	1
12/14/2011	UD-2	6010B	Nickel	FALSE	0.057		0.0052	0.02	mg/L	6010B	12/18/2011	1
12/14/2011	UD-2	6010B	Silver	TRUE	0	U	0.0038	0.01	mg/L	6010B	12/18/2011	1
12/14/2011	UD-2	6010B	Vanadium	TRUE	0	U	0.0023	0.01	mg/L	6010B	12/18/2011	1
12/14/2011	UD-2	6010B	Zinc	FALSE	0.16		0.01	0.03	mg/L	6010B	12/18/2011	1
12/14/2011	UD-2	6020	Antimony	TRUE	0	U	0.00021	0.001	mg/L	6020	12/21/2011	1
12/14/2011	UD-2	6020	Arsenic	FALSE	0.00054	J	0.00025	0.001	mg/L	6020	12/21/2011	1
12/14/2011	UD-2	6020	Cadmium	TRUE	0	U	0.00016	0.0005	mg/L	6020	12/21/2011	1
12/14/2011	UD-2	6020	Lead	TRUE	0	U	0.00024	0.001	mg/L	6020	12/21/2011	1
12/14/2011	UD-2	6020	Selenium	FALSE	0.016		0.00038	0.001	mg/L	6020	12/21/2011	1
12/14/2011	UD-2	6020	Thallium	TRUE	0	U	0.00019	0.001	mg/L	6020	12/21/2011	1
12/14/2011	UD-2	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0	U	0.003	0.02	ug/L	8011	12/20/2011	1
12/14/2011	UD-2	8011	1,2-Dibromoethane (EDB)	TRUE	0	U	0.0037	0.01	ug/L	8011	12/20/2011	1
12/14/2011	UD-2	8260B	1,2,3-Trichloropropane	TRUE	0	U	0.52	2.5	ug/L	8260B	12/15/2011	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
12/14/2011	UD-2	8260B	Acetone	TRUE	0	U	11	50	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Acrylonitrile	TRUE	0	U	1.7	10	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Benzene	TRUE	0	U	0.18	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Bromochloromethane	TRUE	0	U	0.421	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Bromodichloromethane	TRUE	0	U	0.21	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Bromoform	TRUE	0	U	0.47	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Carbon disulfide	TRUE	0	U	0.22	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Carbon tetrachloride	TRUE	0	U	0.38	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Chlorobenzene	TRUE	0	U	0.25	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Chloroethane	TRUE	0	U	1.4	5	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Chloroform	TRUE	0	U	0.22	5	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Dibromochloromethane	TRUE	0	U	0.29	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	1,2-Dichlorobenzene	TRUE	0	U	0.26	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	1,4-Dichlorobenzene	TRUE	0	U	0.19	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	trans-1,4-Dichloro-2-butene	TRUE	0	U	0.89	2.5	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	1,1-Dichloroethane	TRUE	0	U	0.29	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	1,2-Dichloroethane	TRUE	0	U	0.26	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	1,1-Dichloroethene	TRUE	0	U	0.4	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	cis-1,2-Dichloroethene	TRUE	0	U	0.27	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	trans-1,2-Dichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	1,2-Dichloropropane	TRUE	0	U	0.47	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	cis-1,3-Dichloropropene	TRUE	0	U	0.23	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	trans-1,3-Dichloropropene	TRUE	0	U	0.39	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Ethylbenzene	TRUE	0	U	0.27	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	2-Hexanone (MBK)	TRUE	0	U	2.4	10	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Bromomethane	TRUE	0	U	0.57	5	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Chloromethane	TRUE	0	U	0.46	2.5	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Dibromomethane	TRUE	0	U	0.51	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Methylene Chloride	TRUE	0	U	0.79	5	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	2-Butanone (MEK)	TRUE	0	U	3	10	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Iodomethane	TRUE	0	U	1.6	10	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0	U	0.8	10	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Styrene	TRUE	0	U	0.3	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	1,1,1,2-Tetrachloroethane	TRUE	0	U	0.31	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	1,1,2,2-Tetrachloroethane	TRUE	0	U	0.29	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Tetrachloroethene	TRUE	0	U	0.24	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Toluene	TRUE	0	U	0.17	5	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	1,1,1-Trichloroethane	TRUE	0	U	0.239	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	1,1,2-Trichloroethane	TRUE	0	U	0.38	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Trichloroethene	TRUE	0	U	0.29	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Trichlorofluoromethane	TRUE	0	U	0.49	5	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Vinyl acetate	TRUE	0	U	1.2	10	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Vinyl chloride	TRUE	0	U	0.28	1	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	8260B	Xylenes, Total	TRUE	0	U	0.86	3	ug/L	8260B	12/15/2011	1
12/14/2011	UD-2	9040C	pH	FALSE	6.8	T8	0	0	S.U.	9040C	12/20/2011	1
12/14/2011	UD-2	9050A	Specific Conductivity	FALSE	0.22		0.0003763	0.0018	mS/cm	9050A	12/16/2011	1
12/14/2011	UD-2	SM2130B	Turbidity	FALSE	1.4		0.033	0.1	NTU	SM2130B	12/16/2011	1
4/20/2012	TRIP BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	6/7/2012	1
4/20/2012	TRIP BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	6/7/2012	1
4/20/2012	TRIP BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	6/7/2012	1
4/20/2012	TRIP BLANK	SW8260B	Acetone	FALSE	8.8	J	7	10	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/20/2012	TRIP BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
4/20/2012	TRIP BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	6/13/2012	0
5/30/2012	FIELD BLANK	7010	Antimony	TRUE	0	U	0.001	0.005	mg/L	7010	6/13/2012	0
5/30/2012	FIELD BLANK	7010	Arsenic	TRUE	0	U	0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	FIELD BLANK	7010	Barium	TRUE	0	U	0.003	0.015	mg/L	7010	6/11/2012	0
5/30/2012	FIELD BLANK	7010	Beryllium	TRUE	0	U	0.0002	0.001	mg/L	7010	6/6/2012	0
5/30/2012	FIELD BLANK	7010	Cadmium	TRUE	0	U	0.0003	0.0015	mg/L	7010	6/6/2012	0
5/30/2012	FIELD BLANK	7010	Chromium	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	FIELD BLANK	7010	Cobalt	TRUE	0	U	0.0006	0.003	mg/L	7010	6/12/2012	0
5/30/2012	FIELD BLANK	7010	Copper	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	FIELD BLANK	7010	Lead	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	FIELD BLANK	7010	Nickel	TRUE	0	U	0.005	0.025	mg/L	7010	6/6/2012	0
5/30/2012	FIELD BLANK	7010	Selenium	TRUE	0	U	0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	FIELD BLANK	7010	Silver	TRUE	0	U	0.0001	0.0004	mg/L	7010	6/7/2012	0
5/30/2012	FIELD BLANK	7010	Thallium	TRUE	0	U	0.0002	0.002	mg/L	7010	6/13/2012	0
5/30/2012	FIELD BLANK	7010	Vanadium	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	FIELD BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	6/7/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/30/2012	FIELD BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	FIELD BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	6/7/2012	1
5/30/2012	FIELD BLANK	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	FIELD BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	6/13/2012	0
5/30/2012	MW-10	7010	Antimony	TRUE	0	U	0.001	0.005	mg/L	7010	6/13/2012	0
5/30/2012	MW-10	7010	Arsenic	TRUE	0	U	0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	MW-10	7010	Barium	FALSE	0.027		0.003	0.015	mg/L	7010	6/11/2012	0
5/30/2012	MW-10	7010	Beryllium	TRUE	0	U	0.0002	0.001	mg/L	7010	6/6/2012	0
5/30/2012	MW-10	7010	Cadmium	TRUE	0	U	0.0003	0.0015	mg/L	7010	6/6/2012	0
5/30/2012	MW-10	7010	Chromium	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-10	7010	Cobalt	FALSE	0.0031		0.0006	0.003	mg/L	7010	6/12/2012	0
5/30/2012	MW-10	7010	Copper	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/30/2012	MW-10	7010	Lead	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-10	7010	Nickel	TRUE	0	U	0.005	0.025	mg/L	7010	6/6/2012	0
5/30/2012	MW-10	7010	Selenium	TRUE	0	U	0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	MW-10	7010	Silver	TRUE	0	U	0.0001	0.0004	mg/L	7010	6/7/2012	0
5/30/2012	MW-10	7010	Thallium	TRUE	0	U	0.0002	0.002	mg/L	7010	6/13/2012	0
5/30/2012	MW-10	7010	Vanadium	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-10	Field	pH	FALSE	6.27		0	0	S.U.	Field	5/30/2012	0
5/30/2012	MW-10	Field	Specific Conductivity	FALSE	1.125		0	0	mS/cm	Field	5/30/2012	0
5/30/2012	MW-10	Field	Temperature	FALSE	15.98		0	0	Degrees C	Field	5/30/2012	0
5/30/2012	MW-10	Field	Turbidity	FALSE	9.6		0	0	NTU	Field	5/30/2012	0
5/30/2012	MW-10	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-10	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-10	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-10	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	6/6/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/30/2012	MW-10	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-10	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	7000B	Zinc	FALSE	0.055		0.01	0.03	mg/L	7000B	6/13/2012	0
5/30/2012	MW-11	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	6/13/2012	0
5/30/2012	MW-11	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	MW-11	7010	Barium	FALSE	0.028		0.003	0.015	mg/L	7010	6/11/2012	0
5/30/2012	MW-11	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	6/6/2012	0
5/30/2012	MW-11	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	6/6/2012	0
5/30/2012	MW-11	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-11	7010	Cobalt	FALSE	0.0016	J	0.0006	0.003	mg/L	7010	6/12/2012	0
5/30/2012	MW-11	7010	Copper	FALSE	0.008		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-11	7010	Lead	FALSE	0.01		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-11	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	6/6/2012	0
5/30/2012	MW-11	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	MW-11	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	6/7/2012	0
5/30/2012	MW-11	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	6/13/2012	0
5/30/2012	MW-11	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-11	Field	pH	FALSE	6.62		0	0	S.U.	Field	5/30/2012	0
5/30/2012	MW-11	Field	Specific Conductivity	FALSE	1.116		0	0	mS/cm	Field	5/30/2012	0
5/30/2012	MW-11	Field	Temperature	FALSE	16.61		0	0	Degrees C	Field	5/30/2012	0
5/30/2012	MW-11	Field	Turbidity	FALSE	7.86		0	0	NTU	Field	5/30/2012	0
5/30/2012	MW-11	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-11	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-11	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-11	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/30/2012	MW-11	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-11	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	6/13/2012	0
5/30/2012	MW-12	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	6/13/2012	0
5/30/2012	MW-12	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	MW-12	7010	Barium	FALSE	1.268		0.003	0.015	mg/L	7010	6/11/2012	0
5/30/2012	MW-12	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	6/6/2012	0
5/30/2012	MW-12	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	6/6/2012	0
5/30/2012	MW-12	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-12	7010	Cobalt	TRUE	0		0.0006	0.003	mg/L	7010	6/12/2012	0
5/30/2012	MW-12	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-12	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-12	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	6/6/2012	0
5/30/2012	MW-12	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	MW-12	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	6/7/2012	0
5/30/2012	MW-12	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	6/13/2012	0
5/30/2012	MW-12	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-12	Field	pH	FALSE	7.57		0	0	S.U.	Field	5/30/2012	0
5/30/2012	MW-12	Field	Specific Conductivity	FALSE	0.87		0	0	mS/cm	Field	5/30/2012	0
5/30/2012	MW-12	Field	Temperature	FALSE	18.6		0	0	Degrees C	Field	5/30/2012	0
5/30/2012	MW-12	Field	Turbidity	FALSE	0.89		0	0	NTU	Field	5/30/2012	0
5/30/2012	MW-12	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-12	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-12	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-12	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/30/2012	MW-12	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-12	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	6/13/2012	0
5/30/2012	MW-14H	7010	Antimony	TRUE	0	U	0.001	0.005	mg/L	7010	6/13/2012	0
5/30/2012	MW-14H	7010	Arsenic	TRUE	0	U	0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	MW-14H	7010	Barium	FALSE	0.362		0.003	0.015	mg/L	7010	6/11/2012	0
5/30/2012	MW-14H	7010	Beryllium	TRUE	0	U	0.0002	0.001	mg/L	7010	6/6/2012	0
5/30/2012	MW-14H	7010	Cadmium	TRUE	0	U	0.0003	0.0015	mg/L	7010	6/6/2012	0
5/30/2012	MW-14H	7010	Chromium	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-14H	7010	Cobalt	TRUE	0	U	0.0006	0.003	mg/L	7010	6/12/2012	0
5/30/2012	MW-14H	7010	Copper	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-14H	7010	Lead	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-14H	7010	Nickel	TRUE	0	U	0.005	0.025	mg/L	7010	6/6/2012	0
5/30/2012	MW-14H	7010	Selenium	TRUE	0	U	0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	MW-14H	7010	Silver	TRUE	0	U	0.0001	0.0004	mg/L	7010	6/7/2012	0
5/30/2012	MW-14H	7010	Thallium	TRUE	0	U	0.0002	0.002	mg/L	7010	6/13/2012	0
5/30/2012	MW-14H	7010	Vanadium	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-14H	Field	pH	FALSE	6.92		0	0	S.U.	Field	5/30/2012	0
5/30/2012	MW-14H	Field	Specific Conductivity	FALSE	0.33		0	0	mS/cm	Field	5/30/2012	0
5/30/2012	MW-14H	Field	Temperature	FALSE	13.67		0	0	Degrees C	Field	5/30/2012	0
5/30/2012	MW-14H	Field	Turbidity	FALSE	1.11		0	0	NTU	Field	5/30/2012	0
5/30/2012	MW-14H	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-14H	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-14H	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-14H	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/30/2012	MW-14H	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-14H	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	6/13/2012	0
5/30/2012	MW-3	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	6/13/2012	0
5/30/2012	MW-3	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	MW-3	7010	Barium	FALSE	0.067		0.003	0.015	mg/L	7010	6/11/2012	0
5/30/2012	MW-3	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	6/6/2012	0
5/30/2012	MW-3	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	6/6/2012	0
5/30/2012	MW-3	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-3	7010	Cobalt	TRUE	0		0.0006	0.003	mg/L	7010	6/12/2012	0
5/30/2012	MW-3	7010	Copper	FALSE	0.001	J	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-3	7010	Lead	FALSE	0.001	J	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-3	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	6/6/2012	0
5/30/2012	MW-3	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	MW-3	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	6/7/2012	0
5/30/2012	MW-3	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	6/13/2012	0
5/30/2012	MW-3	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-3	Field	pH	FALSE	6.77		0	0	S.U.	Field	5/30/2012	0
5/30/2012	MW-3	Field	Specific Conductivity	FALSE	0.638		0	0	mS/cm	Field	5/30/2012	0
5/30/2012	MW-3	Field	Temperature	FALSE	14.8		0	0	Degrees C	Field	5/30/2012	0
5/30/2012	MW-3	Field	Turbidity	FALSE	16.4		0	0	NTU	Field	5/30/2012	0
5/30/2012	MW-3	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	6/7/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/30/2012	MW-3	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-3	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-3	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	6/13/2012	0
5/30/2012	MW-3 DUP	7010	Antimony	TRUE	0	U	0.001	0.005	mg/L	7010	6/13/2012	0
5/30/2012	MW-3 DUP	7010	Arsenic	TRUE	0	U	0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	MW-3 DUP	7010	Barium	FALSE	0.063		0.003	0.015	mg/L	7010	6/11/2012	0
5/30/2012	MW-3 DUP	7010	Beryllium	TRUE	0	U	0.0002	0.001	mg/L	7010	6/6/2012	0
5/30/2012	MW-3 DUP	7010	Cadmium	TRUE	0	U	0.0003	0.0015	mg/L	7010	6/6/2012	0
5/30/2012	MW-3 DUP	7010	Chromium	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-3 DUP	7010	Cobalt	TRUE	0	U	0.0006	0.003	mg/L	7010	6/12/2012	0
5/30/2012	MW-3 DUP	7010	Copper	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/30/2012	MW-3 DUP	7010	Lead	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-3 DUP	7010	Nickel	TRUE	0	U	0.005	0.025	mg/L	7010	6/6/2012	0
5/30/2012	MW-3 DUP	7010	Selenium	TRUE	0	U	0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	MW-3 DUP	7010	Silver	TRUE	0	U	0.0001	0.0004	mg/L	7010	6/7/2012	0
5/30/2012	MW-3 DUP	7010	Thallium	TRUE	0	U	0.0002	0.002	mg/L	7010	6/13/2012	0
5/30/2012	MW-3 DUP	7010	Vanadium	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-3 DUP	Field	pH	FALSE	6.77		0	0	S.U.	Field	5/30/2012	0
5/30/2012	MW-3 DUP	Field	Specific Conductivity	FALSE	0.64		0	0	mS/cm	Field	5/30/2012	0
5/30/2012	MW-3 DUP	Field	Temperature	FALSE	14.81		0	0	Degrees C	Field	5/30/2012	0
5/30/2012	MW-3 DUP	Field	Turbidity	FALSE	14		0	0	NTU	Field		0
5/30/2012	MW-3 DUP	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-3 DUP	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-3 DUP	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-3 DUP	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	6/6/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/30/2012	MW-3 DUP	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-3 DUP	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	7000B	Zinc	FALSE	0.042		0.01	0.03	mg/L	7000B	6/13/2012	0
5/30/2012	MW-4	7010	Antimony	TRUE	0	U	0.001	0.005	mg/L	7010	6/13/2012	0
5/30/2012	MW-4	7010	Arsenic	TRUE	0	U	0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	MW-4	7010	Barium	FALSE	0.057		0.003	0.015	mg/L	7010	6/11/2012	0
5/30/2012	MW-4	7010	Beryllium	TRUE	0	U	0.0002	0.001	mg/L	7010	6/6/2012	0
5/30/2012	MW-4	7010	Cadmium	TRUE	0	U	0.0003	0.0015	mg/L	7010	6/6/2012	0
5/30/2012	MW-4	7010	Chromium	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-4	7010	Cobalt	TRUE	0	U	0.0006	0.003	mg/L	7010	6/12/2012	0
5/30/2012	MW-4	7010	Copper	FALSE	0.002	J	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-4	7010	Lead	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-4	7010	Nickel	TRUE	0	U	0.005	0.025	mg/L	7010	6/6/2012	0
5/30/2012	MW-4	7010	Selenium	TRUE	0	U	0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	MW-4	7010	Silver	TRUE	0	U	0.0001	0.0004	mg/L	7010	6/7/2012	0
5/30/2012	MW-4	7010	Thallium	TRUE	0	U	0.0002	0.002	mg/L	7010	6/13/2012	0
5/30/2012	MW-4	7010	Vanadium	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-4	Field	pH	FALSE	6.76		0	0	S.U.	Field	5/30/2012	0
5/30/2012	MW-4	Field	Specific Conductivity	FALSE	0.447		0	0	mS/cm	Field	5/30/2012	0
5/30/2012	MW-4	Field	Temperature	FALSE	13.42		0	0	Degrees C	Field	5/30/2012	0
5/30/2012	MW-4	Field	Turbidity	FALSE	0.28		0	0	NTU	Field	5/30/2012	0
5/30/2012	MW-4	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-4	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-4	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-4	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/30/2012	MW-4	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-4	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	6/13/2012	0
5/30/2012	MW-5	7010	Antimony	FALSE	0.004	J	0.001	0.005	mg/L	7010	6/13/2012	0
5/30/2012	MW-5	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	MW-5	7010	Barium	FALSE	0.413		0.003	0.015	mg/L	7010	6/11/2012	0
5/30/2012	MW-5	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	6/6/2012	0
5/30/2012	MW-5	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	6/6/2012	0
5/30/2012	MW-5	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-5	7010	Cobalt	TRUE	0		0.0006	0.003	mg/L	7010	6/12/2012	0
5/30/2012	MW-5	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-5	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-5	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	6/6/2012	0
5/30/2012	MW-5	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	MW-5	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	6/7/2012	0
5/30/2012	MW-5	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	6/13/2012	0
5/30/2012	MW-5	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-5	Field	pH	FALSE	7.31		0	0	S.U.	Field	5/30/2012	0
5/30/2012	MW-5	Field	Specific Conductivity	FALSE	0.46		0	0	mS/cm	Field	5/30/2012	0
5/30/2012	MW-5	Field	Temperature	FALSE	13.92		0	0	Degrees C	Field	5/30/2012	0
5/30/2012	MW-5	Field	Turbidity	FALSE	1.18		0	0	NTU	Field	5/30/2012	0
5/30/2012	MW-5	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-5	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-5	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-5	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/30/2012	MW-5	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-5	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	6/13/2012	0
5/30/2012	MW-7	7010	Antimony	TRUE	0	U	0.001	0.005	mg/L	7010	6/13/2012	0
5/30/2012	MW-7	7010	Arsenic	TRUE	0	U	0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	MW-7	7010	Barium	FALSE	0.144		0.003	0.015	mg/L	7010	6/11/2012	0
5/30/2012	MW-7	7010	Beryllium	TRUE	0	U	0.0002	0.001	mg/L	7010	6/6/2012	0
5/30/2012	MW-7	7010	Cadmium	TRUE	0	U	0.0003	0.0015	mg/L	7010	6/6/2012	0
5/30/2012	MW-7	7010	Chromium	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-7	7010	Cobalt	TRUE	0	U	0.0006	0.003	mg/L	7010	6/12/2012	0
5/30/2012	MW-7	7010	Copper	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-7	7010	Lead	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-7	7010	Nickel	TRUE	0	U	0.005	0.025	mg/L	7010	6/6/2012	0
5/30/2012	MW-7	7010	Selenium	TRUE	0	U	0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	MW-7	7010	Silver	TRUE	0	U	0.0001	0.0004	mg/L	7010	6/7/2012	0
5/30/2012	MW-7	7010	Thallium	TRUE	0	U	0.0002	0.002	mg/L	7010	6/13/2012	0
5/30/2012	MW-7	7010	Vanadium	TRUE	0	U	0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	MW-7	Field	pH	FALSE	7.89		0	0	S.U.	Field	5/30/2012	0
5/30/2012	MW-7	Field	Specific Conductivity	FALSE	1.465		0	0	mS/cm	Field	5/30/2012	0
5/30/2012	MW-7	Field	Temperature	FALSE	16.24		0	0	Degrees C	Field	5/30/2012	0
5/30/2012	MW-7	Field	Turbidity	FALSE	1.02		0	0	NTU	Field	5/30/2012	0
5/30/2012	MW-7	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-7	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-7	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	6/7/2012	1
5/30/2012	MW-7	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/30/2012	MW-7	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	MW-7	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	6/13/2012	0
5/30/2012	UD-1	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	6/13/2012	0
5/30/2012	UD-1	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	UD-1	7010	Barium	FALSE	0.122		0.003	0.015	mg/L	7010	6/11/2012	0
5/30/2012	UD-1	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	6/6/2012	0
5/30/2012	UD-1	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	6/6/2012	0
5/30/2012	UD-1	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	UD-1	7010	Cobalt	FALSE	0.0119		0.0006	0.003	mg/L	7010	6/12/2012	0
5/30/2012	UD-1	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	UD-1	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	UD-1	7010	Nickel	FALSE	0.014	J	0.005	0.025	mg/L	7010	6/6/2012	0
5/30/2012	UD-1	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	UD-1	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	6/7/2012	0
5/30/2012	UD-1	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	6/13/2012	0
5/30/2012	UD-1	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	UD-1	Field	pH	FALSE	6.69		0	0	S.U.	Field	5/30/2012	0
5/30/2012	UD-1	Field	Specific Conductivity	FALSE	1.191		0	0	mS/cm	Field	5/30/2012	0
5/30/2012	UD-1	Field	Temperature	FALSE	16.27		0	0	Degrees C	Field	5/30/2012	0
5/30/2012	UD-1	Field	Turbidity	FALSE	2.19		0	0	NTU	Field	5/30/2012	0
5/30/2012	UD-1	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	6/7/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/30/2012	UD-1	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	UD-1	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	6/7/2012	1
5/30/2012	UD-1	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-1	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	7000B	Zinc	FALSE	0.032		0.01	0.03	mg/L	7000B	6/13/2012	0
5/30/2012	UD-2	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	6/13/2012	0
5/30/2012	UD-2	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	UD-2	7010	Barium	FALSE	0.069		0.003	0.015	mg/L	7010	6/11/2012	0
5/30/2012	UD-2	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	6/6/2012	0
5/30/2012	UD-2	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	6/6/2012	0
5/30/2012	UD-2	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	UD-2	7010	Cobalt	FALSE	0.0012	J	0.0006	0.003	mg/L	7010	6/12/2012	0
5/30/2012	UD-2	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/30/2012	UD-2	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	UD-2	7010	Nickel	FALSE	0.012	J	0.005	0.025	mg/L	7010	6/6/2012	0
5/30/2012	UD-2	7010	Selenium	FALSE	0.005	J	0.003	0.01	mg/L	7010	6/7/2012	0
5/30/2012	UD-2	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	6/7/2012	0
5/30/2012	UD-2	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	6/13/2012	0
5/30/2012	UD-2	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	6/6/2012	0
5/30/2012	UD-2	Field	pH	FALSE	6.32		0	0	S.U.	Field	5/30/2012	0
5/30/2012	UD-2	Field	Specific Conductivity	FALSE	1.91		0	0	mS/cm	Field	5/30/2012	0
5/30/2012	UD-2	Field	Temperature	FALSE	14.76		0	0	Degrees C	Field	5/30/2012	0
5/30/2012	UD-2	Field	Turbidity	FALSE	45.4		0	0	NTU	Field	5/30/2012	0
5/30/2012	UD-2	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	UD-2	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	6/7/2012	1
5/30/2012	UD-2	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	6/7/2012	1
5/30/2012	UD-2	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	6/6/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/30/2012	UD-2	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	6/6/2012	1
5/30/2012	UD-2	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	6/6/2012	1
11/8/2012	TRIP BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	11/27/2012	1
11/8/2012	TRIP BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	11/27/2012	1
11/8/2012	TRIP BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/8/2012	TRIP BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	12/5/2012	0
11/14/2012	FIELD BLANK	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	11/27/2012	0
11/14/2012	FIELD BLANK	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	FIELD BLANK	7010	Barium	TRUE	0		0.003	0.015	mg/L	7010	11/29/2012	0
11/14/2012	FIELD BLANK	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	11/27/2012	0
11/14/2012	FIELD BLANK	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	11/26/2012	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/14/2012	FIELD BLANK	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	FIELD BLANK	7010	Cobalt	TRUE	0		0.0006	0.003	mg/L	7010	11/27/2012	0
11/14/2012	FIELD BLANK	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	FIELD BLANK	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	FIELD BLANK	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	11/27/2012	0
11/14/2012	FIELD BLANK	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	FIELD BLANK	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	11/27/2012	0
11/14/2012	FIELD BLANK	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	11/27/2012	0
11/14/2012	FIELD BLANK	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	11/28/2012	0
11/14/2012	FIELD BLANK	Field	Sample Time	FALSE	830		0	0	hours	Field	11/14/2012	0
11/14/2012	FIELD BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	FIELD BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	FIELD BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Acetone	FALSE	8.8	J	7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/27/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/14/2012	FIELD BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	FIELD BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	7000B	Zinc	FALSE	0.01	J	0.01	0.03	mg/L	7000B	12/5/2012	0
11/14/2012	MW-10	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	11/27/2012	0
11/14/2012	MW-10	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	MW-10	7010	Barium	FALSE	0.044		0.003	0.015	mg/L	7010	11/29/2012	0
11/14/2012	MW-10	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	11/27/2012	0
11/14/2012	MW-10	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	11/26/2012	0
11/14/2012	MW-10	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-10	7010	Cobalt	FALSE	0.0021	J	0.0006	0.003	mg/L	7010	11/27/2012	0
11/14/2012	MW-10	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-10	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-10	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	11/27/2012	0
11/14/2012	MW-10	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	MW-10	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	11/27/2012	0
11/14/2012	MW-10	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	11/27/2012	0
11/14/2012	MW-10	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	11/28/2012	0
11/14/2012	MW-10	Field	Groundwater Elevation	FALSE	1589.45		0	0	Feet	Field	11/14/2012	0
11/14/2012	MW-10	Field	pH	FALSE	6.59		0	0	S.U.	Field	11/14/2012	0
11/14/2012	MW-10	Field	Sample Time	FALSE	1000		0	0	hours	Field	11/14/2012	0
11/14/2012	MW-10	Field	Specific Conductivity	FALSE	1.12		0	0	mS/cm	Field	11/14/2012	0
11/14/2012	MW-10	Field	Temperature	FALSE	13.04		0	0	Degrees C	Field	11/14/2012	0
11/14/2012	MW-10	Field	Turbidity	FALSE	4.51		0	0	NTU	Field	11/14/2012	0
11/14/2012	MW-10	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-10	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-10	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-10	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/27/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/14/2012	MW-10	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-10	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	7000B	Zinc	FALSE	0.018	J	0.01	0.03	mg/L	7000B	12/5/2012	0
11/14/2012	MW-11	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	11/27/2012	0
11/14/2012	MW-11	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	MW-11	7010	Barium	FALSE	0.038		0.003	0.015	mg/L	7010	11/29/2012	0
11/14/2012	MW-11	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	11/27/2012	0
11/14/2012	MW-11	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	11/26/2012	0
11/14/2012	MW-11	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-11	7010	Cobalt	FALSE	0.0022	J	0.0006	0.003	mg/L	7010	11/27/2012	0
11/14/2012	MW-11	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-11	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-11	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	11/27/2012	0
11/14/2012	MW-11	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	MW-11	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	11/27/2012	0
11/14/2012	MW-11	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	11/27/2012	0
11/14/2012	MW-11	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	11/28/2012	0
11/14/2012	MW-11	Field	Groundwater Elevation	FALSE	1597.79		0	0	Feet	Field	11/14/2012	0
11/14/2012	MW-11	Field	pH	FALSE	6.78		0	0	S.U.	Field	11/14/2012	0
11/14/2012	MW-11	Field	Sample Time	FALSE	1040		0	0	hours	Field	11/14/2012	0
11/14/2012	MW-11	Field	Specific Conductivity	FALSE	1.222		0	0	mS/cm	Field	11/14/2012	0
11/14/2012	MW-11	Field	Temperature	FALSE	13.6		0	0	Degrees C	Field	11/14/2012	0
11/14/2012	MW-11	Field	Turbidity	FALSE	5.58		0	0	NTU	Field	11/14/2012	0
11/14/2012	MW-11	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-11	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-11	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-11	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/14/2012	MW-11	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Toluene	FALSE	0.2	J	0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-11	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	12/5/2012	0
11/14/2012	MW-12	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	11/27/2012	0
11/14/2012	MW-12	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	MW-12	7010	Barium	FALSE	1.406		0.003	0.015	mg/L	7010	11/29/2012	0
11/14/2012	MW-12	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	11/27/2012	0
11/14/2012	MW-12	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	11/26/2012	0
11/14/2012	MW-12	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-12	7010	Cobalt	TRUE	0		0.0006	0.003	mg/L	7010	11/27/2012	0
11/14/2012	MW-12	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-12	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-12	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	11/27/2012	0
11/14/2012	MW-12	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	MW-12	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	11/27/2012	0
11/14/2012	MW-12	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	11/27/2012	0
11/14/2012	MW-12	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	11/28/2012	0
11/14/2012	MW-12	Field	Groundwater Elevation	FALSE	1596.38		0	0	Feet	Field	11/14/2012	0
11/14/2012	MW-12	Field	pH	FALSE	7.71		0	0	S.U.	Field	11/14/2012	0
11/14/2012	MW-12	Field	Sample Time	FALSE	1155		0	0	hours	Field	11/14/2012	0
11/14/2012	MW-12	Field	Specific Conductivity	FALSE	0.883		0	0	mS/cm	Field	11/14/2012	0
11/14/2012	MW-12	Field	Temperature	FALSE	13.35		0	0	Degrees C	Field	11/14/2012	0
11/14/2012	MW-12	Field	Turbidity	FALSE	0.55		0	0	NTU	Field	11/14/2012	0
11/14/2012	MW-12	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-12	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-12	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-12	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/14/2012	MW-12	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-12	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	12/5/2012	0
11/14/2012	MW-14H	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	11/27/2012	0
11/14/2012	MW-14H	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	MW-14H	7010	Barium	FALSE	0.307		0.003	0.015	mg/L	7010	11/29/2012	0
11/14/2012	MW-14H	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	11/27/2012	0
11/14/2012	MW-14H	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	11/26/2012	0
11/14/2012	MW-14H	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-14H	7010	Cobalt	TRUE	0		0.0006	0.003	mg/L	7010	11/27/2012	0
11/14/2012	MW-14H	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-14H	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-14H	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	11/27/2012	0
11/14/2012	MW-14H	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	MW-14H	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	11/27/2012	0
11/14/2012	MW-14H	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	11/27/2012	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/14/2012	MW-14H	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	11/28/2012	0
11/14/2012	MW-14H	Field	Groundwater Elevation	FALSE	1886.25		0	0	Feet	Field	11/14/2012	0
11/14/2012	MW-14H	Field	pH	FALSE	6.91		0	0	S.U.	Field	11/14/2012	0
11/14/2012	MW-14H	Field	Sample Time	FALSE	1150		0	0	hours	Field	11/14/2012	0
11/14/2012	MW-14H	Field	Specific Conductivity	FALSE	0.348		0	0	mS/cm	Field	11/14/2012	0
11/14/2012	MW-14H	Field	Temperature	FALSE	13.07		0	0	Degrees C	Field	11/14/2012	0
11/14/2012	MW-14H	Field	Turbidity	FALSE	0.44		0	0	NTU	Field	11/14/2012	0
11/14/2012	MW-14H	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-14H	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-14H	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-14H	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	12/5/2012	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/14/2012	MW-3	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	11/27/2012	0
11/14/2012	MW-3	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	MW-3	7010	Barium	FALSE	0.096		0.003	0.015	mg/L	7010	11/29/2012	0
11/14/2012	MW-3	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	11/27/2012	0
11/14/2012	MW-3	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	11/26/2012	0
11/14/2012	MW-3	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-3	7010	Cobalt	FALSE	0.0008	J	0.0006	0.003	mg/L	7010	11/27/2012	0
11/14/2012	MW-3	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-3	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-3	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	11/27/2012	0
11/14/2012	MW-3	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	MW-3	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	11/27/2012	0
11/14/2012	MW-3	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	11/27/2012	0
11/14/2012	MW-3	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	11/28/2012	0
11/14/2012	MW-3	Field	Groundwater Elevation	FALSE	1604.65		0	0	Feet	Field	11/14/2012	0
11/14/2012	MW-3	Field	pH	FALSE	6.79		0	0	S.U.	Field	11/14/2012	0
11/14/2012	MW-3	Field	Sample Time	FALSE	1350		0	0	hours	Field	11/14/2012	0
11/14/2012	MW-3	Field	Specific Conductivity	FALSE	0.53		0	0	mS/cm	Field	11/14/2012	0
11/14/2012	MW-3	Field	Temperature	FALSE	13.71		0	0	Degrees C	Field	11/14/2012	0
11/14/2012	MW-3	Field	Turbidity	FALSE	5.32		0	0	NTU	Field	11/14/2012	0
11/14/2012	MW-3	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-3	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-3	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-3	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	11/27/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/14/2012	MW-3	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-3	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	12/5/2012	0
11/14/2012	MW-4	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	11/27/2012	0
11/14/2012	MW-4	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	MW-4	7010	Barium	FALSE	0.074		0.003	0.015	mg/L	7010	11/29/2012	0
11/14/2012	MW-4	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	11/27/2012	0
11/14/2012	MW-4	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	11/26/2012	0
11/14/2012	MW-4	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-4	7010	Cobalt	TRUE	0		0.0006	0.003	mg/L	7010	11/27/2012	0
11/14/2012	MW-4	7010	Copper	FALSE	0.002	J	0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-4	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-4	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	11/27/2012	0
11/14/2012	MW-4	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	MW-4	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	11/27/2012	0
11/14/2012	MW-4	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	11/27/2012	0
11/14/2012	MW-4	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	11/28/2012	0
11/14/2012	MW-4	Field	Groundwater Elevation	FALSE	1854.88		0	0	Feet	Field	11/14/2012	0
11/14/2012	MW-4	Field	pH	FALSE	6.63		0	0	S.U.	Field	11/14/2012	0
11/14/2012	MW-4	Field	Sample Time	FALSE	1020		0	0	hours	Field	11/14/2012	0
11/14/2012	MW-4	Field	Specific Conductivity	FALSE	0.479		0	0	mS/cm	Field	11/14/2012	0
11/14/2012	MW-4	Field	Temperature	FALSE	12.06		0	0	Degrees C	Field	11/14/2012	0
11/14/2012	MW-4	Field	Turbidity	FALSE	0.84		0	0	NTU	Field	11/14/2012	0
11/14/2012	MW-4	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-4	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-4	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-4	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/14/2012	MW-4	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	12/5/2012	0
11/14/2012	MW-4 DUP	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	11/27/2012	0
11/14/2012	MW-4 DUP	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	MW-4 DUP	7010	Barium	FALSE	0.068		0.003	0.015	mg/L	7010	11/29/2012	0
11/14/2012	MW-4 DUP	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	11/27/2012	0
11/14/2012	MW-4 DUP	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	11/26/2012	0
11/14/2012	MW-4 DUP	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-4 DUP	7010	Cobalt	TRUE	0		0.0006	0.003	mg/L	7010	11/27/2012	0
11/14/2012	MW-4 DUP	7010	Copper	FALSE	0.002	J	0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-4 DUP	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-4 DUP	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	11/27/2012	0
11/14/2012	MW-4 DUP	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	MW-4 DUP	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	11/27/2012	0
11/14/2012	MW-4 DUP	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	11/27/2012	0
11/14/2012	MW-4 DUP	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	11/28/2012	0
11/14/2012	MW-4 DUP	Field	pH	FALSE	6.63		0	0	S.U.	Field	11/14/2012	0
11/14/2012	MW-4 DUP	Field	Sample Time	FALSE	1025		0	0	hours	Field	11/14/2012	0
11/14/2012	MW-4 DUP	Field	Specific Conductivity	FALSE	0.476		0	0	mS/cm	Field	11/14/2012	0
11/14/2012	MW-4 DUP	Field	Temperature	FALSE	12.08		0	0	Degrees C	Field	11/14/2012	0
11/14/2012	MW-4 DUP	Field	Turbidity	FALSE	0.55		0	0	NTU	Field	11/14/2012	0
11/14/2012	MW-4 DUP	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-4 DUP	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-4 DUP	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/27/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/14/2012	MW-4 DUP	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-4 DUP	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	12/5/2012	0
11/14/2012	MW-5	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	11/27/2012	0
11/14/2012	MW-5	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	MW-5	7010	Barium	FALSE	0.387		0.003	0.015	mg/L	7010	11/29/2012	0
11/14/2012	MW-5	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	11/27/2012	0
11/14/2012	MW-5	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	11/26/2012	0
11/14/2012	MW-5	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-5	7010	Cobalt	TRUE	0		0.0006	0.003	mg/L	7010	11/27/2012	0
11/14/2012	MW-5	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-5	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-5	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	11/27/2012	0
11/14/2012	MW-5	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	MW-5	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	11/27/2012	0
11/14/2012	MW-5	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	11/27/2012	0
11/14/2012	MW-5	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	11/28/2012	0
11/14/2012	MW-5	Field	Groundwater Elevation	FALSE	1854.93		0	0	Feet	Field	11/14/2012	0
11/14/2012	MW-5	Field	pH	FALSE	7.55		0	0	S.U.	Field	11/14/2012	0
11/14/2012	MW-5	Field	Sample Time	FALSE	1350		0	0	hours	Field	11/14/2012	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/14/2012	MW-5	Field	Specific Conductivity	FALSE	0.457		0	0	mS/cm	Field	11/14/2012	0
11/14/2012	MW-5	Field	Temperature	FALSE	13.11		0	0	Degrees C	Field	11/14/2012	0
11/14/2012	MW-5	Field	Turbidity	FALSE	3.81		0	0	NTU	Field	11/14/2012	0
11/14/2012	MW-5	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-5	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-5	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-5	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Toluene	FALSE	0.2	J	0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-5	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	12/5/2012	0
11/14/2012	MW-7	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	11/27/2012	0
11/14/2012	MW-7	7010	Arsenic	FALSE	0.003	J	0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	MW-7	7010	Barium	FALSE	0.138		0.003	0.015	mg/L	7010	11/29/2012	0
11/14/2012	MW-7	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	11/27/2012	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/14/2012	MW-7	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	11/26/2012	0
11/14/2012	MW-7	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-7	7010	Cobalt	TRUE	0		0.0006	0.003	mg/L	7010	11/27/2012	0
11/14/2012	MW-7	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-7	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	MW-7	7010	Nickel	TRUE	0		0.005	0.025	mg/L	7010	11/27/2012	0
11/14/2012	MW-7	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	MW-7	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	11/27/2012	0
11/14/2012	MW-7	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	11/27/2012	0
11/14/2012	MW-7	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	11/28/2012	0
11/14/2012	MW-7	Field	Groundwater Elevation	FALSE	1596.34		0	0	Feet	Field	11/14/2012	0
11/14/2012	MW-7	Field	pH	FALSE	7.99		0	0	S.U.	Field	11/14/2012	0
11/14/2012	MW-7	Field	Sample Time	FALSE	1120		0	0	hours	Field	11/14/2012	0
11/14/2012	MW-7	Field	Specific Conductivity	FALSE	1.51		0	0	mS/cm	Field	11/14/2012	0
11/14/2012	MW-7	Field	Temperature	FALSE	13.25		0	0	Degrees C	Field	11/14/2012	0
11/14/2012	MW-7	Field	Turbidity	FALSE	0.08		0	0	NTU	Field	11/14/2012	0
11/14/2012	MW-7	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-7	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-7	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	11/27/2012	1
11/14/2012	MW-7	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/14/2012	MW-7	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	MW-7	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	7000B	Zinc	TRUE	0		0.01	0.03	mg/L	7000B	12/5/2012	0
11/14/2012	UD-1	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	11/27/2012	0
11/14/2012	UD-1	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	UD-1	7010	Barium	FALSE	0.082		0.003	0.015	mg/L	7010	11/29/2012	0
11/14/2012	UD-1	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	11/27/2012	0
11/14/2012	UD-1	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	11/26/2012	0
11/14/2012	UD-1	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	UD-1	7010	Cobalt	FALSE	0.011		0.0006	0.003	mg/L	7010	11/27/2012	0
11/14/2012	UD-1	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	UD-1	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	UD-1	7010	Nickel	FALSE	0.012	J	0.005	0.025	mg/L	7010	11/27/2012	0
11/14/2012	UD-1	7010	Selenium	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	UD-1	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	11/27/2012	0
11/14/2012	UD-1	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	11/27/2012	0
11/14/2012	UD-1	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	11/28/2012	0
11/14/2012	UD-1	Field	pH	FALSE	7.41		0	0	S.U.	Field	11/14/2012	0
11/14/2012	UD-1	Field	Sample Time	FALSE	1415		0	0	hours	Field	11/14/2012	0
11/14/2012	UD-1	Field	Specific Conductivity	FALSE	1.216		0	0	mS/cm	Field	11/14/2012	0
11/14/2012	UD-1	Field	Temperature	FALSE	13.48		0	0	Degrees C	Field	11/14/2012	0
11/14/2012	UD-1	Field	Turbidity	FALSE	18.32		0	0	NTU	Field	11/14/2012	0
11/14/2012	UD-1	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	UD-1	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	UD-1	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	11/27/2012	1
11/14/2012	UD-1	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/14/2012	UD-1	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-1	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	7000B	Zinc	FALSE	0.019	J	0.01	0.03	mg/L	7000B	12/5/2012	0
11/14/2012	UD-2	7010	Antimony	TRUE	0		0.001	0.005	mg/L	7010	11/27/2012	0
11/14/2012	UD-2	7010	Arsenic	TRUE	0		0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	UD-2	7010	Barium	FALSE	0.043		0.003	0.015	mg/L	7010	11/29/2012	0
11/14/2012	UD-2	7010	Beryllium	TRUE	0		0.0002	0.001	mg/L	7010	11/27/2012	0
11/14/2012	UD-2	7010	Cadmium	TRUE	0		0.0003	0.0015	mg/L	7010	11/26/2012	0
11/14/2012	UD-2	7010	Chromium	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	UD-2	7010	Cobalt	FALSE	0.0019	J	0.0006	0.003	mg/L	7010	11/27/2012	0
11/14/2012	UD-2	7010	Copper	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	UD-2	7010	Lead	TRUE	0		0.001	0.005	mg/L	7010	11/26/2012	0
11/14/2012	UD-2	7010	Nickel	FALSE	0.005	J	0.005	0.025	mg/L	7010	11/27/2012	0
11/14/2012	UD-2	7010	Selenium	FALSE	0.004	J	0.003	0.01	mg/L	7010	12/3/2012	0
11/14/2012	UD-2	7010	Silver	TRUE	0		0.0001	0.0004	mg/L	7010	11/27/2012	0
11/14/2012	UD-2	7010	Thallium	TRUE	0		0.0002	0.002	mg/L	7010	11/27/2012	0
11/14/2012	UD-2	7010	Vanadium	TRUE	0		0.001	0.005	mg/L	7010	11/28/2012	0
11/14/2012	UD-2	Field	pH	FALSE	7.02		0	0	S.U.	Field	11/14/2012	0
11/14/2012	UD-2	Field	Sample Time	FALSE	1320		0	0	hours	Field	11/14/2012	0
11/14/2012	UD-2	Field	Specific Conductivity	FALSE	1.68		0	0	mS/cm	Field	11/14/2012	0
11/14/2012	UD-2	Field	Temperature	FALSE	13.22		0	0	Degrees C	Field	11/14/2012	0
11/14/2012	UD-2	Field	Turbidity	FALSE	3.39		0	0	NTU	Field	11/14/2012	0
11/14/2012	UD-2	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.01	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	UD-2	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.008	0.01	ug/L	SW8011	11/27/2012	1
11/14/2012	UD-2	SW8011	1,2,3-Trichloropropane	TRUE	0		0.03	0.03	ug/L	SW8011	11/27/2012	1
11/14/2012	UD-2	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/14/2012	UD-2	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/27/2012	1
11/14/2012	UD-2	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/27/2012	1
5/3/2013	TRIP BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/3/2013	TRIP BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/3/2013	TRIP BLANK	SW8011	1,2,3-Trichloropropane	FALSE	0.291		0.003	0.03	ug/L	SW8011	5/22/2013	1
5/3/2013	TRIP BLANK	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/3/2013	TRIP BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/3/2013	TRIP BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK		Antimony	TRUE	0		0.001	0.005	mg/L		6/25/2013	0
5/8/2013	FIELD BLANK		Arsenic	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	FIELD BLANK		Barium	TRUE	0		0.003	0.015	mg/L		6/27/2013	0
5/8/2013	FIELD BLANK		Beryllium	TRUE	0		0.0002	0.001	mg/L		6/27/2013	0
5/8/2013	FIELD BLANK		Cadmium	TRUE	0		0.0003	0.0015	mg/L		6/26/2013	0
5/8/2013	FIELD BLANK		Chromium	TRUE	0		0.001	0.005	mg/L		6/27/2013	0
5/8/2013	FIELD BLANK		Cobalt	TRUE	0		0.0006	0.003	mg/L		6/27/2013	0
5/8/2013	FIELD BLANK		Copper	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	FIELD BLANK		Lead	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	FIELD BLANK		Nickel	TRUE	0		0.005	0.025	mg/L		6/26/2013	0
5/8/2013	FIELD BLANK		Selenium	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	FIELD BLANK		Silver	TRUE	0		0.0001	0.0004	mg/L		6/19/2013	0
5/8/2013	FIELD BLANK		Thallium	TRUE	0		0.0002	0.002	mg/L		6/27/2013	0
5/8/2013	FIELD BLANK		Vanadium	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	FIELD BLANK		Zinc	TRUE	0		0.01	0.03	mg/L		6/24/2013	0
5/8/2013	FIELD BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/8/2013	FIELD BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/8/2013	FIELD BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	5/22/2013	1
5/8/2013	FIELD BLANK	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/8/2013	FIELD BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	FIELD BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10		Antimony	TRUE	0		0.001	0.005	mg/L		6/25/2013	0
5/8/2013	MW-10		Arsenic	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	MW-10		Barium	FALSE	0.069		0.003	0.015	mg/L		6/27/2013	0
5/8/2013	MW-10		Beryllium	TRUE	0		0.0002	0.001	mg/L		6/27/2013	0
5/8/2013	MW-10		Cadmium	TRUE	0		0.0003	0.0015	mg/L		6/26/2013	0
5/8/2013	MW-10		Chromium	TRUE	0		0.001	0.005	mg/L		6/27/2013	0
5/8/2013	MW-10		Cobalt	FALSE	0.0012	J	0.0006	0.003	mg/L		6/27/2013	0
5/8/2013	MW-10		Copper	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-10		Lead	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-10		Nickel	TRUE	0		0.005	0.025	mg/L		6/26/2013	0
5/8/2013	MW-10		Selenium	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	MW-10		Silver	TRUE	0		0.0001	0.0004	mg/L		6/19/2013	0
5/8/2013	MW-10		Thallium	FALSE	0.0002	J	0.0002	0.002	mg/L		6/27/2013	0
5/8/2013	MW-10		Vanadium	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-10		Zinc	FALSE	0.011	J	0.01	0.03	mg/L		6/24/2013	0
5/8/2013	MW-10		Groundwater Elevation	FALSE	1601.22		0	0	Feet		5/8/2013	0
5/8/2013	MW-10		pH	FALSE	7.04		0	0	S.U.		5/8/2013	0
5/8/2013	MW-10		Sample Time	FALSE	1600		0	0	hours			0
5/8/2013	MW-10		Specific Conductivity	FALSE	1.031		0	0	mS/cm		5/8/2013	0
5/8/2013	MW-10		Temperature	FALSE	13.61		0	0	Degrees C		5/8/2013	0
5/8/2013	MW-10		Turbidity	FALSE	5.63		0	0	NTU		5/8/2013	0
5/8/2013	MW-10	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/8/2013	MW-10	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/8/2013	MW-10	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	5/22/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/8/2013	MW-10	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-10	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11		Antimony	TRUE	0		0.001	0.005	mg/L		6/25/2013	0
5/8/2013	MW-11		Arsenic	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	MW-11		Barium	FALSE	0.056		0.003	0.015	mg/L		6/27/2013	0
5/8/2013	MW-11		Beryllium	TRUE	0		0.0002	0.001	mg/L		6/27/2013	0
5/8/2013	MW-11		Cadmium	TRUE	0		0.0003	0.0015	mg/L		6/26/2013	0
5/8/2013	MW-11		Chromium	TRUE	0		0.001	0.005	mg/L		6/27/2013	0
5/8/2013	MW-11		Cobalt	FALSE	0.0021	J	0.0006	0.003	mg/L		6/27/2013	0
5/8/2013	MW-11		Copper	FALSE	0.001	J	0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-11		Lead	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-11		Nickel	FALSE	0.005	J	0.005	0.025	mg/L		6/26/2013	0
5/8/2013	MW-11		Selenium	TRUE	0		0.002	0.01	mg/L		6/18/2013	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/8/2013	MW-11		Silver	TRUE	0		0.0001	0.0004	mg/L		6/19/2013	0
5/8/2013	MW-11		Thallium	FALSE	0.0003	J	0.0002	0.002	mg/L		6/27/2013	0
5/8/2013	MW-11		Vanadium	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-11		Zinc	FALSE	0.027	J	0.01	0.03	mg/L		6/24/2013	0
5/8/2013	MW-11		Groundwater Elevation	FALSE	1601.23		0	0	Feet		5/8/2013	0
5/8/2013	MW-11		pH	FALSE	7.09		0	0	S.U.		5/8/2013	0
5/8/2013	MW-11		Sample Time	FALSE	1635		0	0	hours			0
5/8/2013	MW-11		Specific Conductivity	FALSE	1.332		0	0	mS/cm		5/8/2013	0
5/8/2013	MW-11		Temperature	FALSE	12.55		0	0	Degrees C		5/8/2013	0
5/8/2013	MW-11		Turbidity	FALSE	1.28		0	0	NTU		5/8/2013	0
5/8/2013	MW-11	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/8/2013	MW-11	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/8/2013	MW-11	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	5/22/2013	1
5/8/2013	MW-11	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/21/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/8/2013	MW-11	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-11	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12		Antimony	TRUE	0		0.001	0.005	mg/L		6/25/2013	0
5/8/2013	MW-12		Arsenic	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	MW-12		Barium	FALSE	1.128		0.003	0.015	mg/L		6/27/2013	0
5/8/2013	MW-12		Beryllium	TRUE	0		0.0002	0.001	mg/L		6/27/2013	0
5/8/2013	MW-12		Cadmium	TRUE	0		0.0003	0.0015	mg/L		6/26/2013	0
5/8/2013	MW-12		Chromium	TRUE	0		0.001	0.005	mg/L		6/27/2013	0
5/8/2013	MW-12		Cobalt	TRUE	0		0.0006	0.003	mg/L		6/27/2013	0
5/8/2013	MW-12		Copper	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-12		Lead	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-12		Nickel	TRUE	0		0.005	0.025	mg/L		6/26/2013	0
5/8/2013	MW-12		Selenium	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	MW-12		Silver	TRUE	0		0.0001	0.0004	mg/L		6/19/2013	0
5/8/2013	MW-12		Thallium	TRUE	0		0.0002	0.002	mg/L		6/27/2013	0
5/8/2013	MW-12		Vanadium	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-12		Zinc	TRUE	0		0.01	0.03	mg/L		6/24/2013	0
5/8/2013	MW-12		Groundwater Elevation	FALSE	1599.13		0	0	Feet		5/8/2013	0
5/8/2013	MW-12		pH	FALSE	7.44		0	0	S.U.		5/8/2013	0
5/8/2013	MW-12		Sample Time	FALSE	1000		0	0	hours			0
5/8/2013	MW-12		Specific Conductivity	FALSE	0.954		0	0	mS/cm		5/8/2013	0
5/8/2013	MW-12		Temperature	FALSE	12.87		0	0	Degrees C		5/8/2013	0
5/8/2013	MW-12		Turbidity	FALSE	0.2		0	0	NTU		5/8/2013	0
5/8/2013	MW-12	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/8/2013	MW-12	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/8/2013	MW-12	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	5/22/2013	1
5/8/2013	MW-12	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/21/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/8/2013	MW-12	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-12	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H		Antimony	TRUE	0		0.001	0.005	mg/L		6/25/2013	0
5/8/2013	MW-14H		Arsenic	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	MW-14H		Barium	FALSE	0.313		0.003	0.015	mg/L		6/27/2013	0
5/8/2013	MW-14H		Beryllium	TRUE	0		0.0002	0.001	mg/L		6/27/2013	0
5/8/2013	MW-14H		Cadmium	TRUE	0		0.0003	0.0015	mg/L		6/26/2013	0
5/8/2013	MW-14H		Chromium	TRUE	0		0.001	0.005	mg/L		6/27/2013	0
5/8/2013	MW-14H		Cobalt	TRUE	0		0.0006	0.003	mg/L		6/27/2013	0
5/8/2013	MW-14H		Copper	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-14H		Lead	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-14H		Nickel	TRUE	0		0.005	0.025	mg/L		6/26/2013	0
5/8/2013	MW-14H		Selenium	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	MW-14H		Silver	TRUE	0		0.0001	0.0004	mg/L		6/19/2013	0
5/8/2013	MW-14H		Thallium	TRUE	0		0.0002	0.002	mg/L		6/27/2013	0
5/8/2013	MW-14H		Vanadium	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-14H		Zinc	TRUE	0		0.01	0.03	mg/L		6/24/2013	0
5/8/2013	MW-14H		Groundwater Elevation	FALSE	1887.7		0	0	Feet		5/8/2013	0
5/8/2013	MW-14H		pH	FALSE	6.76		0	0	S.U.		5/8/2013	0
5/8/2013	MW-14H		Sample Time	FALSE	1240		0	0	hours			0
5/8/2013	MW-14H		Specific Conductivity	FALSE	0.345		0	0	mS/cm		5/8/2013	0
5/8/2013	MW-14H		Temperature	FALSE	13.28		0	0	Degrees C		5/8/2013	0
5/8/2013	MW-14H		Turbidity	FALSE	0.88		0	0	NTU		5/8/2013	0
5/8/2013	MW-14H	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/8/2013	MW-14H	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/8/2013	MW-14H	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	5/22/2013	1
5/8/2013	MW-14H	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/8/2013	MW-14H	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Toluene	FALSE	0.2	J	0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-14H	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3		Antimony	TRUE	0		0.001	0.005	mg/L		6/25/2013	0
5/8/2013	MW-3		Arsenic	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	MW-3		Barium	FALSE	0.125		0.003	0.015	mg/L		6/27/2013	0
5/8/2013	MW-3		Beryllium	TRUE	0		0.0002	0.001	mg/L		6/27/2013	0
5/8/2013	MW-3		Cadmium	TRUE	0		0.0003	0.0015	mg/L		6/26/2013	0
5/8/2013	MW-3		Chromium	TRUE	0		0.001	0.005	mg/L		6/27/2013	0
5/8/2013	MW-3		Cobalt	FALSE	0.0007	J	0.0006	0.003	mg/L		6/27/2013	0
5/8/2013	MW-3		Copper	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-3		Lead	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-3		Nickel	TRUE	0		0.005	0.025	mg/L		6/26/2013	0
5/8/2013	MW-3		Selenium	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	MW-3		Silver	TRUE	0		0.0001	0.0004	mg/L		6/19/2013	0
5/8/2013	MW-3		Thallium	TRUE	0		0.0002	0.002	mg/L		6/27/2013	0
5/8/2013	MW-3		Vanadium	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-3		Zinc	TRUE	0		0.01	0.03	mg/L		6/24/2013	0
5/8/2013	MW-3		Groundwater Elevation	FALSE	1599.35		0	0	Feet		5/8/2013	0
5/8/2013	MW-3		pH	FALSE	7.11		0	0	S.U.		5/8/2013	0
5/8/2013	MW-3		Sample Time	FALSE	1235		0	0	hours			0
5/8/2013	MW-3		Specific Conductivity	FALSE	0.672		0	0	mS/cm		5/8/2013	0
5/8/2013	MW-3		Temperature	FALSE	11.95		0	0	Degrees C		5/8/2013	0
5/8/2013	MW-3		Turbidity	FALSE	9.08		0	0	NTU		5/8/2013	0
5/8/2013	MW-3	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/21/2013	1
5/8/2013	MW-3	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/21/2013	1
5/8/2013	MW-3	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	5/21/2013	1
5/8/2013	MW-3	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/8/2013	MW-3	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-3	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4		Antimony	TRUE	0		0.001	0.005	mg/L		6/25/2013	0
5/8/2013	MW-4		Arsenic	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	MW-4		Barium	FALSE	0.084		0.003	0.015	mg/L		6/27/2013	0
5/8/2013	MW-4		Beryllium	TRUE	0		0.0002	0.001	mg/L		6/27/2013	0
5/8/2013	MW-4		Cadmium	TRUE	0		0.0003	0.0015	mg/L		6/26/2013	0
5/8/2013	MW-4		Chromium	TRUE	0		0.001	0.005	mg/L		6/27/2013	0
5/8/2013	MW-4		Cobalt	TRUE	0		0.0006	0.003	mg/L		6/27/2013	0
5/8/2013	MW-4		Copper	FALSE	0.004	J	0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-4		Lead	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-4		Nickel	TRUE	0		0.005	0.025	mg/L		6/26/2013	0
5/8/2013	MW-4		Selenium	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	MW-4		Silver	TRUE	0		0.0001	0.0004	mg/L		6/19/2013	0
5/8/2013	MW-4		Thallium	FALSE	0.0003	J	0.0002	0.002	mg/L		6/27/2013	0
5/8/2013	MW-4		Vanadium	TRUE	0		0.001	0.005	mg/L		6/26/2013	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/8/2013	MW-4		Zinc	FALSE	0.012	J	0.01	0.03	mg/L		6/24/2013	0
5/8/2013	MW-4		Groundwater Elevation	FALSE	1857.18		0	0	Feet		5/8/2013	0
5/8/2013	MW-4		pH	FALSE	6.55		0	0	S.U.		5/8/2013	0
5/8/2013	MW-4		Sample Time	FALSE	1530		0	0	hours			0
5/8/2013	MW-4		Specific Conductivity	FALSE	0.497		0	0	mS/cm		5/8/2013	0
5/8/2013	MW-4		Temperature	FALSE	12.72		0	0	Degrees C		5/8/2013	0
5/8/2013	MW-4		Turbidity	FALSE	3.34		0	0	NTU		5/8/2013	0
5/8/2013	MW-4	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/21/2013	1
5/8/2013	MW-4	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/21/2013	1
5/8/2013	MW-4	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	5/21/2013	1
5/8/2013	MW-4	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-4	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5		Antimony	TRUE	0		0.001	0.005	mg/L		6/25/2013	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/8/2013	MW-5		Arsenic	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	MW-5		Barium	FALSE	0.477		0.003	0.015	mg/L		6/27/2013	0
5/8/2013	MW-5		Beryllium	TRUE	0		0.0002	0.001	mg/L		6/27/2013	0
5/8/2013	MW-5		Cadmium	TRUE	0		0.0003	0.0015	mg/L		6/26/2013	0
5/8/2013	MW-5		Chromium	TRUE	0		0.001	0.005	mg/L		6/27/2013	0
5/8/2013	MW-5		Cobalt	TRUE	0		0.0006	0.003	mg/L		6/27/2013	0
5/8/2013	MW-5		Copper	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-5		Lead	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-5		Nickel	TRUE	0		0.005	0.025	mg/L		6/26/2013	0
5/8/2013	MW-5		Selenium	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	MW-5		Silver	TRUE	0		0.0001	0.0004	mg/L		6/19/2013	0
5/8/2013	MW-5		Thallium	TRUE	0		0.0002	0.002	mg/L		6/27/2013	0
5/8/2013	MW-5		Vanadium	FALSE	0.001	J	0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-5		Zinc	TRUE	0		0.01	0.03	mg/L		6/24/2013	0
5/8/2013	MW-5		Groundwater Elevation	FALSE	1856.53		0	0	Feet		5/8/2013	0
5/8/2013	MW-5		pH	FALSE	6.75		0	0	S.U.		5/8/2013	0
5/8/2013	MW-5		Sample Time	FALSE	1025		0	0	hours			0
5/8/2013	MW-5		Specific Conductivity	FALSE	0.508		0	0	mS/cm		5/8/2013	0
5/8/2013	MW-5		Temperature	FALSE	12.29		0	0	Degrees C		5/8/2013	0
5/8/2013	MW-5		Turbidity	FALSE	0.4		0	0	NTU		5/8/2013	0
5/8/2013	MW-5	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/21/2013	1
5/8/2013	MW-5	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/21/2013	1
5/8/2013	MW-5	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	5/21/2013	1
5/8/2013	MW-5	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/21/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/8/2013	MW-5	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP		Antimony	TRUE	0		0.001	0.005	mg/L		6/25/2013	0
5/8/2013	MW-5 DUP		Arsenic	FALSE	0.002	J	0.002	0.01	mg/L		6/18/2013	0
5/8/2013	MW-5 DUP		Barium	FALSE	0.434		0.003	0.015	mg/L		6/27/2013	0
5/8/2013	MW-5 DUP		Beryllium	TRUE	0		0.0002	0.001	mg/L		6/27/2013	0
5/8/2013	MW-5 DUP		Cadmium	TRUE	0		0.0003	0.0015	mg/L		6/26/2013	0
5/8/2013	MW-5 DUP		Chromium	TRUE	0		0.001	0.005	mg/L		6/27/2013	0
5/8/2013	MW-5 DUP		Cobalt	FALSE	0.0007	J	0.0006	0.003	mg/L		6/27/2013	0
5/8/2013	MW-5 DUP		Copper	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-5 DUP		Lead	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-5 DUP		Nickel	TRUE	0		0.005	0.025	mg/L		6/26/2013	0
5/8/2013	MW-5 DUP		Selenium	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	MW-5 DUP		Silver	TRUE	0		0.0001	0.0004	mg/L		6/19/2013	0
5/8/2013	MW-5 DUP		Thallium	TRUE	0		0.0002	0.002	mg/L		6/27/2013	0
5/8/2013	MW-5 DUP		Vanadium	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-5 DUP		Zinc	TRUE	0		0.01	0.03	mg/L		6/24/2013	0
5/8/2013	MW-5 DUP		pH	FALSE	6.74		0	0	S.U.		5/8/2013	0
5/8/2013	MW-5 DUP		Sample Time	FALSE	1030		0	0	hours			0
5/8/2013	MW-5 DUP		Specific Conductivity	FALSE	0.506		0	0	mS/cm		5/8/2013	0
5/8/2013	MW-5 DUP		Temperature	FALSE	12.3		0	0	Degrees C		5/8/2013	0
5/8/2013	MW-5 DUP		Turbidity	FALSE	0.4		0	0	NTU		5/8/2013	0
5/8/2013	MW-5 DUP	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/8/2013	MW-5 DUP	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/8/2013	MW-5 DUP	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	5/22/2013	1
5/8/2013	MW-5 DUP	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/8/2013	MW-5 DUP	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-5 DUP	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7		Antimony	TRUE	0		0.001	0.005	mg/L		6/25/2013	0
5/8/2013	MW-7		Arsenic	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	MW-7		Barium	FALSE	0.215		0.003	0.015	mg/L		6/27/2013	0
5/8/2013	MW-7		Beryllium	TRUE	0		0.0002	0.001	mg/L		6/27/2013	0
5/8/2013	MW-7		Cadmium	TRUE	0		0.0003	0.0015	mg/L		6/26/2013	0
5/8/2013	MW-7		Chromium	TRUE	0		0.001	0.005	mg/L		6/27/2013	0
5/8/2013	MW-7		Cobalt	TRUE	0		0.0006	0.003	mg/L		6/27/2013	0
5/8/2013	MW-7		Copper	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-7		Lead	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-7		Nickel	TRUE	0		0.005	0.025	mg/L		6/26/2013	0
5/8/2013	MW-7		Selenium	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	MW-7		Silver	TRUE	0		0.0001	0.0004	mg/L		6/19/2013	0
5/8/2013	MW-7		Thallium	TRUE	0		0.0002	0.002	mg/L		6/27/2013	0
5/8/2013	MW-7		Vanadium	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	MW-7		Zinc	TRUE	0		0.01	0.03	mg/L		6/24/2013	0
5/8/2013	MW-7		Groundwater Elevation	FALSE	1599.02		0	0	Feet		5/8/2013	0
5/8/2013	MW-7		pH	FALSE	8.23		0	0	S.U.		5/8/2013	0
5/8/2013	MW-7		Sample Time	FALSE	1100		0	0	hours			0
5/8/2013	MW-7		Specific Conductivity	FALSE	1.53		0	0	mS/cm		5/8/2013	0
5/8/2013	MW-7		Temperature	FALSE	13.48		0	0	Degrees C		5/8/2013	0
5/8/2013	MW-7		Turbidity	FALSE	0.31		0	0	NTU		5/8/2013	0
5/8/2013	MW-7	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/8/2013	MW-7	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/8/2013	MW-7	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	5/22/2013	1
5/8/2013	MW-7	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/21/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/8/2013	MW-7	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	MW-7	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1		Antimony	TRUE	0		0.001	0.005	mg/L		6/25/2013	0
5/8/2013	UD-1		Arsenic	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	UD-1		Barium	FALSE	0.111		0.003	0.015	mg/L		6/27/2013	0
5/8/2013	UD-1		Beryllium	TRUE	0		0.0002	0.001	mg/L		6/27/2013	0
5/8/2013	UD-1		Cadmium	TRUE	0		0.0003	0.0015	mg/L		6/26/2013	0
5/8/2013	UD-1		Chromium	TRUE	0		0.001	0.005	mg/L		6/27/2013	0
5/8/2013	UD-1		Cobalt	FALSE	0.0168		0.0006	0.003	mg/L		6/27/2013	0
5/8/2013	UD-1		Copper	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	UD-1		Lead	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	UD-1		Nickel	FALSE	0.017	J	0.005	0.025	mg/L		6/26/2013	0
5/8/2013	UD-1		Selenium	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	UD-1		Silver	TRUE	0		0.0001	0.0004	mg/L		6/19/2013	0
5/8/2013	UD-1		Thallium	TRUE	0		0.0002	0.002	mg/L		6/27/2013	0
5/8/2013	UD-1		Vanadium	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	UD-1		Zinc	TRUE	0		0.01	0.03	mg/L		6/24/2013	0
5/8/2013	UD-1		pH	FALSE	6.92		0	0	S.U.		5/8/2013	0
5/8/2013	UD-1		Sample Time	FALSE	1530		0	0				0
5/8/2013	UD-1		Specific Conductivity	FALSE	1.242		0	0	mS/cm		5/8/2013	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/8/2013	UD-1		Temperature	FALSE	15.1		0	0	Degrees C		5/8/2013	0
5/8/2013	UD-1		Turbidity	FALSE	1.82		0	0	NTU		5/8/2013	0
5/8/2013	UD-1	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/8/2013	UD-1	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/8/2013	UD-1	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	5/22/2013	1
5/8/2013	UD-1	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-1	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2		Antimony	TRUE	0		0.001	0.005	mg/L		6/25/2013	0
5/8/2013	UD-2		Arsenic	TRUE	0		0.002	0.01	mg/L		6/18/2013	0
5/8/2013	UD-2		Barium	FALSE	0.058		0.003	0.015	mg/L		6/27/2013	0
5/8/2013	UD-2		Beryllium	TRUE	0		0.0002	0.001	mg/L		6/27/2013	0
5/8/2013	UD-2		Cadmium	TRUE	0		0.0003	0.0015	mg/L		6/26/2013	0
5/8/2013	UD-2		Chromium	TRUE	0		0.001	0.005	mg/L		6/27/2013	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/8/2013	UD-2		Cobalt	FALSE	0.0012	J	0.0006	0.003	mg/L		6/27/2013	0
5/8/2013	UD-2		Copper	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	UD-2		Lead	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	UD-2		Nickel	FALSE	0.01	J	0.005	0.025	mg/L		6/26/2013	0
5/8/2013	UD-2		Selenium	FALSE	0.004	J	0.002	0.01	mg/L		6/18/2013	0
5/8/2013	UD-2		Silver	TRUE	0		0.0001	0.0004	mg/L		6/19/2013	0
5/8/2013	UD-2		Thallium	TRUE	0		0.0002	0.002	mg/L		6/27/2013	0
5/8/2013	UD-2		Vanadium	TRUE	0		0.001	0.005	mg/L		6/26/2013	0
5/8/2013	UD-2		Zinc	FALSE	0.022	J	0.01	0.03	mg/L		6/24/2013	0
5/8/2013	UD-2		pH	FALSE	6.45		0	0	S.U.		5/8/2013	0
5/8/2013	UD-2		Sample Time	FALSE	1050		0	0	hours			0
5/8/2013	UD-2		Specific Conductivity	FALSE	1.8		0	0	mS/cm		5/8/2013	0
5/8/2013	UD-2		Temperature	FALSE	13.62		0	0	Degrees C		5/8/2013	0
5/8/2013	UD-2		Turbidity	FALSE	1.12		0	0	NTU		5/8/2013	0
5/8/2013	UD-2	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/8/2013	UD-2	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/22/2013	1
5/8/2013	UD-2	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	5/22/2013	1
5/8/2013	UD-2	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/8/2013	UD-2	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/21/2013	1
5/8/2013	UD-2	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/21/2013	1
10/14/2013	TRIP BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/14/2013	TRIP BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/14/2013	TRIP BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	10/29/2013	1
10/14/2013	TRIP BLANK	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/28/2013	1
10/14/2013	TRIP BLANK	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	10/28/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/14/2013	TRIP BLANK	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK		Antimony	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	FIELD BLANK		Arsenic	TRUE	0		0.002	0.01	mg/L		12/6/2013	0
10/23/2013	FIELD BLANK		Barium	TRUE	0		0.003	0.015	mg/L		12/19/2013	0
10/23/2013	FIELD BLANK		Beryllium	TRUE	0		0.0002	0.001	mg/L		12/16/2013	0
10/23/2013	FIELD BLANK		Cadmium	TRUE	0		0.0003	0.0015	mg/L		12/16/2013	0
10/23/2013	FIELD BLANK		Chromium	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	FIELD BLANK		Cobalt	TRUE	0		0.0006	0.003	mg/L		12/17/2013	0
10/23/2013	FIELD BLANK		Copper	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	FIELD BLANK		Lead	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	FIELD BLANK		Nickel	TRUE	0		0.005	0.025	mg/L		12/16/2013	0
10/23/2013	FIELD BLANK		Selenium	TRUE	0		0.002	0.01	mg/L		12/18/2013	0
10/23/2013	FIELD BLANK		Silver	TRUE	0		0.0001	0.0004	mg/L		12/18/2013	0
10/23/2013	FIELD BLANK		Thallium	TRUE	0		0.0003	0.002	mg/L		12/18/2013	0
10/23/2013	FIELD BLANK		Vanadium	TRUE	0		0.001	0.005	mg/L		12/19/2013	0
10/23/2013	FIELD BLANK		Zinc	TRUE	0		0.01	0.03	mg/L		12/11/2013	0
10/23/2013	FIELD BLANK		Sample Time	FALSE	1000		0	0	hours		10/23/2013	0
10/23/2013	FIELD BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	FIELD BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	FIELD BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	10/29/2013	1
10/23/2013	FIELD BLANK	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/28/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/23/2013	FIELD BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	10/28/2013	1
10/23/2013	FIELD BLANK	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10		Antimony	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-10		Arsenic	TRUE	0		0.002	0.01	mg/L		12/6/2013	0
10/23/2013	MW-10		Barium	FALSE	0.014	J	0.003	0.015	mg/L		12/19/2013	0
10/23/2013	MW-10		Beryllium	TRUE	0		0.0002	0.001	mg/L		12/16/2013	0
10/23/2013	MW-10		Cadmium	TRUE	0		0.0003	0.0015	mg/L		12/16/2013	0
10/23/2013	MW-10		Chromium	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-10		Cobalt	FALSE	0.0017	J	0.0006	0.003	mg/L		12/17/2013	0
10/23/2013	MW-10		Copper	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-10		Lead	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-10		Nickel	TRUE	0		0.005	0.025	mg/L		12/16/2013	0
10/23/2013	MW-10		Selenium	TRUE	0		0.002	0.01	mg/L		12/18/2013	0
10/23/2013	MW-10		Silver	TRUE	0		0.0001	0.0004	mg/L		12/18/2013	0
10/23/2013	MW-10		Thallium	TRUE	0		0.0003	0.002	mg/L		12/18/2013	0
10/23/2013	MW-10		Vanadium	TRUE	0		0.001	0.005	mg/L		12/19/2013	0
10/23/2013	MW-10		Zinc	TRUE	0		0.01	0.03	mg/L		12/11/2013	0
10/23/2013	MW-10		Groundwater Elevation	FALSE	1597.72		0	0	feet		10/23/2013	0
10/23/2013	MW-10		pH	FALSE	6.67		0	0	S.U.		10/23/2013	0
10/23/2013	MW-10		Sample Time	FALSE	1145		0	0	hours		10/23/2013	0
10/23/2013	MW-10		Specific Conductivity	FALSE	1.068		0	0	mS/cm		10/23/2013	0
10/23/2013	MW-10		Temperature	FALSE	13.78		0	0	Degrees C		10/23/2013	0
10/23/2013	MW-10		Turbidity	FALSE	3.27		0	0	NTU		10/23/2013	0
10/23/2013	MW-10	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-10	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-10	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-10	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/23/2013	MW-10	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-10	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11		Antimony	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-11		Arsenic	TRUE	0		0.002	0.01	mg/L		12/6/2013	0
10/23/2013	MW-11		Barium	FALSE	0.02		0.003	0.015	mg/L		12/19/2013	0
10/23/2013	MW-11		Beryllium	TRUE	0		0.0002	0.001	mg/L		12/16/2013	0
10/23/2013	MW-11		Cadmium	TRUE	0		0.0003	0.0015	mg/L		12/16/2013	0
10/23/2013	MW-11		Chromium	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-11		Cobalt	FALSE	0.002	J	0.0006	0.003	mg/L		12/17/2013	0
10/23/2013	MW-11		Copper	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-11		Lead	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-11		Nickel	TRUE	0		0.005	0.025	mg/L		12/16/2013	0
10/23/2013	MW-11		Selenium	TRUE	0		0.002	0.01	mg/L		12/18/2013	0
10/23/2013	MW-11		Silver	TRUE	0		0.0001	0.0004	mg/L		12/18/2013	0
10/23/2013	MW-11		Thallium	TRUE	0		0.0003	0.002	mg/L		12/18/2013	0
10/23/2013	MW-11		Vanadium	TRUE	0		0.001	0.005	mg/L		12/19/2013	0
10/23/2013	MW-11		Zinc	TRUE	0		0.01	0.03	mg/L		12/11/2013	0
10/23/2013	MW-11		Groundwater Elevation	FALSE	1597.69		0	0	feet		10/23/2013	0
10/23/2013	MW-11		pH	FALSE	6.67		0	0	S.U.		10/23/2013	0
10/23/2013	MW-11		Sample Time	FALSE	1200		0	0	hours		10/23/2013	0
10/23/2013	MW-11		Specific Conductivity	FALSE	1.116		0	0	mS/cm		10/23/2013	0
10/23/2013	MW-11		Temperature	FALSE	13.69		0	0	Degrees C		10/23/2013	0
10/23/2013	MW-11		Turbidity	FALSE	0.89		0	0	NTU		10/23/2013	0
10/23/2013	MW-11	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-11	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-11	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-11	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/23/2013	MW-11	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-11	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12		Antimony	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-12		Arsenic	TRUE	0		0.002	0.01	mg/L		12/6/2013	0
10/23/2013	MW-12		Barium	FALSE	1.271		0.003	0.015	mg/L		12/19/2013	0
10/23/2013	MW-12		Beryllium	TRUE	0		0.0002	0.001	mg/L		12/16/2013	0
10/23/2013	MW-12		Cadmium	TRUE	0		0.0003	0.0015	mg/L		12/16/2013	0
10/23/2013	MW-12		Chromium	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-12		Cobalt	TRUE	0		0.0006	0.003	mg/L		12/17/2013	0
10/23/2013	MW-12		Copper	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-12		Lead	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-12		Nickel	TRUE	0		0.005	0.025	mg/L		12/16/2013	0
10/23/2013	MW-12		Selenium	TRUE	0		0.002	0.01	mg/L		12/18/2013	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/23/2013	MW-12		Silver	TRUE	0		0.0001	0.0004	mg/L		12/18/2013	0
10/23/2013	MW-12		Thallium	TRUE	0		0.0003	0.002	mg/L		12/18/2013	0
10/23/2013	MW-12		Vanadium	TRUE	0		0.001	0.005	mg/L		12/19/2013	0
10/23/2013	MW-12		Zinc	TRUE	0		0.01	0.03	mg/L		12/11/2013	0
10/23/2013	MW-12		Groundwater Elevation	FALSE	1595.93		0	0	feet		10/23/2013	0
10/23/2013	MW-12		pH	FALSE	7.6		0	0	S.U.		10/23/2013	0
10/23/2013	MW-12		Sample Time	FALSE	1045		0	0	hours		10/23/2013	0
10/23/2013	MW-12		Specific Conductivity	FALSE	0.921		0	0	mS/cm		10/23/2013	0
10/23/2013	MW-12		Temperature	FALSE	13.14		0	0	Degrees C		10/23/2013	0
10/23/2013	MW-12		Turbidity	FALSE	1.82		0	0	NTU		10/23/2013	0
10/23/2013	MW-12	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-12	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-12	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-12	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/23/2013	MW-12	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-12	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H		Antimony	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-14H		Arsenic	TRUE	0		0.002	0.01	mg/L		12/6/2013	0
10/23/2013	MW-14H		Barium	FALSE	0.334		0.003	0.015	mg/L		12/19/2013	0
10/23/2013	MW-14H		Beryllium	TRUE	0		0.0002	0.001	mg/L		12/16/2013	0
10/23/2013	MW-14H		Cadmium	TRUE	0		0.0003	0.0015	mg/L		12/16/2013	0
10/23/2013	MW-14H		Chromium	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-14H		Cobalt	TRUE	0		0.0006	0.003	mg/L		12/17/2013	0
10/23/2013	MW-14H		Copper	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-14H		Lead	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-14H		Nickel	TRUE	0		0.005	0.025	mg/L		12/16/2013	0
10/23/2013	MW-14H		Selenium	TRUE	0		0.002	0.01	mg/L		12/18/2013	0
10/23/2013	MW-14H		Silver	TRUE	0		0.0001	0.0004	mg/L		12/18/2013	0
10/23/2013	MW-14H		Thallium	TRUE	0		0.0003	0.002	mg/L		12/18/2013	0
10/23/2013	MW-14H		Vanadium	FALSE	0.001	J	0.001	0.005	mg/L		12/19/2013	0
10/23/2013	MW-14H		Zinc	TRUE	0		0.01	0.03	mg/L		12/11/2013	0
10/23/2013	MW-14H		Groundwater Elevation	FALSE	1886.14		0	0	feet		10/23/2013	0
10/23/2013	MW-14H		pH	FALSE	6.74		0	0	S.U.		10/23/2013	0
10/23/2013	MW-14H		Sample Time	FALSE	1745		0	0	hours		10/23/2013	0
10/23/2013	MW-14H		Specific Conductivity	FALSE	0.338		0	0	mS/cm		10/23/2013	0
10/23/2013	MW-14H		Temperature	FALSE	12.35		0	0	Degrees C		10/23/2013	0
10/23/2013	MW-14H		Turbidity	FALSE	2.98		0	0	NTU		10/23/2013	0
10/23/2013	MW-14H	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-14H	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-14H	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-14H	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/23/2013	MW-14H	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-14H	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3		Antimony	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-3		Arsenic	TRUE	0		0.002	0.01	mg/L		12/6/2013	0
10/23/2013	MW-3		Barium	FALSE	0.097		0.003	0.015	mg/L		12/19/2013	0
10/23/2013	MW-3		Beryllium	TRUE	0		0.0002	0.001	mg/L		12/16/2013	0
10/23/2013	MW-3		Cadmium	TRUE	0		0.0003	0.0015	mg/L		12/16/2013	0
10/23/2013	MW-3		Chromium	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-3		Cobalt	FALSE	0.0008	J	0.0006	0.003	mg/L		12/17/2013	0
10/23/2013	MW-3		Copper	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-3		Lead	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-3		Nickel	TRUE	0		0.005	0.025	mg/L		12/16/2013	0
10/23/2013	MW-3		Selenium	TRUE	0		0.002	0.01	mg/L		12/18/2013	0
10/23/2013	MW-3		Silver	TRUE	0		0.0001	0.0004	mg/L		12/18/2013	0
10/23/2013	MW-3		Thallium	TRUE	0		0.0003	0.002	mg/L		12/18/2013	0
10/23/2013	MW-3		Vanadium	FALSE	0.002	J	0.001	0.005	mg/L		12/19/2013	0
10/23/2013	MW-3		Zinc	TRUE	0		0.01	0.03	mg/L		12/11/2013	0
10/23/2013	MW-3		Groundwater Elevation	FALSE	1595.65		0	0	feet		10/23/2013	0
10/23/2013	MW-3		pH	FALSE	6.38		0	0	S.U.		10/23/2013	0
10/23/2013	MW-3		Sample Time	FALSE	1030		0	0	hours		10/23/2013	0
10/23/2013	MW-3		Specific Conductivity	FALSE	0.55		0	0	mS/cm		10/23/2013	0
10/23/2013	MW-3		Temperature	FALSE	12.63		0	0	Degrees C		10/23/2013	0
10/23/2013	MW-3		Turbidity	FALSE	7.02		0	0	NTU		10/23/2013	0
10/23/2013	MW-3	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-3	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-3	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-3	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/23/2013	MW-3	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-3	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4		Antimony	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-4		Arsenic	TRUE	0		0.002	0.01	mg/L		12/6/2013	0
10/23/2013	MW-4		Barium	FALSE	0.049		0.003	0.015	mg/L		12/19/2013	0
10/23/2013	MW-4		Beryllium	TRUE	0		0.0002	0.001	mg/L		12/16/2013	0
10/23/2013	MW-4		Cadmium	TRUE	0		0.0003	0.0015	mg/L		12/16/2013	0
10/23/2013	MW-4		Chromium	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-4		Cobalt	TRUE	0		0.0006	0.003	mg/L		12/17/2013	0
10/23/2013	MW-4		Copper	FALSE	0.01		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-4		Lead	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-4		Nickel	TRUE	0		0.005	0.025	mg/L		12/16/2013	0
10/23/2013	MW-4		Selenium	TRUE	0		0.002	0.01	mg/L		12/18/2013	0
10/23/2013	MW-4		Silver	TRUE	0		0.0001	0.0004	mg/L		12/18/2013	0
10/23/2013	MW-4		Thallium	TRUE	0		0.0003	0.002	mg/L		12/18/2013	0
10/23/2013	MW-4		Vanadium	TRUE	0		0.001	0.005	mg/L		12/19/2013	0
10/23/2013	MW-4		Zinc	FALSE	0.04		0.01	0.03	mg/L		12/11/2013	0
10/23/2013	MW-4		Groundwater Elevation	FALSE	1854.25		0	0	feet		10/23/2013	0
10/23/2013	MW-4		pH	FALSE	6.5		0	0	S.U.		10/23/2013	0
10/23/2013	MW-4		Sample Time	FALSE	1200		0	0	hours		10/23/2013	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/23/2013	MW-4		Specific Conductivity	FALSE	0.47		0	0	mS/cm		10/23/2013	0
10/23/2013	MW-4		Temperature	FALSE	12.13		0	0	Degrees C		10/23/2013	0
10/23/2013	MW-4		Turbidity	FALSE	5.9		0	0	NTU		10/23/2013	0
10/23/2013	MW-4	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-4	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-4	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-4	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-4	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5		Antimony	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-5		Arsenic	TRUE	0		0.002	0.01	mg/L		12/6/2013	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/23/2013	MW-5		Barium	FALSE	0.383		0.003	0.015	mg/L		12/19/2013	0
10/23/2013	MW-5		Beryllium	TRUE	0		0.0002	0.001	mg/L		12/16/2013	0
10/23/2013	MW-5		Cadmium	TRUE	0		0.0003	0.0015	mg/L		12/16/2013	0
10/23/2013	MW-5		Chromium	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-5		Cobalt	TRUE	0		0.0006	0.003	mg/L		12/17/2013	0
10/23/2013	MW-5		Copper	FALSE	0.001	J	0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-5		Lead	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-5		Nickel	TRUE	0		0.005	0.025	mg/L		12/16/2013	0
10/23/2013	MW-5		Selenium	TRUE	0		0.002	0.01	mg/L		12/18/2013	0
10/23/2013	MW-5		Silver	TRUE	0		0.0001	0.0004	mg/L		12/18/2013	0
10/23/2013	MW-5		Thallium	TRUE	0		0.0003	0.002	mg/L		12/18/2013	0
10/23/2013	MW-5		Vanadium	FALSE	0.001	J	0.001	0.005	mg/L		12/19/2013	0
10/23/2013	MW-5		Zinc	TRUE	0		0.01	0.03	mg/L		12/11/2013	0
10/23/2013	MW-5		Groundwater Elevation	FALSE	1854.72		0	0	feet		10/23/2013	0
10/23/2013	MW-5		pH	FALSE	7.3		0	0	S.U.		10/23/2013	0
10/23/2013	MW-5		Sample Time	FALSE	1500		0	0	hours		10/23/2013	0
10/23/2013	MW-5		Specific Conductivity	FALSE	0.5		0	0	mS/cm		10/23/2013	0
10/23/2013	MW-5		Temperature	FALSE	12.3		0	0	Degrees C		10/23/2013	0
10/23/2013	MW-5		Turbidity	FALSE	0.57		0	0	NTU		10/23/2013	0
10/23/2013	MW-5	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-5	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-5	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-5	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/28/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/23/2013	MW-5	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP		Antimony	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-5 DUP		Arsenic	TRUE	0		0.002	0.01	mg/L		12/6/2013	0
10/23/2013	MW-5 DUP		Barium	FALSE	0.388		0.003	0.015	mg/L		12/19/2013	0
10/23/2013	MW-5 DUP		Beryllium	TRUE	0		0.0002	0.001	mg/L		12/16/2013	0
10/23/2013	MW-5 DUP		Cadmium	TRUE	0		0.0003	0.0015	mg/L		12/16/2013	0
10/23/2013	MW-5 DUP		Chromium	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-5 DUP		Cobalt	TRUE	0		0.0006	0.003	mg/L		12/17/2013	0
10/23/2013	MW-5 DUP		Copper	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-5 DUP		Lead	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-5 DUP		Nickel	TRUE	0		0.005	0.025	mg/L		12/16/2013	0
10/23/2013	MW-5 DUP		Selenium	TRUE	0		0.002	0.01	mg/L		12/18/2013	0
10/23/2013	MW-5 DUP		Silver	TRUE	0		0.0001	0.0004	mg/L		12/18/2013	0
10/23/2013	MW-5 DUP		Thallium	TRUE	0		0.0003	0.002	mg/L		12/18/2013	0
10/23/2013	MW-5 DUP		Vanadium	TRUE	0		0.001	0.005	mg/L		12/19/2013	0
10/23/2013	MW-5 DUP		Zinc	TRUE	0		0.01	0.03	mg/L		12/11/2013	0
10/23/2013	MW-5 DUP		pH	FALSE	7.35		0	0	S.U.		10/23/2013	0
10/23/2013	MW-5 DUP		Sample Time	FALSE	1505		0	0	hours		10/23/2013	0
10/23/2013	MW-5 DUP		Specific Conductivity	FALSE	0.5		0	0	mS/cm		10/23/2013	0
10/23/2013	MW-5 DUP		Temperature	FALSE	12.11		0	0	Degrees C		10/23/2013	0
10/23/2013	MW-5 DUP		Turbidity	FALSE	0.57		0	0	NTU		10/23/2013	0
10/23/2013	MW-5 DUP	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-5 DUP	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-5 DUP	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-5 DUP	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/23/2013	MW-5 DUP	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-5 DUP	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7		Antimony	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-7		Arsenic	FALSE	0.004	J	0.002	0.01	mg/L		12/6/2013	0
10/23/2013	MW-7		Barium	FALSE	0.126		0.003	0.015	mg/L		12/19/2013	0
10/23/2013	MW-7		Beryllium	TRUE	0		0.0002	0.001	mg/L		12/16/2013	0
10/23/2013	MW-7		Cadmium	TRUE	0		0.0003	0.0015	mg/L		12/16/2013	0
10/23/2013	MW-7		Chromium	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-7		Cobalt	TRUE	0		0.0006	0.003	mg/L		12/17/2013	0
10/23/2013	MW-7		Copper	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-7		Lead	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	MW-7		Nickel	TRUE	0		0.005	0.025	mg/L		12/16/2013	0
10/23/2013	MW-7		Selenium	TRUE	0		0.002	0.01	mg/L		12/18/2013	0
10/23/2013	MW-7		Silver	TRUE	0		0.0001	0.0004	mg/L		12/18/2013	0
10/23/2013	MW-7		Thallium	TRUE	0		0.0003	0.002	mg/L		12/18/2013	0
10/23/2013	MW-7		Vanadium	TRUE	0		0.001	0.005	mg/L		12/19/2013	0
10/23/2013	MW-7		Zinc	TRUE	0		0.01	0.03	mg/L		12/11/2013	0
10/23/2013	MW-7		Groundwater Elevation	FALSE	1596.02		0	0	feet		10/23/2013	0
10/23/2013	MW-7		pH	FALSE	7.82		0	0	S.U.		10/23/2013	0
10/23/2013	MW-7		Sample Time	FALSE	1055		0	0	hours		10/23/2013	0
10/23/2013	MW-7		Specific Conductivity	FALSE	1.61		0	0	mS/cm		10/23/2013	0
10/23/2013	MW-7		Temperature	FALSE	13.17		0	0	Degrees C		10/23/2013	0
10/23/2013	MW-7		Turbidity	FALSE	0.74		0	0	NTU		10/23/2013	0
10/23/2013	MW-7	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-7	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-7	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	10/29/2013	1
10/23/2013	MW-7	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/28/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/23/2013	MW-7	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	10/28/2013	1
10/23/2013	MW-7	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1		Antimony	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	UD-1		Arsenic	TRUE	0		0.002	0.01	mg/L		12/6/2013	0
10/23/2013	UD-1		Barium	FALSE	0.061		0.003	0.015	mg/L		12/19/2013	0
10/23/2013	UD-1		Beryllium	TRUE	0		0.0002	0.001	mg/L		12/16/2013	0
10/23/2013	UD-1		Cadmium	TRUE	0		0.0003	0.0015	mg/L		12/16/2013	0
10/23/2013	UD-1		Chromium	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	UD-1		Cobalt	FALSE	0.0311		0.0006	0.003	mg/L		12/17/2013	0
10/23/2013	UD-1		Copper	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	UD-1		Lead	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	UD-1		Nickel	FALSE	0.015	J	0.005	0.025	mg/L		12/16/2013	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/23/2013	UD-1		Selenium	TRUE	0		0.002	0.01	mg/L		12/18/2013	0
10/23/2013	UD-1		Silver	TRUE	0		0.0001	0.0004	mg/L		12/18/2013	0
10/23/2013	UD-1		Thallium	TRUE	0		0.0003	0.002	mg/L		12/18/2013	0
10/23/2013	UD-1		Vanadium	TRUE	0		0.001	0.005	mg/L		12/19/2013	0
10/23/2013	UD-1		Zinc	TRUE	0		0.01	0.03	mg/L		12/11/2013	0
10/23/2013	UD-1		pH	FALSE	6.26		0	0	S.U.		10/23/2013	0
10/23/2013	UD-1		Sample Time	FALSE	1130		0	0	hours		10/23/2013	0
10/23/2013	UD-1		Specific Conductivity	FALSE	1.306		0	0	mS/cm		10/23/2013	0
10/23/2013	UD-1		Temperature	FALSE	13.28		0	0	Degrees C		10/23/2013	0
10/23/2013	UD-1		Turbidity	FALSE	8.47		0	0	NTU		10/23/2013	0
10/23/2013	UD-1	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	UD-1	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	UD-1	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	10/29/2013	1
10/23/2013	UD-1	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/23/2013	UD-1	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-1	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2		Antimony	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	UD-2		Arsenic	TRUE	0		0.002	0.01	mg/L		12/6/2013	0
10/23/2013	UD-2		Barium	FALSE	0.029		0.003	0.015	mg/L		12/19/2013	0
10/23/2013	UD-2		Beryllium	TRUE	0		0.0002	0.001	mg/L		12/16/2013	0
10/23/2013	UD-2		Cadmium	TRUE	0		0.0003	0.0015	mg/L		12/16/2013	0
10/23/2013	UD-2		Chromium	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	UD-2		Cobalt	TRUE	0		0.0006	0.003	mg/L		12/17/2013	0
10/23/2013	UD-2		Copper	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	UD-2		Lead	TRUE	0		0.001	0.005	mg/L		12/16/2013	0
10/23/2013	UD-2		Nickel	FALSE	0.006	J	0.005	0.025	mg/L		12/16/2013	0
10/23/2013	UD-2		Selenium	FALSE	0.004	J	0.002	0.01	mg/L		12/18/2013	0
10/23/2013	UD-2		Silver	TRUE	0		0.0001	0.0004	mg/L		12/18/2013	0
10/23/2013	UD-2		Thallium	FALSE	0.0005	J	0.0003	0.002	mg/L		12/18/2013	0
10/23/2013	UD-2		Vanadium	TRUE	0		0.001	0.005	mg/L		12/19/2013	0
10/23/2013	UD-2		Zinc	TRUE	0		0.01	0.03	mg/L		12/11/2013	0
10/23/2013	UD-2		pH	FALSE	6.94		0	0	S.U.		10/23/2013	0
10/23/2013	UD-2		Sample Time	FALSE	1515		0	0	hours		10/23/2013	0
10/23/2013	UD-2		Specific Conductivity	FALSE	1.9		0	0	mS/cm		10/23/2013	0
10/23/2013	UD-2		Temperature	FALSE	13.7		0	0	Degrees C		10/23/2013	0
10/23/2013	UD-2		Turbidity	FALSE	6.33		0	0	NTU		10/23/2013	0
10/23/2013	UD-2	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	UD-2	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/29/2013	1
10/23/2013	UD-2	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.03	ug/L	SW8011	10/29/2013	1
10/23/2013	UD-2	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/23/2013	UD-2	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	10/28/2013	1
10/23/2013	UD-2	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	10/28/2013	1
3/10/2014	TRIP BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/10/2014	TRIP BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/10/2014	TRIP BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/10/2014	TRIP BLANK	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Methylene Chloride	FALSE	2.24	J	1	4	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/3/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/10/2014	TRIP BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	4/3/2014	1
3/10/2014	TRIP BLANK	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK		Antimony	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	FIELD BLANK		Arsenic	TRUE	0		0.002	0.01	mg/L		4/28/2014	0
3/26/2014	FIELD BLANK		Barium	TRUE	0		0.003	0.015	mg/L		5/1/2014	0
3/26/2014	FIELD BLANK		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/29/2014	0
3/26/2014	FIELD BLANK		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/29/2014	0
3/26/2014	FIELD BLANK		Chromium	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	FIELD BLANK		Cobalt	TRUE	0		0.0006	0.003	mg/L		4/30/2014	0
3/26/2014	FIELD BLANK		Copper	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	FIELD BLANK		Lead	TRUE	0		0.001	0.005	mg/L		4/30/2014	0
3/26/2014	FIELD BLANK		Nickel	TRUE	0		0.005	0.025	mg/L		4/29/2014	0
3/26/2014	FIELD BLANK		Selenium	TRUE	0		0.002	0.01	mg/L		4/28/2014	0
3/26/2014	FIELD BLANK		Silver	TRUE	0		0.0001	0.0004	mg/L		5/1/2014	0
3/26/2014	FIELD BLANK		Thallium	TRUE	0		0.0003	0.002	mg/L		4/30/2014	0
3/26/2014	FIELD BLANK		Vanadium	TRUE	0		0.001	0.005	mg/L		5/1/2014	0
3/26/2014	FIELD BLANK		Zinc	TRUE	0		0.01	0.03	mg/L		5/15/2014	0
3/26/2014	FIELD BLANK		Sample Time	FALSE	1250		0	0	hours		3/26/2014	0
3/26/2014	FIELD BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	FIELD BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	FIELD BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	FIELD BLANK	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/26/2014	FIELD BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	2-Butanone (MEK)	FALSE	3.13	J	1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Toluene	FALSE	0.27	J	0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	m,p-Cresols	FALSE	0.21	J	0.2	2	ug/L	SW8260B	4/3/2014	1
3/26/2014	FIELD BLANK	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10		Antimony	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-10		Arsenic	TRUE	0		0.002	0.01	mg/L		5/2/2014	0
3/26/2014	MW-10		Barium	FALSE	0.031		0.003	0.015	mg/L		5/1/2014	0
3/26/2014	MW-10		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/29/2014	0
3/26/2014	MW-10		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/29/2014	0
3/26/2014	MW-10		Chromium	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-10		Cobalt	FALSE	0.001	J	0.0006	0.003	mg/L		4/30/2014	0
3/26/2014	MW-10		Copper	FALSE	0.002	J	0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-10		Lead	TRUE	0		0.001	0.005	mg/L		4/30/2014	0
3/26/2014	MW-10		Nickel	TRUE	0		0.005	0.025	mg/L		4/29/2014	0
3/26/2014	MW-10		Selenium	TRUE	0		0.002	0.01	mg/L		4/28/2014	0
3/26/2014	MW-10		Silver	TRUE	0		0.0001	0.0004	mg/L		5/1/2014	0
3/26/2014	MW-10		Thallium	TRUE	0		0.0003	0.002	mg/L		4/30/2014	0
3/26/2014	MW-10		Vanadium	TRUE	0		0.001	0.005	mg/L		5/1/2014	0
3/26/2014	MW-10		Zinc	FALSE	0.01	J	0.01	0.03	mg/L		5/15/2014	0
3/26/2014	MW-10		Groundwater Elevation	FALSE	1599.52		0	0	feet		3/26/2014	0
3/26/2014	MW-10		pH	FALSE	6.59		0	0	S.U.		3/26/2014	0
3/26/2014	MW-10		Sample Time	FALSE	1715		0	0	hours		3/26/2014	0
3/26/2014	MW-10		Specific Conductivity	FALSE	0.987		0	0	mS/cm		3/26/2014	0
3/26/2014	MW-10		Temperature	FALSE	12.92		0	0	Degrees C		3/26/2014	0
3/26/2014	MW-10		Turbidity	FALSE	3.91		0	0	NTU		3/26/2014	0
3/26/2014	MW-10	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-10	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-10	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-10	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/26/2014	MW-10	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-10	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11		Antimony	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-11		Arsenic	TRUE	0		0.002	0.01	mg/L		5/2/2014	0
3/26/2014	MW-11		Barium	FALSE	0.035		0.003	0.015	mg/L		5/1/2014	0
3/26/2014	MW-11		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/29/2014	0
3/26/2014	MW-11		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/29/2014	0
3/26/2014	MW-11		Chromium	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-11		Cobalt	FALSE	0.0014	J	0.0006	0.003	mg/L		4/30/2014	0
3/26/2014	MW-11		Copper	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-11		Lead	FALSE	0.003	J	0.001	0.005	mg/L		4/30/2014	0
3/26/2014	MW-11		Nickel	TRUE	0		0.005	0.025	mg/L		4/29/2014	0
3/26/2014	MW-11		Selenium	TRUE	0		0.002	0.01	mg/L		4/28/2014	0
3/26/2014	MW-11		Silver	TRUE	0		0.0001	0.0004	mg/L		5/1/2014	0
3/26/2014	MW-11		Thallium	TRUE	0		0.0003	0.002	mg/L		4/30/2014	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/26/2014	MW-11		Vanadium	TRUE	0		0.001	0.005	mg/L		5/1/2014	0
3/26/2014	MW-11		Zinc	FALSE	0.04		0.01	0.03	mg/L		5/15/2014	0
3/26/2014	MW-11		Groundwater Elevation	FALSE	1599.53		0	0	feet		3/26/2014	0
3/26/2014	MW-11		pH	FALSE	6.88		0	0	S.U.		3/26/2014	0
3/26/2014	MW-11		Sample Time	FALSE	1630		0	0	hours		3/26/2014	0
3/26/2014	MW-11		Specific Conductivity	FALSE	1.135		0	0	mS/cm		3/26/2014	0
3/26/2014	MW-11		Temperature	FALSE	10.53		0	0	Degrees C		3/26/2014	0
3/26/2014	MW-11		Turbidity	FALSE	7.92		0	0	NTU		3/26/2014	0
3/26/2014	MW-11	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-11	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-11	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-11	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/26/2014	MW-11	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-11	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12		Antimony	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-12		Arsenic	TRUE	0		0.002	0.01	mg/L		5/2/2014	0
3/26/2014	MW-12		Barium	FALSE	1.045		0.003	0.015	mg/L		5/1/2014	0
3/26/2014	MW-12		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/29/2014	0
3/26/2014	MW-12		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/29/2014	0
3/26/2014	MW-12		Chromium	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-12		Cobalt	TRUE	0		0.0006	0.003	mg/L		4/30/2014	0
3/26/2014	MW-12		Copper	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-12		Lead	TRUE	0		0.001	0.005	mg/L		4/30/2014	0
3/26/2014	MW-12		Nickel	TRUE	0		0.005	0.025	mg/L		4/29/2014	0
3/26/2014	MW-12		Selenium	TRUE	0		0.002	0.01	mg/L		4/28/2014	0
3/26/2014	MW-12		Silver	TRUE	0		0.0001	0.0004	mg/L		5/1/2014	0
3/26/2014	MW-12		Thallium	TRUE	0		0.0003	0.002	mg/L		4/30/2014	0
3/26/2014	MW-12		Vanadium	TRUE	0		0.001	0.005	mg/L		5/1/2014	0
3/26/2014	MW-12		Zinc	TRUE	0		0.01	0.03	mg/L		5/15/2014	0
3/26/2014	MW-12		Groundwater Elevation	FALSE	1597.13		0	0	feet		3/26/2014	0
3/26/2014	MW-12		pH	FALSE	7.3		0	0	S.U.		3/26/2014	0
3/26/2014	MW-12		Sample Time	FALSE	1505		0	0	hours		3/26/2014	0
3/26/2014	MW-12		Specific Conductivity	FALSE	0.974		0	0	mS/cm		3/26/2014	0
3/26/2014	MW-12		Temperature	FALSE	12.37		0	0	Degrees C		3/26/2014	0
3/26/2014	MW-12		Turbidity	FALSE	1.88		0	0	NTU		3/26/2014	0
3/26/2014	MW-12	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-12	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-12	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-12	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/26/2014	MW-12	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-12	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3		Antimony	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-3		Arsenic	TRUE	0		0.002	0.01	mg/L		5/2/2014	0
3/26/2014	MW-3		Barium	FALSE	0.092		0.003	0.015	mg/L		5/1/2014	0
3/26/2014	MW-3		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/29/2014	0
3/26/2014	MW-3		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/29/2014	0
3/26/2014	MW-3		Chromium	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-3		Cobalt	FALSE	0.0012	J	0.0006	0.003	mg/L		4/30/2014	0
3/26/2014	MW-3		Copper	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-3		Lead	TRUE	0		0.001	0.005	mg/L		4/30/2014	0
3/26/2014	MW-3		Nickel	TRUE	0		0.005	0.025	mg/L		4/29/2014	0
3/26/2014	MW-3		Selenium	TRUE	0		0.002	0.01	mg/L		4/28/2014	0
3/26/2014	MW-3		Silver	TRUE	0		0.0001	0.0004	mg/L		5/1/2014	0
3/26/2014	MW-3		Thallium	TRUE	0		0.0003	0.002	mg/L		4/30/2014	0
3/26/2014	MW-3		Vanadium	TRUE	0		0.001	0.005	mg/L		5/1/2014	0
3/26/2014	MW-3		Zinc	TRUE	0		0.01	0.03	mg/L		5/15/2014	0
3/26/2014	MW-3		Groundwater Elevation	FALSE	1597.55		0	0	feet		3/26/2014	0
3/26/2014	MW-3		pH	FALSE	6.73		0	0	S.U.		3/26/2014	0
3/26/2014	MW-3		Sample Time	FALSE	1550		0	0	hours		3/26/2014	0
3/26/2014	MW-3		Specific Conductivity	FALSE	0.913		0	0	mS/cm		3/26/2014	0
3/26/2014	MW-3		Temperature	FALSE	11.02		0	0	Degrees C		3/26/2014	0
3/26/2014	MW-3		Turbidity	FALSE	9.22		0	0	NTU		3/26/2014	0
3/26/2014	MW-3	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-3	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-3	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-3	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/26/2014	MW-3	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-3	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4		Antimony	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-4		Arsenic	TRUE	0		0.002	0.01	mg/L		5/2/2014	0
3/26/2014	MW-4		Barium	FALSE	0.073		0.003	0.015	mg/L		5/1/2014	0
3/26/2014	MW-4		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/29/2014	0
3/26/2014	MW-4		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/29/2014	0
3/26/2014	MW-4		Chromium	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-4		Cobalt	TRUE	0		0.0006	0.003	mg/L		4/30/2014	0
3/26/2014	MW-4		Copper	FALSE	0.003	J	0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-4		Lead	FALSE	0.002	J	0.001	0.005	mg/L		4/30/2014	0
3/26/2014	MW-4		Nickel	TRUE	0		0.005	0.025	mg/L		4/29/2014	0
3/26/2014	MW-4		Selenium	TRUE	0		0.002	0.01	mg/L		4/28/2014	0
3/26/2014	MW-4		Silver	TRUE	0		0.0001	0.0004	mg/L		5/1/2014	0
3/26/2014	MW-4		Thallium	TRUE	0		0.0003	0.002	mg/L		4/30/2014	0
3/26/2014	MW-4		Vanadium	TRUE	0		0.001	0.005	mg/L		5/1/2014	0
3/26/2014	MW-4		Zinc	TRUE	0		0.01	0.03	mg/L		5/15/2014	0
3/26/2014	MW-4		Groundwater Elevation	FALSE	1856.73		0	0	feet		3/26/2014	0
3/26/2014	MW-4		pH	FALSE	6.73		0	0	S.U.		3/26/2014	0
3/26/2014	MW-4		Sample Time	FALSE	1550		0	0	hours		3/26/2014	0
3/26/2014	MW-4		Specific Conductivity	FALSE	0.529		0	0	mS/cm		3/26/2014	0
3/26/2014	MW-4		Temperature	FALSE	11.81		0	0	Degrees C		3/26/2014	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/26/2014	MW-4		Turbidity	FALSE	3.01		0	0	NTU		3/26/2014	0
3/26/2014	MW-4	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-4	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-4	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-4	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-4	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-5		Antimony	FALSE	0.001	J	0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-5		Arsenic	TRUE	0		0.002	0.01	mg/L		5/2/2014	0
3/26/2014	MW-5		Barium	FALSE	0.491		0.003	0.015	mg/L		5/1/2014	0
3/26/2014	MW-5		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/29/2014	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/26/2014	MW-5		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/29/2014	0
3/26/2014	MW-5		Chromium	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-5		Cobalt	TRUE	0		0.0006	0.003	mg/L		4/30/2014	0
3/26/2014	MW-5		Copper	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-5		Lead	TRUE	0		0.001	0.005	mg/L		4/30/2014	0
3/26/2014	MW-5		Nickel	TRUE	0		0.005	0.025	mg/L		4/29/2014	0
3/26/2014	MW-5		Selenium	TRUE	0		0.002	0.01	mg/L		4/28/2014	0
3/26/2014	MW-5		Silver	TRUE	0		0.0001	0.0004	mg/L		5/1/2014	0
3/26/2014	MW-5		Thallium	TRUE	0		0.0003	0.002	mg/L		4/30/2014	0
3/26/2014	MW-5		Vanadium	TRUE	0		0.001	0.005	mg/L		5/1/2014	0
3/26/2014	MW-5		Zinc	TRUE	0		0.01	0.03	mg/L		5/15/2014	0
3/26/2014	MW-5		Groundwater Elevation	FALSE	1856.13		0	0	feet		3/26/2014	0
3/26/2014	MW-5		pH	FALSE	7.14		0	0	S.U.		3/26/2014	0
3/26/2014	MW-5		Sample Time	FALSE	1420		0	0	hours		3/26/2014	0
3/26/2014	MW-5		Specific Conductivity	FALSE	0.488		0	0	mS/cm		3/26/2014	0
3/26/2014	MW-5		Temperature	FALSE	10.57		0	0	Degrees C		3/26/2014	0
3/26/2014	MW-5		Turbidity	FALSE	2.22		0	0	NTU		3/26/2014	0
3/26/2014	MW-5	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-5	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-5	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-5	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/9/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/26/2014	MW-5	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-5	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	4/9/2014	1
3/26/2014	MW-7		Antimony	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-7		Arsenic	FALSE	0.003	J	0.002	0.01	mg/L		5/2/2014	0
3/26/2014	MW-7		Barium	FALSE	0.138		0.003	0.015	mg/L		5/1/2014	0
3/26/2014	MW-7		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/29/2014	0
3/26/2014	MW-7		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/29/2014	0
3/26/2014	MW-7		Chromium	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-7		Cobalt	TRUE	0		0.0006	0.003	mg/L		4/30/2014	0
3/26/2014	MW-7		Copper	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-7		Lead	TRUE	0		0.001	0.005	mg/L		4/30/2014	0
3/26/2014	MW-7		Nickel	TRUE	0		0.005	0.025	mg/L		4/29/2014	0
3/26/2014	MW-7		Selenium	TRUE	0		0.002	0.01	mg/L		4/28/2014	0
3/26/2014	MW-7		Silver	TRUE	0		0.0001	0.0004	mg/L		5/1/2014	0
3/26/2014	MW-7		Thallium	TRUE	0		0.0003	0.002	mg/L		4/30/2014	0
3/26/2014	MW-7		Vanadium	TRUE	0		0.001	0.005	mg/L		5/1/2014	0
3/26/2014	MW-7		Zinc	TRUE	0		0.01	0.03	mg/L		5/15/2014	0
3/26/2014	MW-7		Groundwater Elevation	FALSE	1597.17		0	0	feet		3/26/2014	0
3/26/2014	MW-7		pH	FALSE	7.84		0	0	S.U.		3/26/2014	0
3/26/2014	MW-7		Sample Time	FALSE	1410		0	0	hours		3/26/2014	0
3/26/2014	MW-7		Specific Conductivity	FALSE	1.53		0	0	mS/cm		3/26/2014	0
3/26/2014	MW-7		Temperature	FALSE	12.27		0	0	Degrees C		3/26/2014	0
3/26/2014	MW-7		Turbidity	FALSE	7.41		0	0	NTU		3/26/2014	0
3/26/2014	MW-7	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-7	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-7	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-7	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/26/2014	MW-7	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP		Antimony	FALSE	0.001	J	0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-7 DUP		Arsenic	FALSE	0.002	J	0.002	0.01	mg/L		5/2/2014	0
3/26/2014	MW-7 DUP		Barium	FALSE	0.152		0.003	0.015	mg/L		5/1/2014	0
3/26/2014	MW-7 DUP		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/29/2014	0
3/26/2014	MW-7 DUP		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/29/2014	0
3/26/2014	MW-7 DUP		Chromium	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-7 DUP		Cobalt	TRUE	0		0.0006	0.003	mg/L		4/30/2014	0
3/26/2014	MW-7 DUP		Copper	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	MW-7 DUP		Lead	TRUE	0		0.001	0.005	mg/L		4/30/2014	0
3/26/2014	MW-7 DUP		Nickel	TRUE	0		0.005	0.025	mg/L		4/29/2014	0
3/26/2014	MW-7 DUP		Selenium	TRUE	0		0.002	0.01	mg/L		4/28/2014	0
3/26/2014	MW-7 DUP		Silver	TRUE	0		0.0001	0.0004	mg/L		5/1/2014	0
3/26/2014	MW-7 DUP		Thallium	TRUE	0		0.0003	0.002	mg/L		4/30/2014	0
3/26/2014	MW-7 DUP		Vanadium	TRUE	0		0.001	0.005	mg/L		5/1/2014	0
3/26/2014	MW-7 DUP		Zinc	TRUE	0		0.01	0.03	mg/L		5/15/2014	0
3/26/2014	MW-7 DUP		pH	FALSE	7.85		0	0	S.U.		3/26/2014	0
3/26/2014	MW-7 DUP		Sample Time	FALSE	1415		0	0	hours		3/26/2014	0
3/26/2014	MW-7 DUP		Specific Conductivity	FALSE	1.54		0	0	mS/cm		3/26/2014	0
3/26/2014	MW-7 DUP		Temperature	FALSE	12.01		0	0	Degrees C		3/26/2014	0
3/26/2014	MW-7 DUP		Turbidity	FALSE	7.58		0	0	NTU		3/26/2014	0
3/26/2014	MW-7 DUP	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-7 DUP	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-7 DUP	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	MW-7 DUP	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/26/2014	MW-7 DUP	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	4/3/2014	1
3/26/2014	MW-7 DUP	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1		Antimony	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	UD-1		Arsenic	TRUE	0		0.002	0.01	mg/L		5/2/2014	0
3/26/2014	UD-1		Barium	FALSE	0.095		0.003	0.015	mg/L		5/1/2014	0
3/26/2014	UD-1		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/29/2014	0
3/26/2014	UD-1		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/29/2014	0
3/26/2014	UD-1		Chromium	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	UD-1		Cobalt	FALSE	0.0149		0.0006	0.003	mg/L		4/30/2014	0
3/26/2014	UD-1		Copper	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	UD-1		Lead	TRUE	0		0.001	0.005	mg/L		4/30/2014	0
3/26/2014	UD-1		Nickel	FALSE	0.013	J	0.005	0.025	mg/L		4/29/2014	0
3/26/2014	UD-1		Selenium	TRUE	0		0.002	0.01	mg/L		4/28/2014	0
3/26/2014	UD-1		Silver	TRUE	0		0.0001	0.0004	mg/L		5/1/2014	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/26/2014	UD-1		Thallium	TRUE	0		0.0003	0.002	mg/L		4/30/2014	0
3/26/2014	UD-1		Vanadium	TRUE	0		0.001	0.005	mg/L		5/1/2014	0
3/26/2014	UD-1		Zinc	TRUE	0		0.01	0.03	mg/L		5/15/2014	0
3/26/2014	UD-1		pH	FALSE	7.08		0	0	S.U.		3/26/2014	0
3/26/2014	UD-1		Sample Time	FALSE	1645		0	0	hours		3/26/2014	0
3/26/2014	UD-1		Specific Conductivity	FALSE	1.22		0	0	mS/cm		3/26/2014	0
3/26/2014	UD-1		Temperature	FALSE	13.12		0	0	Degrees C		3/26/2014	0
3/26/2014	UD-1		Turbidity	FALSE	7.8		0	0	NTU		3/26/2014	0
3/26/2014	UD-1	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	UD-1	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	UD-1	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	UD-1	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/26/2014	UD-1	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-1	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2		Antimony	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	UD-2		Arsenic	TRUE	0		0.002	0.01	mg/L		5/2/2014	0
3/26/2014	UD-2		Barium	FALSE	0.005	J	0.003	0.015	mg/L		5/1/2014	0
3/26/2014	UD-2		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/29/2014	0
3/26/2014	UD-2		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/29/2014	0
3/26/2014	UD-2		Chromium	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	UD-2		Cobalt	FALSE	0.0008	J	0.0006	0.003	mg/L		4/30/2014	0
3/26/2014	UD-2		Copper	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/26/2014	UD-2		Lead	TRUE	0		0.001	0.005	mg/L		4/30/2014	0
3/26/2014	UD-2		Nickel	FALSE	0.006	J	0.005	0.025	mg/L		4/29/2014	0
3/26/2014	UD-2		Selenium	FALSE	0.004	J	0.002	0.01	mg/L		4/28/2014	0
3/26/2014	UD-2		Silver	TRUE	0		0.0001	0.0004	mg/L		5/1/2014	0
3/26/2014	UD-2		Thallium	TRUE	0		0.0003	0.002	mg/L		4/30/2014	0
3/26/2014	UD-2		Vanadium	TRUE	0		0.001	0.005	mg/L		5/1/2014	0
3/26/2014	UD-2		Zinc	FALSE	0.019	J	0.01	0.03	mg/L		5/15/2014	0
3/26/2014	UD-2		pH	FALSE	6.76		0	0	S.U.		3/26/2014	0
3/26/2014	UD-2		Sample Time	FALSE	1600		0	0	hours		3/26/2014	0
3/26/2014	UD-2		Specific Conductivity	FALSE	1.78		0	0	mS/cm		3/26/2014	0
3/26/2014	UD-2		Temperature	FALSE	11.71		0	0	Degrees C		3/26/2014	0
3/26/2014	UD-2		Turbidity	FALSE	5.18		0	0	NTU		3/26/2014	0
3/26/2014	UD-2	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	UD-2	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	UD-2	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/26/2014	UD-2	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/26/2014	UD-2	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	4/3/2014	1
3/26/2014	UD-2	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H		Antimony	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/27/2014	MW-14H		Arsenic	TRUE	0		0.002	0.01	mg/L		5/2/2014	0
3/27/2014	MW-14H		Barium	FALSE	0.309		0.003	0.015	mg/L		5/1/2014	0
3/27/2014	MW-14H		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/29/2014	0
3/27/2014	MW-14H		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/29/2014	0
3/27/2014	MW-14H		Chromium	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/27/2014	MW-14H		Cobalt	TRUE	0		0.0006	0.003	mg/L		4/30/2014	0
3/27/2014	MW-14H		Copper	TRUE	0		0.001	0.005	mg/L		4/29/2014	0
3/27/2014	MW-14H		Lead	TRUE	0		0.001	0.005	mg/L		4/30/2014	0
3/27/2014	MW-14H		Nickel	TRUE	0		0.005	0.025	mg/L		4/29/2014	0
3/27/2014	MW-14H		Selenium	TRUE	0		0.002	0.01	mg/L		4/28/2014	0
3/27/2014	MW-14H		Silver	TRUE	0		0.0001	0.0004	mg/L		5/1/2014	0
3/27/2014	MW-14H		Thallium	TRUE	0		0.0003	0.002	mg/L		4/30/2014	0
3/27/2014	MW-14H		Vanadium	TRUE	0		0.001	0.005	mg/L		5/1/2014	0
3/27/2014	MW-14H		Zinc	TRUE	0		0.01	0.03	mg/L		5/15/2014	0
3/27/2014	MW-14H		Groundwater Elevation	FALSE	1886.98		0	0	feet		3/27/2014	0
3/27/2014	MW-14H		pH	FALSE	6.61		0	0	S.U.		3/27/2014	0
3/27/2014	MW-14H		Sample Time	FALSE	1005		0	0	hours		3/27/2014	0
3/27/2014	MW-14H		Specific Conductivity	FALSE	0.351		0	0	mS/cm		3/27/2014	0
3/27/2014	MW-14H		Temperature	FALSE	11.17		0	0	Degrees C		3/27/2014	0
3/27/2014	MW-14H		Turbidity	FALSE	2.1		0	0	NTU		3/27/2014	0
3/27/2014	MW-14H	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/27/2014	MW-14H	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/27/2014	MW-14H	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/8/2014	1
3/27/2014	MW-14H	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
3/27/2014	MW-14H	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	m,p-Cresols	TRUE	0		0.2	2	ug/L	SW8260B	4/3/2014	1
3/27/2014	MW-14H	SW8260B	o-Cresol	TRUE	0		0.1	1	ug/L	SW8260B	4/3/2014	1
10/8/2014	FIELD BLANK		Antimony	TRUE	0		0.001	0.005	mg/L		10/29/2014	0
10/8/2014	FIELD BLANK		Arsenic	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	FIELD BLANK		Barium	TRUE	0		0.003	0.015	mg/L		11/7/2014	0
10/8/2014	FIELD BLANK		Beryllium	TRUE	0		0.0002	0.001	mg/L		10/29/2014	0
10/8/2014	FIELD BLANK		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2014	0
10/8/2014	FIELD BLANK		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	FIELD BLANK		Cobalt	TRUE	0		0.0006	0.003	mg/L		10/29/2014	0
10/8/2014	FIELD BLANK		Copper	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	FIELD BLANK		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	FIELD BLANK		Nickel	TRUE	0		0.005	0.025	mg/L		11/4/2014	0
10/8/2014	FIELD BLANK		Selenium	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	FIELD BLANK		Silver	TRUE	0		0.0001	0.0004	mg/L		11/10/2014	0
10/8/2014	FIELD BLANK		Thallium	TRUE	0		0.0003	0.002	mg/L		10/29/2014	0
10/8/2014	FIELD BLANK		Vanadium	TRUE	0		0.001	0.005	mg/L		11/7/2014	0
10/8/2014	FIELD BLANK		Zinc	TRUE	0		0.01	0.03	mg/L		11/13/2014	0
10/8/2014	FIELD BLANK		Sample Time	FALSE	1100		0	0	hours			0
10/8/2014	FIELD BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/17/2014	1
10/8/2014	FIELD BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/17/2014	1
10/8/2014	FIELD BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/17/2014	1
10/8/2014	FIELD BLANK	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Acetone	FALSE	38.8		7	10	ug/L	SW8260B	10/21/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/8/2014	FIELD BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Ethylbenzene	FALSE	0.2	J	0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	2-Hexanone (MBK)	FALSE	6.17		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	2-Butanone (MEK)	FALSE	20.2		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Toluene	FALSE	0.99	J	0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	Xylenes, Total	FALSE	0.95	J	0.3	3	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	m+p-Xylenes	FALSE	0.68	J	0.2	2	ug/L	SW8260B	10/21/2014	1
10/8/2014	FIELD BLANK	SW8260B	o-Xylene	FALSE	0.27	J	0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10		Antimony	TRUE	0		0.001	0.005	mg/L		10/29/2014	0
10/8/2014	MW-10		Arsenic	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	MW-10		Barium	FALSE	0.033		0.003	0.015	mg/L		11/7/2014	0
10/8/2014	MW-10		Beryllium	TRUE	0		0.0002	0.001	mg/L		10/29/2014	0
10/8/2014	MW-10		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2014	0
10/8/2014	MW-10		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-10		Cobalt	FALSE	0.0014	J	0.0006	0.003	mg/L		10/29/2014	0
10/8/2014	MW-10		Copper	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-10		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-10		Nickel	TRUE	0		0.005	0.025	mg/L		11/4/2014	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/8/2014	MW-10		Selenium	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	MW-10		Silver	TRUE	0		0.0001	0.0004	mg/L		11/10/2014	0
10/8/2014	MW-10		Thallium	TRUE	0		0.0003	0.002	mg/L		10/29/2014	0
10/8/2014	MW-10		Vanadium	TRUE	0		0.001	0.005	mg/L		11/7/2014	0
10/8/2014	MW-10		Zinc	TRUE	0		0.01	0.03	mg/L		11/13/2014	0
10/8/2014	MW-10		Groundwater Elevation	FALSE	1598.79		0	0	Feet		10/8/2014	0
10/8/2014	MW-10		pH	FALSE	6.73		0	0	S.U.		10/8/2014	0
10/8/2014	MW-10		Sample Time	FALSE	1425		0	0	hours			0
10/8/2014	MW-10		Specific Conductivity	FALSE	0.996		0	0	mS/cm		10/8/2014	0
10/8/2014	MW-10		Temperature	FALSE	14.54		0	0	Degrees C		10/8/2014	0
10/8/2014	MW-10		Turbidity	FALSE	2.34		0	0	NTU		10/8/2014	0
10/8/2014	MW-10	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-10	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-10	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-10	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/8/2014	MW-10	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-10	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11		Antimony	TRUE	0		0.001	0.005	mg/L		10/29/2014	0
10/8/2014	MW-11		Arsenic	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	MW-11		Barium	FALSE	0.047		0.003	0.015	mg/L		11/7/2014	0
10/8/2014	MW-11		Beryllium	TRUE	0		0.0002	0.001	mg/L		10/29/2014	0
10/8/2014	MW-11		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2014	0
10/8/2014	MW-11		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-11		Cobalt	FALSE	0.0022	J	0.0006	0.003	mg/L		10/29/2014	0
10/8/2014	MW-11		Copper	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-11		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-11		Nickel	TRUE	0		0.005	0.025	mg/L		11/4/2014	0
10/8/2014	MW-11		Selenium	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	MW-11		Silver	TRUE	0		0.0001	0.0004	mg/L		11/10/2014	0
10/8/2014	MW-11		Thallium	TRUE	0		0.0003	0.002	mg/L		10/29/2014	0
10/8/2014	MW-11		Vanadium	TRUE	0		0.001	0.005	mg/L		11/7/2014	0
10/8/2014	MW-11		Zinc	FALSE	0.027	J	0.01	0.03	mg/L		11/13/2014	0
10/8/2014	MW-11		Groundwater Elevation	FALSE	1598.78		0	0	Feet		10/8/2014	0
10/8/2014	MW-11		pH	FALSE	6.73		0	0	S.U.		10/8/2014	0
10/8/2014	MW-11		Sample Time	FALSE	1510		0	0	H			0
10/8/2014	MW-11		Specific Conductivity	FALSE	1.128		0	0	mS/cm		10/8/2014	0
10/8/2014	MW-11		Temperature	FALSE	16.59		0	0	Degrees C		10/8/2014	0
10/8/2014	MW-11		Turbidity	FALSE	2.21		0	0	NTU		10/8/2014	0
10/8/2014	MW-11	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-11	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-11	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-11	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/8/2014	MW-11	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-11	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12		Antimony	FALSE	0.001	J	0.001	0.005	mg/L		10/29/2014	0
10/8/2014	MW-12		Arsenic	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	MW-12		Barium	FALSE	0.894		0.003	0.015	mg/L		11/7/2014	0
10/8/2014	MW-12		Beryllium	TRUE	0		0.0002	0.001	mg/L		10/29/2014	0
10/8/2014	MW-12		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2014	0
10/8/2014	MW-12		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-12		Cobalt	TRUE	0		0.0006	0.003	mg/L		10/29/2014	0
10/8/2014	MW-12		Copper	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-12		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-12		Nickel	TRUE	0		0.005	0.025	mg/L		11/4/2014	0
10/8/2014	MW-12		Selenium	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	MW-12		Silver	TRUE	0		0.0001	0.0004	mg/L		11/10/2014	0
10/8/2014	MW-12		Thallium	TRUE	0		0.0003	0.002	mg/L		10/29/2014	0
10/8/2014	MW-12		Vanadium	TRUE	0		0.001	0.005	mg/L		11/7/2014	0
10/8/2014	MW-12		Zinc	TRUE	0		0.01	0.03	mg/L		11/13/2014	0
10/8/2014	MW-12		Groundwater Elevation	FALSE	1597.72		0	0	Feet		10/8/2014	0
10/8/2014	MW-12		pH	FALSE	7.26		0	0	S.U.		10/8/2014	0
10/8/2014	MW-12		Sample Time	FALSE	1120		0	0	hours			0
10/8/2014	MW-12		Specific Conductivity	FALSE	0.916		0	0	mS/cm		10/8/2014	0
10/8/2014	MW-12		Temperature	FALSE	13.65		0	0	Degrees C		10/8/2014	0
10/8/2014	MW-12		Turbidity	FALSE	1.21		0	0	NTU		10/8/2014	0
10/8/2014	MW-12	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-12	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-12	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-12	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/8/2014	MW-12	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP		Antimony	TRUE	0		0.001	0.005	mg/L		10/29/2014	0
10/8/2014	MW-12 DUP		Arsenic	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	MW-12 DUP		Barium	FALSE	0.917		0.003	0.015	mg/L		11/7/2014	0
10/8/2014	MW-12 DUP		Beryllium	TRUE	0		0.0002	0.001	mg/L		10/29/2014	0
10/8/2014	MW-12 DUP		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2014	0
10/8/2014	MW-12 DUP		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-12 DUP		Cobalt	TRUE	0		0.0006	0.003	mg/L		10/29/2014	0
10/8/2014	MW-12 DUP		Copper	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-12 DUP		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-12 DUP		Nickel	TRUE	0		0.005	0.025	mg/L		11/4/2014	0
10/8/2014	MW-12 DUP		Selenium	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	MW-12 DUP		Silver	TRUE	0		0.0001	0.0004	mg/L		11/10/2014	0
10/8/2014	MW-12 DUP		Thallium	TRUE	0		0.0003	0.002	mg/L		10/29/2014	0
10/8/2014	MW-12 DUP		Vanadium	TRUE	0		0.001	0.005	mg/L		11/7/2014	0
10/8/2014	MW-12 DUP		Zinc	FALSE	0.012	J	0.01	0.03	mg/L		11/13/2014	0
10/8/2014	MW-12 DUP		pH	FALSE	7.26		0	0	S.U.		10/8/2014	0
10/8/2014	MW-12 DUP		Sample Time	FALSE	1125		0	0	hours			0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/8/2014	MW-12 DUP		Specific Conductivity	FALSE	0.916		0	0	mS/cm		10/8/2014	0
10/8/2014	MW-12 DUP		Temperature	FALSE	13.65		0	0	Degrees C		10/8/2014	0
10/8/2014	MW-12 DUP		Turbidity	FALSE	1.21		0	0	NTU		10/8/2014	0
10/8/2014	MW-12 DUP	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/17/2014	1
10/8/2014	MW-12 DUP	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/17/2014	1
10/8/2014	MW-12 DUP	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/17/2014	1
10/8/2014	MW-12 DUP	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-12 DUP	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H		Antimony	TRUE	0		0.001	0.005	mg/L		10/29/2014	0
10/8/2014	MW-14H		Arsenic	TRUE	0		0.002	0.01	mg/L		10/20/2014	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/8/2014	MW-14H		Barium	FALSE	0.374		0.003	0.015	mg/L		11/7/2014	0
10/8/2014	MW-14H		Beryllium	TRUE	0		0.0002	0.001	mg/L		10/29/2014	0
10/8/2014	MW-14H		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2014	0
10/8/2014	MW-14H		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-14H		Cobalt	TRUE	0		0.0006	0.003	mg/L		10/29/2014	0
10/8/2014	MW-14H		Copper	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-14H		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-14H		Nickel	TRUE	0		0.005	0.025	mg/L		11/4/2014	0
10/8/2014	MW-14H		Selenium	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	MW-14H		Silver	TRUE	0		0.0001	0.0004	mg/L		11/10/2014	0
10/8/2014	MW-14H		Thallium	TRUE	0		0.0003	0.002	mg/L		10/29/2014	0
10/8/2014	MW-14H		Vanadium	TRUE	0		0.001	0.005	mg/L		11/7/2014	0
10/8/2014	MW-14H		Zinc	TRUE	0		0.01	0.03	mg/L		11/13/2014	0
10/8/2014	MW-14H		Groundwater Elevation	FALSE	1886.12		0	0	Feet		10/8/2014	0
10/8/2014	MW-14H		pH	FALSE	6.68		0	0	S.U.		10/8/2014	0
10/8/2014	MW-14H		Sample Time	FALSE	1130		0	0	hours			0
10/8/2014	MW-14H		Specific Conductivity	FALSE	0.318		0	0	mS/cm		10/8/2014	0
10/8/2014	MW-14H		Temperature	FALSE	13.65		0	0	Degrees C		10/8/2014	0
10/8/2014	MW-14H		Turbidity	FALSE	1.13		0	0	NTU		10/8/2014	0
10/8/2014	MW-14H	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-14H	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-14H	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-14H	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/21/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/8/2014	MW-14H	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-14H	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3		Antimony	TRUE	0		0.001	0.005	mg/L		10/29/2014	0
10/8/2014	MW-3		Arsenic	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	MW-3		Barium	FALSE	0.086		0.003	0.015	mg/L		11/7/2014	0
10/8/2014	MW-3		Beryllium	TRUE	0		0.0002	0.001	mg/L		10/29/2014	0
10/8/2014	MW-3		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2014	0
10/8/2014	MW-3		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-3		Cobalt	FALSE	0.001	J	0.0006	0.003	mg/L		10/29/2014	0
10/8/2014	MW-3		Copper	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-3		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-3		Nickel	TRUE	0		0.005	0.025	mg/L		11/4/2014	0
10/8/2014	MW-3		Selenium	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	MW-3		Silver	TRUE	0		0.0001	0.0004	mg/L		11/10/2014	0
10/8/2014	MW-3		Thallium	TRUE	0		0.0003	0.002	mg/L		10/29/2014	0
10/8/2014	MW-3		Vanadium	FALSE	0.002	J	0.001	0.005	mg/L		11/7/2014	0
10/8/2014	MW-3		Zinc	TRUE	0		0.01	0.03	mg/L		11/13/2014	0
10/8/2014	MW-3		Groundwater Elevation	FALSE	1599.42		0	0	Feet		10/8/2014	0
10/8/2014	MW-3		pH	FALSE	6.97		0	0	S.U.		10/8/2014	0
10/8/2014	MW-3		Sample Time	FALSE	1325		0	0	hours			0
10/8/2014	MW-3		Specific Conductivity	FALSE	0.709		0	0	mS/cm		10/8/2014	0
10/8/2014	MW-3		Temperature	FALSE	13.29		0	0	Degrees C		10/8/2014	0
10/8/2014	MW-3		Turbidity	FALSE	2.55		0	0	NTU		10/8/2014	0
10/8/2014	MW-3	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-3	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-3	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-3	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/8/2014	MW-3	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-3	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4		Antimony	TRUE	0		0.001	0.005	mg/L		10/29/2014	0
10/8/2014	MW-4		Arsenic	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	MW-4		Barium	FALSE	0.082		0.003	0.015	mg/L		11/7/2014	0
10/8/2014	MW-4		Beryllium	TRUE	0		0.0002	0.001	mg/L		10/29/2014	0
10/8/2014	MW-4		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2014	0
10/8/2014	MW-4		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-4		Cobalt	FALSE	0.0027	J	0.0006	0.003	mg/L		10/29/2014	0
10/8/2014	MW-4		Copper	FALSE	0.004	J	0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-4		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-4		Nickel	TRUE	0		0.005	0.025	mg/L		11/4/2014	0
10/8/2014	MW-4		Selenium	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	MW-4		Silver	TRUE	0		0.0001	0.0004	mg/L		11/10/2014	0
10/8/2014	MW-4		Thallium	TRUE	0		0.0003	0.002	mg/L		10/29/2014	0
10/8/2014	MW-4		Vanadium	TRUE	0		0.001	0.005	mg/L		11/7/2014	0
10/8/2014	MW-4		Zinc	FALSE	0.016	J	0.01	0.03	mg/L		11/13/2014	0
10/8/2014	MW-4		Groundwater Elevation	FALSE	1855.28		0	0	Feet		10/8/2014	0
10/8/2014	MW-4		pH	FALSE	6.47		0	0	S.U.		10/8/2014	0
10/8/2014	MW-4		Sample Time	FALSE	1210		0	0	hours			0
10/8/2014	MW-4		Specific Conductivity	FALSE	0.538		0	0	mS/cm		10/8/2014	0
10/8/2014	MW-4		Temperature	FALSE	15.49		0	0	Degrees C		10/8/2014	0
10/8/2014	MW-4		Turbidity	FALSE	1.6		0	0	NTU		10/8/2014	0
10/8/2014	MW-4	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-4	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-4	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-4	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/8/2014	MW-4	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-4	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5		Antimony	TRUE	0		0.001	0.005	mg/L		10/29/2014	0
10/8/2014	MW-5		Arsenic	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	MW-5		Barium	FALSE	0.549		0.003	0.015	mg/L		11/7/2014	0
10/8/2014	MW-5		Beryllium	TRUE	0		0.0002	0.001	mg/L		10/29/2014	0
10/8/2014	MW-5		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2014	0
10/8/2014	MW-5		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-5		Cobalt	FALSE	0.0009	J	0.0006	0.003	mg/L		10/29/2014	0
10/8/2014	MW-5		Copper	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-5		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2014	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/8/2014	MW-5		Nickel	TRUE	0		0.005	0.025	mg/L		11/4/2014	0
10/8/2014	MW-5		Selenium	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	MW-5		Silver	TRUE	0		0.0001	0.0004	mg/L		11/10/2014	0
10/8/2014	MW-5		Thallium	TRUE	0		0.0003	0.002	mg/L		10/29/2014	0
10/8/2014	MW-5		Vanadium	FALSE	0.001	J	0.001	0.005	mg/L		11/7/2014	0
10/8/2014	MW-5		Zinc	TRUE	0		0.01	0.03	mg/L		11/13/2014	0
10/8/2014	MW-5		Groundwater Elevation	FALSE	1854.78		0	0	Feet		10/8/2014	0
10/8/2014	MW-5		pH	FALSE	7.29		0	0	S.U.		10/8/2014	0
10/8/2014	MW-5		Sample Time	FALSE	1310		0	0	hours			0
10/8/2014	MW-5		Specific Conductivity	FALSE	0.485		0	0	mS/cm		10/8/2014	0
10/8/2014	MW-5		Temperature	FALSE	13.4		0	0	Degrees C		10/8/2014	0
10/8/2014	MW-5		Turbidity	FALSE	1.02		0	0	NTU		10/8/2014	0
10/8/2014	MW-5	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-5	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-5	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-5	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/8/2014	MW-5	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-5	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7		Antimony	TRUE	0		0.001	0.005	mg/L		10/29/2014	0
10/8/2014	MW-7		Arsenic	FALSE	0.002	J	0.002	0.01	mg/L		10/20/2014	0
10/8/2014	MW-7		Barium	FALSE	0.205		0.003	0.015	mg/L		11/7/2014	0
10/8/2014	MW-7		Beryllium	TRUE	0		0.0002	0.001	mg/L		10/29/2014	0
10/8/2014	MW-7		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2014	0
10/8/2014	MW-7		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-7		Cobalt	TRUE	0		0.0006	0.003	mg/L		10/29/2014	0
10/8/2014	MW-7		Copper	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-7		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	MW-7		Nickel	TRUE	0		0.005	0.025	mg/L		11/4/2014	0
10/8/2014	MW-7		Selenium	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	MW-7		Silver	TRUE	0		0.0001	0.0004	mg/L		11/10/2014	0
10/8/2014	MW-7		Thallium	TRUE	0		0.0003	0.002	mg/L		10/29/2014	0
10/8/2014	MW-7		Vanadium	FALSE	0.001	J	0.001	0.005	mg/L		11/7/2014	0
10/8/2014	MW-7		Zinc	TRUE	0		0.01	0.03	mg/L		11/13/2014	0
10/8/2014	MW-7		Groundwater Elevation	FALSE	1597.63		0	0	Feet		10/8/2014	0
10/8/2014	MW-7		pH	FALSE	8.02		0	0	S.U.		10/8/2014	0
10/8/2014	MW-7		Sample Time	FALSE	1235		0	0	hours			0
10/8/2014	MW-7		Specific Conductivity	FALSE	1.62		0	0	mS/cm		10/8/2014	0
10/8/2014	MW-7		Temperature	FALSE	14.85		0	0	Degrees C		10/8/2014	0
10/8/2014	MW-7		Turbidity	FALSE	2.11		0	0	NTU		10/8/2014	0
10/8/2014	MW-7	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-7	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-7	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/15/2014	1
10/8/2014	MW-7	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/8/2014	MW-7	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	10/21/2014	1
10/8/2014	MW-7	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/17/2014	1
10/8/2014	TRIP BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/17/2014	1
10/8/2014	TRIP BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/17/2014	1
10/8/2014	TRIP BLANK	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/8/2014	TRIP BLANK	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	10/21/2014	1
10/8/2014	TRIP BLANK	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1		Antimony	FALSE	0.002	J	0.001	0.005	mg/L		10/29/2014	0
10/8/2014	UD-1		Arsenic	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	UD-1		Barium	FALSE	0.148		0.003	0.015	mg/L		11/7/2014	0
10/8/2014	UD-1		Beryllium	TRUE	0		0.0002	0.001	mg/L		10/29/2014	0
10/8/2014	UD-1		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2014	0
10/8/2014	UD-1		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	UD-1		Cobalt	FALSE	0.0161		0.0006	0.003	mg/L		10/29/2014	0
10/8/2014	UD-1		Copper	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	UD-1		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	UD-1		Nickel	FALSE	0.018	J	0.005	0.025	mg/L		11/4/2014	0
10/8/2014	UD-1		Selenium	FALSE	0.008	J	0.002	0.01	mg/L		10/20/2014	0
10/8/2014	UD-1		Silver	TRUE	0		0.0001	0.0004	mg/L		11/10/2014	0
10/8/2014	UD-1		Thallium	TRUE	0		0.0003	0.002	mg/L		10/29/2014	0
10/8/2014	UD-1		Vanadium	TRUE	0		0.001	0.005	mg/L		11/7/2014	0
10/8/2014	UD-1		Zinc	FALSE	0.02	J	0.01	0.03	mg/L		11/13/2014	0
10/8/2014	UD-1		pH	FALSE	6.38		0	0	S.U.		10/8/2014	0
10/8/2014	UD-1		Sample Time	FALSE	1405		0	0	hours			0
10/8/2014	UD-1		Specific Conductivity	FALSE	1.464		0	0	mS/cm		10/8/2014	0
10/8/2014	UD-1		Temperature	FALSE	13.73		0	0	Degrees C		10/8/2014	0
10/8/2014	UD-1		Turbidity	FALSE	22.3		0	0	NTU		10/8/2014	0
10/8/2014	UD-1	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/17/2014	1
10/8/2014	UD-1	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/17/2014	1
10/8/2014	UD-1	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/17/2014	1
10/8/2014	UD-1	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/8/2014	UD-1	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-1	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2		Antimony	TRUE	0		0.001	0.005	mg/L		10/29/2014	0
10/8/2014	UD-2		Arsenic	TRUE	0		0.002	0.01	mg/L		10/20/2014	0
10/8/2014	UD-2		Barium	FALSE	0.041		0.003	0.015	mg/L		11/7/2014	0
10/8/2014	UD-2		Beryllium	FALSE	0.0002	J	0.0002	0.001	mg/L		10/29/2014	0
10/8/2014	UD-2		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2014	0
10/8/2014	UD-2		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2014	0
10/8/2014	UD-2		Cobalt	FALSE	0.002	J	0.0006	0.003	mg/L		10/29/2014	0
10/8/2014	UD-2		Copper	FALSE	0.003	J	0.001	0.005	mg/L		11/3/2014	0
10/8/2014	UD-2		Lead	FALSE	0.002	J	0.001	0.005	mg/L		11/3/2014	0
10/8/2014	UD-2		Nickel	FALSE	0.01	J	0.005	0.025	mg/L		11/4/2014	0
10/8/2014	UD-2		Selenium	FALSE	0.004	J	0.002	0.01	mg/L		10/20/2014	0
10/8/2014	UD-2		Silver	TRUE	0		0.0001	0.0004	mg/L		11/10/2014	0
10/8/2014	UD-2		Thallium	TRUE	0		0.0003	0.002	mg/L		10/29/2014	0
10/8/2014	UD-2		Vanadium	FALSE	0.001	J	0.001	0.005	mg/L		11/7/2014	0
10/8/2014	UD-2		Zinc	FALSE	0.029	J	0.01	0.03	mg/L		11/13/2014	0
10/8/2014	UD-2		pH	FALSE	7.16		0	0	S.U.		10/8/2014	0
10/8/2014	UD-2		Sample Time	FALSE	1320		0	0	hours			0
10/8/2014	UD-2		Specific Conductivity	FALSE	1.304		0	0	mS/cm		10/8/2014	0
10/8/2014	UD-2		Temperature	FALSE	13.14		0	0	Degrees C		10/8/2014	0
10/8/2014	UD-2		Turbidity	FALSE	22.5		0	0	NTU		10/8/2014	0
10/8/2014	UD-2	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/17/2014	1
10/8/2014	UD-2	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/17/2014	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/8/2014	UD-2	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/17/2014	1
10/8/2014	UD-2	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	10/21/2014	1
10/8/2014	UD-2	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	10/21/2014	1
4/9/2015	TRIP BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/25/2015	1
4/9/2015	TRIP BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/25/2015	1
4/9/2015	TRIP BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/25/2015	1
4/9/2015	TRIP BLANK	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/9/2015	TRIP BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/17/2015	1
4/9/2015	TRIP BLANK	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK		Antimony	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	FIELD BLANK		Arsenic	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	FIELD BLANK		Barium	TRUE	0		0.003	0.015	mg/L		4/27/2015	0
4/15/2015	FIELD BLANK		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/21/2015	0
4/15/2015	FIELD BLANK		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/20/2015	0
4/15/2015	FIELD BLANK		Chromium	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	FIELD BLANK		Cobalt	TRUE	0		0.0006	0.003	mg/L		4/21/2015	0
4/15/2015	FIELD BLANK		Copper	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	FIELD BLANK		Lead	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	FIELD BLANK		Nickel	TRUE	0		0.005	0.025	mg/L		4/20/2015	0
4/15/2015	FIELD BLANK		Selenium	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	FIELD BLANK		Silver	TRUE	0		0.0001	0.0004	mg/L		4/20/2015	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/15/2015	FIELD BLANK		Thallium	TRUE	0		0.0003	0.002	mg/L		4/21/2015	0
4/15/2015	FIELD BLANK		Vanadium	TRUE	0		0.001	0.005	mg/L		4/27/2015	0
4/15/2015	FIELD BLANK		Zinc	TRUE	0		0.01	0.03	mg/L		4/29/2015	0
4/15/2015	FIELD BLANK		Sample Time	FALSE	900		0	0	hours			0
4/15/2015	FIELD BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/25/2015	1
4/15/2015	FIELD BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/25/2015	1
4/15/2015	FIELD BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/25/2015	1
4/15/2015	FIELD BLANK	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Acetone	FALSE	32.3		7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	2-Butanone (MEK)	FALSE	5.34		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Toluene	FALSE	0.47	J	0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/17/2015	1
4/15/2015	FIELD BLANK	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10		Antimony	TRUE	0		0.001	0.005	mg/L		4/21/2015	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/15/2015	MW-10		Arsenic	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	MW-10		Barium	FALSE	0.065		0.003	0.015	mg/L		4/27/2015	0
4/15/2015	MW-10		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/21/2015	0
4/15/2015	MW-10		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/20/2015	0
4/15/2015	MW-10		Chromium	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	MW-10		Cobalt	FALSE	0.0007	J	0.0006	0.003	mg/L		4/21/2015	0
4/15/2015	MW-10		Copper	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	MW-10		Lead	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	MW-10		Nickel	TRUE	0		0.005	0.025	mg/L		4/20/2015	0
4/15/2015	MW-10		Selenium	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	MW-10		Silver	TRUE	0		0.0001	0.0004	mg/L		4/20/2015	0
4/15/2015	MW-10		Thallium	TRUE	0		0.0003	0.002	mg/L		4/21/2015	0
4/15/2015	MW-10		Vanadium	TRUE	0		0.001	0.005	mg/L		4/27/2015	0
4/15/2015	MW-10		Zinc	TRUE	0		0.01	0.03	mg/L		4/29/2015	0
4/15/2015	MW-10		Groundwater Elevation	FALSE	1602.33		0	0	Feet		4/15/2015	0
4/15/2015	MW-10		pH	FALSE	6.75		0	0	S.U.		4/15/2015	0
4/15/2015	MW-10		Sample Time	FALSE	1330		0	0	hours			0
4/15/2015	MW-10		Specific Conductivity	FALSE	0.85		0	0	mS/cm		4/15/2015	0
4/15/2015	MW-10		Temperature	FALSE	13.4		0	0	Degrees C		4/15/2015	0
4/15/2015	MW-10		Turbidity	FALSE	1.34		0	0	NTU		4/15/2015	0
4/15/2015	MW-10	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2015	1
4/15/2015	MW-10	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2015	1
4/15/2015	MW-10	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2015	1
4/15/2015	MW-10	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/17/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/15/2015	MW-10	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-10	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11		Antimony	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	MW-11		Arsenic	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	MW-11		Barium	FALSE	0.06		0.003	0.015	mg/L		4/27/2015	0
4/15/2015	MW-11		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/21/2015	0
4/15/2015	MW-11		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/20/2015	0
4/15/2015	MW-11		Chromium	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	MW-11		Cobalt	FALSE	0.0039		0.0006	0.003	mg/L		4/21/2015	0
4/15/2015	MW-11		Copper	FALSE	0.001	J	0.001	0.005	mg/L		4/20/2015	0
4/15/2015	MW-11		Lead	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	MW-11		Nickel	FALSE	0.005	J	0.005	0.025	mg/L		4/20/2015	0
4/15/2015	MW-11		Selenium	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	MW-11		Silver	TRUE	0		0.0001	0.0004	mg/L		4/20/2015	0
4/15/2015	MW-11		Thallium	TRUE	0		0.0003	0.002	mg/L		4/21/2015	0
4/15/2015	MW-11		Vanadium	TRUE	0		0.001	0.005	mg/L		4/27/2015	0
4/15/2015	MW-11		Zinc	FALSE	0.028	J	0.01	0.03	mg/L		4/29/2015	0
4/15/2015	MW-11		Groundwater Elevation	FALSE	1602.31		0	0	Feet		4/15/2015	0
4/15/2015	MW-11		pH	FALSE	6.71		0	0	S.U.		4/15/2015	0
4/15/2015	MW-11		Sample Time	FALSE	1415		0	0	hours			0
4/15/2015	MW-11		Specific Conductivity	FALSE	1.24		0	0	mS/cm		4/15/2015	0
4/15/2015	MW-11		Temperature	FALSE	13.1		0	0	Degrees C		4/15/2015	0
4/15/2015	MW-11		Turbidity	FALSE	1.79		0	0	NTU		4/15/2015	0
4/15/2015	MW-11	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2015	1
4/15/2015	MW-11	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2015	1
4/15/2015	MW-11	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2015	1
4/15/2015	MW-11	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/17/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/15/2015	MW-11	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-11	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12		Antimony	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	MW-12		Arsenic	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	MW-12		Barium	FALSE	1.107		0.003	0.015	mg/L		4/27/2015	0
4/15/2015	MW-12		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/21/2015	0
4/15/2015	MW-12		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/20/2015	0
4/15/2015	MW-12		Chromium	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	MW-12		Cobalt	TRUE	0		0.0006	0.003	mg/L		4/21/2015	0
4/15/2015	MW-12		Copper	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	MW-12		Lead	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	MW-12		Nickel	TRUE	0		0.005	0.025	mg/L		4/20/2015	0
4/15/2015	MW-12		Selenium	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	MW-12		Silver	TRUE	0		0.0001	0.0004	mg/L		4/20/2015	0
4/15/2015	MW-12		Thallium	TRUE	0		0.0003	0.002	mg/L		4/21/2015	0
4/15/2015	MW-12		Vanadium	TRUE	0		0.001	0.005	mg/L		4/27/2015	0
4/15/2015	MW-12		Zinc	TRUE	0		0.01	0.03	mg/L		4/29/2015	0
4/15/2015	MW-12		Groundwater Elevation	FALSE	1600.23		0	0	Feet		4/15/2015	0
4/15/2015	MW-12		pH	FALSE	7.39		0	0	S.U.		4/15/2015	0
4/15/2015	MW-12		Sample Time	FALSE	1100		0	0	hours			0
4/15/2015	MW-12		Specific Conductivity	FALSE	0.487		0	0	mS/cm		4/15/2015	0
4/15/2015	MW-12		Temperature	FALSE	13		0	0	Degrees C		4/15/2015	0
4/15/2015	MW-12		Turbidity	FALSE	1.43		0	0	NTU		4/15/2015	0
4/15/2015	MW-12	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2015	1
4/15/2015	MW-12	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2015	1
4/15/2015	MW-12	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/15/2015	MW-12	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-12	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H		Antimony	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	MW-14H		Arsenic	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	MW-14H		Barium	FALSE	0.316		0.003	0.015	mg/L		4/27/2015	0
4/15/2015	MW-14H		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/21/2015	0
4/15/2015	MW-14H		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/20/2015	0
4/15/2015	MW-14H		Chromium	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	MW-14H		Cobalt	TRUE	0		0.0006	0.003	mg/L		4/21/2015	0
4/15/2015	MW-14H		Copper	FALSE	0.001	J	0.001	0.005	mg/L		4/20/2015	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/15/2015	MW-14H		Lead	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	MW-14H		Nickel	TRUE	0		0.005	0.025	mg/L		4/20/2015	0
4/15/2015	MW-14H		Selenium	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	MW-14H		Silver	TRUE	0		0.0001	0.0004	mg/L		4/20/2015	0
4/15/2015	MW-14H		Thallium	TRUE	0		0.0003	0.002	mg/L		4/21/2015	0
4/15/2015	MW-14H		Vanadium	TRUE	0		0.001	0.005	mg/L		4/27/2015	0
4/15/2015	MW-14H		Zinc	FALSE	0.012	J	0.01	0.03	mg/L		4/29/2015	0
4/15/2015	MW-14H		Groundwater Elevation	FALSE	1887.88		0	0	Feet		4/15/2015	0
4/15/2015	MW-14H		pH	FALSE	6.78		0	0	S.U.		4/15/2015	0
4/15/2015	MW-14H		Sample Time	FALSE	1055		0	0	hours			0
4/15/2015	MW-14H		Specific Conductivity	FALSE	0.281		0	0	mS/cm		4/15/2015	0
4/15/2015	MW-14H		Temperature	FALSE	12.73		0	0	Degrees C		4/15/2015	0
4/15/2015	MW-14H		Turbidity	FALSE	0.63		0	0	NTU		4/15/2015	0
4/15/2015	MW-14H	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2015	1
4/15/2015	MW-14H	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2015	1
4/15/2015	MW-14H	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2015	1
4/15/2015	MW-14H	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/15/2015	MW-14H	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP		Antimony	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	MW-14H DUP		Arsenic	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	MW-14H DUP		Barium	FALSE	0.332		0.003	0.015	mg/L		4/27/2015	0
4/15/2015	MW-14H DUP		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/21/2015	0
4/15/2015	MW-14H DUP		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/20/2015	0
4/15/2015	MW-14H DUP		Chromium	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	MW-14H DUP		Cobalt	TRUE	0		0.0006	0.003	mg/L		4/21/2015	0
4/15/2015	MW-14H DUP		Copper	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	MW-14H DUP		Lead	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	MW-14H DUP		Nickel	TRUE	0		0.005	0.025	mg/L		4/20/2015	0
4/15/2015	MW-14H DUP		Selenium	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	MW-14H DUP		Silver	TRUE	0		0.0001	0.0004	mg/L		4/20/2015	0
4/15/2015	MW-14H DUP		Thallium	TRUE	0		0.0003	0.002	mg/L		4/21/2015	0
4/15/2015	MW-14H DUP		Vanadium	TRUE	0		0.001	0.005	mg/L		4/27/2015	0
4/15/2015	MW-14H DUP		Zinc	FALSE	0.011	J	0.01	0.03	mg/L		4/29/2015	0
4/15/2015	MW-14H DUP		pH	FALSE	6.78		0	0	S.U.		4/15/2015	0
4/15/2015	MW-14H DUP		Sample Time	FALSE	1100		0	0	hours			0
4/15/2015	MW-14H DUP		Specific Conductivity	FALSE	0.281		0	0	mS/cm		4/15/2015	0
4/15/2015	MW-14H DUP		Temperature	FALSE	12.72		0	0	Degrees C		4/15/2015	0
4/15/2015	MW-14H DUP		Turbidity	FALSE	0.69		0	0	NTU		4/15/2015	0
4/15/2015	MW-14H DUP	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/25/2015	1
4/15/2015	MW-14H DUP	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/25/2015	1
4/15/2015	MW-14H DUP	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/25/2015	1
4/15/2015	MW-14H DUP	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/15/2015	MW-14H DUP	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-14H DUP	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3		Antimony	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	MW-3		Arsenic	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	MW-3		Barium	FALSE	0.094		0.003	0.015	mg/L		4/27/2015	0
4/15/2015	MW-3		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/21/2015	0
4/15/2015	MW-3		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/20/2015	0
4/15/2015	MW-3		Chromium	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	MW-3		Cobalt	FALSE	0.0016	J	0.0006	0.003	mg/L		4/21/2015	0
4/15/2015	MW-3		Copper	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	MW-3		Lead	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	MW-3		Nickel	TRUE	0		0.005	0.025	mg/L		4/20/2015	0
4/15/2015	MW-3		Selenium	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	MW-3		Silver	TRUE	0		0.0001	0.0004	mg/L		4/20/2015	0
4/15/2015	MW-3		Thallium	TRUE	0		0.0003	0.002	mg/L		4/21/2015	0
4/15/2015	MW-3		Vanadium	TRUE	0		0.001	0.005	mg/L		4/27/2015	0
4/15/2015	MW-3		Zinc	FALSE	0.011	J	0.01	0.03	mg/L		4/29/2015	0
4/15/2015	MW-3		Groundwater Elevation	FALSE	1600.9		0	0	Feet		4/15/2015	0
4/15/2015	MW-3		pH	FALSE	6.94		0	0	S.U.		4/15/2015	0
4/15/2015	MW-3		Sample Time	FALSE	1220		0	0	hours			0
4/15/2015	MW-3		Specific Conductivity	FALSE	0.841		0	0	mS/cm		4/15/2015	0
4/15/2015	MW-3		Temperature	FALSE	12.2		0	0	Degrees C		4/15/2015	0
4/15/2015	MW-3		Turbidity	FALSE	0.59		0	0	NTU		4/15/2015	0
4/15/2015	MW-3	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/20/2015	1
4/15/2015	MW-3	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/20/2015	1
4/15/2015	MW-3	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/20/2015	1
4/15/2015	MW-3	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/17/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/15/2015	MW-3	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-3	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4		Antimony	FALSE	0.001	J	0.001	0.005	mg/L		4/21/2015	0
4/15/2015	MW-4		Arsenic	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	MW-4		Barium	FALSE	0.064		0.003	0.015	mg/L		4/27/2015	0
4/15/2015	MW-4		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/21/2015	0
4/15/2015	MW-4		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/20/2015	0
4/15/2015	MW-4		Chromium	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	MW-4		Cobalt	TRUE	0		0.0006	0.003	mg/L		4/21/2015	0
4/15/2015	MW-4		Copper	FALSE	0.009		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	MW-4		Lead	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	MW-4		Nickel	TRUE	0		0.005	0.025	mg/L		4/20/2015	0
4/15/2015	MW-4		Selenium	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	MW-4		Silver	TRUE	0		0.0001	0.0004	mg/L		4/20/2015	0
4/15/2015	MW-4		Thallium	TRUE	0		0.0003	0.002	mg/L		4/21/2015	0
4/15/2015	MW-4		Vanadium	TRUE	0		0.001	0.005	mg/L		4/27/2015	0
4/15/2015	MW-4		Zinc	FALSE	0.019	J	0.01	0.03	mg/L		4/29/2015	0
4/15/2015	MW-4		Groundwater Elevation	FALSE	1857.42		0	0	Feet		4/15/2015	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/15/2015	MW-4		pH	FALSE	6.56		0	0	S.U.		4/15/2015	0
4/15/2015	MW-4		Sample Time	FALSE	1210		0	0	hours			0
4/15/2015	MW-4		Specific Conductivity	FALSE	0.489		0	0	mS/cm		4/15/2015	0
4/15/2015	MW-4		Temperature	FALSE	12.85		0	0	Degrees C		4/15/2015	0
4/15/2015	MW-4		Turbidity	FALSE	5.6		0	0	NTU		4/15/2015	0
4/15/2015	MW-4	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/20/2015	1
4/15/2015	MW-4	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/20/2015	1
4/15/2015	MW-4	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/20/2015	1
4/15/2015	MW-4	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-4	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/15/2015	MW-5		Antimony	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	MW-5		Arsenic	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	MW-5		Barium	FALSE	0.542		0.003	0.015	mg/L		4/27/2015	0
4/15/2015	MW-5		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/21/2015	0
4/15/2015	MW-5		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/20/2015	0
4/15/2015	MW-5		Chromium	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	MW-5		Cobalt	TRUE	0		0.0006	0.003	mg/L		4/21/2015	0
4/15/2015	MW-5		Copper	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	MW-5		Lead	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	MW-5		Nickel	TRUE	0		0.005	0.025	mg/L		4/20/2015	0
4/15/2015	MW-5		Selenium	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	MW-5		Silver	TRUE	0		0.0001	0.0004	mg/L		4/20/2015	0
4/15/2015	MW-5		Thallium	TRUE	0		0.0003	0.002	mg/L		4/21/2015	0
4/15/2015	MW-5		Vanadium	TRUE	0		0.001	0.005	mg/L		4/27/2015	0
4/15/2015	MW-5		Zinc	FALSE	0.014	J	0.01	0.03	mg/L		4/29/2015	0
4/15/2015	MW-5		Groundwater Elevation	FALSE	1856.92		0	0	Feet		4/15/2015	0
4/15/2015	MW-5		pH	FALSE	7.3		0	0	S.U.		4/15/2015	0
4/15/2015	MW-5		Sample Time	FALSE	1315		0	0	hours			0
4/15/2015	MW-5		Specific Conductivity	FALSE	0.458		0	0	mS/cm		4/15/2015	0
4/15/2015	MW-5		Temperature	FALSE	12.9		0	0	Degrees C		4/15/2015	0
4/15/2015	MW-5		Turbidity	FALSE	0.99		0	0	NTU		4/15/2015	0
4/15/2015	MW-5	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2015	1
4/15/2015	MW-5	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2015	1
4/15/2015	MW-5	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2015	1
4/15/2015	MW-5	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/15/2015	MW-5	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-5	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7		Antimony	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	MW-7		Arsenic	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	MW-7		Barium	FALSE	0.21		0.003	0.015	mg/L		4/27/2015	0
4/15/2015	MW-7		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/21/2015	0
4/15/2015	MW-7		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/20/2015	0
4/15/2015	MW-7		Chromium	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	MW-7		Cobalt	TRUE	0		0.0006	0.003	mg/L		4/21/2015	0
4/15/2015	MW-7		Copper	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	MW-7		Lead	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	MW-7		Nickel	TRUE	0		0.005	0.025	mg/L		4/20/2015	0
4/15/2015	MW-7		Selenium	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	MW-7		Silver	TRUE	0		0.0001	0.0004	mg/L		4/20/2015	0
4/15/2015	MW-7		Thallium	TRUE	0		0.0003	0.002	mg/L		4/21/2015	0
4/15/2015	MW-7		Vanadium	TRUE	0		0.001	0.005	mg/L		4/27/2015	0
4/15/2015	MW-7		Zinc	TRUE	0		0.01	0.03	mg/L		4/29/2015	0
4/15/2015	MW-7		Groundwater Elevation	FALSE	1600.25		0	0	Feet		4/15/2015	0
4/15/2015	MW-7		pH	FALSE	8.02		0	0	S.U.		4/15/2015	0
4/15/2015	MW-7		Sample Time	FALSE	1140		0	0	hours			0
4/15/2015	MW-7		Specific Conductivity	FALSE	1.418		0	0	mS/cm		4/15/2015	0
4/15/2015	MW-7		Temperature	FALSE	13.5		0	0	Degrees C		4/15/2015	0
4/15/2015	MW-7		Turbidity	FALSE	2.09		0	0	NTU		4/15/2015	0
4/15/2015	MW-7	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2015	1
4/15/2015	MW-7	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2015	1
4/15/2015	MW-7	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2015	1
4/15/2015	MW-7	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/15/2015	MW-7	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/17/2015	1
4/15/2015	MW-7	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1		Antimony	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	UD-1		Arsenic	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	UD-1		Barium	FALSE	0.315		0.003	0.015	mg/L		4/27/2015	0
4/15/2015	UD-1		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/21/2015	0
4/15/2015	UD-1		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/20/2015	0
4/15/2015	UD-1		Chromium	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	UD-1		Cobalt	FALSE	0.0118		0.0006	0.003	mg/L		4/21/2015	0
4/15/2015	UD-1		Copper	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	UD-1		Lead	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	UD-1		Nickel	FALSE	0.022	J	0.005	0.025	mg/L		4/20/2015	0
4/15/2015	UD-1		Selenium	FALSE	0.003	J	0.002	0.01	mg/L		4/21/2015	0
4/15/2015	UD-1		Silver	TRUE	0		0.0001	0.0004	mg/L		4/20/2015	0
4/15/2015	UD-1		Thallium	TRUE	0		0.0003	0.002	mg/L		4/21/2015	0
4/15/2015	UD-1		Vanadium	TRUE	0		0.001	0.005	mg/L		4/27/2015	0
4/15/2015	UD-1		Zinc	FALSE	0.021	J	0.01	0.03	mg/L		4/29/2015	0
4/15/2015	UD-1		pH	FALSE	6.54		0	0	S.U.		4/15/2015	0
4/15/2015	UD-1		Sample Time	FALSE	1420		0	0	hours			0
4/15/2015	UD-1		Specific Conductivity	FALSE	1.26		0	0	mS/cm		4/15/2015	0
4/15/2015	UD-1		Temperature	FALSE	15.7		0	0	Degrees C		4/15/2015	0
4/15/2015	UD-1		Turbidity	FALSE	0.5		0	0	NTU		4/15/2015	0
4/15/2015	UD-1	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/24/2015	1
4/15/2015	UD-1	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/24/2015	1
4/15/2015	UD-1	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/24/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/15/2015	UD-1	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-1	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2		Antimony	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	UD-2		Arsenic	TRUE	0		0.002	0.01	mg/L		4/21/2015	0
4/15/2015	UD-2		Barium	FALSE	0.078		0.003	0.015	mg/L		4/27/2015	0
4/15/2015	UD-2		Beryllium	TRUE	0		0.0002	0.001	mg/L		4/21/2015	0
4/15/2015	UD-2		Cadmium	TRUE	0		0.0003	0.0015	mg/L		4/20/2015	0
4/15/2015	UD-2		Chromium	TRUE	0		0.001	0.005	mg/L		4/21/2015	0
4/15/2015	UD-2		Cobalt	FALSE	0.0006	J	0.0006	0.003	mg/L		4/21/2015	0
4/15/2015	UD-2		Copper	TRUE	0		0.001	0.005	mg/L		4/20/2015	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/15/2015	UD-2		Lead	TRUE	0		0.001	0.005	mg/L		4/20/2015	0
4/15/2015	UD-2		Nickel	FALSE	0.009	J	0.005	0.025	mg/L		4/20/2015	0
4/15/2015	UD-2		Selenium	FALSE	0.002	J	0.002	0.01	mg/L		4/21/2015	0
4/15/2015	UD-2		Silver	TRUE	0		0.0001	0.0004	mg/L		4/20/2015	0
4/15/2015	UD-2		Thallium	TRUE	0		0.0003	0.002	mg/L		4/21/2015	0
4/15/2015	UD-2		Vanadium	TRUE	0		0.001	0.005	mg/L		4/27/2015	0
4/15/2015	UD-2		Zinc	FALSE	0.036		0.01	0.03	mg/L		4/29/2015	0
4/15/2015	UD-2		pH	FALSE	7.05		0	0	S.U.		4/15/2015	0
4/15/2015	UD-2		Sample Time	FALSE	1230		0	0	hours			0
4/15/2015	UD-2		Specific Conductivity	FALSE	1.26		0	0	mS/cm		4/15/2015	0
4/15/2015	UD-2		Temperature	FALSE	11.63		0	0	Degrees C		4/15/2015	0
4/15/2015	UD-2		Turbidity	FALSE	13.8		0	0	NTU		4/15/2015	0
4/15/2015	UD-2	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/24/2015	1
4/15/2015	UD-2	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/24/2015	1
4/15/2015	UD-2	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/24/2015	1
4/15/2015	UD-2	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/15/2015	UD-2	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/17/2015	1
4/15/2015	UD-2	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/17/2015	1
10/29/2015	FIELD BLANK		Antimony	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	FIELD BLANK		Arsenic	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	FIELD BLANK		Barium	TRUE	0		0.003	0.015	mg/L		11/3/2015	0
10/29/2015	FIELD BLANK		Beryllium	TRUE	0		0.0002	0.001	mg/L		11/4/2015	0
10/29/2015	FIELD BLANK		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2015	0
10/29/2015	FIELD BLANK		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	FIELD BLANK		Cobalt	TRUE	0		0.0006	0.003	mg/L		11/4/2015	0
10/29/2015	FIELD BLANK		Copper	TRUE	0		0.001	0.005	mg/L		11/2/2015	0
10/29/2015	FIELD BLANK		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	FIELD BLANK		Nickel	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	FIELD BLANK		Selenium	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	FIELD BLANK		Silver	TRUE	0		0.0001	0.0004	mg/L		11/4/2015	0
10/29/2015	FIELD BLANK		Thallium	TRUE	0		0.0003	0.002	mg/L		11/4/2015	0
10/29/2015	FIELD BLANK		Vanadium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	FIELD BLANK		Zinc	TRUE	0		0.01	0.03	mg/L		11/19/2015	0
10/29/2015	FIELD BLANK		Sample Time	FALSE	900		0	0	hours		11/19/2015	0
10/29/2015	FIELD BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	FIELD BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	FIELD BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	FIELD BLANK	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Ethylbenzene	FALSE	0.4	J	0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/29/2015	FIELD BLANK	SW8260B	Methylene Chloride	FALSE	1.4	J	1	4	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	2-Butanone (MEK)	FALSE	1.95	J	1.7	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Toluene	FALSE	2.32		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	Xylenes, Total	FALSE	2.35	J	0.3	3	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	m+p-Xylenes	FALSE	1.67	J	0.2	2	ug/L	SW8260B	11/4/2015	1
10/29/2015	FIELD BLANK	SW8260B	o-Xylene	FALSE	0.68	J	0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-10		Antimony	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-10		Arsenic	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	MW-10		Barium	FALSE	0.027		0.003	0.015	mg/L		11/3/2015	0
10/29/2015	MW-10		Beryllium	TRUE	0		0.0002	0.001	mg/L		11/4/2015	0
10/29/2015	MW-10		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2015	0
10/29/2015	MW-10		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-10		Cobalt	FALSE	0.0006	J	0.0006	0.003	mg/L		11/4/2015	0
10/29/2015	MW-10		Copper	TRUE	0		0.001	0.005	mg/L		11/2/2015	0
10/29/2015	MW-10		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-10		Nickel	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-10		Selenium	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	MW-10		Silver	TRUE	0		0.0001	0.0004	mg/L		11/4/2015	0
10/29/2015	MW-10		Thallium	TRUE	0		0.0003	0.002	mg/L		11/4/2015	0
10/29/2015	MW-10		Vanadium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-10		Zinc	TRUE	0		0.01	0.03	mg/L		11/19/2015	0
10/29/2015	MW-10		Groundwater Elevation	FALSE	1597.62		0	0	Feet		10/29/2015	0
10/29/2015	MW-10		pH	FALSE	6.69		0	0	S.U.		10/29/2015	0
10/29/2015	MW-10		Sample Time	FALSE	1415		0	0	hours		11/19/2015	0
10/29/2015	MW-10		Specific Conductivity	FALSE	1.054		0	0	mS/cm		10/29/2015	0
10/29/2015	MW-10		Temperature	FALSE	14.31		0	0	Degrees C		10/29/2015	0
10/29/2015	MW-10		Turbidity	FALSE	0.67		0	0	NTU		10/29/2015	0
10/29/2015	MW-10	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-10	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-10	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-10	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/29/2015	MW-10	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-10	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11		Antimony	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-11		Arsenic	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	MW-11		Barium	FALSE	0.033		0.003	0.015	mg/L		11/3/2015	0
10/29/2015	MW-11		Beryllium	TRUE	0		0.0002	0.001	mg/L		11/4/2015	0
10/29/2015	MW-11		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2015	0
10/29/2015	MW-11		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-11		Cobalt	FALSE	0.0028	J	0.0006	0.003	mg/L		11/4/2015	0
10/29/2015	MW-11		Copper	TRUE	0		0.001	0.005	mg/L		11/2/2015	0
10/29/2015	MW-11		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-11		Nickel	FALSE	0.002	J	0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-11		Selenium	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	MW-11		Silver	TRUE	0		0.0001	0.0004	mg/L		11/4/2015	0
10/29/2015	MW-11		Thallium	TRUE	0		0.0003	0.002	mg/L		11/4/2015	0
10/29/2015	MW-11		Vanadium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-11		Zinc	FALSE	0.02	J	0.01	0.03	mg/L		11/19/2015	0
10/29/2015	MW-11		Groundwater Elevation	FALSE	1597.73		0	0	Feet		10/29/2015	0
10/29/2015	MW-11		pH	FALSE	6.88		0	0	S.U.		10/29/2015	0
10/29/2015	MW-11		Sample Time	FALSE	1450		0	0	hours		11/19/2015	0
10/29/2015	MW-11		Specific Conductivity	FALSE	1.218		0	0	mS/cm		10/29/2015	0
10/29/2015	MW-11		Temperature	FALSE	14.81		0	0	Degrees C		10/29/2015	0
10/29/2015	MW-11		Turbidity	FALSE	2.22		0	0	NTU		10/29/2015	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/29/2015	MW-11	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-11	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-11	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-11	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-11	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12		Antimony	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-12		Arsenic	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	MW-12		Barium	FALSE	0.654		0.003	0.015	mg/L		11/3/2015	0
10/29/2015	MW-12		Beryllium	TRUE	0		0.0002	0.001	mg/L		11/4/2015	0
10/29/2015	MW-12		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2015	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/29/2015	MW-12		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-12		Cobalt	TRUE	0		0.0006	0.003	mg/L		11/4/2015	0
10/29/2015	MW-12		Copper	TRUE	0		0.001	0.005	mg/L		11/2/2015	0
10/29/2015	MW-12		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-12		Nickel	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-12		Selenium	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	MW-12		Silver	TRUE	0		0.0001	0.0004	mg/L		11/4/2015	0
10/29/2015	MW-12		Thallium	TRUE	0		0.0003	0.002	mg/L		11/4/2015	0
10/29/2015	MW-12		Vanadium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-12		Zinc	TRUE	0		0.01	0.03	mg/L		11/19/2015	0
10/29/2015	MW-12		Groundwater Elevation	FALSE	1599.13		0	0	Feet		10/29/2015	0
10/29/2015	MW-12		pH	FALSE	7.32		0	0	S.U.		10/29/2015	0
10/29/2015	MW-12		Sample Time	FALSE	1010		0	0	hours		11/19/2015	0
10/29/2015	MW-12		Specific Conductivity	FALSE	0.541		0	0	mS/cm		10/29/2015	0
10/29/2015	MW-12		Temperature	FALSE	13.15		0	0	Degrees C		10/29/2015	0
10/29/2015	MW-12		Turbidity	FALSE	1.09		0	0	NTU		10/29/2015	0
10/29/2015	MW-12	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-12	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-12	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-12	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/5/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/29/2015	MW-12	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-12	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H		Antimony	FALSE	0.001	J	0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-14H		Arsenic	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	MW-14H		Barium	FALSE	0.235		0.003	0.015	mg/L		11/3/2015	0
10/29/2015	MW-14H		Beryllium	TRUE	0		0.0002	0.001	mg/L		11/4/2015	0
10/29/2015	MW-14H		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2015	0
10/29/2015	MW-14H		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-14H		Cobalt	TRUE	0		0.0006	0.003	mg/L		11/4/2015	0
10/29/2015	MW-14H		Copper	TRUE	0		0.001	0.005	mg/L		11/2/2015	0
10/29/2015	MW-14H		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-14H		Nickel	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-14H		Selenium	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	MW-14H		Silver	TRUE	0		0.0001	0.0004	mg/L		11/4/2015	0
10/29/2015	MW-14H		Thallium	TRUE	0		0.0003	0.002	mg/L		11/4/2015	0
10/29/2015	MW-14H		Vanadium	FALSE	0.008		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-14H		Zinc	TRUE	0		0.01	0.03	mg/L		11/19/2015	0
10/29/2015	MW-14H		Groundwater Elevation	FALSE	1885.48		0	0	Feet		10/29/2015	0
10/29/2015	MW-14H		pH	FALSE	7.27		0	0	S.U.		10/29/2015	0
10/29/2015	MW-14H		Sample Time	FALSE	1030		0	0	hours		11/19/2015	0
10/29/2015	MW-14H		Specific Conductivity	FALSE	0.35		0	0	mS/cm		10/29/2015	0
10/29/2015	MW-14H		Temperature	FALSE	13		0	0	Degrees C		10/29/2015	0
10/29/2015	MW-14H		Turbidity	FALSE	1.16		0	0	NTU		10/29/2015	0
10/29/2015	MW-14H	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-14H	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-14H	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-14H	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/29/2015	MW-14H	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP		Antimony	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-14H DUP		Arsenic	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	MW-14H DUP		Barium	FALSE	0.217		0.003	0.015	mg/L		11/3/2015	0
10/29/2015	MW-14H DUP		Beryllium	TRUE	0		0.0002	0.001	mg/L		11/4/2015	0
10/29/2015	MW-14H DUP		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2015	0
10/29/2015	MW-14H DUP		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-14H DUP		Cobalt	TRUE	0		0.0006	0.003	mg/L		11/4/2015	0
10/29/2015	MW-14H DUP		Copper	TRUE	0		0.001	0.005	mg/L		11/2/2015	0
10/29/2015	MW-14H DUP		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-14H DUP		Nickel	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-14H DUP		Selenium	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	MW-14H DUP		Silver	TRUE	0		0.0001	0.0004	mg/L		11/4/2015	0
10/29/2015	MW-14H DUP		Thallium	TRUE	0		0.0003	0.002	mg/L		11/4/2015	0
10/29/2015	MW-14H DUP		Vanadium	FALSE	0.007		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-14H DUP		Zinc	TRUE	0		0.01	0.03	mg/L		11/19/2015	0
10/29/2015	MW-14H DUP		pH	FALSE	7.29		0	0	S.U.		10/29/2015	0
10/29/2015	MW-14H DUP		Sample Time	FALSE	1035		0	0	hours		11/19/2015	0
10/29/2015	MW-14H DUP		Specific Conductivity	FALSE	0.352		0	0	mS/cm		10/29/2015	0
10/29/2015	MW-14H DUP		Temperature	FALSE	13.01		0	0	Degrees C		10/29/2015	0
10/29/2015	MW-14H DUP		Turbidity	FALSE	1.16		0	0	NTU		10/29/2015	0
10/29/2015	MW-14H DUP	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-14H DUP	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-14H DUP	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-14H DUP	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/5/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/29/2015	MW-14H DUP	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-14H DUP	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	MW-3		Antimony	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-3		Arsenic	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	MW-3		Barium	FALSE	0.043		0.003	0.015	mg/L		11/3/2015	0
10/29/2015	MW-3		Beryllium	TRUE	0		0.0002	0.001	mg/L		11/4/2015	0
10/29/2015	MW-3		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2015	0
10/29/2015	MW-3		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-3		Cobalt	FALSE	0.0013	J	0.0006	0.003	mg/L		11/4/2015	0
10/29/2015	MW-3		Copper	TRUE	0		0.001	0.005	mg/L		11/2/2015	0
10/29/2015	MW-3		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-3		Nickel	FALSE	0.001	J	0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-3		Selenium	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	MW-3		Silver	TRUE	0		0.0001	0.0004	mg/L		11/4/2015	0
10/29/2015	MW-3		Thallium	TRUE	0		0.0003	0.002	mg/L		11/4/2015	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/29/2015	MW-3		Vanadium	FALSE	0.001	J	0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-3		Zinc	TRUE	0		0.01	0.03	mg/L		11/19/2015	0
10/29/2015	MW-3		Groundwater Elevation	FALSE	1600.45		0	0	Feet		10/29/2015	0
10/29/2015	MW-3		pH	FALSE	7.03		0	0	S.U.		10/29/2015	0
10/29/2015	MW-3		Sample Time	FALSE	1220		0	0	hours		11/19/2015	0
10/29/2015	MW-3		Specific Conductivity	FALSE	0.682		0	0	mS/cm		10/29/2015	0
10/29/2015	MW-3		Temperature	FALSE	13.77		0	0	Degrees C		10/29/2015	0
10/29/2015	MW-3		Turbidity	FALSE	0.42		0	0	NTU		10/29/2015	0
10/29/2015	MW-3	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-3	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-3	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-3	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/29/2015	MW-3	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-3	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4		Antimony	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-4		Arsenic	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	MW-4		Barium	FALSE	0.038		0.003	0.015	mg/L		11/3/2015	0
10/29/2015	MW-4		Beryllium	TRUE	0		0.0002	0.001	mg/L		11/4/2015	0
10/29/2015	MW-4		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2015	0
10/29/2015	MW-4		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-4		Cobalt	TRUE	0		0.0006	0.003	mg/L		11/4/2015	0
10/29/2015	MW-4		Copper	FALSE	0.004	J	0.001	0.005	mg/L		11/2/2015	0
10/29/2015	MW-4		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-4		Nickel	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-4		Selenium	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	MW-4		Silver	TRUE	0		0.0001	0.0004	mg/L		11/4/2015	0
10/29/2015	MW-4		Thallium	TRUE	0		0.0003	0.002	mg/L		11/4/2015	0
10/29/2015	MW-4		Vanadium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-4		Zinc	FALSE	0.015	J	0.01	0.03	mg/L		11/19/2015	0
10/29/2015	MW-4		pH	FALSE	6.69		0	0	S.U.		10/29/2015	0
10/29/2015	MW-4		Sample Time	FALSE	1130		0	0	hours		11/19/2015	0
10/29/2015	MW-4		Specific Conductivity	FALSE	0.471		0	0	mS/cm		10/29/2015	0
10/29/2015	MW-4		Temperature	FALSE	13.42		0	0	Degrees C		10/29/2015	0
10/29/2015	MW-4		Turbidity	FALSE	2.94		0	0	NTU		10/29/2015	0
10/29/2015	MW-4	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-4	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-4	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-4	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/29/2015	MW-4	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-4	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5		Antimony	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-5		Arsenic	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	MW-5		Barium	FALSE	0.434		0.003	0.015	mg/L		11/3/2015	0
10/29/2015	MW-5		Beryllium	TRUE	0		0.0002	0.001	mg/L		11/4/2015	0
10/29/2015	MW-5		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2015	0
10/29/2015	MW-5		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-5		Cobalt	TRUE	0		0.0006	0.003	mg/L		11/4/2015	0
10/29/2015	MW-5		Copper	TRUE	0		0.001	0.005	mg/L		11/2/2015	0
10/29/2015	MW-5		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-5		Nickel	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-5		Selenium	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	MW-5		Silver	TRUE	0		0.0001	0.0004	mg/L		11/4/2015	0
10/29/2015	MW-5		Thallium	TRUE	0		0.0003	0.002	mg/L		11/4/2015	0
10/29/2015	MW-5		Vanadium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-5		Zinc	TRUE	0		0.01	0.03	mg/L		11/19/2015	0
10/29/2015	MW-5		Groundwater Elevation	FALSE	1854.99		0	0	Feet		10/29/2015	0
10/29/2015	MW-5		pH	FALSE	7.33		0	0	S.U.		10/29/2015	0
10/29/2015	MW-5		Sample Time	FALSE	1225		0	0	hours		11/19/2015	0
10/29/2015	MW-5		Specific Conductivity	FALSE	0.545		0	0	mS/cm		10/29/2015	0
10/29/2015	MW-5		Temperature	FALSE	13.42		0	0	Degrees C		10/29/2015	0
10/29/2015	MW-5		Turbidity	FALSE	0.39		0	0	NTU		10/29/2015	0
10/29/2015	MW-5	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-5	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-5	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-5	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/29/2015	MW-5	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-5	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7		Antimony	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-7		Arsenic	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	MW-7		Barium	FALSE	0.248		0.003	0.015	mg/L		11/3/2015	0
10/29/2015	MW-7		Beryllium	TRUE	0		0.0002	0.001	mg/L		11/4/2015	0
10/29/2015	MW-7		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2015	0
10/29/2015	MW-7		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-7		Cobalt	TRUE	0		0.0006	0.003	mg/L		11/4/2015	0
10/29/2015	MW-7		Copper	TRUE	0		0.001	0.005	mg/L		11/2/2015	0
10/29/2015	MW-7		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-7		Nickel	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-7		Selenium	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	MW-7		Silver	TRUE	0		0.0001	0.0004	mg/L		11/4/2015	0
10/29/2015	MW-7		Thallium	TRUE	0		0.0003	0.002	mg/L		11/4/2015	0
10/29/2015	MW-7		Vanadium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	MW-7		Zinc	TRUE	0		0.01	0.03	mg/L		11/19/2015	0
10/29/2015	MW-7		Groundwater Elevation	FALSE	1597.97		0	0	Feet		10/29/2015	0
10/29/2015	MW-7		pH	FALSE	8.16		0	0	S.U.		10/29/2015	0
10/29/2015	MW-7		Sample Time	FALSE	1110		0	0	hours		11/19/2015	0
10/29/2015	MW-7		Specific Conductivity	FALSE	1.66		0	0	mS/cm		10/29/2015	0
10/29/2015	MW-7		Temperature	FALSE	13.49		0	0	Degrees C		10/29/2015	0
10/29/2015	MW-7		Turbidity	FALSE	2.8		0	0	NTU		10/29/2015	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/29/2015	MW-7	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-7	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-7	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	MW-7	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/4/2015	1
10/29/2015	MW-7	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	TRIP BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	TRIP BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	TRIP BLANK	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/4/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/29/2015	TRIP BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/4/2015	1
10/29/2015	TRIP BLANK	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2015	1
10/29/2015	UD-1		Antimony	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	UD-1		Arsenic	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	UD-1		Barium	FALSE	0.06		0.003	0.015	mg/L		11/3/2015	0
10/29/2015	UD-1		Beryllium	TRUE	0		0.0002	0.001	mg/L		11/4/2015	0
10/29/2015	UD-1		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2015	0
10/29/2015	UD-1		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	UD-1		Cobalt	FALSE	0.0258		0.0006	0.003	mg/L		11/4/2015	0
10/29/2015	UD-1		Copper	TRUE	0		0.001	0.005	mg/L		11/2/2015	0
10/29/2015	UD-1		Lead	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	UD-1		Nickel	FALSE	0.016		0.001	0.005	mg/L		11/3/2015	0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/29/2015	UD-1		Selenium	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	UD-1		Silver	TRUE	0		0.0001	0.0004	mg/L		11/4/2015	0
10/29/2015	UD-1		Thallium	TRUE	0		0.0003	0.002	mg/L		11/4/2015	0
10/29/2015	UD-1		Vanadium	FALSE	0.002	J	0.001	0.005	mg/L		11/3/2015	0
10/29/2015	UD-1		Zinc	FALSE	0.012	J	0.01	0.03	mg/L		11/19/2015	0
10/29/2015	UD-1		pH	FALSE	6.98		0	0	S.U.		10/29/2015	0
10/29/2015	UD-1		Sample Time	FALSE	1400		0	0	hours		11/19/2015	0
10/29/2015	UD-1		Specific Conductivity	FALSE	1.57		0	0	mS/cm		10/29/2015	0
10/29/2015	UD-1		Temperature	FALSE	13.59		0	0	Degrees C		10/29/2015	0
10/29/2015	UD-1		Turbidity	FALSE	1.88		0	0	NTU		10/29/2015	0
10/29/2015	UD-1	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	UD-1	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	UD-1	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	UD-1	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/29/2015	UD-1	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-1	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2		Antimony	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	UD-2		Arsenic	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	UD-2		Barium	FALSE	0.044		0.003	0.015	mg/L		11/3/2015	0
10/29/2015	UD-2		Beryllium	TRUE	0		0.0002	0.001	mg/L		11/4/2015	0
10/29/2015	UD-2		Cadmium	TRUE	0		0.0003	0.0015	mg/L		11/3/2015	0
10/29/2015	UD-2		Chromium	TRUE	0		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	UD-2		Cobalt	FALSE	0.0035		0.0006	0.003	mg/L		11/4/2015	0
10/29/2015	UD-2		Copper	FALSE	0.004	J	0.001	0.005	mg/L		11/2/2015	0
10/29/2015	UD-2		Lead	FALSE	0.002	J	0.001	0.005	mg/L		11/3/2015	0
10/29/2015	UD-2		Nickel	FALSE	0.027		0.001	0.005	mg/L		11/3/2015	0
10/29/2015	UD-2		Selenium	TRUE	0		0.002	0.01	mg/L		11/2/2015	0
10/29/2015	UD-2		Silver	TRUE	0		0.0001	0.0004	mg/L		11/4/2015	0
10/29/2015	UD-2		Thallium	TRUE	0		0.0003	0.002	mg/L		11/4/2015	0
10/29/2015	UD-2		Vanadium	FALSE	0.002	J	0.001	0.005	mg/L		11/3/2015	0
10/29/2015	UD-2		Zinc	FALSE	0.038		0.01	0.03	mg/L		11/19/2015	0
10/29/2015	UD-2		pH	FALSE	7.09		0	0	S.U.		10/29/2015	0
10/29/2015	UD-2		Sample Time	FALSE	1240		0	0	hours		11/19/2015	0
10/29/2015	UD-2		Specific Conductivity	FALSE	1.14		0	0	mS/cm		10/29/2015	0
10/29/2015	UD-2		Temperature	FALSE	13.1		0	0	Degrees C		10/29/2015	0
10/29/2015	UD-2		Turbidity	FALSE	104		0	0	NTU		10/29/2015	0
10/29/2015	UD-2	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	UD-2	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	UD-2	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/6/2015	1
10/29/2015	UD-2	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/29/2015	UD-2	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/5/2015	1
10/29/2015	UD-2	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/5/2015	1
4/22/2016	TRIP BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
4/22/2016	TRIP BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
4/22/2016	TRIP BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	FIELD BLANK	SW6010C	Barium	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	FIELD BLANK	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	FIELD BLANK	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	5/17/2016	1
5/3/2016	FIELD BLANK	SW6010C	Chromium	TRUE	0		0.001	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	FIELD BLANK	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	FIELD BLANK	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	FIELD BLANK	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	FIELD BLANK	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	FIELD BLANK	SW6010C	Selenium	FALSE	0.0101	J	0.009	0.05	mg/L	SW6010C	5/17/2016	1
5/3/2016	FIELD BLANK	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	FIELD BLANK	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	FIELD BLANK	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	FIELD BLANK	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	FIELD BLANK	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	FIELD BLANK	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	5/6/2016	1
5/3/2016	FIELD BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	FIELD BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	FIELD BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	FIELD BLANK	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Acetone	FALSE	61.6		7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/3/2016	FIELD BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	2-Hexanone (MBK)	FALSE	10.6		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	2-Butanone (MEK)	FALSE	32.9		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Toluene	FALSE	0.42	J	0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	Xylenes, Total	FALSE	0.4	J	0.3	3	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	m+p-Xylenes	FALSE	0.26	J	0.2	2	ug/L	SW8260B	5/5/2016	1
5/3/2016	FIELD BLANK	SW8260B	o-Xylene	FALSE	0.14	J	0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	Field	Oxidation Reduction Potential	FALSE	-73		0	0	mV	Field		0
5/3/2016	MW-10	Field	Groundwater Elevation	FALSE	1599.52		0	0	Feet	Field		0
5/3/2016	MW-10	Field	pH	FALSE	6.87		0	0	S.U.	Field		0
5/3/2016	MW-10	Field	Specific Conductivity	FALSE	0.91		0	0	mS/cm	Field		0
5/3/2016	MW-10	Field	Temperature	FALSE	14.46		0	0	Degrees C	Field		0
5/3/2016	MW-10	Field	Turbidity	FALSE	1.68		0	0	NTU	Field		0
5/3/2016	MW-10	SW6010C	Barium	FALSE	0.0268		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-10	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-10	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-10	SW6010C	Chromium	FALSE	0.0012	J	0.001	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-10	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-10	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-10	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-10	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-10	SW6010C	Selenium	TRUE	0		0.009	0.05	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-10	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-10	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-10	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-10	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-10	SW6020A	Arsenic	FALSE	0.0028	J	0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-10	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-10	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/3/2016	MW-10	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-10	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-10	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-10	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	Field	Oxidation Reduction Potential	FALSE	-17		0	0	mV	Field		0
5/3/2016	MW-11	Field	Groundwater Elevation	FALSE	1599.49		0	0	Feet	Field		0
5/3/2016	MW-11	Field	pH	FALSE	6.88		0	0	S.U.	Field		0
5/3/2016	MW-11	Field	Specific Conductivity	FALSE	0.981		0	0	mS/cm	Field		0
5/3/2016	MW-11	Field	Temperature	FALSE	14.2		0	0	Degrees C	Field		0
5/3/2016	MW-11	Field	Turbidity	FALSE	1.77		0	0	NTU	Field		0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/3/2016	MW-11	SW6010C	Barium	FALSE	0.0274		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-11	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-11	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-11	SW6010C	Chromium	FALSE	0.0019	J	0.001	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-11	SW6010C	Cobalt	FALSE	0.0029	J	0.002	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-11	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-11	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-11	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-11	SW6010C	Selenium	TRUE	0		0.009	0.05	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-11	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-11	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-11	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-11	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-11	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-11	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-11	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-11	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-11	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-11	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/3/2016	MW-11	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-11	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	Field	Oxidation Reduction Potential	FALSE	-233		0	0	mV	Field		0
5/3/2016	MW-12	Field	Groundwater Elevation	FALSE	1599.92		0	0	Feet	Field		0
5/3/2016	MW-12	Field	pH	FALSE	7.81		0	0	S.U.	Field		0
5/3/2016	MW-12	Field	Specific Conductivity	FALSE	0.446		0	0	mS/cm	Field		0
5/3/2016	MW-12	Field	Temperature	FALSE	13.21		0	0	Degrees C	Field		0
5/3/2016	MW-12	Field	Turbidity	FALSE	0.53		0	0	NTU	Field		0
5/3/2016	MW-12	SW6010C	Barium	FALSE	0.697		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-12	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-12	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-12	SW6010C	Chromium	TRUE	0		0.001	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-12	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-12	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-12	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-12	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-12	SW6010C	Selenium	TRUE	0		0.009	0.05	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-12	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-12	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-12	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-12	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-12	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-12	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-12	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-12	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-12	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-12	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/3/2016	MW-12	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-12	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	Field	Oxidation Reduction Potential	FALSE	57		0	0	mV	Field		0
5/3/2016	MW-14H	Field	Groundwater Elevation	FALSE	1887.03		0	0	Feet	Field		0
5/3/2016	MW-14H	Field	pH	FALSE	6.71		0	0	S.U.	Field		0
5/3/2016	MW-14H	Field	Specific Conductivity	FALSE	0.292		0	0	mS/cm	Field		0
5/3/2016	MW-14H	Field	Temperature	FALSE	12.82		0	0	Degrees C	Field		0
5/3/2016	MW-14H	Field	Turbidity	FALSE	0.75		0	0	NTU	Field		0
5/3/2016	MW-14H	SW6010C	Barium	FALSE	0.269		0.002	0.01	mg/L	SW6010C	5/6/2016	1
5/3/2016	MW-14H	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	5/6/2016	1
5/3/2016	MW-14H	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	5/6/2016	1
5/3/2016	MW-14H	SW6010C	Chromium	TRUE	0		0.001	0.01	mg/L	SW6010C	5/6/2016	1
5/3/2016	MW-14H	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	5/6/2016	1
5/3/2016	MW-14H	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	5/6/2016	1
5/3/2016	MW-14H	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	5/6/2016	1
5/3/2016	MW-14H	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	5/6/2016	1
5/3/2016	MW-14H	SW6010C	Selenium	TRUE	0		0.009	0.05	mg/L	SW6010C	5/6/2016	1
5/3/2016	MW-14H	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	5/6/2016	1
5/3/2016	MW-14H	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	5/6/2016	1
5/3/2016	MW-14H	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	5/6/2016	1
5/3/2016	MW-14H	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-14H	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-14H	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-14H	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-14H	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-14H	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-14H	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/3/2016	MW-14H	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	Field	Oxidation Reduction Potential	FALSE	56		0	0	mV	Field		0
5/3/2016	MW-14H DUP	Field	pH	FALSE	6.71		0	0	S.U.	Field		0
5/3/2016	MW-14H DUP	Field	Specific Conductivity	FALSE	0.291		0	0	mS/cm	Field		0
5/3/2016	MW-14H DUP	Field	Temperature	FALSE	12.8		0	0	Degrees C	Field		0
5/3/2016	MW-14H DUP	Field	Turbidity	FALSE	0.81		0	0	NTU	Field		0
5/3/2016	MW-14H DUP	SW6010C	Barium	FALSE	0.271		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-14H DUP	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-14H DUP	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-14H DUP	SW6010C	Chromium	TRUE	0		0.001	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-14H DUP	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-14H DUP	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-14H DUP	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-14H DUP	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/3/2016	MW-14H DUP	SW6010C	Selenium	TRUE	0		0.009	0.05	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-14H DUP	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-14H DUP	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-14H DUP	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-14H DUP	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-14H DUP	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-14H DUP	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-14H DUP	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-14H DUP	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-14H DUP	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-14H DUP	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/5/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/3/2016	MW-14H DUP	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-14H DUP	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	Field	Oxidation Reduction Potential	FALSE	-55		0	0	mV	Field		0
5/3/2016	MW-3	Field	Groundwater Elevation	FALSE	1603.05		0	0	Feet	Field		0
5/3/2016	MW-3	Field	pH	FALSE	7.07		0	0	S.U.	Field		0
5/3/2016	MW-3	Field	Specific Conductivity	FALSE	0.394		0	0	mS/cm	Field		0
5/3/2016	MW-3	Field	Temperature	FALSE	12.1		0	0	Degrees C	Field		0
5/3/2016	MW-3	Field	Turbidity	FALSE	0.63		0	0	NTU	Field		0
5/3/2016	MW-3	SW6010C	Barium	FALSE	0.0221		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-3	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-3	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-3	SW6010C	Chromium	FALSE	0.0011	J	0.001	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-3	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-3	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-3	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-3	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-3	SW6010C	Selenium	TRUE	0		0.009	0.05	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-3	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-3	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-3	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-3	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-3	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-3	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-3	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-3	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-3	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-3	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/3/2016	MW-3	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-3	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	Field	Oxidation Reduction Potential	FALSE	-7		0	0	mV	Field		0
5/3/2016	MW-4	Field	Groundwater Elevation	FALSE	1856		0	0	Feet	Field		0
5/3/2016	MW-4	Field	pH	FALSE	6.23		0	0	S.U.	Field		0
5/3/2016	MW-4	Field	Specific Conductivity	FALSE	0.416		0	0	mS/cm	Field		0
5/3/2016	MW-4	Field	Temperature	FALSE	12.73		0	0	Degrees C	Field		0
5/3/2016	MW-4	Field	Turbidity	FALSE	0.88		0	0	NTU	Field		0
5/3/2016	MW-4	SW6010C	Barium	FALSE	0.0399		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-4	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-4	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-4	SW6010C	Chromium	TRUE	0		0.001	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-4	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-4	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-4	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-4	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-4	SW6010C	Selenium	TRUE	0		0.009	0.05	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-4	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-4	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-4	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-4	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-4	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-4	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-4	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-4	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-4	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-4	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/3/2016	MW-4	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-4	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	Field	Oxidation Reduction Potential	FALSE	52		0	0	mV	Field		0
5/3/2016	MW-5	Field	Groundwater Elevation	FALSE	1855.85		0	0	Feet	Field		0
5/3/2016	MW-5	Field	pH	FALSE	7.22		0	0	S.U.	Field		0
5/3/2016	MW-5	Field	Specific Conductivity	FALSE	0.496		0	0	mS/cm	Field		0
5/3/2016	MW-5	Field	Temperature	FALSE	12.83		0	0	Degrees C	Field		0
5/3/2016	MW-5	Field	Turbidity	FALSE	2.67		0	0	NTU	Field		0
5/3/2016	MW-5	SW6010C	Barium	FALSE	0.393		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-5	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-5	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-5	SW6010C	Chromium	TRUE	0		0.001	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-5	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-5	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-5	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-5	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-5	SW6010C	Selenium	TRUE	0		0.009	0.05	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-5	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-5	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-5	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-5	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-5	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-5	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	5/6/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/3/2016	MW-5	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-5	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-5	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-5	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-5	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	Field	Oxidation Reduction Potential	FALSE	-278		0	0	mV	Field		0
5/3/2016	MW-7	Field	Groundwater Elevation	FALSE	1599.11		0	0	Feet	Field		0
5/3/2016	MW-7	Field	pH	FALSE	8.36		0	0	S.U.	Field		0
5/3/2016	MW-7	Field	Specific Conductivity	FALSE	1.49		0	0	mS/cm	Field		0
5/3/2016	MW-7	Field	Temperature	FALSE	13.51		0	0	Degrees C	Field		0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/3/2016	MW-7	Field	Turbidity	FALSE	0.98		0	0	NTU	Field		0
5/3/2016	MW-7	SW6010C	Barium	FALSE	0.22		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-7	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-7	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-7	SW6010C	Chromium	TRUE	0		0.001	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-7	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-7	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-7	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-7	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-7	SW6010C	Selenium	TRUE	0		0.009	0.05	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-7	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-7	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-7	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	MW-7	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-7	SW6020A	Arsenic	FALSE	0.001	J	0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-7	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	5/6/2016	1
5/3/2016	MW-7	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-7	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-7	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	MW-7	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/5/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/3/2016	MW-7	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	5/5/2016	1
5/3/2016	MW-7	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/3/2016	TRIP BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	5/5/2016	1
5/3/2016	TRIP BLANK	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	Field	Oxidation Reduction Potential	FALSE	35		0	0	mV	Field		0
5/3/2016	UD-1	Field	pH	FALSE	6.48		0	0	S.U.	Field		0
5/3/2016	UD-1	Field	Specific Conductivity	FALSE	1.415		0	0	mS/cm	Field		0
5/3/2016	UD-1	Field	Temperature	FALSE	13.83		0	0	Degrees C	Field		0
5/3/2016	UD-1	Field	Turbidity	FALSE	5.01		0	0	NTU	Field		0
5/3/2016	UD-1	SW6010C	Barium	FALSE	0.0492		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-1	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-1	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-1	SW6010C	Chromium	FALSE	0.0034	J	0.001	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-1	SW6010C	Cobalt	FALSE	0.0137		0.002	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-1	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-1	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-1	SW6010C	Nickel	FALSE	0.0115		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-1	SW6010C	Selenium	TRUE	0		0.009	0.05	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-1	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-1	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-1	SW6010C	Zinc	FALSE	0.0123		0.01	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-1	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	UD-1	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	UD-1	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	5/6/2016	1
5/3/2016	UD-1	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	UD-1	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	UD-1	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	UD-1	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/3/2016	UD-1	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-1	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	Field	pH	FALSE	7.01		0	0	S.U.	Field		0
5/3/2016	UD-2	Field	Specific Conductivity	FALSE	0.869		0	0	mS/cm	Field		0
5/3/2016	UD-2	Field	Temperature	FALSE	12.08		0	0	Degrees C	Field		0
5/3/2016	UD-2	Field	Turbidity	FALSE	91.1		0	0	NTU	Field		0
5/3/2016	UD-2	SW6010C	Barium	FALSE	0.0359		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-2	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-2	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-2	SW6010C	Chromium	FALSE	0.0023	J	0.001	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-2	SW6010C	Cobalt	FALSE	0.0038	J	0.002	0.004	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-2	SW6010C	Copper	FALSE	0.0042	J	0.003	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-2	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-2	SW6010C	Nickel	FALSE	0.0041	J	0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-2	SW6010C	Selenium	TRUE	0		0.009	0.05	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-2	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-2	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-2	SW6010C	Zinc	FALSE	0.0327		0.01	0.01	mg/L	SW6010C	5/17/2016	1
5/3/2016	UD-2	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	UD-2	SW6020A	Arsenic	FALSE	0.0011	J	0.001	0.005	mg/L	SW6020A	5/6/2016	1
5/3/2016	UD-2	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	5/6/2016	1
5/3/2016	UD-2	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	UD-2	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	UD-2	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	5/7/2016	1
5/3/2016	UD-2	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
5/3/2016	UD-2	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	2-Hexanone (MBK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	2-Butanone (MEK)	TRUE	0		1.7	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		1.2	5	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	5/5/2016	1
5/3/2016	UD-2	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	5/5/2016	1
10/13/2016	TRIP BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/9/2016	1
10/13/2016	TRIP BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/9/2016	1
10/13/2016	TRIP BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/9/2016	1
10/13/2016	TRIP BLANK	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
10/13/2016	TRIP BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/4/2016	1
10/13/2016	TRIP BLANK	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	Field	Sample Time	FALSE	800		0	0	hours	Field	11/4/2016	1
11/2/2016	FIELD BLANK	SW6010C	Barium	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	FIELD BLANK	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	FIELD BLANK	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	11/7/2016	1
11/2/2016	FIELD BLANK	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	FIELD BLANK	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	FIELD BLANK	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	FIELD BLANK	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	FIELD BLANK	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	FIELD BLANK	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	11/7/2016	1
11/2/2016	FIELD BLANK	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	FIELD BLANK	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	FIELD BLANK	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	FIELD BLANK	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	11/7/2016	1
11/2/2016	FIELD BLANK	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	11/7/2016	1
11/2/2016	FIELD BLANK	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	11/7/2016	1
11/2/2016	FIELD BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/9/2016	1
11/2/2016	FIELD BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/9/2016	1
11/2/2016	FIELD BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/9/2016	1
11/2/2016	FIELD BLANK	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Acetone	FALSE	14.9		7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/2/2016	FIELD BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	2-Butanone (MEK)	FALSE	4.6	J	4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Toluene	FALSE	0.3	J	0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	Xylenes, Total	FALSE	0.35	J	0.3	3	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	m+p-Xylenes	FALSE	0.24	J	0.2	2	ug/L	SW8260B	11/4/2016	1
11/2/2016	FIELD BLANK	SW8260B	o-Xylene	FALSE	0.1	J	0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	Field	Oxidation Reduction Potential	FALSE	3		0	0	mV	Field	11/4/2016	1
11/2/2016	MW-10	Field	Groundwater Elevation	FALSE	1596.76		0	0	Feet	Field	11/4/2016	1
11/2/2016	MW-10	Field	pH	FALSE	6.54		0	0	S.U.	Field	11/4/2016	1
11/2/2016	MW-10	Field	Sample Time	FALSE	1435		0	0	hours	Field	11/4/2016	1
11/2/2016	MW-10	Field	Specific Conductivity	FALSE	1.007		0	0	mS/cm	Field	11/4/2016	1
11/2/2016	MW-10	Field	Temperature	FALSE	15.2		0	0	Degrees C	Field	11/4/2016	1
11/2/2016	MW-10	Field	Turbidity	FALSE	0.69		0	0	NTU	Field	11/4/2016	1
11/2/2016	MW-10	SW6010C	Barium	FALSE	0.0295		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-10	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-10	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-10	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-10	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-10	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-10	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-10	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-10	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-10	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/2/2016	MW-10	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-10	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-10	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-10	SW6020A	Arsenic	FALSE	0.0031	J	0.001	0.005	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-10	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-10	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-10	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-10	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-10	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-10	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/2/2016	MW-11	Field	Oxidation Reduction Potential	FALSE	-113		0	0	mV	Field	11/4/2016	1
11/2/2016	MW-11	Field	Groundwater Elevation	FALSE	1596.82		0	0	Feet	Field	11/4/2016	1
11/2/2016	MW-11	Field	pH	FALSE	7.38		0	0	S.U.	Field	11/4/2016	1
11/2/2016	MW-11	Field	Sample Time	FALSE	1450		0	0	hours	Field	11/4/2016	1
11/2/2016	MW-11	Field	Specific Conductivity	FALSE	1.05		0	0	mS/cm	Field	11/4/2016	1
11/2/2016	MW-11	Field	Temperature	FALSE	15.97		0	0	Degrees C	Field	11/4/2016	1
11/2/2016	MW-11	Field	Turbidity	FALSE	0.66		0	0	NTU	Field	11/4/2016	1
11/2/2016	MW-11	SW6010C	Barium	FALSE	0.0364		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-11	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-11	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-11	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-11	SW6010C	Cobalt	FALSE	0.0047		0.002	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-11	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-11	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-11	SW6010C	Nickel	FALSE	0.0026	J	0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-11	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-11	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-11	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-11	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-11	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-11	SW6020A	Arsenic	FALSE	0.0017	J	0.001	0.005	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-11	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-11	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-11	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-11	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-11	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/4/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/2/2016	MW-11	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-11	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	Field	Oxidation Reduction Potential	FALSE	-181		0	0	mV	Field	11/7/2016	1
11/2/2016	MW-12	Field	Groundwater Elevation	FALSE	1596.16		0	0	Feet	Field	11/7/2016	1
11/2/2016	MW-12	Field	pH	FALSE	7.38		0	0	S.U.	Field	11/7/2016	1
11/2/2016	MW-12	Field	Sample Time	FALSE	1010		0	0	hours	Field	11/7/2016	1
11/2/2016	MW-12	Field	Specific Conductivity	FALSE	0.496		0	0	mS/cm	Field	11/7/2016	1
11/2/2016	MW-12	Field	Temperature	FALSE	13.1		0	0	Degrees C	Field	11/7/2016	1
11/2/2016	MW-12	Field	Turbidity	FALSE	0.3		0	0	NTU	Field	11/7/2016	1
11/2/2016	MW-12	SW6010C	Barium	FALSE	0.864		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-12	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-12	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-12	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-12	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-12	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-12	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-12	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-12	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-12	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-12	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-12	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-12	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-12	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-12	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-12	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-12	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-12	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-12	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/2/2016	MW-12	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-12	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	Field	Oxidation Reduction Potential	FALSE	155		0	0	mV	Field	11/4/2016	1
11/2/2016	MW-14H	Field	Groundwater Elevation	FALSE	1884.04		0	0	Feet	Field	11/4/2016	1
11/2/2016	MW-14H	Field	pH	FALSE	7.02		0	0	S.U.	Field	11/4/2016	1
11/2/2016	MW-14H	Field	Sample Time	FALSE	1030		0	0	hours	Field	11/4/2016	1
11/2/2016	MW-14H	Field	Specific Conductivity	FALSE	0.292		0	0	mS/cm	Field	11/4/2016	1
11/2/2016	MW-14H	Field	Temperature	FALSE	13.4		0	0	Degrees C	Field	11/4/2016	1
11/2/2016	MW-14H	Field	Turbidity	FALSE	0.59		0	0	NTU	Field	11/4/2016	1
11/2/2016	MW-14H	SW6010C	Barium	FALSE	0.295		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-14H	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-14H	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-14H	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-14H	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-14H	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-14H	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-14H	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-14H	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-14H	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-14H	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-14H	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-14H	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-14H	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	11/7/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/2/2016	MW-14H	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-14H	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-14H	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-14H	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-14H	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-14H	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	Field	Oxidation Reduction Potential	FALSE	-12		0	0	mV	Field	11/4/2016	1
11/2/2016	MW-3	Field	Groundwater Elevation	FALSE	1596.47		0	0	Feet	Field	11/4/2016	1
11/2/2016	MW-3	Field	pH	FALSE	6.81		0	0	S.U.	Field	11/4/2016	1
11/2/2016	MW-3	Field	Sample Time	FALSE	1120		0	0	hours	Field	11/4/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/2/2016	MW-3	Field	Specific Conductivity	FALSE	0.621		0	0	mS/cm	Field	11/4/2016	1
11/2/2016	MW-3	Field	Temperature	FALSE	13.5		0	0	Degrees C	Field	11/4/2016	1
11/2/2016	MW-3	Field	Turbidity	FALSE	0.34		0	0	NTU	Field	11/4/2016	1
11/2/2016	MW-3	SW6010C	Barium	FALSE	0.0422		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3	SW6010C	Cobalt	FALSE	0.0024	J	0.002	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3	SW6010C	Nickel	FALSE	0.0026	J	0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-3	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-3	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-3	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-3	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-3	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-3	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/2/2016	MW-3	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	Field	Oxidation Reduction Potential	FALSE	-12		0	0	mV	Field	11/4/2016	1
11/2/2016	MW-3 DUP	Field	pH	FALSE	6.81		0	0	S.U.	Field	11/4/2016	1
11/2/2016	MW-3 DUP	Field	Sample Time	FALSE	1125		0	0	hours	Field	11/4/2016	1
11/2/2016	MW-3 DUP	Field	Specific Conductivity	FALSE	0.621		0	0	mS/cm	Field	11/4/2016	1
11/2/2016	MW-3 DUP	Field	Temperature	FALSE	13.5		0	0	Degrees C	Field	11/4/2016	1
11/2/2016	MW-3 DUP	Field	Turbidity	FALSE	0.34		0	0	NTU	Field	11/4/2016	1
11/2/2016	MW-3 DUP	SW6010C	Barium	FALSE	0.0449		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3 DUP	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3 DUP	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3 DUP	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3 DUP	SW6010C	Cobalt	FALSE	0.0026	J	0.002	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3 DUP	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3 DUP	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3 DUP	SW6010C	Nickel	FALSE	0.0035	J	0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3 DUP	SW6010C	Selenium	FALSE	0.0256	J	0.015	0.05	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3 DUP	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3 DUP	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3 DUP	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-3 DUP	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-3 DUP	SW6020A	Arsenic	TRUE	0		0.01	0.05	mg/L	SW6020A	11/8/2016	10
11/2/2016	MW-3 DUP	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-3 DUP	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-3 DUP	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-3 DUP	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-3 DUP	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/2/2016	MW-3 DUP	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-3 DUP	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	Field	Oxidation Reduction Potential	FALSE	16		0	0	mV	Field	11/4/2016	1
11/2/2016	MW-4	Field	pH	FALSE	6.8		0	0	S.U.	Field	11/4/2016	1
11/2/2016	MW-4	Field	Sample Time	FALSE	1135		0	0	hours	Field	11/4/2016	1
11/2/2016	MW-4	Field	Specific Conductivity	FALSE	0.425		0	0	mS/cm	Field	11/4/2016	1
11/2/2016	MW-4	Field	Temperature	FALSE	15.8		0	0	Degrees C	Field	11/4/2016	1
11/2/2016	MW-4	Field	Turbidity	FALSE	2.71		0	0	NTU	Field	11/4/2016	1
11/2/2016	MW-4	SW6010C	Barium	FALSE	0.0475		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-4	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-4	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-4	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-4	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-4	SW6010C	Copper	FALSE	0.0049	J	0.003	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-4	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-4	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-4	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-4	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-4	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-4	SW6010C	Zinc	FALSE	0.0147		0.01	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-4	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-4	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-4	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-4	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-4	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-4	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-4	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/4/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/2/2016	MW-4	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-4	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	Field	Oxidation Reduction Potential	FALSE	83		0	0	mV	Field	11/7/2016	1
11/2/2016	MW-5	Field	Groundwater Elevation	FALSE	1854.22		0	0	Feet	Field	11/7/2016	1
11/2/2016	MW-5	Field	pH	FALSE	7.5		0	0	S.U.	Field	11/7/2016	1
11/2/2016	MW-5	Field	Sample Time	FALSE	1255		0	0	hours	Field	11/7/2016	1
11/2/2016	MW-5	Field	Specific Conductivity	FALSE	0.442		0	0	mS/cm	Field	11/7/2016	1
11/2/2016	MW-5	Field	Temperature	FALSE	14.06		0	0	Degrees C	Field	11/7/2016	1
11/2/2016	MW-5	Field	Turbidity	FALSE	0.41		0	0	NTU	Field	11/7/2016	1
11/2/2016	MW-5	SW6010C	Barium	FALSE	0.313		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-5	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-5	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	11/7/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/2/2016	MW-5	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-5	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-5	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-5	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-5	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-5	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-5	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-5	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-5	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	MW-5	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-5	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-5	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	11/7/2016	1
11/2/2016	MW-5	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-5	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-5	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-5	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/2/2016	MW-5	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-5	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	Field	Oxidation Reduction Potential	FALSE	-226		0	0	mV	Field	11/4/2016	1
11/2/2016	MW-7	Field	Groundwater Elevation	FALSE	1596.26		0	0	Feet	Field	11/4/2016	1
11/2/2016	MW-7	Field	pH	FALSE	7.97		0	0	S.U.	Field	11/4/2016	1
11/2/2016	MW-7	Field	Sample Time	FALSE	1300		0	0	hours	Field	11/4/2016	1
11/2/2016	MW-7	Field	Specific Conductivity	FALSE	1.5		0	0	mS/cm	Field	11/4/2016	1
11/2/2016	MW-7	Field	Temperature	FALSE	15.02		0	0	Degrees C	Field	11/4/2016	1
11/2/2016	MW-7	Field	Turbidity	FALSE	0.83		0	0	NTU	Field	11/4/2016	1
11/2/2016	MW-7	SW6010C	Barium	FALSE	0.267		0.002	0.01	mg/L	SW6010C	11/8/2016	1
11/2/2016	MW-7	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	11/8/2016	1
11/2/2016	MW-7	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	11/8/2016	1
11/2/2016	MW-7	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	11/8/2016	1
11/2/2016	MW-7	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	11/8/2016	1
11/2/2016	MW-7	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	11/8/2016	1
11/2/2016	MW-7	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	11/8/2016	1
11/2/2016	MW-7	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	11/8/2016	1
11/2/2016	MW-7	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	11/8/2016	1
11/2/2016	MW-7	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	11/8/2016	1
11/2/2016	MW-7	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	11/8/2016	1
11/2/2016	MW-7	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	11/8/2016	1
11/2/2016	MW-7	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	11/8/2016	1
11/2/2016	MW-7	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	11/8/2016	1
11/2/2016	MW-7	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	11/8/2016	1
11/2/2016	MW-7	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-7	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-7	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	MW-7	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/2/2016	MW-7	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/4/2016	1
11/2/2016	MW-7	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	Field	Oxidation Reduction Potential	FALSE	66		0	0	mV	Field	11/4/2016	1
11/2/2016	UD-1	Field	pH	FALSE	6.67		0	0	S.U.	Field	11/4/2016	1
11/2/2016	UD-1	Field	Sample Time	FALSE	1530		0	0	hours	Field	11/4/2016	1
11/2/2016	UD-1	Field	Specific Conductivity	FALSE	1.51		0	0	mS/cm	Field	11/4/2016	1
11/2/2016	UD-1	Field	Temperature	FALSE	14.26		0	0	Degrees C	Field	11/4/2016	1
11/2/2016	UD-1	Field	Turbidity	FALSE	1.6		0	0	NTU	Field	11/4/2016	1
11/2/2016	UD-1	SW6010C	Barium	FALSE	0.0488		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-1	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-1	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-1	SW6010C	Chromium	FALSE	0.0043	J	0.004	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-1	SW6010C	Cobalt	FALSE	0.0146		0.002	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-1	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-1	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-1	SW6010C	Nickel	FALSE	0.0128		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-1	SW6010C	Selenium	FALSE	0.0247	J	0.015	0.05	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-1	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-1	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-1	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-1	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	11/8/2016	1
11/2/2016	UD-1	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	11/8/2016	1
11/2/2016	UD-1	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	11/8/2016	1
11/2/2016	UD-1	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	UD-1	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	UD-1	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	UD-1	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/2/2016	UD-1	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-1	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	Field	Oxidation Reduction Potential	FALSE	138		0	0	mV	Field	11/4/2016	1
11/2/2016	UD-2	Field	pH	FALSE	7.5		0	0	S.U.	Field	11/4/2016	1
11/2/2016	UD-2	Field	Sample Time	FALSE	1310		0	0	hours	Field	11/4/2016	1
11/2/2016	UD-2	Field	Specific Conductivity	FALSE	1467		0	0	mS/cm	Field	11/4/2016	1
11/2/2016	UD-2	Field	Temperature	FALSE	13.59		0	0	Degrees C	Field	11/4/2016	1
11/2/2016	UD-2	Field	Turbidity	FALSE	1.07		0	0	NTU	Field	11/4/2016	1
11/2/2016	UD-2	SW6010C	Barium	FALSE	0.0288		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-2	SW6010C	Beryllium	TRUE	0		0.001	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-2	SW6010C	Cadmium	TRUE	0		0.002	0.005	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-2	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-2	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-2	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-2	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-2	SW6010C	Nickel	FALSE	0.0031	J	0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-2	SW6010C	Selenium	FALSE	0.0326	J	0.015	0.05	mg/L	SW6010C	11/7/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/2/2016	UD-2	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-2	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-2	SW6010C	Zinc	FALSE	0.0117		0.01	0.01	mg/L	SW6010C	11/7/2016	1
11/2/2016	UD-2	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	11/7/2016	1
11/2/2016	UD-2	SW6020A	Arsenic	TRUE	0		0.01	0.05	mg/L	SW6020A	11/8/2016	10
11/2/2016	UD-2	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	11/7/2016	1
11/2/2016	UD-2	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	UD-2	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	UD-2	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	11/8/2016	1
11/2/2016	UD-2	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Methylene Chloride	TRUE	0		1	4	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	11/4/2016	1
11/2/2016	UD-2	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	11/4/2016	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
11/2/2016	UD-2	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	11/4/2016	1
2/7/2017	TRIP BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
2/7/2017	TRIP BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
2/7/2017	TRIP BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/21/2017	1
2/7/2017	TRIP BLANK	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	FIELD BLANK	Field	Sample Time	FALSE	1400		0	0	hours	Field		0
4/18/2017	FIELD BLANK	SW6010C	Barium	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	FIELD BLANK	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	FIELD BLANK	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/18/2017	FIELD BLANK	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	FIELD BLANK	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	FIELD BLANK	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	FIELD BLANK	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	FIELD BLANK	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	FIELD BLANK	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	4/21/2017	1
4/18/2017	FIELD BLANK	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	FIELD BLANK	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	FIELD BLANK	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	4/24/2017	1
4/18/2017	FIELD BLANK	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/18/2017	FIELD BLANK	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/18/2017	FIELD BLANK	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	4/21/2017	1
4/18/2017	FIELD BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	FIELD BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	FIELD BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-12	Field	Oxidation Reduction Potential	FALSE	-191		0	0	mV	Field		0
4/18/2017	MW-12	Field	Groundwater Elevation	FALSE	1597.43		0	0	Feet	Field		0
4/18/2017	MW-12	Field	pH	FALSE	7.27		0	0	S.U.	Field		0
4/18/2017	MW-12	Field	Sample Time	FALSE	1555		0	0	hours	Field		0
4/18/2017	MW-12	Field	Specific Conductivity	FALSE	436		0	0	mS/cm	Field		0
4/18/2017	MW-12	Field	Temperature	FALSE	13.41		0	0	Degrees C	Field		0
4/18/2017	MW-12	Field	Turbidity	FALSE	0.75		0	0	NTU	Field		0
4/18/2017	MW-12	SW6010C	Barium	FALSE	0.84		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-12	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-12	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-12	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-12	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-12	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-12	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-12	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-12	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-12	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-12	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-12	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	4/24/2017	1
4/18/2017	MW-12	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-12	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-12	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-12	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-12	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-12	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-12	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/18/2017	MW-12	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-12	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	Field	Oxidation Reduction Potential	FALSE	57		0	0	mV	Field		0
4/18/2017	MW-14H	Field	Groundwater Elevation	FALSE	1886.53		0	0	Feet	Field		0
4/18/2017	MW-14H	Field	pH	FALSE	6.55		0	0	S.U.	Field		0
4/18/2017	MW-14H	Field	Sample Time	FALSE	1705		0	0	hours	Field		0
4/18/2017	MW-14H	Field	Specific Conductivity	FALSE	289		0	0	mS/cm	Field		0
4/18/2017	MW-14H	Field	Temperature	FALSE	12.97		0	0	Degrees C	Field		0
4/18/2017	MW-14H	Field	Turbidity	FALSE	0.59		0	0	NTU	Field		0
4/18/2017	MW-14H	SW6010C	Barium	FALSE	0.271		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-14H	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-14H	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-14H	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-14H	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-14H	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-14H	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-14H	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-14H	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-14H	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-14H	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-14H	SW6010C	Zinc	FALSE	0.0221		0.01	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-14H	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-14H	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-14H	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-14H	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/18/2017	MW-14H	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-14H	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-14H	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-14H	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	Field	Oxidation Reduction Potential	FALSE	-9		0	0	mV	Field		0
4/18/2017	MW-3	Field	Groundwater Elevation	FALSE	1598		0	0	Feet	Field		0
4/18/2017	MW-3	Field	pH	FALSE	6.43		0	0	S.U.	Field		0
4/18/2017	MW-3	Field	Sample Time	FALSE	1700		0	0	hours	Field		0
4/18/2017	MW-3	Field	Specific Conductivity	FALSE	690		0	0	mS/cm	Field		0
4/18/2017	MW-3	Field	Temperature	FALSE	13.32		0	0	Degrees C	Field		0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/18/2017	MW-3	SW6010C	Barium	FALSE	0.0487		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3	SW6010C	Chromium	FALSE	0.0068	J	0.004	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3	SW6010C	Cobalt	FALSE	0.0024	J	0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	4/24/2017	1
4/18/2017	MW-3	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-3	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-3	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-3	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-3	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-3	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-3	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/18/2017	MW-3	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	Field	Oxidation Reduction Potential	FALSE	-9		0	0	mV	Field		0
4/18/2017	MW-3 DUP	Field	pH	FALSE	6.43		0	0	S.U.	Field		0
4/18/2017	MW-3 DUP	Field	Sample Time	FALSE	1705		0	0	hours	Field		0
4/18/2017	MW-3 DUP	Field	Specific Conductivity	FALSE	690		0	0	mS/cm	Field		0
4/18/2017	MW-3 DUP	Field	Temperature	FALSE	13.32		0	0	Degrees C	Field		0
4/18/2017	MW-3 DUP	Field	Turbidity	FALSE	1		0	0	NTU	Field		0
4/18/2017	MW-3 DUP	SW6010C	Barium	FALSE	0.0474		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3 DUP	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3 DUP	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3 DUP	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3 DUP	SW6010C	Cobalt	FALSE	0.0033	J	0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3 DUP	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3 DUP	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3 DUP	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3 DUP	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3 DUP	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3 DUP	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-3 DUP	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	4/24/2017	1
4/18/2017	MW-3 DUP	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-3 DUP	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-3 DUP	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-3 DUP	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-3 DUP	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-3 DUP	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/18/2017	MW-3 DUP	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-3 DUP	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	Field	Oxidation Reduction Potential	FALSE	52		0	0	mV	Field		0
4/18/2017	MW-4	Field	Groundwater Elevation	FALSE	1856.76		0	0	Feet	Field		0
4/18/2017	MW-4	Field	pH	FALSE	6.11		0	0	S.U.	Field		0
4/18/2017	MW-4	Field	Sample Time	FALSE	1605		0	0	hours	Field		0
4/18/2017	MW-4	Field	Specific Conductivity	FALSE	497		0	0	mS/cm	Field		0
4/18/2017	MW-4	Field	Temperature	FALSE	13.36		0	0	Degrees C	Field		0
4/18/2017	MW-4	Field	Turbidity	FALSE	0.92		0	0	NTU	Field		0
4/18/2017	MW-4	SW6010C	Barium	FALSE	0.0403		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-4	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-4	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-4	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-4	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-4	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-4	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-4	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-4	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-4	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-4	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-4	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	4/24/2017	1
4/18/2017	MW-4	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-4	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-4	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-4	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-4	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-4	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-4	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/18/2017	MW-4	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-4	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	Field	Oxidation Reduction Potential	FALSE	84		0	0	mV	Field		0
4/18/2017	MW-5	Field	Groundwater Elevation	FALSE	1856.33		0	0	Feet	Field		0
4/18/2017	MW-5	Field	pH	FALSE	7.03		0	0	S.U.	Field		0
4/18/2017	MW-5	Field	Sample Time	FALSE	1820		0	0	hours	Field		0
4/18/2017	MW-5	Field	Specific Conductivity	FALSE	376		0	0	mS/cm	Field		0
4/18/2017	MW-5	Field	Temperature	FALSE	12.55		0	0	Degrees C	Field		0
4/18/2017	MW-5	Field	Turbidity	FALSE	0.08		0	0	NTU	Field		0
4/18/2017	MW-5	SW6010C	Barium	FALSE	0.281		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-5	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-5	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-5	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-5	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/18/2017	MW-5	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-5	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-5	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-5	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-5	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-5	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-5	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	4/24/2017	1
4/18/2017	MW-5	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-5	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-5	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-5	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-5	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-5	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-5	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/18/2017	MW-5	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-5	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	Field	Oxidation Reduction Potential	FALSE	-257		0	0	mV	Field		0
4/18/2017	MW-7	Field	Groundwater Elevation	FALSE	1597.67		0	0	Feet	Field		0
4/18/2017	MW-7	Field	pH	FALSE	7.97		0	0	S.U.	Field		0
4/18/2017	MW-7	Field	Sample Time	FALSE	1855		0	0	hours	Field		0
4/18/2017	MW-7	Field	Specific Conductivity	FALSE	1382		0	0	mS/cm	Field		0
4/18/2017	MW-7	Field	Temperature	FALSE	13.52		0	0	Degrees C	Field		0
4/18/2017	MW-7	Field	Turbidity	FALSE	1.11		0	0	NTU	Field		0
4/18/2017	MW-7	SW6010C	Barium	FALSE	0.263		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-7	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-7	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-7	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-7	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-7	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-7	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-7	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-7	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-7	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-7	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/18/2017	MW-7	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	4/24/2017	1
4/18/2017	MW-7	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-7	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-7	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	4/21/2017	1
4/18/2017	MW-7	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-7	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-7	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/18/2017	MW-7	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/18/2017	MW-7	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/21/2017	1
4/18/2017	MW-7	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	Field	Oxidation Reduction Potential	FALSE	-74		0	0	mV	Field		0
4/19/2017	MW-10	Field	Groundwater Elevation	FALSE	1598.3		0	0	Feet	Field		0
4/19/2017	MW-10	Field	pH	FALSE	6.4		0	0	S.U.	Field		0
4/19/2017	MW-10	Field	Sample Time	FALSE	1035		0	0	hours	Field		0
4/19/2017	MW-10	Field	Specific Conductivity	FALSE	901		0	0	mS/cm	Field		0
4/19/2017	MW-10	Field	Temperature	FALSE	14.26		0	0	Degrees C	Field		0
4/19/2017	MW-10	Field	Turbidity	FALSE	0.9		0	0	NTU	Field		0
4/19/2017	MW-10	SW6010C	Barium	FALSE	0.0297		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-10	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-10	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-10	SW6010C	Chromium	FALSE	0.0159		0.004	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-10	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-10	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-10	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-10	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-10	SW6010C	Selenium	FALSE	0.0197	J	0.015	0.05	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-10	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-10	SW6010C	Vanadium	FALSE	0.0026	J	0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-10	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	4/24/2017	1
4/19/2017	MW-10	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/19/2017	MW-10	SW6020A	Arsenic	FALSE	0.0031	J	0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/19/2017	MW-10	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	4/21/2017	1
4/19/2017	MW-10	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/19/2017	MW-10	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/19/2017	MW-10	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/19/2017	MW-10	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/21/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/19/2017	MW-10	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-10	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	Field	Oxidation Reduction Potential	FALSE	-116		0	0	mV	Field		0
4/19/2017	MW-11	Field	Groundwater Elevation	FALSE	1598.36		0	0	Feet	Field		0
4/19/2017	MW-11	Field	pH	FALSE	6.79		0	0	S.U.	Field		0
4/19/2017	MW-11	Field	Sample Time	FALSE	1020		0	0	hours	Field		0
4/19/2017	MW-11	Field	Specific Conductivity	FALSE	927		0	0	mS/cm	Field		0
4/19/2017	MW-11	Field	Temperature	FALSE	14.29		0	0	Degrees C	Field		0
4/19/2017	MW-11	Field	Turbidity	FALSE	0.76		0	0	NTU	Field		0
4/19/2017	MW-11	SW6010C	Barium	FALSE	0.0365		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-11	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-11	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-11	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-11	SW6010C	Cobalt	FALSE	0.0037	J	0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-11	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-11	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-11	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-11	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	4/21/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/19/2017	MW-11	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-11	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	MW-11	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	4/24/2017	1
4/19/2017	MW-11	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/19/2017	MW-11	SW6020A	Arsenic	FALSE	0.0023	J	0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/19/2017	MW-11	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	4/21/2017	1
4/19/2017	MW-11	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/19/2017	MW-11	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/19/2017	MW-11	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/19/2017	MW-11	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/21/2017	1
4/19/2017	MW-11	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/21/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/19/2017	MW-11	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	Field	Oxidation Reduction Potential	FALSE	93		0	0	mV	Field		0
4/19/2017	UD-1	Field	pH	FALSE	6.53		0	0	S.U.	Field		0
4/19/2017	UD-1	Field	Sample Time	FALSE	1105		0	0	hours	Field		0
4/19/2017	UD-1	Field	Specific Conductivity	FALSE	1550		0	0	mS/cm	Field		0
4/19/2017	UD-1	Field	Temperature	FALSE	15.06		0	0	Degrees C	Field		0
4/19/2017	UD-1	Field	Turbidity	FALSE	1.56		0	0	NTU	Field		0
4/19/2017	UD-1	SW6010C	Barium	FALSE	0.0417		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-1	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-1	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-1	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-1	SW6010C	Cobalt	FALSE	0.0087		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-1	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-1	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-1	SW6010C	Nickel	FALSE	0.0105		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-1	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-1	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-1	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-1	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	4/24/2017	1
4/19/2017	UD-1	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/19/2017	UD-1	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/19/2017	UD-1	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	4/21/2017	1
4/19/2017	UD-1	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/19/2017	UD-1	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/19/2017	UD-1	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/19/2017	UD-1	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	4/21/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/19/2017	UD-1	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-1	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	Field	Oxidation Reduction Potential	FALSE	63		0	0	mV	Field		0
4/19/2017	UD-2	Field	pH	FALSE	7.34		0	0	S.U.	Field		0
4/19/2017	UD-2	Field	Sample Time	FALSE	1120		0	0	hours	Field		0
4/19/2017	UD-2	Field	Specific Conductivity	FALSE	1080		0	0	mS/cm	Field		0
4/19/2017	UD-2	Field	Temperature	FALSE	13.21		0	0	Degrees C	Field		0
4/19/2017	UD-2	Field	Turbidity	FALSE	42.5		0	0	NTU	Field		0
4/19/2017	UD-2	SW6010C	Barium	FALSE	0.0313		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-2	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-2	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-2	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-2	SW6010C	Cobalt	FALSE	0.0024	J	0.002	0.004	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-2	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-2	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-2	SW6010C	Nickel	FALSE	0.0029	J	0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-2	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-2	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-2	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-2	SW6010C	Zinc	FALSE	0.0343		0.01	0.01	mg/L	SW6010C	4/21/2017	1
4/19/2017	UD-2	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/19/2017	UD-2	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	4/21/2017	1
4/19/2017	UD-2	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	4/21/2017	1
4/19/2017	UD-2	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/19/2017	UD-2	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/19/2017	UD-2	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	4/21/2017	1
4/19/2017	UD-2	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
4/19/2017	UD-2	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	4/21/2017	1
4/19/2017	UD-2	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	4/21/2017	1
9/11/2017	TRIP BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/7/2017	1
9/11/2017	TRIP BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/7/2017	1
9/11/2017	TRIP BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/7/2017	1
9/11/2017	TRIP BLANK	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/11/2017	TRIP BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	9/29/2017	1
9/11/2017	TRIP BLANK	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	Field	Oxidation Reduction Potential	FALSE	38		0	0	mV	Field		0
9/26/2017	MW-10	Field	Groundwater Elevation	FALSE	1596.25		0	0	Feet	Field		0
9/26/2017	MW-10	Field	pH	FALSE	6.54		0	0	S.U.	Field		0
9/26/2017	MW-10	Field	Sample Time	FALSE	1605		0	0	hours	Field		0
9/26/2017	MW-10	Field	Specific Conductivity	FALSE	992		0	0	mS/cm	Field		0
9/26/2017	MW-10	Field	Temperature	FALSE	17.2		0	0	Degrees C	Field		0
9/26/2017	MW-10	Field	Turbidity	FALSE	1.27		0	0	NTU	Field		0
9/26/2017	MW-10	SW6010C	Barium	FALSE	0.0273	B	0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-10	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-10	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-10	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-10	SW6010C	Cobalt	FALSE	0.0027	J	0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-10	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-10	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-10	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-10	SW6010C	Selenium	FALSE	0.0171	J	0.015	0.05	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-10	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-10	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-10	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-10	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-10	SW6020A	Arsenic	FALSE	0.0031	J	0.001	0.005	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-10	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-10	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-10	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-10	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-10	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	9/29/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/26/2017	MW-10	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-10	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	Field	Oxidation Reduction Potential	FALSE	-134		0	0	mV	Field		0
9/26/2017	MW-11	Field	Groundwater Elevation	FALSE	1596.31		0	0	Feet	Field		0
9/26/2017	MW-11	Field	pH	FALSE	6.78		0	0	S.U.	Field		0
9/26/2017	MW-11	Field	Sample Time	FALSE	1615		0	0	hours	Field		0
9/26/2017	MW-11	Field	Specific Conductivity	FALSE	1026		0	0	mS/cm	Field		0
9/26/2017	MW-11	Field	Temperature	FALSE	16.7		0	0	Degrees C	Field		0
9/26/2017	MW-11	Field	Turbidity	FALSE	0.46		0	0	NTU	Field		0
9/26/2017	MW-11	SW6010C	Barium	FALSE	0.0398	B	0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-11	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-11	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/26/2017	MW-11	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-11	SW6010C	Cobalt	FALSE	0.0037	J	0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-11	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-11	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-11	SW6010C	Nickel	FALSE	0.0021	J	0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-11	SW6010C	Selenium	FALSE	0.0186	J	0.015	0.05	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-11	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-11	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-11	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-11	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-11	SW6020A	Arsenic	FALSE	0.0028	J	0.001	0.005	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-11	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-11	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-11	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-11	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-11	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/26/2017	MW-11	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-11	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	Field	Oxidation Reduction Potential	FALSE	-156		0	0	mV	Field		0
9/26/2017	MW-12	Field	Groundwater Elevation	FALSE	1595.61		0	0	Feet	Field		0
9/26/2017	MW-12	Field	pH	FALSE	7.72		0	0	S.U.	Field		0
9/26/2017	MW-12	Field	Sample Time	FALSE	1935		0	0	hours	Field		0
9/26/2017	MW-12	Field	Specific Conductivity	FALSE	488		0	0	mS/cm	Field		0
9/26/2017	MW-12	Field	Temperature	FALSE	14.31		0	0	Degrees C	Field		0
9/26/2017	MW-12	Field	Turbidity	FALSE	0.53		0	0	NTU	Field		0
9/26/2017	MW-12	SW6010C	Barium	FALSE	0.821		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-12	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-12	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-12	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-12	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-12	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-12	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-12	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-12	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-12	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-12	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-12	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-12	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-12	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-12	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-12	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-12	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-12	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-12	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/26/2017	MW-12	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-12	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	Field	Oxidation Reduction Potential	FALSE	45		0	0	mV	Field		0
9/26/2017	MW-14H	Field	Groundwater Elevation	FALSE	1884.78		0	0	Feet	Field		0
9/26/2017	MW-14H	Field	pH	FALSE	7.4		0	0	S.U.	Field		0
9/26/2017	MW-14H	Field	Sample Time	FALSE	1810		0	0	hours	Field		0
9/26/2017	MW-14H	Field	Specific Conductivity	FALSE	294		0	0	mS/cm	Field		0
9/26/2017	MW-14H	Field	Temperature	FALSE	14		0	0	Degrees C	Field		0
9/26/2017	MW-14H	Field	Turbidity	FALSE	3.21		0	0	NTU	Field		0
9/26/2017	MW-14H	SW6010C	Barium	FALSE	0.264	B	0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-14H	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-14H	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-14H	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-14H	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-14H	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-14H	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-14H	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-14H	SW6010C	Selenium	FALSE	0.0198	J	0.015	0.05	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-14H	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-14H	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-14H	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-14H	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-14H	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-14H	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-14H	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-14H	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-14H	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-14H	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/26/2017	MW-14H	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-14H	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	Field	Oxidation Reduction Potential	FALSE	-20		0	0	mV	Field		0
9/26/2017	MW-3	Field	Groundwater Elevation	FALSE	1595.89		0	0	Feet	Field		0
9/26/2017	MW-3	Field	pH	FALSE	6.76		0	0	S.U.	Field		0
9/26/2017	MW-3	Field	Sample Time	FALSE	1725		0	0	hours	Field		0
9/26/2017	MW-3	Field	Specific Conductivity	FALSE	840		0	0	mS/cm	Field		0
9/26/2017	MW-3	Field	Temperature	FALSE	16.55		0	0	Degrees C	Field		0
9/26/2017	MW-3	Field	Turbidity	FALSE	1.15		0	0	NTU	Field		0
9/26/2017	MW-3	SW6010C	Barium	FALSE	0.0464	B	0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-3	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-3	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-3	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-3	SW6010C	Cobalt	FALSE	0.0038	J	0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-3	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-3	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	10/2/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/26/2017	MW-3	SW6010C	Nickel	FALSE	0.003	J	0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-3	SW6010C	Selenium	FALSE	0.0218	J	0.015	0.05	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-3	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-3	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-3	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-3	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-3	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-3	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-3	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-3	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-3	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-3	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/26/2017	MW-3	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-3	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	Field	Oxidation Reduction Potential	FALSE	82		0	0	mV	Field		0
9/26/2017	MW-4	Field	Groundwater Elevation	FALSE	1854.96		0	0	Feet	Field		0
9/26/2017	MW-4	Field	pH	FALSE	6.81		0	0	S.U.	Field		0
9/26/2017	MW-4	Field	Sample Time	FALSE	1630		0	0	hours	Field		0
9/26/2017	MW-4	Field	Specific Conductivity	FALSE	548		0	0	mS/cm	Field		0
9/26/2017	MW-4	Field	Temperature	FALSE	14.37		0	0	Degrees C	Field		0
9/26/2017	MW-4	Field	Turbidity	FALSE	4.28		0	0	NTU	Field		0
9/26/2017	MW-4	SW6010C	Barium	FALSE	0.0426	B	0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4	SW6010C	Copper	FALSE	0.0032	J	0.003	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4	SW6010C	Selenium	FALSE	0.0207	J	0.015	0.05	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4	SW6010C	Zinc	FALSE	0.0149		0.01	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-4	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-4	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-4	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-4	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-4	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-4	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/26/2017	MW-4	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	Field	Oxidation Reduction Potential	FALSE	78		0	0	mV	Field		0
9/26/2017	MW-4 DUP	Field	pH	FALSE	6.84		0	0	S.U.	Field		0
9/26/2017	MW-4 DUP	Field	Sample Time	FALSE	1635		0	0	hours	Field		0
9/26/2017	MW-4 DUP	Field	Specific Conductivity	FALSE	547		0	0	mS/cm	Field		0
9/26/2017	MW-4 DUP	Field	Temperature	FALSE	14.31		0	0	Degrees C	Field		0
9/26/2017	MW-4 DUP	Field	Turbidity	FALSE	4.22		0	0	NTU	Field		0
9/26/2017	MW-4 DUP	SW6010C	Barium	FALSE	0.0428	B	0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4 DUP	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4 DUP	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4 DUP	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4 DUP	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4 DUP	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4 DUP	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4 DUP	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4 DUP	SW6010C	Selenium	FALSE	0.0213	J	0.015	0.05	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4 DUP	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4 DUP	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4 DUP	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-4 DUP	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	10/7/2017	1
9/26/2017	MW-4 DUP	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	10/7/2017	1
9/26/2017	MW-4 DUP	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	10/7/2017	1
9/26/2017	MW-4 DUP	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/7/2017	1
9/26/2017	MW-4 DUP	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/7/2017	1
9/26/2017	MW-4 DUP	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/7/2017	1
9/26/2017	MW-4 DUP	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/26/2017	MW-4 DUP	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-4 DUP	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	Field	Oxidation Reduction Potential	FALSE	73		0	0	mV	Field		0
9/26/2017	MW-5	Field	Groundwater Elevation	FALSE	1855.09		0	0	Feet	Field		0
9/26/2017	MW-5	Field	pH	FALSE	7.84		0	0	S.U.	Field		0
9/26/2017	MW-5	Field	Sample Time	FALSE	1855		0	0	hours	Field		0
9/26/2017	MW-5	Field	Specific Conductivity	FALSE	450		0	0	mS/cm	Field		0
9/26/2017	MW-5	Field	Temperature	FALSE	14.24		0	0	Degrees C	Field		0
9/26/2017	MW-5	Field	Turbidity	FALSE	1.53		0	0	NTU	Field		0
9/26/2017	MW-5	SW6010C	Barium	FALSE	0.317	B	0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-5	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-5	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-5	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-5	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-5	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-5	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-5	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-5	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-5	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-5	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-5	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	10/2/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/26/2017	MW-5	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-5	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-5	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-5	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-5	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-5	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-5	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-5	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	Field	Oxidation Reduction Potential	FALSE	-236		0	0	mV	Field		0
9/26/2017	MW-7	Field	Groundwater Elevation	FALSE	1595.53		0	0	Feet	Field		0

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/26/2017	MW-7	Field	pH	FALSE	8.28		0	0	S.U.	Field		0
9/26/2017	MW-7	Field	Sample Time	FALSE	1825		0	0	hours	Field		0
9/26/2017	MW-7	Field	Specific Conductivity	FALSE	1510		0	0	mS/cm	Field		0
9/26/2017	MW-7	Field	Temperature	FALSE	14.96		0	0	Degrees C	Field		0
9/26/2017	MW-7	Field	Turbidity	FALSE	0.81		0	0	NTU	Field		0
9/26/2017	MW-7	SW6010C	Barium	FALSE	0.288	B	0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-7	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-7	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-7	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-7	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-7	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-7	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-7	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-7	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-7	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-7	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-7	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	MW-7	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-7	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-7	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	10/6/2017	1
9/26/2017	MW-7	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-7	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-7	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/26/2017	MW-7	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	9/29/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/26/2017	MW-7	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	9/29/2017	1
9/26/2017	MW-7	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	Field	Oxidation Reduction Potential	FALSE	130		0	0	mV	Field		0
9/26/2017	UD-2	Field	pH	FALSE	6.9		0	0	S.U.	Field		0
9/26/2017	UD-2	Field	Sample Time	FALSE	1600		0	0	hours	Field		0
9/26/2017	UD-2	Field	Specific Conductivity	FALSE	1400		0	0	mS/cm	Field		0
9/26/2017	UD-2	Field	Temperature	FALSE	14.43		0	0	Degrees C	Field		0
9/26/2017	UD-2	Field	Turbidity	FALSE	29.3		0	0	NTU	Field		0
9/26/2017	UD-2	SW6010C	Barium	FALSE	0.0305	B	0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	UD-2	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	UD-2	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	UD-2	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	UD-2	SW6010C	Cobalt	FALSE	0.0035	J	0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/26/2017	UD-2	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	UD-2	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	UD-2	SW6010C	Nickel	FALSE	0.0039	J	0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	UD-2	SW6010C	Selenium	FALSE	0.0345	J	0.015	0.05	mg/L	SW6010C	10/2/2017	1
9/26/2017	UD-2	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	UD-2	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	UD-2	SW6010C	Zinc	FALSE	0.0118		0.01	0.01	mg/L	SW6010C	10/2/2017	1
9/26/2017	UD-2	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	10/7/2017	1
9/26/2017	UD-2	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	10/7/2017	1
9/26/2017	UD-2	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	10/7/2017	1
9/26/2017	UD-2	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/7/2017	1
9/26/2017	UD-2	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/7/2017	1
9/26/2017	UD-2	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/7/2017	1
9/26/2017	UD-2	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	9/29/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/26/2017	UD-2	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	9/29/2017	1
9/26/2017	UD-2	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	Field	Sample Time	FALSE	1100		0	0	hours	Field		0
9/27/2017	FIELD BLANK	SW6010C	Barium	FALSE	0.0653		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/27/2017	FIELD BLANK	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/27/2017	FIELD BLANK	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/27/2017	FIELD BLANK	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	10/2/2017	1
9/27/2017	FIELD BLANK	SW6010C	Cobalt	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/27/2017	FIELD BLANK	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	10/2/2017	1
9/27/2017	FIELD BLANK	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	10/2/2017	1
9/27/2017	FIELD BLANK	SW6010C	Nickel	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/27/2017	FIELD BLANK	SW6010C	Selenium	TRUE	0		0.015	0.05	mg/L	SW6010C	10/2/2017	1
9/27/2017	FIELD BLANK	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/27/2017	FIELD BLANK	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/27/2017	FIELD BLANK	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	10/2/2017	1
9/27/2017	FIELD BLANK	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	10/7/2017	1
9/27/2017	FIELD BLANK	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	10/7/2017	1
9/27/2017	FIELD BLANK	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	10/7/2017	1
9/27/2017	FIELD BLANK	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/7/2017	1
9/27/2017	FIELD BLANK	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/7/2017	1
9/27/2017	FIELD BLANK	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/7/2017	1
9/27/2017	FIELD BLANK	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/27/2017	FIELD BLANK	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	9/29/2017	1
9/27/2017	FIELD BLANK	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	Field	Oxidation Reduction Potential	FALSE	91		0	0	mV	Field		0
9/27/2017	UD-1	Field	pH	FALSE	6.24		0	0	S.U.	Field		0
9/27/2017	UD-1	Field	Sample Time	FALSE	920		0	0	hours	Field		0
9/27/2017	UD-1	Field	Specific Conductivity	FALSE	1600		0	0	mS/cm	Field		0
9/27/2017	UD-1	Field	Temperature	FALSE	14.86		0	0	Degrees C	Field		0
9/27/2017	UD-1	Field	Turbidity	FALSE	1.71		0	0	NTU	Field		0
9/27/2017	UD-1	SW6010C	Barium	FALSE	0.0383	B	0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/27/2017	UD-1	SW6010C	Beryllium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/27/2017	UD-1	SW6010C	Cadmium	TRUE	0		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/27/2017	UD-1	SW6010C	Chromium	TRUE	0		0.004	0.01	mg/L	SW6010C	10/2/2017	1
9/27/2017	UD-1	SW6010C	Cobalt	FALSE	0.01		0.002	0.004	mg/L	SW6010C	10/2/2017	1
9/27/2017	UD-1	SW6010C	Copper	TRUE	0		0.003	0.01	mg/L	SW6010C	10/2/2017	1
9/27/2017	UD-1	SW6010C	Lead	TRUE	0		0.006	0.01	mg/L	SW6010C	10/2/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/27/2017	UD-1	SW6010C	Nickel	FALSE	0.0109		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/27/2017	UD-1	SW6010C	Selenium	FALSE	0.0474	J	0.015	0.05	mg/L	SW6010C	10/2/2017	1
9/27/2017	UD-1	SW6010C	Silver	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/27/2017	UD-1	SW6010C	Vanadium	TRUE	0		0.002	0.01	mg/L	SW6010C	10/2/2017	1
9/27/2017	UD-1	SW6010C	Zinc	TRUE	0		0.01	0.01	mg/L	SW6010C	10/2/2017	1
9/27/2017	UD-1	SW6020A	Antimony	TRUE	0		0.001	0.005	mg/L	SW6020A	10/7/2017	1
9/27/2017	UD-1	SW6020A	Arsenic	TRUE	0		0.001	0.005	mg/L	SW6020A	10/7/2017	1
9/27/2017	UD-1	SW6020A	Thallium	TRUE	0		0.001	0.002	mg/L	SW6020A	10/7/2017	1
9/27/2017	UD-1	SW8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/27/2017	UD-1	SW8011	1,2-Dibromoethane (EDB)	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/27/2017	UD-1	SW8011	1,2,3-Trichloropropane	TRUE	0		0.003	0.01	ug/L	SW8011	10/6/2017	1
9/27/2017	UD-1	SW8260B	1,2,3-Trichloropropane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Acetone	TRUE	0		7	10	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Acrylonitrile	TRUE	0		1.7	5	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Benzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Bromochloromethane	TRUE	0		0.4	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Bromodichloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Bromoform	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Carbon disulfide	TRUE	0		1	10	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Carbon tetrachloride	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Chlorobenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Chloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Chloroform	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Dibromochloromethane	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	1,2-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	1,4-Dichlorobenzene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	trans-1,4-Dichloro-2-butene	TRUE	0		1.1	4	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	1,1-Dichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	1,2-Dichloroethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	1,1-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	cis-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	trans-1,2-Dichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	1,2-Dichloropropane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	cis-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	trans-1,3-Dichloropropene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Ethylbenzene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	2-Hexanone (MBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Bromomethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Chloromethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Dibromomethane	TRUE	0		0.3	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Methylene Chloride	TRUE	0		2	4	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	2-Butanone (MEK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Iodomethane	TRUE	0		1.7	10	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	4-Methyl-2-pentanone (MIBK)	TRUE	0		4	5	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Styrene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	1,1,1,2-Tetrachloroethane	TRUE	0		0.1	0.4	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	1,1,2,2-Tetrachloroethane	TRUE	0		0.3	0.4	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Tetrachloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Toluene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	1,1,1-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	1,1,2-Trichloroethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Trichloroethene	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Vinyl acetate	TRUE	0		2.2	10	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	Vinyl chloride	TRUE	0		0.2	0.5	ug/L	SW8260B	9/29/2017	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
9/27/2017	UD-1	SW8260B	Xylenes, Total	TRUE	0		0.3	3	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	m+p-Xylenes	TRUE	0		0.2	2	ug/L	SW8260B	9/29/2017	1
9/27/2017	UD-1	SW8260B	o-Xylene	TRUE	0		0.1	1	ug/L	SW8260B	9/29/2017	1
2/27/2018	UD-1	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	UD-1	8011	1,2-Dibromoethane (EDB)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	UD-1	6010	Antimony	TRUE	0		0.0039	0.005	mg/L	6010	3/4/2018	1
2/27/2018	UD-1	6010	Barium	FALSE	0.0249		0.0025	0.005	mg/L	6010	3/4/2018	1
2/27/2018	UD-1	6010	Beryllium	TRUE	0		0.0005	0.001	mg/L	6010	3/4/2018	1
2/27/2018	UD-1	6010	Cadmium	TRUE	0		0.0005	0.001	mg/L	6010	3/4/2018	1
2/27/2018	UD-1	6010	Chromium	TRUE	0		0.0025	0.005	mg/L	6010	3/4/2018	1
2/27/2018	UD-1	6010	Copper	FALSE	0.0032	J	0.0025	0.005	mg/L	6010	3/4/2018	1
2/27/2018	UD-1	6010	Nickel	FALSE	0.0052		0.0025	0.005	mg/L	6010	3/4/2018	1
2/27/2018	UD-1	6010	Silver	TRUE	0		0.0025	0.005	mg/L	6010	3/4/2018	1
2/27/2018	UD-1	6010	Vanadium	TRUE	0		0.0025	0.005	mg/L	6010	3/4/2018	1
2/27/2018	UD-1	6010	Zinc	TRUE	0		0.005	0.01	mg/L	6010	3/4/2018	1
2/27/2018	UD-1	6020	Arsenic	TRUE	0		0.00021	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	UD-1	6020	Cobalt	FALSE	0.0016		0.00015	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	UD-1	6020	Lead	FALSE	0.00003	J	0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	UD-1	6020	Selenium	FALSE	0.0012		0.00017	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	UD-1	6020	Thallium	FALSE	0.000028	J	0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	UD-1	8260	Acetone	TRUE	0		10	25	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Acrylonitrile	TRUE	0		1.9	10	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Benzene	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Bromochloromethane	TRUE	0		0.17	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Bromodichloromethane	TRUE	0		0.18	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Bromoform	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Bromomethane	TRUE	0		0.29	2	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	2-Butanone (MEK)	TRUE	0		0.96	5	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Carbon disulfide	TRUE	0		1.2	2	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Carbon tetrachloride	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Chlorobenzene	TRUE	0		0.23	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Chloroethane	TRUE	0		0.54	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Chloroform	TRUE	0		0.14	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Chloromethane	TRUE	0		0.11	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Dibromochloromethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Dibromomethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	1,2-Dichlorobenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	1,4-Dichlorobenzene	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	trans-1,4-Dichloro-2-butene	TRUE	0		1	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	1,1-Dichloroethane	TRUE	0		0.32	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	1,2-Dichloroethane	TRUE	0		0.24	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	1,1-Dichloroethene	TRUE	0		0.56	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	cis-1,2-Dichloroethene	TRUE	0		0.19	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	trans-1,2-Dichloroethene	TRUE	0		0.49	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	1,2-Dichloropropane	TRUE	0		0.27	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	cis-1,3-Dichloropropene	TRUE	0		0.13	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	trans-1,3-Dichloropropene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Ethylbenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	2-Hexanone (MBK)	TRUE	0		0.46	5	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Iodomethane	TRUE	0		0.32	5	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Methylene Chloride	TRUE	0		0.97	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	4-Methyl-2-pentanone (MIBK)	TRUE	0		0.33	5	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Styrene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	1,1,1,2-Tetrachloroethane	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	1,1,2,2-Tetrachloroethane	TRUE	0		0.4	1	ug/L	8260	3/2/2018	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/27/2018	UD-1	8260	Tetrachloroethene	TRUE	0		0.46	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Toluene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	1,1,1-Trichloroethane	TRUE	0		0.48	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	1,1,2-Trichloroethane	TRUE	0		0.29	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Trichloroethene	TRUE	0		0.47	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	1,2,3-Trichloropropane	TRUE	0		0.41	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Vinyl acetate	TRUE	0		0.35	2	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Vinyl chloride	TRUE	0		0.62	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-1	8260	Xylenes, Total	TRUE	0		0.66	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	UD-2	8011	1,2-Dibromoethane (EDB)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	UD-2	6010	Antimony	TRUE	0		0.0039	0.005	mg/L	6010	3/4/2018	1
2/27/2018	UD-2	6010	Barium	FALSE	0.0308		0.0025	0.005	mg/L	6010	3/4/2018	1
2/27/2018	UD-2	6010	Beryllium	TRUE	0		0.0005	0.001	mg/L	6010	3/4/2018	1
2/27/2018	UD-2	6010	Cadmium	TRUE	0		0.0005	0.001	mg/L	6010	3/4/2018	1
2/27/2018	UD-2	6010	Chromium	TRUE	0		0.0025	0.005	mg/L	6010	3/4/2018	1
2/27/2018	UD-2	6010	Copper	FALSE	0.0061		0.0025	0.005	mg/L	6010	3/4/2018	1
2/27/2018	UD-2	6010	Nickel	FALSE	0.0061		0.0025	0.005	mg/L	6010	3/4/2018	1
2/27/2018	UD-2	6010	Silver	TRUE	0		0.0025	0.005	mg/L	6010	3/4/2018	1
2/27/2018	UD-2	6010	Vanadium	TRUE	0		0.0025	0.005	mg/L	6010	3/4/2018	1
2/27/2018	UD-2	6010	Zinc	FALSE	0.0178		0.005	0.01	mg/L	6010	3/4/2018	1
2/27/2018	UD-2	6020	Arsenic	FALSE	0.00041	J	0.00021	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	UD-2	6020	Cobalt	FALSE	0.00071		0.00015	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	UD-2	6020	Lead	FALSE	0.00055		0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	UD-2	6020	Selenium	FALSE	0.0027		0.00017	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	UD-2	6020	Thallium	FALSE	0.000042	J	0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	UD-2	8260	Acetone	TRUE	0		10	25	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Acrylonitrile	TRUE	0		1.9	10	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Benzene	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Bromochloromethane	TRUE	0		0.17	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Bromodichloromethane	TRUE	0		0.18	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Bromoform	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Bromomethane	TRUE	0		0.29	2	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	2-Butanone (MEK)	TRUE	0		0.96	5	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Carbon disulfide	TRUE	0		1.2	2	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Carbon tetrachloride	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Chlorobenzene	TRUE	0		0.23	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Chloroethane	TRUE	0		0.54	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Chloroform	TRUE	0		0.14	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Chloromethane	TRUE	0		0.11	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Dibromochloromethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Dibromomethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	1,2-Dichlorobenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	1,4-Dichlorobenzene	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	trans-1,4-Dichloro-2-butene	TRUE	0		1	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	1,1-Dichloroethane	TRUE	0		0.32	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	1,2-Dichloroethane	TRUE	0		0.24	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	1,1-Dichloroethene	TRUE	0		0.56	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	cis-1,2-Dichloroethene	TRUE	0		0.19	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	trans-1,2-Dichloroethene	TRUE	0		0.49	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	1,2-Dichloropropane	TRUE	0		0.27	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	cis-1,3-Dichloropropene	TRUE	0		0.13	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	trans-1,3-Dichloropropene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Ethylbenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/27/2018	UD-2	8260	2-Hexanone (MBK)	TRUE	0		0.46	5	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Iodomethane	TRUE	0		0.32	5	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Methylene Chloride	TRUE	0		0.97	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	4-Methyl-2-pentanone (MIBK)	TRUE	0		0.33	5	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Styrene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	1,1,1,2-Tetrachloroethane	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	1,1,2,2-Tetrachloroethane	TRUE	0		0.4	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Tetrachloroethene	TRUE	0		0.46	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Toluene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	1,1,1-Trichloroethane	TRUE	0		0.48	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	1,1,2-Trichloroethane	TRUE	0		0.29	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Trichloroethene	TRUE	0		0.47	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	1,2,3-Trichloropropane	TRUE	0		0.41	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Vinyl acetate	TRUE	0		0.35	2	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Vinyl chloride	TRUE	0		0.62	1	ug/L	8260	3/2/2018	1
2/27/2018	UD-2	8260	Xylenes, Total	TRUE	0		0.66	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	MW-3	8011	1,2-Dibromoethane (EDB)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	MW-3	6010	Antimony	TRUE	0		0.0039	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-3	6010	Barium	FALSE	0.0416		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-3	6010	Beryllium	TRUE	0		0.0005	0.001	mg/L	6010	3/9/2018	1
2/27/2018	MW-3	6010	Cadmium	TRUE	0		0.0005	0.001	mg/L	6010	3/9/2018	1
2/27/2018	MW-3	6010	Chromium	TRUE	0		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-3	6010	Copper	TRUE	0		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-3	6010	Nickel	FALSE	0.0031	J	0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-3	6010	Silver	TRUE	0		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-3	6010	Vanadium	TRUE	0		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-3	6010	Zinc	TRUE	0		0.005	0.01	mg/L	6010	3/9/2018	1
2/27/2018	MW-3	6020	Arsenic	FALSE	0.00041	J	0.00021	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-3	6020	Cobalt	FALSE	0.003		0.00015	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-3	6020	Lead	FALSE	0.000051	J	0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	MW-3	6020	Selenium	TRUE	0		0.00017	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-3	6020	Thallium	TRUE	0		0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	MW-3	8260	Acetone	TRUE	0		10	25	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Acrylonitrile	TRUE	0		1.9	10	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Benzene	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Bromochloromethane	TRUE	0		0.17	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Bromodichloromethane	TRUE	0		0.18	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Bromoform	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Bromomethane	TRUE	0		0.29	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	2-Butanone (MEK)	TRUE	0		0.96	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Carbon disulfide	TRUE	0		1.2	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Carbon tetrachloride	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Chlorobenzene	TRUE	0		0.23	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Chloroethane	TRUE	0		0.54	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Chloroform	TRUE	0		0.14	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Chloromethane	TRUE	0		0.11	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Dibromochloromethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Dibromomethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	1,2-Dichlorobenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	1,4-Dichlorobenzene	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	trans-1,4-Dichloro-2-butene	TRUE	0		1	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	1,1-Dichloroethane	TRUE	0		0.32	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	1,2-Dichloroethane	FALSE	0.24	J	0.24	1	ug/L	8260	3/2/2018	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/27/2018	MW-3	8260	1,1-Dichloroethene	TRUE	0		0.56	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	cis-1,2-Dichloroethene	TRUE	0		0.19	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	trans-1,2-Dichloroethene	TRUE	0		0.49	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	1,2-Dichloropropane	TRUE	0		0.27	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	cis-1,3-Dichloropropene	TRUE	0		0.13	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	trans-1,3-Dichloropropene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Ethylbenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	2-Hexanone (MBK)	TRUE	0		0.46	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Iodomethane	TRUE	0		0.32	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Methylene Chloride	TRUE	0		0.97	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	4-Methyl-2-pentanone (MIBK)	TRUE	0		0.33	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Styrene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	1,1,1,2-Tetrachloroethane	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	1,1,2,2-Tetrachloroethane	TRUE	0		0.4	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Tetrachloroethene	TRUE	0		0.46	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Toluene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	1,1,1-Trichloroethane	TRUE	0		0.48	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	1,1,2-Trichloroethane	TRUE	0		0.29	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Trichloroethene	TRUE	0		0.47	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	1,2,3-Trichloropropane	TRUE	0		0.41	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Vinyl acetate	TRUE	0		0.35	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Vinyl chloride	TRUE	0		0.62	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-3	8260	Xylenes, Total	TRUE	0		0.66	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	MW-4	8011	1,2-Dibromoethane (EDB)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	MW-4	6010	Antimony	TRUE	0		0.0039	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-4	6010	Barium	FALSE	0.0498		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-4	6010	Beryllium	TRUE	0		0.0005	0.001	mg/L	6010	3/9/2018	1
2/27/2018	MW-4	6010	Cadmium	TRUE	0		0.0005	0.001	mg/L	6010	3/9/2018	1
2/27/2018	MW-4	6010	Chromium	TRUE	0		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-4	6010	Copper	FALSE	0.0026	J	0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-4	6010	Nickel	FALSE	0.0026	J	0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-4	6010	Silver	TRUE	0		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-4	6010	Vanadium	TRUE	0		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-4	6010	Zinc	FALSE	0.0066	J	0.005	0.01	mg/L	6010	3/9/2018	1
2/27/2018	MW-4	6020	Arsenic	FALSE	0.00062		0.00021	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-4	6020	Cobalt	FALSE	0.00032	J	0.00015	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-4	6020	Lead	FALSE	0.00016		0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	MW-4	6020	Selenium	TRUE	0		0.00017	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-4	6020	Thallium	TRUE	0		0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	MW-4	8260	Acetone	TRUE	0		10	25	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Acrylonitrile	TRUE	0		1.9	10	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Benzene	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Bromochloromethane	TRUE	0		0.17	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Bromodichloromethane	TRUE	0		0.18	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Bromoform	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Bromomethane	TRUE	0		0.29	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	2-Butanone (MEK)	TRUE	0		0.96	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Carbon disulfide	TRUE	0		1.2	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Carbon tetrachloride	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Chlorobenzene	TRUE	0		0.23	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Chloroethane	TRUE	0		0.54	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Chloroform	TRUE	0		0.14	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Chloromethane	TRUE	0		0.11	1	ug/L	8260	3/2/2018	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/27/2018	MW-4	8260	Dibromochloromethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Dibromomethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	1,2-Dichlorobenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	1,4-Dichlorobenzene	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	trans-1,4-Dichloro-2-butene	TRUE	0		1	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	1,1-Dichloroethane	TRUE	0		0.32	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	1,2-Dichloroethane	TRUE	0		0.24	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	1,1-Dichloroethene	TRUE	0		0.56	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	cis-1,2-Dichloroethene	TRUE	0		0.19	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	trans-1,2-Dichloroethene	TRUE	0		0.49	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	1,2-Dichloropropane	TRUE	0		0.27	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	cis-1,3-Dichloropropene	TRUE	0		0.13	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	trans-1,3-Dichloropropene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Ethylbenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	2-Hexanone (MBK)	TRUE	0		0.46	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Iodomethane	TRUE	0		0.32	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Methylene Chloride	TRUE	0		0.97	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	4-Methyl-2-pentanone (MIBK)	TRUE	0		0.33	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Styrene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	1,1,1,2-Tetrachloroethane	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	1,1,2,2-Tetrachloroethane	TRUE	0		0.4	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Tetrachloroethene	TRUE	0		0.46	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Toluene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	1,1,1-Trichloroethane	TRUE	0		0.48	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	1,1,2-Trichloroethane	TRUE	0		0.29	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Trichloroethene	TRUE	0		0.47	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	1,2,3-Trichloropropane	TRUE	0		0.41	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Vinyl acetate	TRUE	0		0.35	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Vinyl chloride	TRUE	0		0.62	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-4	8260	Xylenes, Total	TRUE	0		0.66	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	MW-5	8011	1,2-Dibromoethane (EDB)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	MW-5	6010	Antimony	TRUE	0		0.0039	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-5	6010	Barium	FALSE	0.307		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-5	6010	Beryllium	TRUE	0		0.0005	0.001	mg/L	6010	3/9/2018	1
2/27/2018	MW-5	6010	Cadmium	TRUE	0		0.0005	0.001	mg/L	6010	3/9/2018	1
2/27/2018	MW-5	6010	Chromium	TRUE	0		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-5	6010	Copper	TRUE	0		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-5	6010	Nickel	TRUE	0		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-5	6010	Silver	TRUE	0		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-5	6010	Vanadium	TRUE	0		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-5	6010	Zinc	FALSE	0.0056	J	0.005	0.01	mg/L	6010	3/9/2018	1
2/27/2018	MW-5	6020	Arsenic	FALSE	0.00036	J	0.00021	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-5	6020	Cobalt	FALSE	0.00021	J	0.00015	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-5	6020	Lead	FALSE	0.00018		0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	MW-5	6020	Selenium	TRUE	0		0.00017	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-5	6020	Thallium	TRUE	0		0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	MW-5	8260	Acetone	FALSE	11.5	J	10	25	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Acrylonitrile	TRUE	0		1.9	10	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Benzene	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Bromochloromethane	TRUE	0		0.17	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Bromodichloromethane	TRUE	0		0.18	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Bromoform	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Bromomethane	TRUE	0		0.29	2	ug/L	8260	3/2/2018	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/27/2018	MW-5	8260	2-Butanone (MEK)	TRUE	0		0.96	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Carbon disulfide	TRUE	0		1.2	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Carbon tetrachloride	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Chlorobenzene	TRUE	0		0.23	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Chloroethane	TRUE	0		0.54	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Chloroform	TRUE	0		0.14	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Chloromethane	TRUE	0		0.11	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Dibromochloromethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Dibromomethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	1,2-Dichlorobenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	1,4-Dichlorobenzene	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	trans-1,4-Dichloro-2-butene	TRUE	0		1	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	1,1-Dichloroethane	TRUE	0		0.32	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	1,2-Dichloroethane	TRUE	0		0.24	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	1,1-Dichloroethene	TRUE	0		0.56	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	cis-1,2-Dichloroethene	TRUE	0		0.19	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	trans-1,2-Dichloroethene	TRUE	0		0.49	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	1,2-Dichloropropane	TRUE	0		0.27	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	cis-1,3-Dichloropropene	TRUE	0		0.13	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	trans-1,3-Dichloropropene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Ethylbenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	2-Hexanone (MBK)	TRUE	0		0.46	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Iodomethane	TRUE	0		0.32	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Methylene Chloride	TRUE	0		0.97	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	4-Methyl-2-pentanone (MIBK)	TRUE	0		0.33	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Styrene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	1,1,1,2-Tetrachloroethane	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	1,1,2,2-Tetrachloroethane	TRUE	0		0.4	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Tetrachloroethene	TRUE	0		0.46	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Toluene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	1,1,1-Trichloroethane	TRUE	0		0.48	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	1,1,2-Trichloroethane	TRUE	0		0.29	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Trichloroethene	TRUE	0		0.47	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	1,2,3-Trichloropropane	TRUE	0		0.41	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Vinyl acetate	TRUE	0		0.35	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Vinyl chloride	TRUE	0		0.62	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-5	8260	Xylenes, Total	TRUE	0		0.66	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	MW-7	8011	1,2-Dibromoethane (EDB)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	MW-7	6010	Antimony	TRUE	0		0.0039	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-7	6010	Barium	FALSE	0.347		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-7	6010	Beryllium	TRUE	0		0.0005	0.001	mg/L	6010	3/9/2018	1
2/27/2018	MW-7	6010	Cadmium	TRUE	0		0.0005	0.001	mg/L	6010	3/9/2018	1
2/27/2018	MW-7	6010	Chromium	TRUE	0		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-7	6010	Copper	TRUE	0		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-7	6010	Nickel	TRUE	0		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-7	6010	Silver	TRUE	0		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-7	6010	Vanadium	TRUE	0		0.0025	0.005	mg/L	6010	3/9/2018	1
2/27/2018	MW-7	6010	Zinc	TRUE	0		0.005	0.01	mg/L	6010	3/9/2018	1
2/27/2018	MW-7	6020	Arsenic	TRUE	0		0.00021	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-7	6020	Cobalt	TRUE	0		0.00015	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-7	6020	Lead	TRUE	0		0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	MW-7	6020	Selenium	TRUE	0		0.00017	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-7	6020	Thallium	TRUE	0		0.000028	0.0001	mg/L	6020	3/7/2018	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/27/2018	MW-7	8260	Acetone	TRUE	0		10	25	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Acrylonitrile	TRUE	0		1.9	10	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Benzene	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Bromochloromethane	TRUE	0		0.17	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Bromodichloromethane	TRUE	0		0.18	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Bromoform	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Bromomethane	TRUE	0		0.29	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	2-Butanone (MEK)	TRUE	0		0.96	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Carbon disulfide	TRUE	0		1.2	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Carbon tetrachloride	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Chlorobenzene	TRUE	0		0.23	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Chloroethane	TRUE	0		0.54	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Chloroform	TRUE	0		0.14	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Chloromethane	TRUE	0		0.11	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Dibromochloromethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Dibromomethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	1,2-Dichlorobenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	1,4-Dichlorobenzene	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	trans-1,4-Dichloro-2-butene	TRUE	0		1	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	1,1-Dichloroethane	TRUE	0		0.32	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	1,2-Dichloroethane	TRUE	0		0.24	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	1,1-Dichloroethene	TRUE	0		0.56	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	cis-1,2-Dichloroethene	TRUE	0		0.19	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	trans-1,2-Dichloroethene	TRUE	0		0.49	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	1,2-Dichloropropane	TRUE	0		0.27	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	cis-1,3-Dichloropropene	TRUE	0		0.13	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	trans-1,3-Dichloropropene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Ethylbenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	2-Hexanone (MBK)	TRUE	0		0.46	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Iodomethane	TRUE	0		0.32	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Methylene Chloride	TRUE	0		0.97	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	4-Methyl-2-pentanone (MIBK)	TRUE	0		0.33	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Styrene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	1,1,1,2-Tetrachloroethane	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	1,1,2,2-Tetrachloroethane	TRUE	0		0.4	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Tetrachloroethene	TRUE	0		0.46	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Toluene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	1,1,1-Trichloroethane	TRUE	0		0.48	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	1,1,2-Trichloroethane	TRUE	0		0.29	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Trichloroethene	TRUE	0		0.47	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	1,2,3-Trichloropropane	TRUE	0		0.41	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Vinyl acetate	TRUE	0		0.35	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Vinyl chloride	TRUE	0		0.62	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-7	8260	Xylenes, Total	TRUE	0		0.66	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	MW-10	8011	1,2-Dibromoethane (EDB)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	MW-10	6010	Antimony	TRUE	0		0.0039	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-10	6010	Barium	FALSE	0.0299		0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-10	6010	Beryllium	TRUE	0		0.0005	0.001	mg/L	6010	3/12/2018	1
2/27/2018	MW-10	6010	Cadmium	TRUE	0		0.0005	0.001	mg/L	6010	3/12/2018	1
2/27/2018	MW-10	6010	Chromium	TRUE	0		0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-10	6010	Copper	TRUE	0		0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-10	6010	Nickel	FALSE	0.0035	J	0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-10	6010	Silver	TRUE	0		0.0025	0.005	mg/L	6010	3/12/2018	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/27/2018	MW-10	6010	Vanadium	FALSE	0.0026	J	0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-10	6010	Zinc	TRUE	0		0.005	0.01	mg/L	6010	3/12/2018	1
2/27/2018	MW-10	6020	Arsenic	FALSE	0.0033		0.00021	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-10	6020	Cobalt	FALSE	0.00079		0.00015	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-10	6020	Lead	FALSE	0.0001		0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	MW-10	6020	Selenium	TRUE	0		0.00017	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-10	6020	Thallium	FALSE	0.000036	J	0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	MW-10	8260	Acetone	TRUE	0		10	25	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Acrylonitrile	TRUE	0		1.9	10	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Benzene	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Bromochloromethane	TRUE	0		0.17	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Bromodichloromethane	TRUE	0		0.18	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Bromoform	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Bromomethane	TRUE	0		0.29	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	2-Butanone (MEK)	TRUE	0		0.96	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Carbon disulfide	TRUE	0		1.2	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Carbon tetrachloride	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Chlorobenzene	TRUE	0		0.23	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Chloroethane	TRUE	0		0.54	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Chloroform	TRUE	0		0.14	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Chloromethane	TRUE	0		0.11	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Dibromochloromethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Dibromomethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	1,2-Dichlorobenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	1,4-Dichlorobenzene	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	trans-1,4-Dichloro-2-butene	TRUE	0		1	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	1,1-Dichloroethane	TRUE	0		0.32	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	1,2-Dichloroethane	TRUE	0		0.24	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	1,1-Dichloroethene	TRUE	0		0.56	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	cis-1,2-Dichloroethene	TRUE	0		0.19	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	trans-1,2-Dichloroethene	TRUE	0		0.49	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	1,2-Dichloropropane	TRUE	0		0.27	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	cis-1,3-Dichloropropene	TRUE	0		0.13	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	trans-1,3-Dichloropropene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Ethylbenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	2-Hexanone (MBK)	TRUE	0		0.46	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Iodomethane	TRUE	0		0.32	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Methylene Chloride	TRUE	0		0.97	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	4-Methyl-2-pentanone (MIBK)	TRUE	0		0.33	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Styrene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	1,1,1,2-Tetrachloroethane	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	1,1,2,2-Tetrachloroethane	TRUE	0		0.4	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Tetrachloroethene	TRUE	0		0.46	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Toluene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	1,1,1-Trichloroethane	TRUE	0		0.48	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	1,1,2-Trichloroethane	TRUE	0		0.29	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Trichloroethene	TRUE	0		0.47	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	1,2,3-Trichloropropane	TRUE	0		0.41	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Vinyl acetate	TRUE	0		0.35	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Vinyl chloride	TRUE	0		0.62	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-10	8260	Xylenes, Total	TRUE	0		0.66	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	MW-11	8011	1,2-Dibromoethane (EDB)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	MW-11	6010	Antimony	TRUE	0		0.0039	0.005	mg/L	6010	3/12/2018	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/27/2018	MW-11	6010	Barium	FALSE	0.0462		0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-11	6010	Beryllium	TRUE	0		0.0005	0.001	mg/L	6010	3/12/2018	1
2/27/2018	MW-11	6010	Cadmium	TRUE	0		0.0005	0.001	mg/L	6010	3/12/2018	1
2/27/2018	MW-11	6010	Chromium	TRUE	0		0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-11	6010	Copper	TRUE	0		0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-11	6010	Nickel	FALSE	0.0055		0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-11	6010	Silver	TRUE	0		0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-11	6010	Vanadium	FALSE	0.0026	J	0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-11	6010	Zinc	TRUE	0		0.005	0.01	mg/L	6010	3/12/2018	1
2/27/2018	MW-11	6020	Arsenic	FALSE	0.0029		0.00021	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-11	6020	Cobalt	FALSE	0.003		0.00015	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-11	6020	Lead	FALSE	0.00026		0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	MW-11	6020	Selenium	TRUE	0		0.00017	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-11	6020	Thallium	FALSE	0.000058	J	0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	MW-11	8260	Acetone	TRUE	0		10	25	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Acrylonitrile	TRUE	0		1.9	10	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Benzene	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Bromochloromethane	TRUE	0		0.17	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Bromodichloromethane	TRUE	0		0.18	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Bromoform	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Bromomethane	TRUE	0		0.29	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	2-Butanone (MEK)	TRUE	0		0.96	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Carbon disulfide	TRUE	0		1.2	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Carbon tetrachloride	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Chlorobenzene	TRUE	0		0.23	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Chloroethane	TRUE	0		0.54	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Chloroform	TRUE	0		0.14	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Chloromethane	TRUE	0		0.11	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Dibromochloromethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Dibromomethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	1,2-Dichlorobenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	1,4-Dichlorobenzene	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	trans-1,4-Dichloro-2-butene	TRUE	0		1	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	1,1-Dichloroethane	TRUE	0		0.32	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	1,2-Dichloroethane	TRUE	0		0.24	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	1,1-Dichloroethene	TRUE	0		0.56	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	cis-1,2-Dichloroethene	TRUE	0		0.19	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	trans-1,2-Dichloroethene	TRUE	0		0.49	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	1,2-Dichloropropane	TRUE	0		0.27	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	cis-1,3-Dichloropropene	TRUE	0		0.13	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	trans-1,3-Dichloropropene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Ethylbenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	2-Hexanone (MBK)	TRUE	0		0.46	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Iodomethane	TRUE	0		0.32	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Methylene Chloride	TRUE	0		0.97	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	4-Methyl-2-pentanone (MIBK)	TRUE	0		0.33	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Styrene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	1,1,1,2-Tetrachloroethane	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	1,1,2,2-Tetrachloroethane	TRUE	0		0.4	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Tetrachloroethene	TRUE	0		0.46	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Toluene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	1,1,1-Trichloroethane	TRUE	0		0.48	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	1,1,2-Trichloroethane	TRUE	0		0.29	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Trichloroethene	TRUE	0		0.47	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260	3/2/2018	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/27/2018	MW-11	8260	1,2,3-Trichloropropane	TRUE	0		0.41	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Vinyl acetate	TRUE	0		0.35	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Vinyl chloride	TRUE	0		0.62	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-11	8260	Xylenes, Total	TRUE	0		0.66	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	MW-12	8011	1,2-Dibromoethane (EDB)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	MW-12	6010	Antimony	TRUE	0		0.0039	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-12	6010	Barium	FALSE	0.801		0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-12	6010	Beryllium	TRUE	0		0.0005	0.001	mg/L	6010	3/12/2018	1
2/27/2018	MW-12	6010	Cadmium	TRUE	0		0.0005	0.001	mg/L	6010	3/12/2018	1
2/27/2018	MW-12	6010	Chromium	TRUE	0		0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-12	6010	Copper	FALSE	0.0217		0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-12	6010	Nickel	TRUE	0		0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-12	6010	Silver	TRUE	0		0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-12	6010	Vanadium	TRUE	0		0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-12	6010	Zinc	TRUE	0		0.005	0.01	mg/L	6010	3/12/2018	1
2/27/2018	MW-12	6020	Arsenic	TRUE	0		0.00021	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-12	6020	Cobalt	TRUE	0		0.00015	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-12	6020	Lead	FALSE	0.00013		0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	MW-12	6020	Selenium	TRUE	0		0.00017	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-12	6020	Thallium	TRUE	0		0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	MW-12	8260	Acetone	TRUE	0		10	25	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Acrylonitrile	TRUE	0		1.9	10	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Benzene	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Bromochloromethane	TRUE	0		0.17	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Bromodichloromethane	TRUE	0		0.18	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Bromoform	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Bromomethane	TRUE	0		0.29	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	2-Butanone (MEK)	TRUE	0		0.96	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Carbon disulfide	TRUE	0		1.2	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Carbon tetrachloride	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Chlorobenzene	TRUE	0		0.23	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Chloroethane	TRUE	0		0.54	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Chloroform	TRUE	0		0.14	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Chloromethane	TRUE	0		0.11	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Dibromochloromethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Dibromomethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	1,2-Dichlorobenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	1,4-Dichlorobenzene	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	trans-1,4-Dichloro-2-butene	TRUE	0		1	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	1,1-Dichloroethane	TRUE	0		0.32	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	1,2-Dichloroethane	TRUE	0		0.24	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	1,1-Dichloroethene	TRUE	0		0.56	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	cis-1,2-Dichloroethene	TRUE	0		0.19	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	trans-1,2-Dichloroethene	TRUE	0		0.49	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	1,2-Dichloropropane	TRUE	0		0.27	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	cis-1,3-Dichloropropene	TRUE	0		0.13	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	trans-1,3-Dichloropropene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Ethylbenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	2-Hexanone (MBK)	TRUE	0		0.46	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Iodomethane	TRUE	0		0.32	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Methylene Chloride	TRUE	0		0.97	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	4-Methyl-2-pentanone (MIBK)	TRUE	0		0.33	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Styrene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	1,1,1,2-Tetrachloroethane	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/27/2018	MW-12	8260	1,1,2,2-Tetrachloroethane	TRUE	0		0.4	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Tetrachloroethene	TRUE	0		0.46	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Toluene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	1,1,1-Trichloroethane	TRUE	0		0.48	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	1,1,2-Trichloroethane	TRUE	0		0.29	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Trichloroethene	TRUE	0		0.47	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	1,2,3-Trichloropropane	TRUE	0		0.41	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Vinyl acetate	TRUE	0		0.35	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Vinyl chloride	TRUE	0		0.62	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-12	8260	Xylenes, Total	TRUE	0		0.66	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8011	1,2-Dibromo-3-Chloropropane (DBCP)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	MW-14H	8011	1,2-Dibromoethane (EDB)	TRUE	0		0.02	0.02	ug/L	8011	3/3/2018	1
2/27/2018	MW-14H	6010	Antimony	TRUE	0		0.0039	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-14H	6010	Barium	FALSE	0.277		0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-14H	6010	Beryllium	TRUE	0		0.0005	0.001	mg/L	6010	3/12/2018	1
2/27/2018	MW-14H	6010	Cadmium	TRUE	0		0.0005	0.001	mg/L	6010	3/12/2018	1
2/27/2018	MW-14H	6010	Chromium	TRUE	0		0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-14H	6010	Copper	TRUE	0		0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-14H	6010	Nickel	FALSE	0.0026	J	0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-14H	6010	Silver	TRUE	0		0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-14H	6010	Vanadium	FALSE	0.0025	J	0.0025	0.005	mg/L	6010	3/12/2018	1
2/27/2018	MW-14H	6010	Zinc	FALSE	0.0056	J	0.005	0.01	mg/L	6010	3/12/2018	1
2/27/2018	MW-14H	6020	Arsenic	FALSE	0.0003	J	0.00021	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-14H	6020	Cobalt	TRUE	0		0.00015	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-14H	6020	Lead	FALSE	0.000073	J	0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	MW-14H	6020	Selenium	FALSE	0.00018	J	0.00017	0.0005	mg/L	6020	3/7/2018	1
2/27/2018	MW-14H	6020	Thallium	TRUE	0		0.000028	0.0001	mg/L	6020	3/7/2018	1
2/27/2018	MW-14H	8260	Acetone	TRUE	0		10	25	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Acrylonitrile	TRUE	0		1.9	10	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Benzene	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Bromochloromethane	TRUE	0		0.17	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Bromodichloromethane	TRUE	0		0.18	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Bromoform	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Bromomethane	TRUE	0		0.29	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	2-Butanone (MEK)	TRUE	0		0.96	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Carbon disulfide	TRUE	0		1.2	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Carbon tetrachloride	TRUE	0		0.25	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Chlorobenzene	TRUE	0		0.23	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Chloroethane	TRUE	0		0.54	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Chloroform	TRUE	0		0.14	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Chloromethane	TRUE	0		0.11	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Dibromochloromethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Dibromomethane	TRUE	0		0.21	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	1,2-Dichlorobenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	1,4-Dichlorobenzene	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	trans-1,4-Dichloro-2-butene	TRUE	0		1	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	1,1-Dichloroethane	TRUE	0		0.32	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	1,2-Dichloroethane	TRUE	0		0.24	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	1,1-Dichloroethene	TRUE	0		0.56	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	cis-1,2-Dichloroethene	TRUE	0		0.19	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	trans-1,2-Dichloroethene	TRUE	0		0.49	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	1,2-Dichloropropane	TRUE	0		0.27	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	cis-1,3-Dichloropropene	TRUE	0		0.13	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	trans-1,3-Dichloropropene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1

Oct 23 2019 OFFICIAL COPY

Sample Date	Location ID	Container ID	Parameter Name	Non Detect	Concentration	Data Qualifier	Detection Limit	Quantification Limit	Units	Method Code	Analysis Date	Dilution Factor
2/27/2018	MW-14H	8260	Ethylbenzene	TRUE	0		0.3	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	2-Hexanone (MBK)	TRUE	0		0.46	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Iodomethane	TRUE	0		0.32	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Methylene Chloride	TRUE	0		0.97	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	4-Methyl-2-pentanone (MIBK)	TRUE	0		0.33	5	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Styrene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	1,1,1,2-Tetrachloroethane	TRUE	0		0.33	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	1,1,2,2-Tetrachloroethane	TRUE	0		0.4	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Tetrachloroethene	TRUE	0		0.46	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Toluene	TRUE	0		0.26	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	1,1,1-Trichloroethane	TRUE	0		0.48	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	1,1,2-Trichloroethane	TRUE	0		0.29	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Trichloroethene	TRUE	0		0.47	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Trichlorofluoromethane	TRUE	0		0.2	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	1,2,3-Trichloropropane	TRUE	0		0.41	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Vinyl acetate	TRUE	0		0.35	2	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Vinyl chloride	TRUE	0		0.62	1	ug/L	8260	3/2/2018	1
2/27/2018	MW-14H	8260	Xylenes, Total	TRUE	0		0.66	1	ug/L	8260	3/2/2018	1

Oct 23 2019 OFFICIAL COPY