

Katherine E. Ross

Associate

Telephone: 919.835.4671 Direct Fax: 919.835.4561 katherineross@parkerpoe.com Charleston, SC Charlotte, NC Columbia, SC Spartanburg, SC

April 28, 2015

VIA ELECTRONIC FILING

Gail L. Mount Chief Clerk North Carolina Utilities Commission 430 N. Salisbury Street Raleigh, North Carolina 27603

Re: Belafonte Farm, LLC's Form 556; Docket No. SP-5252, Sub 0

Dear Chief Clerk:

Enclosed for filing is the self-certification Form 556 for Belafonte Farm, LLC in the above-referenced docket. Belafonte Farm, LLC makes this filing pursuant to 18 C.F.R. § 292.207(c)(1).

Thank you for your assistance with this matter. Please let me know if you have any questions.

Sincerely,

/s/ Katherine E. Ross

Enclosure

cc: Duke Energy Progress

FEDERAL ENERGY REGULATORY COMMISSION WASHINGTON, DC

OMB Control # 1902-0075 Expiration 5/31/2016

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

1a Full name of applicant (legal entity on whose behalf qualifying facility status is sought for this facility) Belafonte Farm, LLC						
1b Applicant street address 50101 Governors Drive Suite 280						
1c City		1d State/provi	ince			
Chapel Hill		NC				
1e Postal code 27517	1f Country (if not United States)		1g Telephone number (919) 960–6015			
1h Has the instant fac	cility ever previously been certified as a Q	F? Yes 🗌 N	No 🗵			
1i If yes, provide the	docket number of the last known QF filin	g pertaining to th	his facility: QF			
1j Under which certif	ication process is the applicant making th	nis filing?				
Notice of self-ce (see note below			ommission certification (requires filing e" section on page 3)			
QF status. A notice of self-cert	Note: a notice of self-certification is a notice by the applicant itself that its facility complies with the requirements for QF status. A notice of self-certification does not establish a proceeding, and the Commission does not review a notice of self-certification to verify compliance. See the "What to Expect From the Commission After You File" section on page 3 for more information.					
Ik What type(s) of QF status is the applicant seeking for its facility? (check all that apply)						
Qualifying small power production facility status Qualifying cogeneration facility status						
	II What is the purpose and expected effective date(s) of this filing?					
Original certifica	ation; facility expected to be installed by	11/13/15 a	and to begin operation on $11/30/15$			
	previously certified facility to be effective of change(s) below, and describe chang		llanagus castion starting on page 10)			
		e(s) in the wiscei	naneous section starting on page 19)			
☐ Name Chang	e and/or other administrative change(s)		•			
	·	production capa	acity and/or cogeneration thermal output			
<u> </u>	Change(s) affecting plant equipment, fuel use, power production capacity and/or cogeneration thermal output Supplement or correction to a previous filing submitted on					
(describe the supplement or correction in the Miscellaneous section starting on page 19)						
1m If any of the following three statements is true, check the box(es) that describe your situation and complete the for to the extent possible, explaining any special circumstances in the Miscellaneous section starting on page 19.						
The instant facility complies with the Commission's QF requirements by virtue of a waiver of certain regulations previously granted by the Commission in an order dated (specify any other relevant waiver orders in the Miscellaneous section starting on page 19)						
	cility would comply with the Commissior with this application is granted	s's QF requiremer	nts if a petition for waiver submitted			
employment of	cility complies with the Commission's reg of unique or innovative technologies not ation of compliance via this form difficult	contemplated by				

	2a Name of contact person Katherine E. Ross			2b Telephone number (919) 835–4671				
ion	Which of the following describes the contact person's relationship to the applicant? (check one) Applicant (self) Employee, owner or partner of applicant authorized to represent the applicant Employee of a company affiliated with the applicant authorized to represent the applicant on this matter							
ıati	☐ Lawyer, consultant, or other representative authorized to represent the applicant on this matter							
nform	2d Company or organization name (if applicant is an individual, check here and skip to line 2e) Parker Poe Adams & Bernstein LLP							
Contact Information	2e Street address (if same as Applica 301 Fayetteville Street Suite 1400	nt, check here and skip to	line 3a)					
O	2f City Raleigh		2g State/provi	nce .				
	2h Postal code 27601	2i Country (if not United	States)					
d Location	3a Facility nameBelafonte3b Street address (if a street address)	does not exist for the facil	ity, check here a	nd skip to line 3c)⊠				
Facility Identification and Location	then you must specify the latitude the following formula to convert degrees + (minutes/60) + (secon provided a street address for you East (+)	le and longitude coordinat to decimal degrees from c ds/3600). See the "Geogr	es of the facility legrees, minutes aphic Coordinate ecifying the geo	our facility by checking the box in line 3b, in degrees (to three decimal places). Use and seconds: decimal degrees = es" section on page 4 for help. If you ographic coordinates below is optional. North (+) 35.161 degrees				
lity Ide	Longitude West (-) 78 3d City (if unincorporated, check he			South (-)				
Faci	3f County (or check here for indepe	ndent city) 🗌 3g	Country (if not	United States)				
	Identify the electric utilities that are contemplated to transact with the facility.							
Transacting Utilities	4a Identify utility interconnecting with the facility Duke Energy Progress							
ng Ut	4b Identify utilities providing wheeling service or check here if none 🔀							
ısacti	4c Identify utilities purchasing the u	seful electric power outpu	t or check here it	f none				
Trar	4d Identify utilities providing supple service or check here if none Duke Energy Progress	ementary power, backup p	ower, maintenai	nce power, and/or interruptible power				

		tric utility o holding company	r If Your sequence of the sequ
1) <u>B</u> ela	fonte Farm, LLC Yes	□ No 🗵]
2)	Yes	No [
3)	Yes	No []
4)	Yes	No []
5)	Yes	No []
6)	Yes	. □ No □]
7)	Yes	. No []
8)	Yes	No []
9)	Yes	. No []
10)	Yes	No T	7
5b Upstre of the define 1262(i	heck here and continue in the Miscellaneous section starting on page 19 if additional eam (i.e., indirect) ownership as of effective date or operation date: Identify all upstre facility that both (1) hold at least 10 percent equity interest in the facility, and (2) are ed in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding companies, 8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide interest in the facility held by such owners. (Note that, because upstream owners m	am (i.e., indi electric utili as defined i e the percer	rect) ow ties, as n sectior itage of
of the define 1262(i equity anoth	heck here and continue in the Miscellaneous section starting on page 19 if additional eam (i.e., indirect) ownership as of effective date or operation date: Identify all upstre facility that both (1) hold at least 10 percent equity interest in the facility, and (2) are ed in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding companies, 8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide	am (i.e., indi electric utili as defined i e the percer	rect) ow ties, as n sectior itage of
of the define 1262(i equity anoth	heck here and continue in the Miscellaneous section starting on page 19 if additional eam (i.e., indirect) ownership as of effective date or operation date: Identify all upstre facility that both (1) hold at least 10 percent equity interest in the facility, and (2) are ed in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding companies, 8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide interest in the facility held by such owners. (Note that, because upstream owners muer, total percent equity interest reported may exceed 100 percent.)	am (i.e., indi electric utili as defined i e the percer	rect) ow ties, as n section itage of liaries of % eq
5b Upstre of the define 1262(i equity anoth Check	heck here and continue in the Miscellaneous section starting on page 19 if additional eam (i.e., indirect) ownership as of effective date or operation date: Identify all upstre facility that both (1) hold at least 10 percent equity interest in the facility, and (2) are ed in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding companies, 8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide interest in the facility held by such owners. (Note that, because upstream owners mater, total percent equity interest reported may exceed 100 percent.)	am (i.e., indi electric utili as defined i e the percer	rect) ow ties, as n sectior Itage of liaries of
5b Upstre of the define 1262(i equity anoth Check	heck here and continue in the Miscellaneous section starting on page 19 if additional eam (i.e., indirect) ownership as of effective date or operation date: Identify all upstre facility that both (1) hold at least 10 percent equity interest in the facility, and (2) are ed in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding companies, 8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide interest in the facility held by such owners. (Note that, because upstream owners muer, total percent equity interest reported may exceed 100 percent.)	am (i.e., indi electric utili as defined i e the percer	rect) ow ties, as n section itage of liaries of % eq
5b Upstre of the define 1262(i equity anoth Check	heck here and continue in the Miscellaneous section starting on page 19 if additional eam (i.e., indirect) ownership as of effective date or operation date: Identify all upstre facility that both (1) hold at least 10 percent equity interest in the facility, and (2) are ed in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding companies, 8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide interest in the facility held by such owners. (Note that, because upstream owners muer, total percent equity interest reported may exceed 100 percent.)	am (i.e., indi electric utili as defined i e the percer	rect) ow ties, as n section itage of liaries of % eq
5b Upstre of the define 1262(i equity anoth Check	heck here and continue in the Miscellaneous section starting on page 19 if additional eam (i.e., indirect) ownership as of effective date or operation date: Identify all upstre facility that both (1) hold at least 10 percent equity interest in the facility, and (2) are ed in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding companies, 8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide interest in the facility held by such owners. (Note that, because upstream owners muer, total percent equity interest reported may exceed 100 percent.)	am (i.e., indi electric utili as defined i e the percer	rect) ow ties, as n section itage of liaries of % eq
5b Upstre of the define 1262(i equity anoth Check	heck here and continue in the Miscellaneous section starting on page 19 if additional eam (i.e., indirect) ownership as of effective date or operation date: Identify all upstre facility that both (1) hold at least 10 percent equity interest in the facility, and (2) are ed in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding companies, 8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide interest in the facility held by such owners. (Note that, because upstream owners muer, total percent equity interest reported may exceed 100 percent.)	am (i.e., indi electric utili as defined i e the percer	rect) ow ties, as n section itage of liaries of % eq
5b Upstre of the define 1262(i equity anoth Check	heck here and continue in the Miscellaneous section starting on page 19 if additional eam (i.e., indirect) ownership as of effective date or operation date: Identify all upstre facility that both (1) hold at least 10 percent equity interest in the facility, and (2) are ed in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding companies, 8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide interest in the facility held by such owners. (Note that, because upstream owners muer, total percent equity interest reported may exceed 100 percent.)	am (i.e., indi electric utili as defined i e the percer	rect) ow ties, as n section itage of liaries of % eq
The state of the define 1262(i equity anoth the check of	heck here and continue in the Miscellaneous section starting on page 19 if additional eam (i.e., indirect) ownership as of effective date or operation date: Identify all upstre facility that both (1) hold at least 10 percent equity interest in the facility, and (2) are ed in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding companies, 8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide interest in the facility held by such owners. (Note that, because upstream owners muer, total percent equity interest reported may exceed 100 percent.)	am (i.e., indi electric utili as defined i e the percer	rect) ow ties, as n section itage of liaries of % eq
1)	heck here and continue in the Miscellaneous section starting on page 19 if additional eam (i.e., indirect) ownership as of effective date or operation date: Identify all upstre facility that both (1) hold at least 10 percent equity interest in the facility, and (2) are ed in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding companies, 8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide interest in the facility held by such owners. (Note that, because upstream owners muer, total percent equity interest reported may exceed 100 percent.)	am (i.e., indi electric utili as defined i e the percer	rect) ow ties, as n section itage of liaries of % eq
The state of the define 1262(i equity anoth the check of	heck here and continue in the Miscellaneous section starting on page 19 if additional eam (i.e., indirect) ownership as of effective date or operation date: Identify all upstre facility that both (1) hold at least 10 percent equity interest in the facility, and (2) are ed in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or holding companies, 8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)). Also provide interest in the facility held by such owners. (Note that, because upstream owners muer, total percent equity interest reported may exceed 100 percent.)	am (i.e., indi electric utili as defined i e the percer	rect) ow ties, as n section itage of liaries of % eq

	ба	Describe th	e primary energy input: (ch	eck one ma	in category and, if app	plicable, o	one subcategory)	
		☐ Biomas	s (specify)	⊠ R	enewable resources (s	pecify)	Geothermal	
			andfill gas		☐ Hydro power - riv	er	Fossil fuel (s	pecify)
		□ M	lanure digester gas		☐ Hydro power - tid	lal	☐ Coal (not waste)
		□ M	Iunicipal solid waste		☐ Hydro power - wa	ave	☐ Fuel c	il/diesel
		□ S	ewage digester gas		Solar - photovolta	aic	☐ Natur	al gas (not waste)
		□ M	/ood		☐ Solar - thermal			fossil fuel ribe on page 19)
		□ C	ther biomass (describe on	page 19)	☐ Wind			nbe on page 19)
			specify type below in line 6		Other renewable (describe on page	e 19)		ribe on page 19)
	6b	If you spec	ified "waste" as the primary	energy inp	ut in line 6a, indicate t	the type o	of waste fuel used:	(check one)
		☐ Waste	e fuel listed in 18 C.F.R. § 29	2.202(b) (sp	ecify one of the follow	ving)		
			Anthracite culm produced	prior to Jul	y 23, 1985			
			Anthracite refuse that has a ash content of 45 percent		heat content of 6,000	Btu or les	ss per pound and h	as an average
			Bituminous coal refuse tha average ash content of 25			9,500 Btu	ı per pound or less	and has an
nput	Top or bottom subbituminous coal produced on Federal lands or on Indian lands that has been determined to be waste by the United States Department of the Interior's Bureau of Land Mana (BLM) or that is located on non-Federal or non-Indian lands outside of BLM's jurisdiction, provide the applicant shows that the latter coal is an extension of that determined by BLM to be waste							d Management , provided that
Energy Input	Coal refuse produced on Federal lands or on Indian lands that has been determined to be wast BLM or that is located on non- Federal or non-Indian lands outside of BLM's jurisdiction, provide applicant shows that the latter is an extension of that determined by BLM to be waste							
LLI	:	Lignite produced in association with the production of montan wax and lignite that becomes exposed as a result of such a mining operation						
		Gaseous fuels (except natural gas and synthetic gas from coal) (describe on page 19)						
			Waste natural gas from gas C.F.R. § 2.400 for waste nat compliance with 18 C.F.R.	ural gas; in				
			Materials that a governme	nt agency h	as certified for dispos	al by com	nbustion (describe	on page 19)
		. 🗆	Heat from exothermic read	tions (desc	ribe on page 19)		Residual heat (des	cribe on page 19)
	•		Used rubber tires] Plastic m	aterials 🔲 R	efinery of	ff-gas 🗌	Petroleum coke
		facilit	r waste energy input that hay y industry (describe in the l of commercial value and exi	Miscellaned	us section starting on	page 19;	; include a discussio	
	6с	energy inp	e average energy input, calc outs, and provide the related . For any oil or natural gas f	l percentag	e of the total average	annual e	energy input to the	
			F1		nual average energy		Percentage of tot	
			Fuel Natural gas	ותוֹ	out for specified fuel	. D4::-11	annual energy inp	
			Oil-based fuels			Btu/h		%
			Coal			Btu/h		%
					0	Btu/h	0	%

Indicate the maximum gross and maximum net electric power production capacity of the facility at the point(s) of delivery by completing the worksheet below. Respond to all items. If any of the parasitic loads and/or losses identified in lines 7b through 7e are negligible, enter zero for those lines.

	!
7a The maximum gross power production capacity at the terminals of the individual generator(s) under the most favorable anticipated design conditions	5,000 kW
7b Parasitic station power used at the facility to run equipment which is necessary and integral to the power production process (boiler feed pumps, fans/blowers, office or maintenance buildings directly related to the operation of the power generating facility, etc.). If this facility includes non-power production processes (for instance, power consumed by a cogeneration facility's thermal host), do not include any power consumed by the non-power production activities in your	
reported parasitic station power.	0 kW
7c Electrical losses in interconnection transformers	12.5 kW
7d Electrical losses in AC/DC conversion equipment, if any	0 kW
7e Other interconnection losses in power lines or facilities (other than transformers and AC/DC conversion equipment) between the terminals of the generator(s) and the point of interconnection	
with the utility	12.5 kW
7f Total deductions from gross power production capacity = $7b + 7c + 7d + 7e$	25.0 kW
7g Maximum net power production capacity = 7a - 7f	4,975.0 kW

7h Description of facility and primary components: Describe the facility and its operation. Identify all boilers, heat recovery steam generators, prime movers (any mechanical equipment driving an electric generator), electrical generators, photovoltaic solar equipment, fuel cell equipment and/or other primary power generation equipment used in the facility. Descriptions of components should include (as applicable) specifications of the nominal capacities for mechanical output, electrical output, or steam generation of the identified equipment. For each piece of equipment identified, clearly indicate how many pieces of that type of equipment are included in the plant, and which components are normally operating or normally in standby mode. Provide a description of how the components operate as a system. Applicants for cogeneration facilities do not need to describe operations of systems that are clearly depicted on and easily understandable from a cogeneration facility's attached mass and heat balance diagram; however, such applicants should provide any necessary description needed to understand the sequential operation of the facility depicted in their mass and heat balance diagram. If additional space is needed, continue in the Miscellaneous section starting on page 19.

The system is a photovoltaic ground-mounted solar facility comprised of approximately 70,000 100Wp solar collectors, mounted on racks, utilizing 6 800kW inverters.



Information Required for Small Power Production Facility

If you indicated in line 1k that you are seeking qualifying small power production facility status for your facility, then you must respond to the items on this page. Otherwise, skip page 10.

Jertification of Compliance with Size Limitations		with the resour megatification from (Pub.	nant to 18 C.F.R. § 292.204(a), the power production capacity arce, are owned by the same payatts. To demonstrate compathis size limitation under the S.L. 101-575, 104 Stat. 2834 (1919) agh 8e below (as applicable).	of any ot erson(s) or liance with Jolar, Wind	ther small pover its affiliates, in this size lim d, Waste, and	ver production facilities and are located at the sa itation, or to demonstrat Geothermal Power Prod	that use the me site, man e that your f uction Incer	same energy y not exceed 80 acility is exempt itives Act of 1990
		equip	dentify any facilities with elect oment of the instant facility, ar ist a 5 percent equity interest.					
		Checl	chere if no such facilities exist	\square				
	2		Facility location (city or county, state)		docket # f any)	Common owner(Maximum net power production capacity
mk		1)		QF	_			kW
$O^{\frac{1}{2}}$		2)		QF				kW
) of		3)		QF				kW
tior	776		Check here and continue in th	e Miscella	neous sectior	n starting on page 19 if a	dditional sp	ace is needed
Certif	WITh SIZE	exem Are y	The Solar, Wind, Waste, and Geoption from the size limitation from the size limitation from the seeking exemption from the size limitation from the size limitatio	s in 18 C.F. ne size lim elow) ertificatio	R. § 292.204(itations in 18 n or applicati	a) for certain facilities that C.F.R. § 292.204(a) by vir No (skip lines 8c th	nt were certi tue of the In rough 8e)	fied prior to 1995. centives Act?
		8d [Did construction of the facility	commend	e on or befor	e December 31, 1999?	Yes No	
·		the fa a brie partie	f you answered No in line 8d, i acility, taking into account all t ef narrative explanation in the cular, describe why construction rd completion of the facility.	actors rele Miscellan	evant to cons eous section :	truction? Yes \square No [starting on page 19 of th	lf you ar e constructi	nswered Yes, provide on timeline (in
Certification of Compliance	vith Fuel Use Requirements	amou preve the p used	uant to 18 C.F.R. § 292.204(b), ounts, for only the following puention of unanticipated equipoublic health, safety, or welfare for these purposes may not end beginning with the date the	rposes: ig ment outa , which w xceed 25 p	nition; start-unges; and allewould result fro percent of the	p; testing; flame stabiliz viation or prevention of o om electric power outag total energy input of th	ation; contro emergencies es. The amo e facility dur	ol use; alleviation or s, directly affecting unt of fossil fuels ing the 12-month
ر الح	Ď	9a C	ertification of compliance wit	า 18 C.F.R.	§ 292.204(b)	with respect to uses of f	ossil fuel:	
on o	Ose		Applicant certifies that the	facility wil	ll use fossil fu	els <i>exclusively</i> for the pur	poses listed	above.
:ati	ב ב	9 b 0	Certification of compliance wit	h 18 C.F.R.	§ 292.204(b)	with respect to amount	of fossil fuel	used annually:
Certific	VILLI FL		Applicant certifies that the percent of the total energy facility first produces electr	input of t	he facility du	ing the 12-month period		

Information Required for Cogeneration Facility

If you indicated in line 1k that you are seeking qualifying cogeneration facility status for your facility, then you must respond to the items on pages 11 through 13. Otherwise, skip pages 11 through 13.

	energy (such as heat or suse of energy. Pursuant cycle cogeneration facility thermal application or programmers.	22.202(c), a cogeneration facility produces electric energy and forms of useful thermal team) used for industrial, commercial, heating, or cooling purposes, through the sequential to 18 C.F.R. § 292.202(s), "sequential use" of energy means the following: (1) for a toppingty, the use of reject heat from a power production process in sufficient amounts in a rocess to conform to the requirements of the operating standard contained in 18 C.F.R. § attoming-cycle cogeneration facility, the use of at least some reject heat from a thermal r power production.
		eneration technology does the facility represent? (check all that apply)
	Topping-cycle	cogeneration Bottoming-cycle cogeneration
	other requirements balance diagram de meet certain requir	te the sequential operation of the cogeneration process, and to support compliance with such as the operating and efficiency standards, include with your filing a mass and heat epicting average annual operating conditions. This diagram must include certain items and ements, as described below. You must check next to the description of each requirement tyou have complied with these requirements.
	Check to certify compliance with	
	indicated requirement	Requirement
ration n		Diagram must show orientation within system piping and/or ducts of all prime movers, heat recovery steam generators, boilers, electric generators, and condensers (as applicable), as well as any other primary equipment relevant to the cogeneration process.
gene Iatioi		Any average annual values required to be reported in lines 10b, 12a, 13a, 13b, 13d, 13f, 14a, 15b, 15d and/or 15f must be computed over the anticipated hours of operation.
General Cogeneration Information		Diagram must specify all fuel inputs by fuel type and average annual rate in Btu/h. Fuel for supplementary firing should be specified separately and clearly labeled. All specifications of fuel inputs should use lower heating values.
iene		Diagram must specify average gross electric output in kW or MW for each generator.
U		Diagram must specify average mechanical output (that is, any mechanical energy taken off of the shaft of the prime movers for purposes not directly related to electric power generation) in horsepower, if any. Typically, a cogeneration facility has no mechanical output.
		At each point for which working fluid flow conditions are required to be specified (see below), such flow condition data must include mass flow rate (in lb/h or kg/s), temperature (in °F, R, °C or K), absolute pressure (in psia or kPa) and enthalpy (in Btu/lb or kJ/kg). Exception: For systems where the working fluid is <i>liquid only</i> (no vapor at any point in the cycle) and where the type of liquid and specific heat of that liquid are clearly indicated on the diagram or in the Miscellaneous section starting on page 19, only mass flow rate and temperature (not pressure and enthalpy) need be specified. For reference, specific heat at standard conditions for pure liquid water is approximately 1.002 Btu/(lb*R) or 4.195 kJ/(kg*K).
		Diagram must specify working fluid flow conditions at input to and output from each steam turbine or other expansion turbine or back-pressure turbine.
		Diagram must specify working fluid flow conditions at delivery to and return from each thermal application.
		Diagram must specify working fluid flow conditions at make-up water inputs.

	EPAct 2005 cogeneration facilities: The Energy Policy Act of 2005 (EPAct 2005) established a new section 210(n) of the Public Utility Regulatory Policies Act of 1978 (PURPA), 16 USC 824a-3(n), with additional requirements for any qualifying cogeneration facility that (1) is seeking to sell electric energy pursuant to section 210 of PURPA and (2) was either not a cogeneration facility on August 8, 2005, or had not filed a self-certification or application for Commission certification of QF status on or before February 1, 2006. These requirements were implemented by the Commission in 18 C.F.R. § 292.205(d). Complete the lines below, carefully following the instructions, to demonstrate whether these additional requirements apply to your cogeneration facility and, if so, whether your facility complies with such requirements.	
	11a Was your facility operating as a qualifying cogeneration facility on or before August 8, 2005? Yes No	
	11b Was the initial filing seeking certification of your facility (whether a notice of self-certification or an application for Commission certification) filed on or before February 1, 2006? Yes No	0
a s	If the answer to either line 11a or 11b is Yes, then continue at line 11c below. Otherwise, if the answers to both lines 11a and 11b are No, skip to line 11e below.	
ental Use Facilities	11c With respect to the design and operation of the facility, have any changes been implemented on or after February 2, 2006 that affect general plant operation, affect use of thermal output, and/or increase net power production capacity from the plant's capacity on February 1, 2006?	TOWN THE PERSON THE PE
nei n Fa	Yes (continue at line 11d below)	
EPAct 2005 Requirements for Fundamental Use of Energy Output from Cogeneration Facilities	No. Your facility is not subject to the requirements of 18 C.F.R. § 292.205(d) at this time. However, it may be subject to to these requirements in the future if changes are made to the facility. At such time, the applicant would need to recertify the facility to determine eligibility. Skip lines 11d through 11j.	
for oger	11d Does the applicant contend that the changes identified in line 11c are not so significant as to make the facility a "new" cogeneration facility that would be subject to the 18 C.F.R. § 292.205(d) cogeneration requirements?	-04000
ements from C	Yes. Provide in the Miscellaneous section starting on page 19 a description of any relevant changes made to the facility (including the purpose of the changes) and a discussion of why the facility should not be considered a "new" cogeneration facility in light of these changes. Skip lines 11e through 11j.	
equire utput 1	No. Applicant stipulates to the fact that it is a "new" cogeneration facility (for purposes of determining the applicability of the requirements of 18 C.F.R. § 292.205(d)) by virtue of modifications to the facility that were initiated on or after February 2, 2006. Continue below at line 11e.	
)5 F) O	11e Will electric energy from the facility be sold pursuant to section 210 of PURPA?	2
:t 2005 nergy C	Yes. The facility is an EPAct 2005 cogeneration facility. You must demonstrate compliance with 18 C.F.R. § 292.205(d)(2) by continuing at line 11f below.	
EPAct of Ene	No. Applicant certifies that energy will <i>not</i> be sold pursuant to section 210 of PURPA. Applicant also certifies its understanding that it must recertify its facility in order to determine compliance with the requirements of 18 C.F.R. § 292.205(d) <i>before</i> selling energy pursuant to section 210 of PURPA in the future. Skip lines 11f through 11j.	
	11f Is the net power production capacity of your cogeneration facility, as indicated in line 7g above, less than or equal to 5,000 kW?	
	Yes, the net power production capacity is less than or equal to 5,000 kW. 18 C.F.R. § 292.205(d)(4) provides a rebuttable presumption that cogeneration facilities of 5,000 kW and smaller capacity comply with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2). Applicant certifies its understanding that, should the power production capacity of the facility increase above 5,000 kW, then the facility must be recertified to (among other things) demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Skip lines 11g through 11j.	
	No, the net power production capacity is greater than 5,000 kW. Demonstrate compliance with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2) by continuing on the next page at line 11g.	

Lines 11g through 11k below guide the applicant through the process of demonstrating compliance with the requirements for "fundamental use" of the facility's energy output. 18 C.F.R. § 292.205(d)(2). Only respond to the lines on this page if the instructions on the previous page direct you to do so. Otherwise, skip this page.

18 C.F.R. § 292.205(d)(2) requires that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility. If you were directed on the previous page to respond to the items on this page, then your facility is an EPAct 2005 cogeneration facility that is subject to this "fundamental use" requirement.

The Commission's regulations provide a two-pronged approach to demonstrating compliance with the requirements for fundamental use of the facility's energy output. First, the Commission has established in 18 C.F.R. § 292.205(d)(3) a "fundamental use test" that can be used to demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Under the fundamental use test, a facility is considered to comply with 18 C.F.R. § 292.205(d)(2) if at least 50 percent of the facility's total annual energy output (including electrical, thermal, chemical and mechanical energy output) is used for industrial, commercial, residential or institutional purposes.

Second, an applicant for a facility that does not pass the fundamental use test may provide a narrative explanation of and support for its contention that the facility nonetheless meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility.

Complete lines 11g through 11j below to determine compliance with the fundamental use test in 18 C.F.R. § 292.205(d)(3). Complete lines 11g through 11j even if you do not intend to rely upon the fundamental use test to demonstrate compliance with 18 C.F.R. § 292.205(d)(2).

11g Amount of electrical, thermal, chemical and mechanical energy output (net of internal generation plant losses and parasitic loads) expected to be used annually for industrial, commercial, residential or institutional purposes and not sold to an electric utility	MWh
11h Total amount of electrical, thermal, chemical and mechanical energy expected to be sold to an electric utility	MWh
11i Percentage of total annual energy output expected to be used for industrial, commercial, residential or institutional purposes and not sold to a utility $= 100 * 11g /(11g + 11h)$	0 %

11j Is the response in line 11i greater than or equal to 50 percent?

Yes. Your facility complies with 18 C.F.R. § 292.205(d)(2) by virtue of passing the fundamental use test
provided in 18 C.F.R. § 292.205(d)(3). Applicant certifies its understanding that, if it is to rely upon passing
the fundamental use test as a basis for complying with 18 C.F.R. § 292.205(d)(2), then the facility must
comply with the fundamental use test both in the 12-month period beginning with the date the facility first
produces electric energy, and in all subsequent calendar years.

No. Your facility does not pass the fundamental use test. Instead, you must provide in the Miscellaneous section starting on page 19 a narrative explanation of and support for why your facility meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a QF to its host facility. Applicants providing a narrative explanation of why their facility should be found to

QF to its host facility. Applicants providing a narrative explanation of why their facility should be found to comply with 18 C.F.R. § 292.205(d)(2) in spite of non-compliance with the fundamental use test may want to review paragraphs 47 through 61 of Order No. 671 (accessible from the Commission's QF website at www.ferc.gov/QF), which provide discussion of the facts and circumstances that may support their explanation. Applicant should also note that the percentage reported above will establish the standard that that facility must comply with, both for the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years. *See* Order No. 671 at paragraph 51. As such, the applicant should make sure that it reports appropriate values on lines 11g and 11h above to serve as the relevant annual standard, taking into account expected variations in production conditions.

Information Required for Topping-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents topping-cycle cogeneration technology, then you must respond to the items on pages 14 and 15. Otherwise, skip pages 14 and 15.

12a		mal host, and specify the annual average rate of the source of the sourc	e the data for each use in
	separațe rons.		Average annual rate of thermal output
	Name of entity (thermal host) taking thermal output	Thermal host's relationship to facility; Thermal host's use of thermal output	attributable to use (net heat contained in proce return or make-up wate
1)		Select thermal host's relationship to facility	
1)		Select thermal host's use of thermal output	Btu/
2)		Select thermal host's relationship to facility	
۷)		Select thermal host's use of thermal output	Btu/
3)		Select thermal host's relationship to facility	
3/		Select thermal host's use of thermal output	Btu/
4)		Select thermal host's relationship to facility	
τ/		Select thermal host's use of thermal output	Btu/
5)		Select thermal host's relationship to facility	
)		Select thermal host's use of thermal output	Btu/
6)		Select thermal host's relationship to facility	_
0)		Select thermal host's use of thermal output	Btu/
	Check here and continue in	the Miscellaneous section starting on page 19 if a	additional space is needed
ther Hov not app is m out date usee	rmal output identified above. In wever, if your facility's use of ther reasonably clear, then you must plication may be rejected and/or a nade. (Exception: If you have pre- put related to the instant facility, e and docket number to the orde	f thermal output: At a minimum, provide a brief of some cases, this brief description is sufficient to do mal output is not common, and/or if the usefulne provide additional details as necessary to demone additional information may be required if an insufficient of the provide a Commission certification approaches you need only provide a brief description of the recritifying your facility with the indicated use. So the starting on page 19	emonstrate usefulness. ss of such thermal output is strate usefulness. Your fficient showing of usefulnes ving a specific use of therm that use and a reference by uch exemption may not be

Applicants for facilities representing topping-cycle technology must demonstrate compliance with the topping-cycle operating standard and, if applicable, efficiency standard. Section 292.205(a)(1) of the Commission's regulations (18 C.F.R. § 292.205(a)(1)) establishes the operating standard for topping-cycle cogeneration facilities: the useful thermal energy output must be no less than 5 percent of the total energy output. Section 292.205(a)(2) (18 C.F.R. § 292.205(a)(2)) establishes the efficiency standard for topping-cycle cogeneration facilities for which installation commenced on or after March 13, 1980: the useful power output of the facility plus one-half the useful thermal energy output must (A) be no less than 42.5 percent of the total energy input of natural gas and oil to the facility; and (B) if the useful thermal energy output is less than 15 percent of the total energy output of the facility, be no less than 45 percent of the total energy input of natural gas and oil to the facility. To demonstrate compliance with the topping-cycle operating and/or efficiency standards, or to demonstrate that your facility is exempt from the efficiency standard based on the date that installation commenced, respond to lines 13a through 13l below.

If you indicated in line 10a that your facility represents *both* topping-cycle and bottoming-cycle cogeneration technology, then respond to lines 13a through 13l below considering only the energy inputs and outputs attributable to the topping-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion (topping or bottoming) of the cogeneration system.

cogeneration system.		
13a Indicate the annual average rate of useful thermal energy output made available to the host(s), net of any heat contained in condensate return or make-up water		Btu/h
13b Indicate the annual average rate of net electrical energy output		Brayin
indicate the annual average rate of her electrical energy output		LAM
67 M M M 69 M 69 M 69 M		kW
13c Multiply line 13b by 3,412 to convert from kW to Btu/h		
'	0	Btu/h
13d Indicate the annual average rate of mechanical energy output taken directly off		
of the shaft of a prime mover for purposes not directly related to power production		
(this value is usually zero)		la ua
		hp
13e Multiply line 13d by 2,544 to convert from hp to Btu/h		
	0	Btu/h
13f Indicate the annual average rate of energy input from natural gas and oil		
721a.a.a.a.a.a.a.a.a.a.a.a.a.a.a.a.a.a	-	Btu/h
		Dtu/H
13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e)		
	0	%
13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f		
, opp	0	%
13i Compliance with operating standard: Is the operating value shown in line 13g gre	ater than or equal to 5°	%?
Yes (complies with operating standard) No (does not comply wi	th operating standard)	
13j Did installation of the facility in its current form commence on or after March 13, 1	980?	
Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205 compliance with the efficiency requirement by responding to line 13k or 13l, a		
No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l.		
13k Compliance with efficiency standard (for low operating value): If the operating value than 15%, then indicate below whether the efficiency value shown in line 13h greater to		s less
Yes (complies with efficiency standard) No (does not comply wi	th efficiency standard)	
13I Compliance with efficiency standard (for high operating value): If the operating value greater than or equal to 15%, then indicate below whether the efficiency value shown equal to 42.5%:		
Yes (complies with efficiency standard) No (does not comply wi	th efficiency standard)	

Information Required for Bottoming-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents bottoming-cycle cogeneration technology, then you must respond to the items on pages 16 and 17. Otherwise, skip pages 16 and 17.

tems	on pages 16 and 17. Otherwise, s	ikip pages 16 and 17.			
the	nich at least some of the reject hear e Commission's regulations (18 C.F cle cogeneration facility must be u	oming-cycle cogeneration facility is the energy relate t is then used for power production. Pursuant to sec F.R. § 292.202(c) and (e)), the thermal energy output seful. In connection with this requirement, describe and for power production by responding to lines 14a a	ctions 292.202(c) and (e) of of a qualifying bottoming- the process(es) from which		
14	identify and describe each thermal host and each bottoming-cycle cogeneration process engaged in by each host. For hosts with multiple bottoming-cycle cogeneration processes, provide the data for each process ir				
	separate rows. Name of entity (thermal host) performing the process from which at least some of the reject heat is used for power production	Thermal host's relationship to facility; Thermal host's process type	Has the energy input to the thermal host been augmented for purposes of increasing power production capacity? (if Yes, describe on p. 19)		
1\		Select thermal host's relationship to facility	Yes No		
1)		Select thermal host's process type			
2)		Select thermal host's relationship to facility	Yes No		
		Select thermal host's process type			
3)		Select thermal host's relationship to facility	Yes No		
3)		Select thermal host's process type			
	Check here and continue in t	he Miscellaneous section starting on page 19 if addi	tional space is needed		
14b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each process identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's process is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific bottoming-cycle process related to the instant facility, then you need only provide a brief description of that process and a reference by date and docket number to the order certifying your facility with the indicated process. Such exemption may not be used if any material changes to the process have been made.) If additional space is needed, continue in the Miscellaneous section starting on page 19.					

OFFICIAL COPY

1111 330	rage 17 - bottoming-cycle cogeneration racinties
Applicants for facilities representing bottoming-cycle technology March 13, 1990 must demonstrate compliance with the bottom the Commission's regulations (18 C.F.R. § 292.205(b)) established cogeneration facilities: the useful power output of the facility of natural gas and oil for supplementary firing. To demonstrate standard (if applicable), or to demonstrate that your facility is expected installation of the facility began, respond to lines 15a through 1	ning-cycle efficiency standards. Section 292.205(b) of is the efficiency standard for bottoming-cycle must be no less than 45 percent of the energy input compliance with the bottoming-cycle efficiency kempt from this standard based on the date that
If you indicated in line 10a that your facility represents <i>both</i> top technology, then respond to lines 15a through 15h below cons attributable to the bottoming-cycle portion of your facility. You which mass and energy flow values and system components ar (topping or bottoming).	idering only the energy inputs and outputs ur mass and heat balance diagram must make clear

(topping or bottoming).					
15a Did installation of the facility in its current form commence on or after March 13, 1980?					
Yes. Your facility is subject to the efficiency requirement of 18 C.F.R. § 292.205(b). Demonstrate compliance with the efficiency requirement by responding to lines 15b through 15h below.					
No. Your facility is exempt from the efficiency standard. Skip the rest of page	17.				
15b Indicate the annual average rate of net electrical energy output	kW				
15c Multiply line 15b by 3,412 to convert from kW to Btu/h	0 Btu/h				
15d Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero)	hp				
15e Multiply line 15d by 2,544 to convert from hp to Btu/h	0 Btu/h				
15f Indicate the annual average rate of supplementary energy input from natural gas or oil	Btu/h				
15g Bottoming-cycle efficiency value = 100 * (15c + 15e) / 15f	. 0 %				
15h Compliance with efficiency standard: Indicate below whether the efficiency value shown in line 15g is greater than or equal to 45%:					
Yes (complies with efficiency standard) No (does not comply wi	th efficiency standard)				

Certificate of Completeness, Accuracy and Authority

Applicant must certify compliance with and understanding of filing requirements by checking next to each item below and signing at the bottom of this section. Forms with incomplete Certificates of Completeness, Accuracy and Authority will be rejected by the Secretary of the Commission.

rejected by the Secretary of the Commission.	
Signer identified below certifies the following: (check all items and applicable subitems)	

	any information contained in the Miscellaneous se				
He or she has provided all of the requite to the best of his or her knowledge an	ired information for certification, and the provided ad belief.	information is true as stated,			
He or she possess full power and auth Practice and Procedure (18 C.F.R. § 38	ority to sign the filing; as required by Rule 2005(a)(3 5.2005(a)(3)), he or she is one of the following: (che	3) of the Commission's Rules o ck one)			
\square The person on whose behalf t	he filing is made				
An officer of the corporation, to	An officer of the corporation, trust, association, or other organized group on behalf of which the filing is made				
An officer, agent, or employe of filing is made	An officer, agent, or employe of the governmental authority, agency, or instrumentality on behalf of which the filing is made				
A representative qualified to practice and Procedure (18 C.F	practice before the Commission under Rule 2101 of F.R. § 385.2101) and who possesses authority to sign	the Commission's Rules of n			
He or she has reviewed all automatic of Miscellaneous section starting on page	calculations and agrees with their results, unless otline 19.	nerwise noted in the			
interconnect and transact (see lines 4	Form 556 and all attachments to the utilities with was through 4d), as well as to the regulatory authorities the Required Notice to Public Utilities and State Reg	es of the states in which the			
Procedure (18 C.F.R. § 385.2005(c)) provide	ture date below. Rule 2005(c) of the Commission's es that persons filing their documents electronically led documents. A person filing this document elec ded below.	may use typed characters			
Your Signature	Your address	Date			
Katherine E. Ross	301 Fayetteville Street, Ste. 1400 Raleigh, NC 27601	4/24/2015			
Audit Notes					
Commission Staff Use Only:					

Miscellaneous

Use this space to provide any information for which there was not sufficient space in the previous sections of the form to provide. For each such item of information *clearly identify the line number that the information belongs to*. You may also use this space to provide any additional information you believe is relevant to the certification of your facility.

Your response below is not limited to one page. Additional page(s) will automatically be inserted into this form if the length of your response exceeds the space on this page. Use as many pages as you require.