

**“The Reliability and Resiliency of Electric Service in the United States”
March 26, 2024**

**Before the North Carolina Energy Policy Committee
Raleigh, North Carolina**

**Testimony of Dave Krueger
SERC Reliability Corporation**

Good morning. Thank you for the opportunity to discuss with you reliability challenges we face as we transition to the grid of the future. My name is Dave Krueger, and I have worked in the electric utility industry for about 20 years. I currently serve as a Senior Program Manager at SERC Reliability Corporation (SERC), one of the six federally recognized Regional Entities. I am an electrical engineer, with a master’s degree in Power Systems Management, and have had roles in engineering, operations, electricity markets, and standards development.

SERC is one of the six North American Electric Reliability Corporation¹ (NERC) Regional Entities responsible for preserving and enhancing the reliability, resilience, and security of the bulk power system (BPS).² Collectively, NERC and the Regional Entities make up the Electric Reliability Organization (ERO) Enterprise. With specific authorities through a delegation agreement with NERC, SERC’s mission serves the public good and supports health and safety by assuring BPS reliability for over 97 million customers in our 16 states.³ We are responsible for auditing and enforcing the NERC Reliability Standards for almost 300 registered entities in our footprint, which include utility companies, owners and operators of more than 118,000 Bulk Electric System transmission miles and over 3,700 generating units. We also provide outreach, training, and education to registered entities in our footprint, and technical expertise to state public utility commissions, legislators, and other stakeholders.

The ERO Enterprise is committed to working with states and policy makers as an objective, expert resource on reliability topics such as resource adequacy, essential reliability services, winterization, inverter-based resources, and physical and cyber security. Our staff is comprised of employees with past industry experience such as power system engineers, control area operators, and forensic cyber experts, as well as data analysts, auditors, attorneys, and others. We participate with FERC and NERC on inquiries, task forces, and working groups, and have a unique perspective from working on these complex challenges.

To that end, SERC’s role in today’s discussion is to serve as a technical resource concerning the reliability risks associated with the rapidly changing generation resource mix, and describe actions taken by SERC and the ERO Enterprise to help mitigate these risks. While energy policy

¹ The North American Electric Reliability Corporation (NERC) is a not-for-profit international regulatory authority designated by the Federal Energy Regulatory Commission (FERC) to assure the effective and efficient reduction of risks to the reliability and security of the grid. Through delegation agreements and with oversight from FERC, NERC works with six Regional Entities (including SERC) on compliance monitoring and enforcement activities. Collectively, NERC and the Regional Entities comprise the ERO Enterprise. The ERO Enterprise jurisdiction includes users, owners, and operators of the BPS, which serves nearly four hundred million people in the continental United States, Canada, and Mexico.

² See the appendix for a map depicting the footprints of NERC and the Regional Entities.

³ SERC does not have jurisdiction over the local distribution of electricity, which is a state responsibility.

should appropriately prioritize BPS reliability, our statements are not intended, and should not be interpreted, as advocating for a specific policy outcome.

NERC reliability assessments are well-known resources for policymakers, regulators, and industry stakeholders.⁴ They evaluate various factors, including the reliability impacts of the retirement of conventional generation, such as coal and nuclear, and the addition of new generation including inverter-based resources. They also consider severe weather scenarios, incorporating generation outages under peak load conditions.⁵ Regional Entities, like SERC, also conduct reliability assessments specific to their regions.

These assessments provide insights for ensuring the reliability and security of a rapidly changing grid. Section 215 of the Federal Power Act requires that the ERO conduct these periodic assessments, but it also states that the ERO does not have the authority to require the construction of generation or transmission assets. Communication, coordination, and collaboration among policy makers, state stakeholders, and industry is key to ensure a reliable grid transformation.

The transformation of the grid presents an “energy trilemma,” that is, the need to ensure reliability while also balancing cost and environmental factors. Electricity is vital to modern life: to ensure the health and well-being of citizens, and to maintain the economy and national security. As such, electric reliability is of critical importance, and it is SERC’s area of expertise. Cost also plays a key role, as unaffordable electricity can hinder economic opportunities and disproportionately affects the most vulnerable among us. Finally, grid transformation solutions must be environmentally sustainable.

There are three reliability topics that apply across our region regarding the changing resource mix: the pace and complexity of change, resource adequacy, and essential reliability services. These are not the only reliability considerations, but they drive many conversations with states.

I will start with the pace and complexity of change. The rapidly changing generation resource mix is driving BPS transformation. Traditional baseload generation plants are retiring, and replacement energy is largely supplied by significant amounts of new natural gas and variable generation resources (mostly wind and solar) that do not yet have the same operating features essential for reliability, commonly referred to as Essential Reliability Services (ERS). Until energy storage is fully developed and available at scale, enough flexible, dispatchable generation will be needed as a balancing resource for grid reliability. Transmission is also critical for reliability. New inter-regional transmission can provide operating flexibility to import power where it is needed most during potential energy shortages. In addition, new transmission is critical to supporting state clean energy goals, where it is necessary to import renewable energy from remote sources to load centers.

Natural gas dependency also presents reliability challenges, as a greater reliance on natural gas-fired generation elevates the risk from weather-induced natural gas fuel supply disruptions. Given the new portfolio of generation resources, the BPS has grown more sensitive to the effects

⁴ See NERC’s reliability assessments [here](#). See SERC’s reliability assessments [here](#).

⁵ Areas of the United States at risk of extreme weather impacts are identified in NERC’s Winter and Summer Reliability Assessments. See NERC’s [2023/2024 Winter Assessment](#), and [NERC’s 2023 Summer Assessment](#).

of extreme weather. As the grid continues to undergo rapid transformation, managing the pace of change is a central challenge for reliability. SERC and the ERO Enterprise are taking specific actions to identify, assess, and mitigate these risks. We are also making it a priority to serve as a resource for the states on these issues, in forums such as this hearing.

Resource adequacy is the next key area I would like to discuss. Resource adequacy refers to matching supply with demand to ensure that the grid has adequate resources to supply loads twenty-four hours per day, three-hundred sixty-five days per year, during all operating conditions. Over a ten-year horizon, NERC's 2023 Long-Term Reliability Assessment finds that numerous areas of North America are at risk of energy shortfalls during extreme weather conditions and even during normal peak conditions:⁶




Figure 1. Risk Area Summary 2024-2028

This risk is driven by generation retirements that reduce reserve margins (commonly understood as available, dispatchable energy that can be quickly brought online to satisfy demand). In some cases, retirements can require extensive transmission reinforcement projects to sustain reliability.

Winter Storm Elliott and its lessons learned demonstrate the risks of generation retirements dovetailing with extreme weather events. Winter Storm Elliott was the fifth major storm with reliability impacts in the last eleven years. There were unprecedented electric generation outages coinciding with winter peak electricity demands, resulting in about 5,000 MW of load shed. FERC, NERC, and the Regions recently released a Joint Inquiry Report on Winter Storm Elliott, and I encourage you to read that report.⁷ In situations like this, every megawatt matters, and the accelerated retirement of generating units puts additional stress on the grid. If the energy is not available, emergency actions may include depleting operational reserves, voluntary curtailments,

⁶ See [NERC 2023 LTRA](#), p. 6.

⁷ See <https://www.ferc.gov/news-events/news/ferc-nerc-release-final-report-lessons-winter-storm-elliott>.

or load shedding to maintain reliability. I do want to mention that the industry has and continues to make improvements related to cold weather. This past January, Winter Storms Gerry and Heather produced similar conditions to Elliott. However, using the lessons learned in operating, communication, and preparation, the operators of the BPS performed admirably, and the lights stayed on.

What we have learned from our assessments is that our margins are getting thinner. The Eastern Interconnection is very resilient, as described in the latest NERC State of Reliability Report,⁸ however there are scenarios in the near and long-term future where certain transmission line and generation outages may be much more impactful than they are today.

Traditionally, resource adequacy meant asking, “How much supply do I need to ensure I have enough megawatts to serve my peak demand for the year?” The industry was able to do that because of the flexibility that conventional resources offer, including having fuel on site and the ability to quickly ramp up or down in response to changes in demand. However, as the generation resource mix evolves to include more variable resources, the questions become more complex, such as:

- How much load is in my forecast at 3PM and will the wind be blowing then?
- What hours will the sun be shining tomorrow, and in what areas?
- During periods of low output from variable resources such as solar and wind, is there sufficient available energy from other generation resources or transmission import capability from another area to meet demand?
- Do we have enough generation that we can get up and running quickly when the sun is setting and the solar units ramp down? Or will we need to ask consumers and businesses to temporarily reduce their electricity usage to balance supply and demand?
- In the future, even if we have enough batteries, what happens when we have extended cold snaps without the sun shining (similar to the Texas event in 2021) where those batteries are unable to be consistently charged?

The changing resource mix necessitates a shift in the electric industry from a demand forecasting model to a supply forecasting model. Wind and solar resource availability depends on the wind and sun, requiring the study of weather patterns and a new, more probabilistic, approach to planning and forecasting.

There are also emerging complexities on the demand side to consider, such as electrification in transportation and other sectors, and the proliferation of Distributed Energy Resources (DERs). In the SERC region, there is a growing demand for electricity due to a steady increase in population, transition to electric heating, shift toward electric vehicles, and increase in economic development investments like data centers. A surge in projected electricity demand, coupled with increased reliance on variable resources and natural gas, means that balancing and forecasting is becoming more complex, and keeping that balance between supply and demand is essential to reliability.

Next, I will discuss the importance of Essential Reliability Services, which refers to the combination of services that provide sufficient voltage, frequency support, and ramping capability necessary to keep the electric grid in balance and stable. Reliably operating the grid requires voltage and frequency to be maintained within tight limits.⁹

The term conventional generation refers to synchronous generation, the spinning machines that keep the grid operating at a frequency of 60 Hz. Traditionally, the resilience of the power grid has been its ability to withstand faults and system outages due to the number and magnitude of spinning generators on the system, such as nuclear, coal, natural gas, and oil turbines. These generators can withstand faults and outages because the inertia that keeps these rotating generators spinning at a steady pace, acts as an energy reservoir and buffer. Therefore, the turbines on these resources can respond and react quickly to system disturbances to prevent cascading, voltage instability, or uncontrolled loss of load. In this way, conventional generation, by its nature, can be dispatched quickly in response to changes in demand, and in doing so, they help ensure reliable operations.

That functionality (the ability to be dispatched quickly in response to changes in supply and demand), is the essence of Essential Reliability Services, but it does not naturally exist for renewable resources. Work is being done to develop technologies for renewables to help emulate some of that functionality, such as smart inverters and battery storage. However, a full solution will require a combination of strategies and sufficient time to commercialize technologies at scale.

Before leaving the topic of Essential Reliability Services, I wanted to briefly discuss Blackstart Resources. Blackstart Resources are essential to bringing the grid back to normal operations should a blackout occur, and their distinguishing characteristic is that they can be started without being connected to the grid. Blackstart Resources are a subset of conventional generation units. As more conventional resources are retired, fewer Blackstart Resources are available. With fewer of these resources available, we are concerned that this may extend system restoration time.

Actions that can help address the risks I have discussed include:

- Developing new tools, methods, and skillsets as we transition to more probabilistic forecasting,
- Constructing new transmission to connect the new, more widely dispersed, resources,
- Developing and implementing technologies that can simulate Essential Reliability Services for renewable resources,
- Ensuring effective winterization programs are in place at generators and
- Giving the industry more time for the technology to develop, be implemented and for transmission to be built.

There is much work that has already started in these areas. While we continue to coordinate with states and policy makers to help ensure a reliable energy transition, we at SERC are utilizing our outreach, training, and education program to ensure that the known risks of today are being mitigated so that we can more rapidly address the risks of the future. I will walk through a few examples.

⁹ See NERC's [resource on Essential Reliability Services](#), p. 7

The ERO Enterprise is publishing [lessons learned](#) from events that involved the loss of renewable generation. We are also writing reliability guidelines and developing new Reliability Standards to address risks. There are new NERC Reliability Standards becoming effective this year and next that help address reliability concerns related to extreme weather.

During recent winter storms Uri and Elliott, many blackstart resources were reported to be unavailable due to freezing or fuel unavailability. SERC held multiple webinars and seminars to focus attention on the importance of generator winterization and preparedness for extreme weather in 2023. NERC and the other Regional Entities also held webinars to focus on this important topic, and to raise awareness of the new reliability standards that create requirements for generators and other operating entities during extreme cold weather.

SERC and the ERO Enterprise are committed to addressing known reliability risks and learning from past events, as well as evaluating evolving and emerging risks. We are following the development in other countries regarding lessons learned from their own grid transformations. We also strive to learn from other critical infrastructures regarding the risks and challenges they face. For example, we have studied cyber and physical security events impacting natural gas and water to determine if the electric grid may be susceptible to similar threats and vulnerabilities. To mitigate evolving risks, especially those involving energy policy and grid transformation, the states play a vital role in shaping energy policies. SERC is committed to serving as a resource regarding issues that impact reliability, resilience, and security.

Generally, state energy policies that provide sufficient time and flexibility to align energy goals with the reliability needs of the BPS will help to ensure a smooth transition. Examples of this include maintaining a diverse portfolio of generation fuel types and allowing the use of environmental waivers when needed to maintain reliability. Another thing to keep in mind is that electricity respects only the laws of physics and cares little for geographic or political boundaries and our electric system is highly interconnected. Actions taken by any one state can have resounding and immediate impacts on neighboring states.

There are many different factors to consider when making decisions and formulating energy policies during this unique time, including: reliability (including the level of reliability desired), cost, environmental impact, energy equity, speed, the impacts to key industries and the economy, land and space requirements, new transmission needs, siting issues, impact on blackstart resources, impact on essential reliability services, integration into wider state policies, and potential dependence on foreign nations with human rights violations or that are hostile to the U.S. It is not possible to address all these factors in equal measures (some tradeoffs will need to occur), and each state's decisions will reflect a different set of priorities. It is also important to consider what solutions are technologically possible currently (such as battery design, mineral, and material availability¹⁰, fuel availability, transmission capabilities and the size of the distribution system).

Reliable electricity is the backbone of our economic, societal, and individual well-being. If there is one message I want to leave with you today, it is this: to successfully address the complex reliability challenges emerging as the grid is transformed, NERC, the Regional Entities, and state

¹⁰ See EIA's [The Role of Critical Minerals in Clean Energy Transitions](#).

and federal policymakers will need continued collaboration, coordination, and thoughtful action. Managing the pace of change is a central challenge for reliability. As states craft policies for a cleaner, more sustainable grid, we are pleased to serve as a resource to help you remain well informed regarding key reliability topics.

APPENDIX

Footprints of NERC and the Regional Entities

