## Water Resources, Inc. 6201 Fairview Road, Suite 200 Charlotte, NC 28210 704-643-9866 dabbott@waterresourcesnc.com

December 6, 2021

Via Electronic Filing Only
Ms. A. Shonta Dunston
Chief Clerk
North Carolina Utilities Commission
4325 Mail Service Center
Raleigh, NC 27699-4300

RE: Water Resources, Inc.'s Customer Contact Log Covering January 2019-May 2021 (Docket No. W-1034, Sub 8)

Dear Ms. Dunston,

Please find enclosed for filing in the above-captioned proceeding, Water Resources, Inc.'s customer contact log covering the period January 2019-May 2021. The file also includes the handwritten notes that were transferred into the ledger.

Should you have any questions or concerns regarding this filing, please do not hesitate to contact me.

Sincerely,

Dennis C. Abbott, President Water Resources, Inc.

Dennis CAblok

## **Water Resources**

## **Customer Contact Log**

1-800-555-2522; 704-643-9866; 5970#

Date	Time	Community	Address	Type of Contact	Description	Notes/Activity	Status
12/23/19					water		
12/23/19					not received bill		
1/6/20					5105, water bill		
1/8/20			8536 Indian Summer Trail		water pressure		
1/8/20					leaking, dirty water		
1/9/20			8505 Indian Summer Trail		water is freezing, kids are falling		
1/17/20			osos maiari sammer rran		3 months		
1/24/20					testing water, 14 days, no chlorine		
1/24/20					how much is water bill		
					now much is water bin		
1/28/20			5246 Diagraphica Dides				
2/13/20			5316 Plantation Ridge		email stovercuston@aol.com		
2/19/20			8505		Payment		
2/19/20					email		
3/4/20			5618 Plantation		auto draft		
3/4/20					RW105, account		
3/4/20			4630 River Bluff		RW125, read meter		
3/9/20					cancel water		
3/9/20			4630 River Bluff				
3/9/20					5082, very little water pressure		
3/9/20					RW110 bill is incorrect		
3/10/20							
3/30/20							
5/13/20						5067	
End Taylor's							
Notes							
						5/10/21 11:47 - DA emailed Olsen with an update on leak	
						repair, trying to get contractor scheduled ASAP, but short on	
5/10/21		Rocky River	3029 Tom Savage	Email		staff. May take a couple of weeks, will keep him posted.	
3/10/21		NOCKY NIVEI	3029 Totti Savage	EIIIdii		stail. May take a couple of weeks, will keep fill posted.	
						5/25	
-4						5/25 - RC; Aplogized that no one has returned his call; He	
5/11/21	6:58 PM	Rocky River	850 Lethe Ln	Voice Mail	Water leak at meter	confirmed repair is completed and the leak has stopped - DCA	Closed
						5/26 - RC; LMVM; provided my email address and asked him	
5/13/21	8:38 PM			Voice Mail	Wants to transfer water service	to provide info that way and we will handle - DCA	Closed
5/13/21	10:54 AM				Voice is very faint; cannot hear message		
						5/25 - RC; Gave him an update on the repair; Contractor is to	
						have it comleted by Friday, 5/28; I will floowup with him	
						before the end of the week with an update	
5/13/21	3:50 PM				NCUC attorney; status of repair?	6/1 - Sent email with update. Repair is completed	Closed
						5/25 - RC; Aplogized that no one has returned his call; He	
5/14/21	8:57 AM	Rocky River	850 Lethe Ln		Water leak at meter	confirmed repair is completed and the leak has stopped - DCA	Closed
3/11/21	0.57 7 1111	nocky hive	oso teme th		Trace. Ican at meter	5/25 - RC; Gave him an update on the repair; Contractor is to	Ciosca
						have it comleted by Friday, 5/28; I will floowup with him	
E /1 / /24	11.11 004					before the end of the week with an update	Classed
5/14/21	11:11 AM					6/1 - Sent email with update. Repair is completed	Closed
						E/OF DO A lest ellestere les les les les les les les les les le	
- 1 - 1-						5/25 - RC; Aplogized that no one has returned his call; He	
5/15/21	5:02 PM	Rocky River	850 Lethe Ln			confirmed repair is completed and the leak has stopped - DCA	Closed

Date	Time Community	Address	Type of Contact	Description	Notes/Activity	Status
					5/25 - RC; Gave him an update on the repair; Contractor is to have it comleted by Friday, 5/28; I will floowup with him before the end of the week with an update	
5/17/21	10:07 AM				6/1 - Sent email with update. Repair is completed	Closed
5/17/21	11:06 AM Rocky River	850 Lethe Ln			5/25 - RC; Aplogized that no one has returned his call; He confirmed repair is completed and the leak has stopped - DCA 5/25 - RC; LMVM; Asked him to email me the date he wants	Closed
5/18/21	10:27 AM Rocky River	3480 Rocky Ridge Ln		Wants to stop service	service taken out of his name. Left him my email address - DCA	Closed
5/19/21	11:28 AM Rocky River	850 Lethe Ln			5/25 - RC; Aplogized that no one has returned his call; He confirmed repair is completed and the leak has stopped - DCA 5/21/21 10:56 AM : DA - responded that a contractr will be in the community on emergency repair and hoping they can work on his leak, if not, they will return to work on it in coming day. Reminded him they discussed damage caused by driving over meter box, has pictures. Not in a position to	Closed
5/19/21 5/19/21	2:45 PM Rocky River 5:10 PM Rocky River	3029 Tom Savage 8447 Plantation Way	Email	Responding to DA email of 5/10, that his email p New Service	continue to spend thousands of \$\$, please make sure no more adamage is done to WRI property.  5/24 - RC; LMVM to email me the date that service is to begin;  5/24 - RC; LMVM to email me the date that service is to begin; Gave her the email address - DCA  5/31 - Repaired leak	Closed Closed
5/21/21 5/21/21	9:29 AM Rocky River 4:28 PM River Walk	8448 Plantation Way 4500 Waters Way Ct		New Service/Water Leak How much water is he using per day on avg	6/1 - Called; LMVM that repair was completed	
5/24/21	2:44 PM Rocky River	3029 Tom Savage	Email	Oxygenated water Email to DA 2:43 PM that contractors didn't appear on Friday, expecting them soon. Was discussed that the meter box be moved to the left, never done. Denied tracks are his or the problem, never runs over meter. That water is white and milky for last 5 days. Email to DA at 8:09 Pm that they never drive over meter, can put up reflectors at edge of driveway	Contacted operator and requested various lines be blown off to release air in the lines 5/24/2021; 4:29 PM - Emailed Olsen to acknowledge email and we would have lines blown off. Moving meter is not simple task, will have contractor look at putting something over it. System age is not an issue. 5/25/21 7:45 AM: DA - let customer know open to discussion a landscape boulder 5/26/21 6:22 PM DA - let Olsen know constractor will be there in AM, apologized for sounding confrontational 5/26/2021 - Email from Olsen stating "The water is clear as of last night."	Closed
/ 5/27/21 5/29/21	12:52 PM 2:50 PM Rocky River 12:17 PM Rocky River	3029 Tom Savage 3029 Tom Savage	Email Email	placing boulder to prevent driving over meter, Oxygenated Water	the contractors made repairs without replacing box. Will try	Closed Closed Closed

1/23/2019
Angie uneller - wei - manedin
112912019
Payment. Bocky 5001- mailingla
1/30/2019
& Procky - need report & certification /
0 Deang Wilson 3504 Rocky Ridge - WR # 704-1600-9305 How to Pay??
4-10

4/210 8 Angliz Coldwell - 5048-104-455-4423

O Redon CIA 157008
Water 104-455 - 000
10 covince Lindson- 8560 mais
Covinne Lindson- 8660 mais
5/14/2019
10 Donn Have - 704-467-5369/
WEI
104-502-1501 - Meter
5/24/2019
6/24/2019 0 BD20 - Harribaug - 614 atopy
@ Bondon - Harrishurg - alteranty
Chivoir line or chirate?
O POUNCIA JOSLIN - Monny MR.
704-575-3924
Tongs tick - 8:00 Indian Summer
A Tradi-
1612912019 O ROCKY River 5001 - NO Longer
O ROCKY River 5001 - Wolonger
like Chosed in there !

9205-860-4800-AUTO DVALET
104-502- 1401- meter is
under watter
Caroline numbru
104-3 63- 64 60 WR
7/1/2019
& ERplumbing - Allison - 704-846-5371
704 433-6289 Junez
1/1 // // // // // // // // // // // //
200 Water BIW 8971 Cherry's
8486 plantation
O 104 PIONION
BIDDE INCO BIDDE INVITATION DIPSELOP
& BOW VEEL BIDING - 10W water pressure
of Hough- Riverwalk - law
of the wood - Water pressure
very low
10 Mike - 5230 Plantation
RWILI - Sold house-
michaelos egmzil. com
Vett Brain-
0.K. 109-773-1433-ROCKYRIVER
0 K 109-773- 1433- ROCKYRIVER
O.K. 104-173- 1433- ROCKYRIVER O Marrayl- Water pressure 8528 Indian Simmer tray

9/9/2019 Water pipe protection 704 455-2551 - air in lines-8964 Cherry stock pressu Willie ATKINS- make 104-408-834 10/1/2019 92-5252 0101012010 8/01 plantationna to prove Snows- someone

104504-3377V
TOA150A-51819101
FIVEN WAIK
10723/2019
Ø Isabel. Wei - Service call
KOB FERTS WATER LE
104-529-4018
1012012019
Clast A Death and Male
ochad Norms water leak her
8483 prantation
104-9901-9015
10131/2019
& Barrow /
8935 Cheng's ford Ct.
Who 5032 -
- Wh 5032-
11/4/2019
XX C C C C C C C C C C C C C C C C C C
Esther Storm- moving 980-248-1446
8923 Chems 5 5034 DAMIN V
12 1012 516
12/10/2019
0 Pm ber - wri - 215-22=
8509 indian Summer trail 1
000
012/17/2019
0 12/17/2019 0 chad Norris morning went
704 999 - 90100 Went
5 10 0 0 0

THMOR- Complaint - a leak pipes - William Hale - 805 919-133- 3800 12/23/2019 ent orsen- Water wak 3029 Tom SNage - 5113 Harrishurgine- 704-2049-5408 Ulff ostrander Limail 204- Leas 5477 Sandra Granm- Water 104-231- 1083 5077 - vonne unver not recived bill. 502- 1401 - invoice -2/27/2010 Mender- Indian vac 1/4/2020 Water Bill- 5105 18/2020 630 Indian summer trail- water pressur 04-45+7414- Water 182K- get it fixed. Josh collins- Josh Colins- Water 155Mes- leaking- diving ware 440-487-1488

1/01/2010 Unny Den Ato - 5075 8505 Indian Summer truit-Water is freezing, kids are falling 104-455-2561 111712020 O DAN lenny Devito - ROCKY RIVE B months - 704- 455-124/2020 Ms. McWilliams- testing water. days- no chlorine in the water much was water 1128/1000 4/11/2000 13/2020 Stover - Ulff Stover - 5314 plants Ridge - 704 - 622 - 2067 Demail

2/19/2020 e perm- 0505. 104-778 annah flowers WR emailww auto de 2++ PAMOID 512-913-0 Jay - 12W105 104-393-01100 1 Cher wood RW125- Read mutur 9112010 Cancel water 04-999-9015 - 4630 River 5082 little water pressur ihis - RW 1 It's incorrect. 704-408-8336 2/1012010 had Norris03/30/2020 13 & cone enniter librar 5007 - 704-315-9903 5/13/20 Overnier - 704-315 9903 5007- yourk