Jun 29 2022

## SANFORD LAW OFFICE, PLLC

Jo Anne Sanford, Attorney at Law

June 29, 2022

## Via Electronic Filing

Ms. A. Shonta Dunston, Chief Clerk North Carolina Utilities Commission 4325 Mail Service Center Raleigh, North Carolina 27699-4325

> Re: Aqua North Carolina, Inc. Docket No. M-100, Sub 163 Verified Response to Investigation Regarding the Ability of North Carolina's Electricity, Natural Gas, and Water/Wastewater Systems to Operate Reliably During Extreme Cold Weather

Dear Ms. Dunston:

On January 26, 2022, the Commission entered an Order Opening Investigation, Scheduling Technical Conferences, Requiring Responses, and Allowing Comments and Reply Comments in Docket Nos. E-100, Sub 173 and M-100, Sub 163. Aqua North Carolina, Inc. ("Aqua" or "Company") was made a party to Docket No. M-100, Sub 163 and was required to file a response to the questions set forth in Appendix A of the January 26<sup>th</sup> Order on or before February 23, 2022. The Commission Order further provided that representatives of Aqua were required to present their responses and answer Commission and Public Staff questions at a technical conference to be held on March 15, 2022, starting at 9:30 a.m., in Commission Hearing Room 2115.

P.O. Box 28085, Raleigh, NC 27611-8085 sanford@sanfordlawoffice.com Tel: 919.210.4900 On February 23, 2022, Aqua filed the Company's Verified Response to the questions posed by the Commission. The Company's Response was verified by Joseph R. Pearce, Aqua's Director of Operations.

On March 15, 2022, Aqua appeared before the Commission at the Technical Conference wherein the Commission, the Public Staff, and Aqua discussed matters related to the reliability of water and wastewater operations provided by the Company during extremely cold weather.<sup>1</sup> During and after the Conference, Aqua was requested to answer additional questions and to file responses to those questions in the docket. Aqua's responses to questions and requests posed by the Commission and the Public Staff were filed with the Commission on April 22, 2022. The Company's Response was verified by Mr. Pearce. On May 10, 2022, Aqua made a supplemental confidential filing in this docket.

On May 12, 2022, the Commission entered an Order Requesting Comments directing the parties to this docket, including Aqua, to address the question of whether the Commission's rules require revision in order to ensure reliable utility operations during extreme cold weather. The Commission noted that the water and sewer utility industry, unlike the electric and natural gas industries, has no analogous rules addressing emergency operations.

Aqua has carefully reviewed all of the information, written and verbal, which the Company has presented to date to the Commission and Public Staff

<sup>&</sup>lt;sup>1</sup> Shannon V. Becker, Aqua's President, and Joseph R. Pearce, Aqua's Director of Operations, appeared on behalf of the Company and responded to questions from the Commission and the Public Staff.

regarding its ability to operate reliably during extreme cold weather and has no further information to provide at this time. Furthermore, Aqua does not believe that the Commission's rules require revision in order to ensure reliable water and wastewater utility operations by the Company during extreme cold weather.

I hereby certify that this filing has been provided today to each of the parties of record to Docket No. M-100, Sub 163 by means of electronic service.

As always, thank you and your staff for your assistance; please feel free to contact me if there are any questions or suggestions.

Sincerely,

Electronically Submitted /s/Jo Anne Sanford Sanford Law Office, PLLC State Bar No. 6831

Attorney for Aqua North Carolina, Inc.

## Jun 29 2022

## VERIFICATION

Joseph R. Pearce, being duly sworn, deposes and says:

That he is the Director of Operations for Aqua North Carolina, Inc.; that he is familiar with the facts set out in the foregoing VERIFIED RESPONSE TO INVESTIGATION REGARDING THE ABILITY OF NORTH CAROLINA'S ELECTRICITY, NATURAL GAS, AND WATER/WASTEWATER SYSTEMS TO OPERATE RELIABLY DURING EXTREME COLD WEATHER, filed in Docket No. M-100, Sub 163; that he has read the foregoing and knows the contents thereof; and that the same are true of his knowledge, except as to those matters stated therein on information and belief, and as to those he believes them to be true.

Joseph R. Pearce

Sworn to and subscribed before me this

day of June, 2022. The C

**Notary Public** 

My Commission Expires:  $M_{Q_{Q_{Q_{Q}}}}$ 

