

SP.5411 Sub 0

FEDERAL ENERGY REGULATORY COMMISSION WASHINGTON, DC

OMB Control # 1902-0075 Expiration 06/30/2019

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

1b Applicant street 12224 Iron Bl			JUL 25 2016
1c City		1d State/prov	
Austin		Texas	and the second
1e Postal code 78738	1f Country (if not United States)	11	1g Telephone number (832) 816–8324
1h Has the instant f	acility ever previously been certified as a Q	F? Yes ⊠ N	No []
1i If yes, provide the	docket number of the last known QF filin	g pertaining to th	his facility: QF15 - 578 - 001
1j Under which cert	ification process is the applicant making th	nis filing?	
Notice of self-o	12/4 12/4 12/4 12/4 12/4 12/4 12/4 12/4	147	ommission certification (requires filing e" section on page 3)
QF status. A not notice of self-ce	elf-certification is a notice by the applicant lice of self-certification does not establish a rtification to verify compliance. See the "V 3 for more information.	a proceeding, an	d the Commission does not review a
1k What type(s) of (QF status is the applicant seeking for its fac	ility? (check all th	nat apply)
Qualifying sma	II power production facility status	ualifying cogene	eration facility status
11 What is the purpo	ose and expected effective date(s) of this fi	ling?	
Original certific	cation; facility expected to be installed by	a	nd to begin operation on
(4-11-4) D. Sine,	previously certified facility to be effective		
18 7.75	s) of change(s) below, and describe chang	e(s) in the Miscel	laneous section starting on page 19)
Sec. A.	ge and/or other administrative change(s)		
⊠ Change in (COLUMN CONTRACTOR CONT	V	
	iffecting plant equipment, fuel use, power	3. I	acity and/or cogeneration thermal out
Samuel Str 184	correction to a previous filing submitted o applement or correction in the Miscellaneo		ng on ango 10)
	M. O		
	owing three statements is true, check the bassible, explaining any special circumstance		
previously gr	acility complies with the Commission's QF anted by the Commission in an order date Miscellaneous section starting on page 19	ed	virtue of a waiver of certain regulatio (specify any other relevant waiver
	acility would comply with the Commission with this application is granted	's QF requiremer	nts if a petition for waiver submitted
employment	acility complies with the Commission's reg of unique or innovative technologies not ration of compliance via this form difficult	contemplated by	y the structure of this form, that make

	2a Name of contact person2b Telephone numberChase Warr(480) 253-3913					
	2c Which of the following describes the contact person's relationship to the applicant? (check one)					
Ĕ		**************************************		Application of the state of the		
Ę	Employee of a company affiliat	1/20	10.	TANS NO. 11999-90	J.	
L S	Lawyer, consultant, or other re	Market Color		A STATE OF THE STA		
nfor	2d Company or organization name Capital Dynamics, Inc.	if applicant is an individua	il, check here and	skip to line 2e)		
Contact Information	2e Street address (if same as Application 8800 North Gainey Center		2,1770722	2	0	
0	2f City		2g State/provi	nce		
	Scottsdale		Arizona			
	2h Postal code	2i Country (if not United	States)		7	
	85258	****				
	3a Facility name				7	
ion	Innovative Solar 35, LLC					
cat	3b Street address (if a street address	does not exist for the faci	lity, check here a	nd skip to line 3c)	0	
Γο	161 L G Westbrook Ln					
Þ		10 VOIG-11 HU				
y Identification and Location	3c Geographic coordinates: If you indicated that no street address exists for your facility by checking the box in line 3b, then you must specify the latitude and longitude coordinates of the facility in degrees (to three decimal places). Use the following formula to convert to decimal degrees from degrees, minutes and seconds: decimal degrees = degrees + (minutes/60) + (seconds/3600). See the "Geographic Coordinates" section on page 4 for help. If you provided a street address for your facility in line 3b, then specifying the geographic coordinates below is optional.					
lenti	Longitude	degrees	Latitude	North (+)degrees		
2	3d City (if unincorporated, check he	re and enter nearest city) [3e State/pi	rovince		
Facilit	Albertson		North Ca	rolina	(.	
-ac	3f County (or check here for indepe	ndent city) 🗌 3g	Country (if not	United States)	0	
	Duplin					
	Identify the electric utilities that are o	contemplated to transact v	vith the facility.			
es	4a Identify utility interconnecting with the facility					
I≣	Duke Energy Carolinas					
ig Ut	4b Identify utilities providing wheeling service or check here if none 🖂				0	
ij	4c Identify utilities purchasing the u	seful electric power outpu	it or check here if	fnone [0	
Sac	Duke Energy Carolinas	er hadronne strende 15 veze ziekosekon (* 1806/1826 C. Nie espesiele (* 1806)		heread	9	
Tran	4a Identify utility interconnecting with the facility Duke Energy Carolinas 4b Identify utilities providing wheeling service or check here if none 4c Identify utilities purchasing the useful electric power output or check here if none Duke Energy Carolinas 4d Identify utilities providing supplementary power, backup power, maintenance power, and/or interruptible power service or check here if none				0	

	5a Direct ownership as of effective date or operation date: Identify all direct owners of the percent equity interest. For each identified owner, also (1) indicate whether that own defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or a holding compart 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16451(8)), and (2 utilities or holding companies, provide the percentage of equity interest in the facility direct owners hold at least 10 percent equity interest in the facility, then provide the two direct owners with the largest equity interest in the facility.	ner is an ele npany, as de 2) for owner y held by th required in	ctric utilit efined in s s which a at owner formation	y, as section re electric . If no i for the
	Full legal names of direct owners	Electric u hold comp	ing	If Yes, % equity interest
	1) Innovative Solar 35, LLC	Yes 🖂	No 🔲	100%
	2)	Yes 🗌	No 🗌	8
	3)	Yes 🗌	No 🗌	%
	4)	Yes 🗌	No 🗌	§
	5)	Yes 🗌	No 🗌	<u> </u>
	6)	Yes 🗌	No 🗌	%
	7)	Yes 🗌	No 🗌	<u></u> 8
_	8)	Yes 🗌	No 🗌	<u> </u>
<u>.</u> 0	9)	Yes 🗌	No 🗌	
rat	10)	Yes 🗌	No 🔲	8
Ownership and Operation	equity interest in the facility held by such owners. (Note that, because upstream own another, total percent equity interest reported may exceed 100 percent.) Check here if no such upstream owners exist.	10000000000000000000000000000000000000	subsidia	% equity
	Full legal names of electric utility or holding company upstream own	ers		interest
	1) CD Global Solar NC HoldCo, L.P. 2) Capital Dynamics Solar Energy Fund, L.P.			100%
	2) Capital Dynamics Solar Energy Fund, L.P. 3) Capital Dynamics CEI GP (Cayman Islands), Ltd.			100%
	4)			
	5)			
	6)			
	7))	9
	8)			
	9)			
	10)			
	Check here and continue in the Miscellaneous section starting on page 19 if addi	tional space	is neede	d
	5c Identify the facility operator Innovative Solar 35, LLC			

	6a	Describe ti	he primary energy input: (ch	eck one m	ain d	category and, if applicable,	one subcate	egory)	
		Biomas	ss (specify)	⊠ R	lene	wable resources (specify)	☐ Geof	hermal	
			andfill gas			Hydro power - river	☐ Foss	il fuel (specify)	
			Manure digester gas			Hydro power - tidal		Coal (not was	ste)
			Municipal solid waste			Hydro power - wave	E	Fuel oil/diese	el .
			Sewage digester gas		\boxtimes	Solar - photovoltaic		Natural gas (not waste)
		□ V	Vood			Solar - thermal	Г	Other fossil f	
			Other biomass (describe on	page 19)		Wind	Q 	(describe on	page 19)
	į.	☐ Waste	(specify type below in line 6	b)		Other renewable resourc (describe on page 19)	e 🗌 Othe	er (describe on	page 19)
	6b	If you spec	cified "waste" as the primary	energy inp	out i	n line 6a, indicate the type	of waste fue	l used: (check	one)
		☐ Wast	e fuel listed in 18 C.F.R. § 29	2.202(b) (sp	oecif	y one of the following)			
			Anthracite culm produced	prior to Jul	y 23	, 1985			
			Anthracite refuse that has ash content of 45 percent		hea	t content of 6,000 Btu or le	ess per poun	d and has an a	verage
			Bituminous coal refuse tha average ash content of 25				u per pound	or less and ha	s an
nput			Top or bottom subbitumin determined to be waste by (BLM) or that is located on the applicant shows that the	the United non-Feder	d Sta al or	ites Department of the Into non-Indian lands outside	erior's Burea of BLM's juri	u of Land Man sdiction, provi	agement ded that
Energy Input			Coal refuse produced on F BLM or that is located on n applicant shows that the la	on- Federa	lori	non-Indian lands outside o	of BLM's juris	diction, provid	
ш			Lignite produced in associas a result of such a mining			production of montan wax	and lignite	hat becomes e	exposed
			Gaseous fuels (except natu	ral gas and	l syn	thetic gas from coal) (desc	ribe on pag	e 19)	
			Waste natural gas from gas C.F.R. § 2.400 for waste nat compliance with 18 C.F.R.	ural gas; in					
			Materials that a governme	nt agency l	nas c	ertified for disposal by co	mbustion (d	escribe on pag	e 19)
			Heat from exothermic read	tions (desc	ribe	on page 19)	Residual he	at (describe o	n page 19)
			Used rubber tires] Plastic m	ater	ials 🔲 Refinery o	off-gas	☐ Petrole	um coke
		facilit	r waste energy input that he ty industry (describe in the l of commercial value and ex	Miscellaned	ous s	ection starting on page 19	; include a d	iscussion of th	
	6с	energy inp	e average energy input, calc outs, and provide the related	d percentag	ge of	the total average annual	energy input		
		292.202(j)). For any oil or natural gas	uel, use lov	werl	neating value (18 C.F.R. § 2	92.202(m)).		
			Fuel			l average energy for specified fuel	Percentag annual ene		
			Natural gas	111	put	Stu/h	annual ene	0 %	
			Oil-based fuels			0 Btu/h		0 %	
			Coal			0 Btu/h		0 %	
			Lance					CDOM - 5052	

Indicate the maximum gross and maximum net electric power production capacity of the facility at the point(s) of delivery by completing the worksheet below. Respond to all items. If any of the parasitic loads and/or losses identified in lines 7b through 7e are negligible, enter zero for those lines.

7a The maximum gross power production capacity at the terminals of the individual generator(s) under the most favorable anticipated design conditions	2,786 kW
7b Parasitic station power used at the facility to run equipment which is necessary and integral to the power production process (boiler feed pumps, fans/blowers, office or maintenance buildings directly related to the operation of the power generating facility, etc.). If this facility includes non-power production processes (for instance, power consumed by a cogeneration facility's thermal host), do not include any power consumed by the non-power production activities in your reported parasitic station power.	o kW
7c Electrical losses in interconnection transformers	o kW
7d Electrical losses in AC/DC conversion equipment, if any	796 kW
7e Other interconnection losses in power lines or facilities (other than transformers and AC/DC conversion equipment) between the terminals of the generator(s) and the point of interconnection with the utility	0 kW
7f Total deductions from gross power production capacity = 7b + 7c + 7d + 7e	796.0 kW
7g Maximum net power production capacity = 7a - 7f	1,990.0 kW

7h Description of facility and primary components: Describe the facility and its operation. Identify all boilers, heat recovery steam generators, prime movers (any mechanical equipment driving an electric generator), electrical generators, photovoltaic solar equipment, fuel cell equipment and/or other primary power generation equipment used in the facility. Descriptions of components should include (as applicable) specifications of the nominal capacities for mechanical output, electrical output, or steam generation of the identified equipment. For each piece of equipment identified, clearly indicate how many pieces of that type of equipment are included in the plant, and which components are normally operating or normally in standby mode. Provide a description of how the components operate as a system. Applicants for cogeneration facilities do not need to describe operations of systems that are clearly depicted on and easily understandable from a cogeneration facility's attached mass and heat balance diagram; however, such applicants should provide any necessary description needed to understand the sequential operation of the facility depicted in their mass and heat balance diagram. If additional space is needed, continue in the Miscellaneous section starting on page 19.

(8,316) ET Solar 310 watt modules (panels) or equal (4) SMA inverters or equal

The qualifying facility includes all generator interconnection facilities necessary to deliver output from the facility to the interstate grid.



Information Required for Small Power Production Facility

If you indicated in line 1k that you are seeking qualifying small power production facility status for your facility, then you must respond to the items on this page. Otherwise, skip page 10.

Pursuant to 18 C.F.R. § 292.204(a), the power production capacity of any small power production facility, together with the power production capacity of any other small power production facilities that use the same energy resource, are owned by the same person(s) or its affiliates, and are located at the same site, may not exceed 80 megawatts. To demonstrate compliance with this size limitation, or to demonstrate that your facility is exempt from this size limitation under the Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Pub. L. 101-575, 104 Stat. 2834 (1990) as amended by Pub. L. 102-46, 105 Stat. 249 (1991)), respond to lines 8a through 8e below (as applicable). 8a Identify any facilities with electrical generating equipment located within 1 mile of the electrical generating equipment of the instant facility, and for which any of the entities identified in lines 5a or 5b, or their affiliates, holds at least a 5 percent equity interest. Certification of Compliance Check here if no such facilities exist. Facility location Root docket # Maximum net power with Size Limitations (city or county, state) (if any) Common owner(s) production capacity 1) kW 2) kW 3) QF kW Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed 8b The Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Incentives Act) provides exemption from the size limitations in 18 C.F.R. § 292.204(a) for certain facilities that were certified prior to 1995. Are you seeking exemption from the size limitations in 18 C.F.R. § 292.204(a) by virtue of the Incentives Act? Yes (continue at line 8c below) No (skip lines 8c through 8e) 8c Was the original notice of self-certification or application for Commission certification of the facility filed on or before December 31, 1994? Yes No 🗌 8d Did construction of the facility commence on or before December 31, 1999? Yes 8e If you answered No in line 8d, indicate whether reasonable diligence was exercised toward the completion of the facility, taking into account all factors relevant to construction? Yes \(\square\) No \(\square\) If you answered Yes, provide a brief narrative explanation in the Miscellaneous section starting on page 19 of the construction timeline (in particular, describe why construction started so long after the facility was certified) and the diligence exercised toward completion of the facility. Pursuant to 18 C.F.R. § 292.204(b), qualifying small power production facilities may use fossil fuels, in minimal with Fuel Use Requirements Certification of Compliance amounts, for only the following purposes: ignition; start-up; testing; flame stabilization; control use; alleviation or prevention of unanticipated equipment outages; and alleviation or prevention of emergencies, directly affecting the public health, safety, or welfare, which would result from electric power outages. The amount of fossil fuels used for these purposes may not exceed 25 percent of the total energy input of the facility during the 12-month period beginning with the date the facility first produces electric energy or any calendar year thereafter. 9a Certification of compliance with 18 C.F.R. § 292.204(b) with respect to uses of fossil fuel: Applicant certifies that the facility will use fossil fuels exclusively for the purposes listed above. 9b Certification of compliance with 18 C.F.R. § 292.204(b) with respect to amount of fossil fuel used annually: Applicant certifies that the amount of fossil fuel used at the facility will not, in aggregate, exceed 25 percent of the total energy input of the facility during the 12-month period beginning with the date the facility first produces electric energy or any calendar year thereafter.

Information Required for Cogeneration Facility

If you indicated in line 1k that you are seeking qualifying cogeneration facility status for your facility, then you must respond to the items on pages 11 through 13. Otherwise, skip pages 11 through 13.

	energy (such as heat or suse of energy. Pursuant cycle cogeneration facilithermal application or p 292.205(a); or (2) for a boapplication or process for application or process for Topping-cycle 10b To help demonstration	eneration technology does the facility represent? (check all that apply) cogeneration Bottoming-cycle cogeneration te the sequential operation of the cogeneration process, and to support compliance with
8	balance diagram de meet certain requir	esuch as the operating and efficiency standards, include with your filing a mass and heat epicting average annual operating conditions. This diagram must include certain items and ements, as described below. You must check next to the description of each requirement it you have complied with these requirements.
	Check to certify	
	compliance with indicated requirement	Requirement
ration n		Diagram must show orientation within system piping and/or ducts of all prime movers, heat recovery steam generators, boilers, electric generators, and condensers (as applicable), as well as any other primary equipment relevant to the cogeneration process.
gene		Any average annual values required to be reported in lines 10b, 12a, 13a, 13b, 13d, 13f, 14a, 15b, 15d and/or 15f must be computed over the anticipated hours of operation.
General Cogeneration Information		Diagram must specify all fuel inputs by fuel type and average annual rate in Btu/h. Fuel for supplementary firing should be specified separately and clearly labeled. All specifications of fuel inputs should use lower heating values.
ene		Diagram must specify average gross electric output in kW or MW for each generator.
G		Diagram must specify average mechanical output (that is, any mechanical energy taken off of the shaft of the prime movers for purposes not directly related to electric power generation) in horsepower, if any. Typically, a cogeneration facility has no mechanical output.
		At each point for which working fluid flow conditions are required to be specified (see below), such flow condition data must include mass flow rate (in lb/h or kg/s), temperature (in °F, R, °C or K), absolute pressure (in psia or kPa) and enthalpy (in Btu/lb or kJ/kg). Exception: For systems where the working fluid is <i>liquid only</i> (no vapor at any point in the cycle) and where the type of liquid and specific heat of that liquid are clearly indicated on the diagram or in the Miscellaneous section starting on page 19, only mass flow rate and temperature (not pressure and enthalpy) need be specified. For reference, specific heat at standard conditions for pure liquid water is approximately 1.002 Btu/(lb*R) or 4.195 kJ/(kg*K).
		Diagram must specify working fluid flow conditions at input to and output from each steam turbine or other expansion turbine or back-pressure turbine.
		Diagram must specify working fluid flow conditions at delivery to and return from each thermal application.
		Diagram must specify working fluid flow conditions at make-up water inputs.

	EPAct 2005 cogeneration facilities: The Energy Policy Act of 2005 (EPAct 2005) established a new section 210(n) of the Public Utility Regulatory Policies Act of 1978 (PURPA), 16 USC 824a-3(n), with additional requirements for any qualifying cogeneration facility that (1) is seeking to sell electric energy pursuant to section 210 of PURPA and (2) was either not a cogeneration facility on August 8, 2005, or had not filed a self-certification or application for Commission certification of QF status on or before February 1, 2006. These requirements were implemented by the Commission in 18 C.F.R. § 292.205(d). Complete the lines below, carefully following the instructions, to demonstrate whether these additional requirements apply to your cogeneration facility and, if so, whether your facility complies with such requirements.	
	11a Was your facility operating as a qualifying cogeneration facility on or before August 8, 2005? Yes No	-
	11b Was the initial filing seeking certification of your facility (whether a notice of self-certification or an application for Commission certification) filed on or before February 1, 2006? Yes No	-
s ë	If the answer to either line 11a or 11b is Yes, then continue at line 11c below. Otherwise, if the answers to both lines 11a and 11b are No, skip to line 11e below.	
ntal Us acilitie	11c With respect to the design and operation of the facility, have any changes been implemented on or after February 2, 2006 that affect general plant operation, affect use of thermal output, and/or increase net power production capacity from the plant's capacity on February 1, 2006?	- market
mel n F	Yes (continue at line 11d below)	
Fundai eratio	No. Your facility is not subject to the requirements of 18 C.F.R. § 292.205(d) at this time. However, it may be subject to to these requirements in the future if changes are made to the facility. At such time, the applicant would need to recertify the facility to determine eligibility. Skip lines 11d through 11j.	
for l	11d Does the applicant contend that the changes identified in line 11c are not so significant as to make the facility a "new" cogeneration facility that would be subject to the 18 C.F.R. § 292.205(d) cogeneration requirements?	
ements rom C	Yes. Provide in the Miscellaneous section starting on page 19 a description of any relevant changes made to the facility (including the purpose of the changes) and a discussion of why the facility should not be considered a "new" cogeneration facility in light of these changes. Skip lines 11e through 11j.	
EPAct 2005 Requirements for Fundamental Use of Energy Output from Cogeneration Facilities	No. Applicant stipulates to the fact that it is a "new" cogeneration facility (for purposes of determining the applicability of the requirements of 18 C.F.R. § 292.205(d)) by virtue of modifications to the facility that were initiated on or after February 2, 2006. Continue below at line 11e.	
35 F y O	11e Will electric energy from the facility be sold pursuant to section 210 of PURPA?	-
t 200 nerg	Yes. The facility is an EPAct 2005 cogeneration facility. You must demonstrate compliance with 18 C.F.R. § 292.205(d)(2) by continuing at line 11f below.	
EPAc of E	No. Applicant certifies that energy will <i>not</i> be sold pursuant to section 210 of PURPA. Applicant also certifies its understanding that it must recertify its facility in order to determine compliance with the requirements of 18 C.F.R. § 292.205(d) <i>before</i> selling energy pursuant to section 210 of PURPA in the future. Skip lines 11f through 11j.	
	11f Is the net power production capacity of your cogeneration facility, as indicated in line 7g above, less than or equal to 5,000 kW?	1
	Yes, the net power production capacity is less than or equal to 5,000 kW. 18 C.F.R. § 292.205(d)(4) provides a rebuttable presumption that cogeneration facilities of 5,000 kW and smaller capacity comply with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2). Applicant certifies its understanding that, should the power production capacity of the facility increase above 5,000 kW, then the facility must be recertified to (among other things) demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Skip lines 11g through 11j.	
	No, the net power production capacity is greater than 5,000 kW. Demonstrate compliance with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2) by continuing on the next page at line 11g.	

Lines 11g through 11k below guide the applicant through the process of demonstrating compliance with the requirements for "fundamental use" of the facility's energy output. 18 C.F.R. § 292.205(d)(2). Only respond to the lines on this page if the instructions on the previous page direct you to do so. Otherwise, skip this page.

18 C.F.R. § 292.205(d)(2) requires that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility. If you were directed on the previous page to respond to the items on this page, then your facility is an EPAct 2005 cogeneration facility that is subject to this "fundamental use" requirement.

The Commission's regulations provide a two-pronged approach to demonstrating compliance with the requirements for fundamental use of the facility's energy output. First, the Commission has established in 18 C.F.R. § 292.205(d)(3) a "fundamental use test" that can be used to demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Under the fundamental use test, a facility is considered to comply with 18 C.F.R. § 292.205(d)(2) if at least 50 percent of the facility's total annual energy output (including electrical, thermal, chemical and mechanical energy output) is used for industrial, commercial, residential or institutional purposes.

Second, an applicant for a facility that does not pass the fundamental use test may provide a narrative explanation of and support for its contention that the facility nonetheless meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility.

Complete lines 11g through 11j below to determine compliance with the fundamental use test in 18 C.F.R. § 292.205(d)(3). Complete lines 11g through 11j even if you do not intend to rely upon the fundamental use test to demonstrate compliance with 18 C.F.R. § 292.205(d)(2).

11g Amount of electrical, thermal, chemical and mechanical energy output (net of internal generation plant losses and parasitic loads) expected to be used annually for industrial, commercial, residential or institutional purposes and not sold to an electric utility	MWh
11h Total amount of electrical, thermal, chemical and mechanical energy expected to be sold to an electric utility	MWh
11i Percentage of total annual energy output expected to be used for industrial, commercial, residential or institutional purposes and not sold to a utility = 100 * 11g /(11g + 11h)	0 %

11j Is the response in line 11i greater than or equal to 50 percent?

Yes. Your facility complies with 18 C.F.R. § 292.205(d)(2) by virtue of passing the fundamental use test provided in 18 C.F.R. § 292.205(d)(3). Applicant certifies its understanding that, if it is to rely upon passing the fundamental use test as a basis for complying with 18 C.F.R. § 292.205(d)(2), then the facility must comply with the fundamental use test both in the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years.

No. Your facility does not pass the fundamental use test. Instead, you must provide in the Miscellaneous

section starting on page 19 a narrative explanation of and support for why your facility meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a QF to its host facility. Applicants providing a narrative explanation of why their facility should be found to comply with 18 C.F.R. § 292.205(d)(2) in spite of non-compliance with the fundamental use test may want to review paragraphs 47 through 61 of Order No. 671 (accessible from the Commission's QF website at www.ferc.gov/QF), which provide discussion of the facts and circumstances that may support their explanation. Applicant should also note that the percentage reported above will establish the standard that that facility must comply with, both for the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years. See Order No. 671 at paragraph 51. As such, the applicant should make sure that it reports appropriate values on lines 11g and 11h above to serve as the

relevant annual standard, taking into account expected variations in production conditions.

Usefulness of Topping-Cycle Thermal Output

Information Required for Topping-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents topping-cycle cogeneration technology, then you must respond to the items on pages 14 and 15. Otherwise, skip pages 14 and 15.

The thermal energy output of a topping-cycle cogeneration facility is the net energy made available to an industrial or commercial process or used in a heating or cooling application. Pursuant to sections 292.202(c), (d) and (h) of the Commission's regulations (18 C.F.R. §§ 292.202(c), (d) and (h)), the thermal energy output of a qualifying topping-cycle cogeneration facility must be useful. In connection with this requirement, describe the thermal output of the topping-cycle cogeneration facility by responding to lines 12a and 12b below.

12a Identify and describe each thermal host, and specify the annual average rate of thermal output made available to each host for each use. For hosts with multiple uses of thermal output, provide the data for each use in separate rows.

Average annual rate of thermal output attributable to use (net of Name of entity (thermal host)

Thermal host's relationship to facility; heat contained in process taking thermal output

Thermal host's use of thermal output return or make-up water)

taking them	ar output Thermar noses use or thermar output	return of make up water,
1)	Select thermal host's relationship to facility	
17	Select thermal host's use of thermal output	Btu/h
2)	Select thermal host's relationship to facility	
	Select thermal host's use of thermal output	Btu/h
3)	Select thermal host's relationship to facility	
3/	Select thermal host's use of thermal output	Btu/h
4)	Select thermal host's relationship to facility	
7	Select thermal host's use of thermal output	Btu/h
5)	Select thermal host's relationship to facility	
	Select thermal host's use of thermal output	Btu/h
6)	Select thermal host's relationship to facility	
°,	Select thermal host's use of thermal output	Btu/h

Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed

12b Demonstration of usefulness of thermal output: At a minimum, provide a brief description of each use of the thermal output identified above. In some cases, this brief description is sufficient to demonstrate usefulness. However, if your facility's use of thermal output is not common, and/or if the usefulness of such thermal output is not reasonably clear, then you must provide additional details as necessary to demonstrate usefulness. Your application may be rejected and/or additional information may be required if an insufficient showing of usefulness is made. (Exception: If you have previously received a Commission certification approving a specific use of thermal output related to the instant facility, then you need only provide a brief description of that use and a reference by date and docket number to the order certifying your facility with the indicated use. Such exemption may not be used if any change creates a material deviation from the previously authorized use.) If additional space is needed, continue in the Miscellaneous section starting on page 19.

0

Applicants for facilities representing topping-cycle technology must demonstrate compliance with the topping-cycle operating standard and, if applicable, efficiency standard. Section 292.205(a)(1) of the Commission's regulations (18 C.F.R. § 292.205(a)(1)) establishes the operating standard for topping-cycle cogeneration facilities: the useful thermal energy output must be no less than 5 percent of the total energy output. Section 292.205(a)(2) (18 C.F.R. § 292.205(a)(2)) establishes the efficiency standard for topping-cycle cogeneration facilities for which installation commenced on or after March 13, 1980: the useful power output of the facility plus one-half the useful thermal energy output must (A) be no less than 42.5 percent of the total energy input of natural gas and oil to the facility; and (B) if the useful thermal energy output is less than 15 percent of the total energy output of the facility, be no less than 45 percent of the total energy input of natural gas and oil to the facility. To demonstrate compliance with the topping-cycle operating and/or efficiency standards, or to demonstrate that your facility is exempt from the efficiency standard based on the date that installation commenced, respond to lines 13a through
13I below.

If you indicated in line 10a that your facility represents *both* topping-cycle and bottoming-cycle cogeneration technology, then respond to lines 13a through 13I below considering only the energy inputs and outputs attributable to the topping-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion (topping or bottoming) of the cogeneration system.

13a Indicate the annual average rate of useful thermal energy output made available	112000
to the host(s), net of any heat contained in condensate return or make-up water	Btu/h
13b Indicate the annual average rate of net electrical energy output	kW
13c Multiply line 13b by 3,412 to convert from kW to Btu/h	0 Btu/h
13d Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero)	hp
13e Multiply line 13d by 2,544 to convert from hp to Btu/h	o Btu/h
13f Indicate the annual average rate of energy input from natural gas and oil	Btu/h
13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e)	0 %
13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f	0 %
13i Compliance with operating standard: Is the operating value shown in line 13g greatly Yes (complies with operating standard) No (does not comply with operating standard)	\$2
13j Did installation of the facility in its current form commence on or after March 13, 19 Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.205 compliance with the efficiency requirement by responding to line 13k or 13l, as No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l.	(a)(2). Demonstrate
13k Compliance with efficiency standard (for low operating value): If the operating value than 15%, then indicate below whether the efficiency value shown in line 13h greater t Yes (complies with efficiency standard) No (does not comply with	han or equal to 45%:
13I Compliance with efficiency standard (for high operating value): If the operating va greater than or equal to 15%, then indicate below whether the efficiency value shown i equal to 42.5%:	
Yes (complies with efficiency standard) No (does not comply with	h efficiency standard)

Information Required for Bottoming-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents bottoming-cycle cogeneration technology, then you must respond to the items on pages 16 and 17. Otherwise, skip pages 16 and 17.

1000	4a Identify and describe each therr	d for power production by responding to lines 14a mal host and each bottoming-cycle cogeneration proteoming-cycle cogeneration processes, provide the Thermal host's relationship to facility; Thermal host's process type	rocess engaged in by each
1)		Select thermal host's relationship to facility	Yes No No
		Select thermal host's process type	
<u>a</u> (2)		Select thermal host's relationship to facility	Yes No
<i>ĕ</i> ⊢		Select thermal host's process type	
b (3)		Select thermal host's relationship to facility	Yes No
ie g		Select thermal host's process type	
Jsefulness of Bo	entified above. In some cases, this cility's process is not common, and oust provide additional details as ne dditional information may be requireviously received a Commission ce cility, then you need only provide as the order certifying your facility wi	thermal output: At a minimum, provide a brief des brief description is sufficient to demonstrate useful for if the usefulness of such thermal output is not recessary to demonstrate usefulness. Your application and insufficient showing of usefulness is made. In the insufficient showing of usefulness is made, and insufficient showing of usefulness is made. It is a showing the showing in the insufficient showing in the showing in the showing insufficient showing in the showing insufficient showing in the showing insufficient sho	Iness. However, if your easonably clear, then you on may be rejected and/or (Exception: If you have ocess related to the instant y date and docket number to be used if any material

Bottoming-Cycle Operating and Efficiency Value Calculation

Applicants for facilities representing bottoming-cycle technology and for which installation commenced on or after March 13, 1990 must demonstrate compliance with the bottoming-cycle efficiency standards. Section 292.205(b) of the Commission's regulations (18 C.F.R. § 292.205(b)) establishes the efficiency standard for bottoming-cycle cogeneration facilities: the useful power output of the facility must be no less than 45 percent of the energy input of natural gas and oil for supplementary firing. To demonstrate compliance with the bottoming-cycle efficiency standard (if applicable), or to demonstrate that your facility is exempt from this standard based on the date that installation of the facility began, respond to lines 15a through 15h below.

If you indicated in line 10a that your facility represents both topping-cycle and bottoming-cycle cogeneration technology, then respond to lines 15a through 15h below considering only the energy inputs and outputs attributable to the bottoming-cycle portion of your facility. Your mass and heat balance diagram must make clear which mass and energy flow values and system components are for which portion of the cogeneration system (topping or bottoming).

15a Did installation of the facility in its current form commence on or after March 13, 1980?	
Yes. Your facility is subject to the efficiency requirement of 18 C.F.R. § 292.205(b). Demo with the efficiency requirement by responding to lines 15b through 15h below.	nstrate compliance
No. Your facility is exempt from the efficiency standard. Skip the rest of page 17.	
15b Indicate the annual average rate of net electrical energy output	kW
15c Multiply line 15b by 3,412 to convert from kW to Btu/h	0 Btu/h
15d Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero)	hp
15e Multiply line 15d by 2,544 to convert from hp to Btu/h	0 Btu/h
15f Indicate the annual average rate of supplementary energy input from natural gas or oil	Btu/h
15g Bottoming-cycle efficiency value = 100 * (15c + 15e) / 15f	0 %
15h Compliance with efficiency standard: Indicate below whether the efficiency value shown in than or equal to 45%:	line 15g is greater
Yes (complies with efficiency standard) No (does not comply with efficien	icy standard)

Commission Staff Use Only:

Certificate of Completeness, Accuracy and Authority

Applicant must certify compliance with and understanding of filing requirements by checking next to each item below and signing at the bottom of this section. Forms with incomplete Certificates of Completeness, Accuracy and Authority will be rejected by the Secretary of the Commission.

(E)		
17 1 1 1 1 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ving: (check all items and applicable subitems)	
	g any information contained in any attached docu d any information contained in the Miscellaneous s	
oxtimes He or she has provided all of the reques to the best of his or her knowledge as	ired information for certification, and the provided nd belief.	l information is true as stated,
He or she possess full power and auth Practice and Procedure (18 C.F.R. § 38	hority to sign the filing; as required by Rule 2005(a) 35.2005(a)(3)), he or she is one of the following: (ch	(3) of the Commission's Rules of eck one)
☐ The person on whose behalf		
An officer of the corporation,	trust, association, or other organized group on be	half of which the filing is made
An officer, agent, or employe filing is made	of the governmental authority, agency, or instrum	entality on behalf of which the
A representative qualified to practice before the Commission under Rule 2101 of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2101) and who possesses authority to sign		
He or she has reviewed all automatic Miscellaneous section starting on page	calculations and agrees with their results, unless o ge 19.	therwise noted in the
interconnect and transact (see lines 4 facility and those utilities reside. See page 3 for more information. Provide your signature, address and signal procedure (18 C.F.R. § 385.2005(c)) provide	Form 556 and all attachments to the utilities with a through 4d), as well as to the regulatory authority the Required Notice to Public Utilities and State Resture date below. Rule 2005(c) of the Commission's es that persons filing their documents electronical filed documents. A person filing this document ele	ties of the states in which the egulatory Authorities section on s Rules of Practice and ly may use typed characters
		ctronically should sign (by
yping his or her name) in the space provi	ded below.	The second
representing his or her name to sign the f ryping his or her name) in the space provi Your Signature	Your address	Date
ryping his or her name) in the space provi	ded below.	The second