OFFICIAL COPY

FILED

JUN 15 2015

Clerk's Office
N.C. Utilities Commission

INFORMATION SHEET

PRESIDING: Commissioner Brown-Bland, Chairman Finley and Commissioners Beatty, Bailey, Dockham and Patterson
PLACE: Dobbs Building, Raleigh, NC
DATE: June 2, 2015
TIME: 9:40 a.m. – 9:52 a.m.
DOCKET NO.: E-7, Sub 1073
COMPANY: Duke Energy Carolinas, LLC
DESCRIPTION: Application for Approval of demand-Side Management and Energy Efficiency Cost Recovery Rider Pursuant to G.S. 62-133.9 and Commission Rule R8-69.
VOLUME:

APPEARANCES

DUKE ENERGY CAROLINAS, LLC:
Robert W. Kaylor, Esq.

FOR CAROLINA UTILITY CUSTOMERS ASSOCIATION, INC.:
Robert F. Page, Esq.

FOR NORTH CAROLINA SUSTAINABLE ENERGY ASSOCIATION:
Peter Ledford, Esq.

FOR CAROLINA INDUSTRIAL GROUP FOR FAIR UTILITY RATES, III:
Adam Olls, Esq.

FOR SOUTHERN ALLIANCE FOR CLEAN ENERGY:
Gudrun Thompson, Esq.

FOR THE USING AND CONSUMING PUBLIC:
Lucy E. Edmondson, Esq.

WITNESSES

Prefiled Testimony of:

Conitsha Barnes	Carolyn Miller
Roshena Ham	Taylor Allred
Jack L. Floyd	Michael C. Maness

EXHIBITS

Duke Energy Carolinas, LLC, Application & Amended Application (A)

Barnes Direct Exhibits 1 – 11 (I/A)	Barnes Supplemental Exhibits 1 – 4 (I/A)
Miller Exhibits 1 – 7 (I/A)	Miller Supplemental Exhibits 1 – 7 (I/A)
Ham Exhibits 1 – 2 (I/A)	Ham Exhibits A-C (I/A) A - C
Allred Exhibits 1 – 2 (I/A)	Maness Exhibit 1 (I/A)
NCSEA Exhibits 1 – 2 (I/A)	

COPIES ORDERED: E-mail: Kaylor, Ledford, Edmondson
REPORTED BY: Kim Mitchell
TRANSCRIBED BY: Kim Mitchell
DATE TRANSCRIBED: June 12, 2015

TRANSCRIPT PAGES: 21
PREFILED PAGES: 132

I/A

Ham Exhibit A

OFFICIAL COPY

Mar 04 2015

Final Report

Process and Impact Evaluation of the My Home Energy Report (MyHER) Program in the Carolina System

Prepared for
Duke Energy
139 East Fourth Street
Cincinnati, OH 45201

February 23, 2014

Submitted by
Nick Hall, David Ladd,
and Johna Roth

Integral Analytics
Michael Ozog and May Wu

Matthew Joyce

TecMarket Works
165 West Netherwood Road
2nd Floor, Suite A
Oregon, WI 53575
(608) 835-8855

OFFICIAL COPY
Mar 04 2015

TABLE OF CONTENTS

EXECUTIVE SUMMARY **1**
KEY FINDINGS AND RECOMMENDATIONS 1
SIGNIFICANT IMPACT EVALUATION FINDINGS: BILLING ANALYSIS 1
KEY FINDINGS: MANAGEMENT INTERVIEWS 1
Key Findings: Customer Survey 3
Recommendations 5
INTRODUCTION AND PURPOSE OF STUDY **6**
SUMMARY OVERVIEW 6
Summary of the Evaluation 6
DESCRIPTION AND PURPOSE OF PROGRAM **7**
PROGRAM ENROLLMENT, ELIGIBILITY, AND PARTICIPATION 7
Opt Out Enrollment 7
Eligibility 8
Participation 8
METHODOLOGY **10**
OVERVIEW OF THE EVALUATION APPROACH 10
Study Methodology 10
Data Collection Methods, Sample Sizes, and Sampling Methodology 11
Number of Completes and Sample Disposition for Each Data Collection Effort 12
Expected and Achieved Precision 12
Description of Measures and Selection of Methods by Measure(s) or Market(s) 12
Threats to validity, sources of bias and how those were addressed 13
ENERGY SAVINGS: BILLING ANALYSIS **14**
MANAGEMENT INTERVIEW FINDINGS **16**
PROGRAM DESCRIPTION 16
Program Theory and Design 16
Program Goals and Objectives 17
Market Barriers 18
OPERATIONAL ROLES 18
PROGRAM DEVELOPMENT 19
MYHER REPORT 20
Overview 20
Data Handling 21
Home Characteristics 22
Data Clustering 23
Calculating Average and Efficient Homes 24
Report Design and Data Presentation 24
Presenting Monthly Energy Costs in kWh and Dollars 26
Report Messaging 27
Data Quality Assurance 31
PRINTING AND DELIVERY 33
Report Frequency 34
Print Quality 34

OFFICIAL COPY
Mar 04 2015

Report Delivery 34
Enterprise Server 35
CALL CENTER CUSTOMER SUPPORT 35
Call Volume 35
Call Handling 36
Training 38
Quality Control 38
Service Level Agreements 39
EMAIL CUSTOMER SUPPORT 39
Quality Control 40
Service Level Agreements 40
CUSTOMER PAPER MAIL 40
WEBSITE 40
SOCIAL MEDIA 41
WORKING RELATIONSHIPS 41
The Program Vendor 41
Call Center Vendor 43
Customer Prototype Lab 43
PROGRAM CHANGES INTERVIEWEES WOULD LIKE TO SEE 43
Messaging 43
Data Transfer 44
Website 44
CONCLUSIONS 44
RECOMMENDATIONS FOR PROGRAM IMPROVEMENTS 45
Clustering 45
Tips and Messages 46
Data Quality 47
Overall 48
RESULTS FROM MYHER CUSTOMER SURVEYS 49
Introduction 49
Customers Who Read the MyHER and Why 49
Customer Perceptions of Their Efforts Regarding Energy Efficiency 51
Customer Perceptions Compared to Recent MyHER Scores 56
What Energy Efficiency Means to Customers 57
Interest in Energy Efficiency and MyHER 62
Frequency of Receiving MyHER 64
Accuracy of Home Information 65
Energy Efficiency Scores 66
Tips and Messages 73
The Difference Between Tips and Messages 73
Recalled Tips and Messages 74
Comparison: Messages versus Tips 75
Influence of MyHER Tips and Messages On Actions Taken 82
Tip and Message Relevance 83
Tip and Message Savings 85
Effect of Actions Taken on Comfort 89

OFFICIAL COPY
Mar 04 2015

Customers Receiving Duplicate Reports 91
Other Energy Efficiency Actions Taken 92
Satisfaction with MyHER 96
Sharing MyHER and Using Social Media 98
Customers Contacting Duke Energy 100
Participation and Interest in Other Duke Energy Programs 107
Additional Services from Duke Energy 110
Electric Vehicles and Solar Power 115
CONCLUSIONS AND RECOMMENDATIONS FOR PROGRAM CHANGES 115
APPENDIX A: PROGRAM MANAGER INTERVIEW INSTRUMENT 116
APPENDIX B: VENDOR INTERVIEW INSTRUMENT 123
APPENDIX C: MYHER CUSTOMER SURVEY INSTRUMENT 126
APPENDIX D: EXAMPLE MYHER MAILING 160
APPENDIX E: SUMMARY OF ENERGY SAVING ACTION TIPS AND MESSAGES 162
APPENDIX F: WELCOME LETTER AND FREQUENTLY ASKED QUESTIONS 170
APPENDIX G: WHAT IT MEANS TO BE ENERGY EFFICIENT 172
APPENDIX H: WHAT SURVEYED CUSTOMERS DO TO BE MORE ENERGY EFFICIENT 185
APPENDIX I: SURVEYED MYHER CUSTOMER DEMOGRAPHICS 198
APPENDIX J: SUMMARY OF TIPS AND MESSAGES 220
APPENDIX K: LIST OF SELF-REPORTED ENERGY EFFICIENCY ACTIONS 225
APPENDIX L: IMPROVING ASPECTS OF THE PROGRAM 255
APPENDIX M: ESTIMATED STATISTICAL MODEL 268
APPENDIX N: NUMBER OF TOTAL PARTICIPANTS / CONTROL MEMBERS BY MONTH 270
APPENDIX O: DSMORE TABLE 271

OFFICIAL COPY
Mar 04 2015

Executive Summary

Key Findings and Recommendations

The key findings and recommendations identified through this evaluation are presented below.

Significant Impact Evaluation Findings: Billing Analysis

A billing analysis was conducted to estimate the net energy savings from the program. The billing analysis relies upon a statistical analysis of actual customer-billed electricity consumption of customers receiving the MyHER mailings, compared to the change in savings over that same period for a matched comparison group to estimate the impact for the MyHER program.

The estimated impacts are presented in the "Energy Savings: Billing Analysis" section of the report, and a summary of the results is shown below:

	Annual Savings, 95% Confidence Interval		
	Lower Bound	Estimate	Upper Bound
Per Participant Savings kWh	177	184	190
Per Participant coincident kW savings	0.0438	0.0496	0.0512

Table 1. Summary of Program Savings by Measure

Measure	Participation Count	Ex Post (Adjusted) Per unit kWh impact	Ex Post (Adjusted) Per unit kW impact	Gross Ex Post (Adjusted) kWh Savings	Gross Ex Post (Adjusted) kW Savings
MyHER Report	776,697	184	0.0496	184	0.0496

Key Findings: Management Interviews

- The My Home Energy Report program provides Duke Energy residential customers with a meaningful look at their homes' energy use compared to other homes similar to theirs.
    - See section titled "Program Description" on page 16.
- Participation numbers are on target and customer opt-outs represent a fraction of one percent of participating customers; this is an indication of the popularity of the reports.
    - See section titled "Participation" on page 8.
- Among the few customers who do opt out, the three most common reasons for opting out are that customers consider the reports to be an inappropriate use of Duke Energy's resources (40%), customers believe they are doing enough to save energy (16%), and no reason given (10%).
    - See section titled "Call Handling" beginning on page 36.

OFFICIAL COPY
Mar 04 2015

- The reports are carefully designed for at-a-glance reading. Data is clearly presented and easily understood. Messages are crisp and actionable.
    - See section titled "Report Messaging" on page 27.
- The primary reason why customers contact Duke Energy about the program is to correct household characteristics, which is understandable given some of the data's third party origin. The most frequently corrected data points are heat fuel type, square footage, and home age in that order.
    - See section titled "Call Handling" beginning on page 36.
- Call volume for the program is low. For all states served by the program, only 13,396 inbound calls have been received as of October 16, 2013. For North Carolina, the total call volume as of the same date was 6,393 calls since starting on October 17, 2012. For South Carolina there were 2,937 calls since starting on May 25, 2012. Given that reports are now sent to more than one million Duke Energy customers, this equates to less than one percent of customers and the same percentage of customers for the Carolina System.
    - See section titled "Call Volume" on page 35.
- The program vendor's platform has added appreciable functionality for the customization of messaging and the display of data, which is foundational to the program's ability to drive behavior change. But these technical feats are not without their challenges. Report production has been hampered by data quality concerns, most of which have been caught and fixed prior to mailing.
    - See section titled "Data Quality Assurance" on page 31.
- One issue in data quality that was not caught in advance of mailing arose from issues regarding heat fuel types and resulted in data presentation and clustering errors affecting 119,049 South Carolina and 58 North Carolina reports sent to customers in April 2013. This lapse resulted in a financial penalty due to service level contracts.
    - See section titled "Data Quality Assurance" on page 31.
- Another issue not caught before mailing caused 100 customers in the North Carolina control group to receive reports. They were subsequently added to the treatment group.
    - See section titled "Data Quality Assurance" on page 31.
- Report delivery has been on time, except for one lapse due to data quality mentioned above, in which case reports were mailed between 1-12 days late.
    - See sections titled "Report Delivery" on page 34.
- Print quality has also been an issue, but a series of diligent steps toward resolution appear to be successful.
    - See sections titled "Report Delivery" on page 34 and "Print Quality" on page 34.

OFFICIAL COPY
Mar 04 2015

- Call center operations and email support from the Customer Prototype Lab are operating smoothly and those teams interface effectively with the program management team.
    - See sections titled "Call Center Vendor" and "Customer Prototype Lab" on page 43.

- The working relationship between Duke Energy and the program vendor is operationally functional and productive.
    - See section titled "The Program Vendor" on page 41.

- Overall the program appears to be well designed and well run. Despite periodic technical challenges, the MyHER program represents a noteworthy contribution to Duke Energy's efficiency portfolio and an ambitious behavior change program for residential customers.
    - See section titled "Conclusions" on page 44.

Key Findings: Customer Survey

- There were 376 customers successfully contacted for the survey. Of these, 312 (83.0%) recalled receiving the Home Energy Report.
    - See section titled "Introduction" on page 49.

- 96.5% (301 out of 312) of the customers who recall MyHER are reading the report. If the full number of contacted customers are included in this calculation (N=376, as noted above), and the assumption is that those who don't recall MyHER throw the report away, this brings the percent of customers reading the MyHER down to 80.1% of the targeted customers.
    - See section titled "Customers Who Read the MyHER and Why" on page 49.

- Before being asked about what messages or tips customers recalled from the MyHER, most surveyed customers defined energy efficiency in simple terms: Energy efficiency means "trying to use less energy" (67.9% or 205 out of 302), and/or "saving money on bills" (31.8% or 96 out of 302). Customers whose recent MyHER reports show that they use "less than the efficient home" are significantly more likely to mention "saving money on bills" (39.8% or 35 out of 88) compared to others.
    - See section titled "What Energy Efficiency Means to Customers" on page 57.

- On average, surveyed MyHER customers scored their interest in energy efficiency (8.86 on a 10-point scale) higher than their interest in reading the next MyHER (8.40). This finding is statistically significant with 95% confidence, though much of the difference comes from customers who do not read MyHER (4.10 rating for reading next report, 8.00 rating for interest in energy efficiency). Customers who think they do "more than others" to save energy give significantly higher ratings for interest in energy efficiency (9.16) but there is no significant difference in interest in reading the next report.
    - See section titled "Interest in Energy Efficiency and MyHER" on page 62.

OFFICIAL COPY
Mar 04 2015

- Overall, about three-quarters (72.5% or 219 out of 302) of the customers are satisfied with how frequently they receive the MyHER, though about a quarter (27.8% or 84 out of 302) say they would prefer to receive reports by email instead of on paper.
  - See section titled "Frequency of Receiving MyHER" on page 64.

- Only about one MyHER recipient in fifteen (6.3% or 19 out of 302) reports that there are errors on their report. The most common inaccuracies have to do with the size of the home (9 of 19), the age of the home (5 of 19) and home heating (5 of 19).
  - See section titled "Accuracy of Home Information" on page 65.

- There is a strong, but not absolute, relation between customers' recent MyHER scores and their perception of how they are doing. While 62.5% (55 out of 88) of customers whose recent MyHER reports show they use "less than the efficient home" say their report usually shows they use less energy than average, 12.5% (11 out of 88) of these recipients say their reports usually show that they use *more* than average. Similarly, while 57.1% (84 out of 147) of customers who used "more than the average home" on their recent MyHER reports say that their reports usually show their energy use is more than the average home, another 11.6% (17 out of 147) of these customers say that their reports usually show they use *less* than the average home.
  - See section titled "Energy Efficiency Scores" on page 66.

- Overall, more than half of MyHER customers surveyed are using the report to track their homes' energy usage (62.3% or 188 out of 302) and about half are trying to improve their scores (47.7% or 144 out of 302). The customers who are most likely to be doing both of these things are the ones who say they "do more than others" for energy efficiency, and those who say their MyHER usually shows they "use more than the average home". However, the pattern is less clear for their actual recent MyHER scores (as opposed to their perception of their usual scores): customers whose recent MyHER score showed them using "more than the average home" are significantly less likely to use the report to track household usage, though there are no significant differences for trying to improve scores. Customers who are using the report to track usage and trying to improve their scores also generally give higher satisfaction ratings for the program.
  - See section titled "Energy Efficiency Scores" on page 66.

- About half of MyHER recipients surveyed (50.3% or 152 out of 302) were able to recall at least one tip or message from past reports. However, only 77.9% (271 out of 348) of the tips or messages recalled by recipients matched tips or messages that had been sent to them via Home Energy Reports. Once incorrectly recalled tips and messages were removed, 44.0% (133 out of 302) of customers correctly recalled an average of 2.04 tips or messages apiece. The messages and tips that are recalled most frequently are those that involve CFL lighting. Overall, 70.2% (212 out of 302) of surveyed customers report that the tips and messages are relevant for their household.
  - See section titled "Recalled Tips and Messages" on page 74.

- MyHER customers generally give the program high ratings for satisfaction, both overall (9.04 on a 10-point scale) and for specific aspects of the report and program (ranging

OFFICIAL COPY
Mar 04 2015

from 7.38 to 9.26). There are no significant differences in overall program satisfaction between customers based on their recent, actual MyHER scores or their perception of how their energy efficiency efforts compare to others. For specific aspects of the program, the highest satisfaction ratings are for "the reports are easy to read and understand" (9.26 overall), "I find the graphics helpful in understanding how my energy usage changes over the seasons" (9.00) and "I find the graphics useful in understanding how my energy usage compares to others like me" (8.88). The lowest-rated aspect is "The energy saving tips in the report provided new ideas that I was not previously considering" at 7.38 overall.

- See section titled "Satisfaction with MyHER" on page 96.

Recommendations

For a full explanation of recommendations see section titled "Recommendations for Program Improvements" beginning on page 45.

- While there is insufficient room for all FAQs on the reports, returning an explanation of average and efficient to the report would provide clarity about the report comparisons and preempt the need for customer clarification phone calls.
- Investigate ways to engage advanced customers on a deeper level in order to derive additional savings.
- Take steps to ensure that energy saving suggestions remain fresh and interesting.
- Consider investigating the impact of customers' knowledge of changing cluster sizes on energy savings by removing cluster size information from the monthly reports for a test group of customers to be compared to a control group who receive cluster size information on their reports. This investigation would provide additional validity to the notion that customer knowledge of cluster size influences their usage.
- Alternatively, add an answer to the MyHER FAQs to explain why cluster sizes change over time and why a customer may find themselves compared to different size clusters on different reports.
- Consider conducting a longitudinal analysis of existing data (plus or minus one year) to determine whether the energy savings observed from homes in small clusters is similar to energy savings from homes in larger clusters.
- Ensure continued implementation of enhanced quality control measures in advance of all customer mailings, and monitor closely for effectiveness.
- While the spirit of continuous improvement and increased customer responsiveness are central to the Duke Energy ethos, pause to consider if it is appropriate to make changes based upon a small number of errors or customer comments. The answer may well and appropriately be yes, but the threshold for change—and the impacts of doing so—should be clearly understood by all parties.

OFFICIAL COPY
Mar 04 2015

Introduction and Purpose of Study

Summary Overview

This document presents the process and impact evaluation report for Duke Energy's My Home Energy Report (MyHER) Program as it was administered in Carolina System. The evaluation was conducted by TecMarket Works and subcontractors Integral Analytics and Matthew Joyce.

Summary of the Evaluation

This document presents the process evaluation report for Duke Energy's My Home Energy Report (MyHER) Program as it was administered in the Carolina System. The evaluation was conducted by TecMarket Works and Matthew Joyce, subcontractor to TecMarket Works. The interview and survey instruments were developed by TecMarket Works and Matthew Joyce. The customer survey was administered and analyzed by TecMarket Works. Matthew Joyce conducted in-depth interviews with program management.

The impact findings presented in this report were calculated using monthly billing data (for program net savings).

Evaluation Objectives

This report's objectives include a presentation of the MyHER program's estimated energy impacts. The process evaluation is intended to provide insights to help Duke Energy, and other interested parties, evaluate the program as it is currently administered. The report reviews program history, evaluates current processes, and considers customer surveys and participant feedback in order to diagnose issues and present recommendations for changes intended to increase energy savings, improve operational efficiencies, and enhance customer satisfaction.

Researchable Issues

In addition to the objectives noted above, there were a number of researchable issues for this evaluation. These include:

1. To solicit feedback from program participants about their experience with the MyHER mailings, such as their recollection of the messages and tips, their home energy scores, and their satisfaction with the reports;
2. To gain an understanding of customer demographic categories responding positively to the MyHER program.

OFFICIAL COPY
Mar 04 2015

Description and Purpose of Program

The My Home Energy Report (MyHER) Program is an energy efficiency program currently operating in the Carolina System. The purpose of the program is to provide Duke Energy residential customers with customized home energy reports that compare their home's electric energy usage with similar homes in order to encourage behavior driven energy savings through the principles of social norming. Up to 12 reports are sent each year.

The program targets approximately 685,000 residential customers residing in individually metered single-family residences in Duke Energy's Carolina System service territory.[1] Rather than requiring people to sign up for the efficiency program, customers in the study group were automatically enrolled into the program. Starting in September of 2011 when the full commercial program was first launched in Ohio, the South Carolina pilot participants began receiving personalized reports comparing their monthly and annual energy usage with a group of homes of similar size, age, type of heating fuel and geography. The full commercial program for South Carolina customers began in May of 2012, with North Carolina customers starting in October of 2012.

Duke Energy works with a third party program vendor that uses proprietary methods to analyze the customer's energy use and compare it to a peer group. The customer's monthly and annual energy usage is then graphed in comparison to the usage of an average home and an efficient home within the peer group. The reports present specifically targeted tips to save energy and offers to participate in Duke Energy's other energy programs. These targeted suggestions are based specifically on the customer's energy consumption patterns and home characteristics.

Program Enrollment, Eligibility, and Participation

Opt Out Enrollment

Unlike other energy efficiency programs offered by Duke Energy, this program is designed to use opt-out enrollment, so that eligible customers automatically receive a welcome letter and begin receiving reports without the need to formally sign up. With a growing number of utilities offering comparable behavior change reports, opt out enrollment is considered an industry norm for programs of this type.

Opt out enrollment offers advantages to customers and to Duke Energy. First, it enables a greater number of customers to benefit from a better understanding of their homes' energy use and how the most effective ways that they can save energy. Second, it diminishes program costs by reducing the need for program marketing, since opt in enrollment necessarily requires making customers aware of the benefits of the program prior to signing them up. Third, as the reports directly state: "When customers reduce their energy needs, it reduces the costs to provide energy and the need to build more power plants, which lowers bills for you, your community, and Duke Energy."

[1] This number is different from the number of participants presented in the billing analysis section because 685,000 is the floating number of participants overall for each report period, while the 776,697 used in the billing analysis reflects the cumulative number of people who have participated at one time but not necessarily all at the same time.

OFFICIAL COPY
Mar 04 2015

The opt out enrollment method is considered appropriate because the reports contain useful information specific to each customer. For this reason, the reports are deemed to be informational communications about customer accounts rather than solicitations. Customers always retain the ability to opt out at any time with a phone call or email to the contact details listed on every report. However, as of October 21, 2013, the Carolina System opt out rate is extremely low at 0.01% or 930 people on a base of approximately 685,000 participants.

Eligibility

To be eligible for the program, customers must live in a single family home with a single electric meter. They must be on a rate plan that bills for the full amount of energy used during a month. Customers must also have 13 months of consecutive billing data at the present address. Full program eligibility requirements are as follows:

- Active customer on a residential rate plan in the Carolina System
- 13 months of consecutive usage history
- Individual electric meter
- Single family home
- Non-apartment
- Non-business
- Home address equals a billing address or post office box in same state as the service address
- Has not opted out of the program
- Not part of the control group (opt in is possible)
- Not on the Greenwood rate in South Carolina

Duke Energy customers are considered to be MyHER program participants when they have:

- Met the program's eligibility requirements
- Received at least one MyHER Report
- Not opted out of the program

Participation

The MyHER program sends a paper report by mail to approximately 487,000 participating households in North Carolina and 198,000 households in South Carolina for a system-wide total of approximately 685,000 participants each month. Participation numbers vary due to opt-outs and changes in customer eligibility status. Customer participation is validated monthly by Duke Energy using detailed reports from the program vendor.

Table 2 below shows official program participation numbers by month between program inception and October 21, 2013. Note that participation numbers for North Carolina decline after April 2013, when program managers deliberately sought to bring customer participation back below the agreed program size of 500,000 by gradually shedding customers who were no longer eligible and not replacing them. Those customers who became eligible to participate after that time were placed in a set aside group and can now begin to be added back into the program as overall enrollment numbers permit. When reading the table, it is also worth noting, that in

OFFICIAL COPY
Mar 04 2015

months when no new reports are sent, participation numbers are considered the same as in the preceding month since customers are considered to remain in the treatment group until the next treatment report is mailed.

Table 2. Program Participation by Month

Month	# of SC Participants	# of NC Participants	# of Total Participants
March 2012	7,357*	0	7,357
April 2012	7,356*	0	7,356
May 2012	82,038	0	82,038
June 2012	184,772	0	184,772
Jul. 2012	215,783	0	215,783
Aug. 2012	217,325	0	217,325
Sept. 2012	215,869	313,841	529,710
Oct. 2012**	208,622	493,593	702,215
Nov. 2012**	208,622	493,593	702,215
Dec. 2012	210,475	501,249	711,724
Jan. 2013	211,259	505,057	716,316
Feb. 2013	210,372	502,554	712,926
Mar. 2013**	207,662	516,950	724,612
Apr 2013**	207,662	516,950	724,612
May 2013	207,251	506,703	713,954
Jun 2013	207,624	502,024	709,648
Jul 2013	207,635	499,922	707,557
Aug 2013	197,749	486,840	684,589
Sep 2013	197,749	486,840	684,589

** South Carolina pilot participants who continued in the program*
***In months when no new reports are sent participation numbers are considered the same as in the preceding month.*

OFFICIAL COPY
Mar 04 2015

Methodology

Overview of the Evaluation Approach

Study Methodology

The process evaluation has two components: management interviews and participant surveys. In-depth interviews were conducting with program management and the participant surveys were conducted with customers in the Carolina System. The impact estimates were done via billing analysis.

Billing Analysis

The billing analysis used consumption data from MyHER recipients in Carolinas (776,697 customers) that participated between June of 2012 and October of 2013 for South Carolina and between October 2012 and October 2013 for North Carolina. A panel model was used to determine program impacts, where the dependent variable was daily[2] electricity consumption from January of 2011 through October of 2013.

In order to determine the kW savings, the project used a Calibrated Load-Shape Differences Approach (CLSD). This approach is based on the results of the billing analysis (kWh saved) to establish the total and per participant amount of energy savings achieved by the program. The specific steps associated with this approach are as follows:

1. Conduct a billing analysis to identify program energy (kWh) savings achieved.
2. Use the utility-specific DSMore load shapes to calculate a kW coincident reduction factor for demand savings such that the total kW savings curve equals the annual savings estimate from the billing analysis.

This approach provides a reliable estimate of the per household and program-wide peak kW reduction for the least cost.

Management Interviews

In-depth interviews were conducted with the Duke Energy product manager, the Duke Energy database analyst, one of the Duke Energy managers responsible for new program development, and the Duke Energy manager of the Customer Prototype Lab (CPL), which provided call center and email support during the OH and SC pilots of this program, and which continues to provide email assistance for the full commercial version of the program. In addition to these Duke Energy employees, TecMarket Works interviewed four representatives from the third party program vendor that creates and mails the reports —the production manager, two client project managers, and a project engineer. We also spoke with the manager and the lead call center representative from the third party vendor that provides call center services for the program. The interviews covered program design, execution, operations, interactions between organizations,

[2] Daily electricity consumption was calculated by monthly usage divided by number of usage days in each bill cycle.

OFFICIAL COPY
Mar 04 2015

data transfer methods, and personal experiences in order to identify any implementation issues and discuss opportunities for improvement.

Customer Surveys

TecMarket Works developed a customer survey for the MyHER Program participants, which was conducted from April 30 to July 23, 2013.

Surveys were completed with a random sample of 302 MyHER customers; in addition, ten customers qualified for the survey but were not able to complete the interview. When the customer was successfully contacted, the surveyor asked that customer if they were familiar with the MyHER mailings. If not, the surveyor provided a short description of the MyHER mailings they have been receiving: *"This program provided information on how much electricity you used in the previous month and in the previous 12 months compared to your neighbors and provided tips on how you could lower your electricity use and costs in becoming more energy efficient."* If the customer still did not recall the MyHER, they were thanked for their time and the call was terminated (64 recipients, or 17.0% of those contacted, did not recall the program reports). If a customer did recall receiving MyHER, the survey continued regardless of whether they read the MyHER. There were 312 customers out of 376 contacted (83.0%) who recalled receiving the MyHER report, though only 302 recipients completed the entire survey (ten incomplete surveys are not included in this report).

MyHER customers were surveyed by TecMarket Works. The survey can be found in Appendix C: MyHER Customer Survey Instrument.

Data Collection Methods, Sample Sizes, and Sampling Methodology

Billing Analysis

The billing analysis used consumption data from all complete data provided for the MyHER recipients in Carolina (776,697 customers) that received the MyHER between June of 2012 and October of 2013 in South Carolina and between October 2012 and October 2013 in North Carolina. There were a total of 1,144,071 usable accounts after processing[3], of which 776,697 were report recipients, and 367,374 were control group members.

Management Interviews

Management interviews, as well as follow-up phone calls and emails, were conducted with staff members from Duke Energy, the program vendor, and the call center vendor. The interview instrument can be found in Appendix A: Program Manager Interview Instrument and Appendix B: Vendor Interview Instrument.

Customer Surveys

The complete survey was conducted with a random sample of 302 MyHER customers. The survey protocol can be found in Appendix C: MyHER Customer Survey Instrument. We

[3] Useable accounts are those accounts which have billing data for both a portion of the pre- and post-participation period.

OFFICIAL COPY
Mar 04 2015

attempted to contact program participants by telephone no more than four times at different times of the day and different days before dropping them from the randomly sampled contact list. Call times were from 10:00 a.m. to 8:00 p.m. Eastern Monday through Saturday.

Number of Completes and Sample Disposition for Each Data Collection Effort

Billing Analysis

N/A (all participants included, sampling was not used)

Management Interviews

Between February and October of 2013, TecMarket Works interviewed four Duke Energy employees and five representatives from two vendors for this evaluation. This represents a completion rate of 100%.

Customer Surveys

A sample list of customer records was randomly pulled by TecMarket Works from a list of 547,556 participants with contact information provided by Duke Energy. Surveys were conducted by telephone with 302 participants. The survey instrument can be found in Appendix C: MyHER Customer Survey Instrument.

Table 3. Summary of Data Collection Efforts

Data Collection Effort	State	Size of Population in Sample for Interviews	# of Completed Interviews	Sample Rate
Management Interviews	Total NC + SC	10	10	100%
Customer Surveys	NC	334,129	151	0.05%
Customer Surveys	SC	213,427	151	0.07%
Customer Surveys	Total NC + SC	547,556	302	0.06%

Expected and Achieved Precision

Billing Analysis

All savings estimates from the billing analysis were statistically significant at the 95% confidence level.

Customer Surveys

The survey sample methodology had an expected precision of 90% +/- 4.7% and an achieved precision of 90% +/- 4.7%.

Description of Measures and Selection of Methods by Measure(s) or Market(s)

This behavioral program does not include any energy efficient measures. The MyHER program consists of regular mailings to a targeted list of customers as described above.

OFFICIAL COPY
Mar 04 2015

Threats to validity, sources of bias and how those were addressed

Billing Analysis

The specification of the model used in the billing analysis was designed specifically to avoid the potential of omitted variable bias by including monthly variables that capture any non-program effects that affect energy usage, such as number of people in the home, as well as other Duke Energy offers.

OFFICIAL COPY
Mar 04 2015

Energy Savings: Billing Analysis

The goal of this billing analysis is to evaluate the energy impacts from MyHER since June of 2012 for South Carolina and October 2012 for North Carolina. The estimated MyHER savings obtained from the billing data analysis are presented below.

Table 4. Estimated MyHER Impacts

	Annual Savings, 95% Confidence Interval		
	Lower Bound	Estimate	Upper Bound
Per Participant kWh Savings since 06/2012	177	184	190

This table shows that the MyHER program produced statistically significant savings for participants in the Carolina System.

Note that the billing data analysis includes variables to capture effect of participation in other Duke Energy programs after participation in MyHER. This is to explicitly control for any impacts from other program participation.

For this analysis, data are available both across households (i.e., cross-sectional) and over time (i.e., time-series covering both pre- and post-treatment periods). With this type of data, known as "panel" data, it becomes possible to control, simultaneously, for differences across households as well as differences within each household over time. This is accomplished through the use of a "fixed-effects" panel model specification. The fixed-effect refers to the inclusion of a customer-specific intercept terms. This term captures all time-invariant characteristics that affect the level of energy use, whether observed or not. The other variables in the model are time-variant variables that change over time, such as weather and program treatment.

The fixed effects model can be viewed as a type of differencing model in which all characteristics of the home, which (1) are independent of time and (2) determine the level of energy consumption, are captured within the customer-specific constant terms. In other words, differences in customer characteristics that cause variation in the level of energy consumption, such as building size and structure, are captured by constant terms representing each unique household.

Algebraically, the fixed-effect panel data model is described as follows:

$$y_{it} = \alpha_i + \beta x_{it} + \varphi P_{it} + \theta T + \delta DP_{it} + \varepsilon_{it}$$

where:

y_{it} = energy consumption for home i during month t
α_i = constant term for site i (the fixed-effect)
T = indicator variables for each time period in the analysis
P = indicator for the treatment for the program in question
DP = indicators for other utility-sponsored programs
$\beta, \varphi, \theta, \delta$ = vectors of estimated coefficients

OFFICIAL COPY
Mar 04 2015

x = vector of non-program variables that represent factors causing changes in energy consumption for home i during month t (i.e., weather)
ε = error term for home i during month t.

With this specification, the only information necessary for estimation is those factors that vary month to month for each customer, and that will affect energy use, which effectively are weather conditions and program participation. Other non-measurable time-variant factors (such as economic conditions and season loads) are captured through the use of monthly indicator variables.[4] To control for weather effects, the model includes temperature, humidity, and wind speed variables. This is more flexible and inclusive than only including HDD and CDD terms, as those variables assume a constant baseline of 65° for heating and cooling across all customers. The model delivers savings estimates that are based on actual weather during the treatment period.

Moreover this analysis involves both a treatment group and a control group. Treatment group includes customers who received the MyHER reports whereas control group includes customers who did not receive any MyHER report and was kept separately to provide comparison to the treatment group.

The effects of the MyHER program are captured by including a variable which is equal to one for all months after the household participated in the program. In order to account for differences in billing days, the usage was normalized by days in the billing cycle. The estimated electric model for the MyHER program is presented in Table 5. Aside from converting usage data from billing cycle to calendar cycle, there was no data cleaning involved in this analysis.

Table 5. Estimated Savings Model for MyHER – dependent variable is daily kWh usage (savings are negative)

Independent Variable	Coefficient (daily kWh Savings)	t-value
MyHER Impact since June 2012	-0.50	-54.61
Sample Size	33,888,620 observations (1,144,071 homes)	
R-Squared	69%	

The complete estimate model, showing the weather and time factors, is presented in "Appendix M: Estimated Statistical Model". Based on these kWh savings and the load curves in DSMore, the implied summer coincident kW savings is 0.0496 kW/participant.

The relationship between the impact of MyHER and the customer rate class was also investigated, and while there are indications that customers in the RE rate class have a higher level of savings than other rates, the differences are not statistically significant at the 95% level.

[4] See Jeffrey Wooldridge Econometric Analysis of Cross Section and Panel Data (Cambridge: MIT Press, 2002), 283-284 for a discussion of this model and its applicability to program evaluation.

OFFICIAL COPY
Mar 04 2015

Management Interview Findings

Program Description

The My Home Energy Report program is an energy efficiency program that sends periodic personalized reports to residential customers who meet eligibility criteria. The reports are designed to increase energy savings behaviors by showing customers how their electric energy usage compares to an average neighbor and an efficient neighbor living in residences in the same geographic area with similar square footage, heating type, and home age.

Energy usage is displayed in a monthly bar chart comparison and in a 13-month line chart comparison. If customers perform better than average, the average household is dropped from the monthly comparison, so that customers strive to match the lower energy usage of their more efficient neighbors. Average home values are always shown on the 13-month line chart, since customer energy usage may be above average for some months and below during others. An example report is shown in Appendix D: Example MyHER Mailing.

Reports are created up to 12 times per year and are distributed in paper format via U.S. mail. The reports present energy efficiency suggestions that are customized according to that customer's specific household characteristics. The suggestions are designed to further spur the customer to action by providing an estimate of the dollar savings that may be achieved by making the effort. The reports also contain customized marketing messages that encourage customer participation in other Duke Energy efficiency programs for which that specific customer is eligible.

Program Theory and Design

The program's design for generating behavior driven energy savings is based on the theory of "social norms." Social science research demonstrates that people tend to conform to social norms even when they deny such influence[5,6]. By sending letters that compare one utility customer's energy use with that of similar customers, several utility companies have used this normative effect to generate between 1.5 to 2.5% savings.[7] Longitudinal studies about the persistence of these energy savings are underway.

The MyHER program design is based in part on this research and on studied observations of market participants. It is also based upon information garnered from Duke Energy's Personalized Energy Report® (PER) and Home Energy House Call (HEHC) programs. However, the current design is most appropriately ascribed as the outgrowth of two years of pilot efforts in Ohio and South Carolina.

---

[5] Jessica M. Nolan, P. Wesley Schultz, Robert B. Cialdini, Noah J. Goldstein, Vladas Griskevicius, Normative Social Influence is Underdetected, *Pers Soc Psychol Bull July 2008 vol. 34 no. 7 913-923,* DOI: 10.1177/0146167208316691

[6] P. Wesley Schultz, Jessica M. Nolan, Robert B. Cialdini, Noah J. Goldstein and Vladas Griskevicius, The Constructive, Destructive, and Reconstructive Power of Social Norms, *Psychological Science* May 2007 vol. 18 no. 5 429-434 *DOI:* 10.1111/j.1467-9280.2007.01917

[7] Hunt Alcott, Social Norms and Energy Conservation, *Journal of Public Economics*, Volume 95, Issues 9–10, October 2011, Pages 1082–1095, DOI: http://dx.doi.org/10.1016/j.jpubeco.2011.03.003

OFFICIAL COPY
Mar 04 2015

Program Goals and Objectives

Because this program is designed with an opt-out enrollment mechanism it does not have new customer acquisition goals (see Opt Out Enrollment). Instead, the program's primary numeric goals focus directly on energy savings. The program has an energy savings target of an average 211 kWh per participant per year for both North Carolina and South Carolina. Progress toward this goal is to be determined by an impact evaluation.

In the absence of energy savings numbers to be derived from an analysis of the results of the impact evaluation, Duke Energy and its partnering third party vendors have been focusing the preponderance of their managerial efforts on the program's other strategic objectives for which feedback is more readily available. Those strategic objectives include:

- Educating customers about their energy use and encouraging them to take energy saving actions,
- Generating interest in other energy efficiency offerings,
- Deepening customer engagement,
- Responding to customer comments and suggestions in order to improve the reports and the program, and
- Increasing customer satisfaction.

When asked to comment on the place of this behavior modification program in Duke Energy's energy efficiency portfolio, one interviewee from Duke Energy used an analogy of a car to explain the role of the home energy report:

> "People constantly receive cues about their cars' gas consumption. The speedometer, odometer, gas gauge, and the price of gas are readily available to help people judge how much they're using and how much it is costing them in near real-time. That's not the case with your home's electric consumption. You just get a bill at end of month after you've used the energy. And, the bill isn't very informative for those customers who only look at the amount they owe and the due date. The home energy report helps to change that by showing customers how they're doing over time compared to others. It's a bit like comparing miles per gallon, but the reports also tell people how they can be more efficient and how much each action is likely to save them. In short, the reports provide a customer feedback loop and help people learn how to improve."

As important as this is, Duke Energy sees the home energy reports as serving other functions as well. The home energy reports are seen as a means of helping to strengthen customer satisfaction. Perhaps even more strategically, the educational aspects of the report and the periodic frequency of their delivery also serve as a starting point to begin engaging residential customers in the active management of their energy consumption as larger commercial customers have done for years. As another interviewee said, "We want to become their energy partner and not just a utility they write a check to." In other words, the home energy reports may

OFFICIAL COPY
Mar 04 2015

be a one-way communication, but they are an invitation to the customer to begin a meaningful two-way conversation.

Market Barriers

Based on its previous pilot efforts, Duke Energy identified three potential market barriers to success: 1) customers not opening the reports; 2) not understanding the information presented; and 3) not taking action. The program design incorporates elements to address each of these. First, because the reports are delivered by paper mail, there is a risk that customers will assume the envelopes contain junk mail and not open them. To overcome this, the reports are sent in envelopes clearly displaying the Duke Energy logo and company address to denote the sender and nature of the communication. Second, customers may not have sufficient time available to read the report, nor may they have a comprehensive understanding of how energy is used in their homes. To overcome this, the reports are designed for at-a-glance reading with easy-to-understand graphics and simply worded explanations (see Report Design and Data Presentation). Third, customers may lack the financial resources and motivation to change their energy use over time. To overcome this, the reports present predominantly low cost / low effort energy saving recommendations. They also encourage adoption by showing the customer how much money that particular measure could save. The report delivery schedule of eight months per year provides ongoing contact and encourages continuous engagement. No additional market barriers were identified during the interview process.

Operational Roles

Operational roles for the MyHER program are shared between Duke Energy, two primary vendors, and several subcontractors. These roles are described briefly below and more fully in the following portions of this management review.

Duke Energy provides monthly billing and other customer data necessary to customize the energy reports, such as account information, records of participation in other efficiency programs, and data regarding customers' homes collected through direct customer communication or via the Personalized Energy Report and Home Energy House Call programs.

The Duke Energy product manager provides full operational oversight with responsibility for overall strategy, product planning, market expansion, determining messaging, selecting the criteria for customers to receive messaging, regulatory filing, financial reporting, vendor management, and quality assurance.

The Duke Energy database analyst is primarily responsible for ensuring the program's data integrity. She provides systematic quality assurance, full program data support, and regular oversight on data interactions between Duke Energy and the program vendor.

The Duke Energy Customer Prototype Lab provides email support for customer inquiries.

The call center vendor handles all phone-related functions. They are staffed Monday to Saturday.

The program vendor handles report production and distribution from start to finish. The program vendor receives data from Duke Energy and transforms the information into individualized home energy reports by creating data clusters to compare customer usage to similar homes, suggesting

OFFICIAL COPY
Mar 04 2015

energy saving actions, and presenting targeted Duke Energy communications. The program vendor is also responsible for printing, comingling, and mailing the reports, although these functions are handled through subcontractors.

Program Development

The initial steps for planning and launching the My Home Energy Report program began during 2008, when Duke Energy recognized it was possible to influence behavior in order to produce energy savings. Duke Energy had already done much work on its efficiency programs designed to achieve energy savings via structural and equipment improvements, and the utility's senior managers were seeking a different approach to augment their portfolio. Work began in earnest as they researched academic studies and real world tests by market actors. During 2009, regulatory approvals came through and Duke Energy prepared to deploy two pilot efforts using in-house resources and a third party printer to produce the reports.

The first pilot launched in Ohio on February 22, 2010. It was designed to test data presentation and the frequency of report delivery. A comparable pilot effort was launched in South Carolina on May 28, 2010. The initial treatment groups consisted of 10,000 residential customers in Ohio and 8,258 residential customers in South Carolina. For each pilot effort, these overall treatment groups were divided into two groups. One group received quarterly reports and the other received monthly reports. These two groups were each then subdivided into receiving two different types of reports, with one subgroup receiving a report showing usage data with line graphs, while the other subgroup received their information in bar chart format. Process and impact evaluations were conducted by TecMarket Works to determine the results of these efforts in 2011. The findings from these evaluations and the many learnings from the pilots were incorporated into the improved design and deployment of a fully commercialized version of the program.

The first commercial version of the program launched in Ohio on September 10, 2011, with a target of 240,000 participants and a multi-staged startup process that added approximately 25,000 additional customers per week until the target was reached. The same internal Duke Energy departments that handled operations for the pilot efforts managed the delivery of the first full commercial version of the program.

While Duke Energy was preparing for this full commercialized roll out, the utility was simultaneously using an RFP process to select a third party contractor specializing in data analysis with a platform robust enough to produce and mail the home energy reports on a scale sufficient to reach its distribution targets in all approved service territories. The winning program vendor worked with Duke Energy during the latter half of 2011 to design, develop, and deploy systems for generating the home energy reports according to contract specifications. Full commercialized systems transition from Duke Energy to the program vendor occurred during March of 2012.

At the time of transition, a letter was sent to all participating pilot customers in Ohio to tell them of the upcoming changeover. The letter focused on the improvements to the report that the transition made possible. The text of the letter read:

OFFICIAL COPY
Mar 04 2015

> "You've asked for more, so we're adding on! There may be a slight 'construction delay,' but when your new My Home Energy Report arrives, it will have two pages of valuable information about your energy usage and even more energy saving tips. Oh, don't worry. You and your home will still be front and center. How Am I Doing charts will continue to show how your energy use compares to similar homes – each month and over time. But now we'll have more room to answer your questions, like 'What can I do to reduce energy use?' and 'How much could this tip save me?' Stay tuned! We think you're going to like your new report!"

After a few months to fine tuning efforts, on May 25, 2012, a commercialized version of the program launched in South Carolina with a target of 215,000 customers. Pilot customers in South Carolina received a letter similar to the one sent to Ohio customers.

Then, on June 12, 2012, Duke Energy made its next handoff, transitioning call center operations from the Customer Prototype Lab to the call center vendor. With this segue complete, the respective program actors assumed their currently assigned roles.

A commercialized roll out to 46,000 residential customers in Kentucky occurred on August 22, 2012. North Carolina followed on October 17, 2012, with the largest target yet, 500,000 residential customers. In contrast to these commercial launches, Indiana began with a pilot effort in May of 2012.

Operations in all service territories are mentioned here because the same systems and methodologies are used to create and distribute reports in all states. Thus, overall report volumes, operational challenges, and any decisions made concerning the program in one state are likely to impact operations in the others.

MyHER Report

Overview

The program vendor receives a secure transfer of customer data on a nightly basis from Duke Energy, which includes updated energy usage, billing records, account and rate changes, eligibility criteria, and household demographics. This customer data is then passed through two distinct stages — integration and production — in order to create the MyHER reports. The integration stage runs daily and is designed to sort, catalog, parse, and combine the data according to a complex set of software rules that prepare the data for report production.

Report production occurs eight times per year, with each report corresponding to a calendar month. For each report cycle, the data is divided into four weekly batches. Each batch is processed independently, as customers are clustered with others having similar billing dates and similar household characteristics. Each batch then consists of hundreds of clusters containing tens to thousands of houses in each.

Once the dynamically assigned clusters are established, the kWh energy use of individual households in each cluster are used to determine how much electricity the "average" home and

OFFICIAL COPY
Mar 04 2015

the "efficient" home use. Each individual household's kWh usage is then compared to the average and efficient homes in their cluster to show relative performance each month for the previous 13 months.

To further encourage energy savings behaviors, the front page of the report presents two specific tips that suggest seasonal and household-appropriate ways to save energy, such as weatherization or using task lighting. The tips, which are developed by the program vendor, also show how much money enacting that tip is likely to save that particular customer based on household characteristics. The rear page of the report presents two additional messages developed by Duke Energy. The program vendor uses yet another set of software rules to ensure that the Duke Energy messages displayed on the report promote specific energy efficiency programs for which the customer is eligible or a more general energy saving suggestion in the event that no specific program promotion is available.

Once these tips and messages have been dynamically assigned, PDF versions of the individual customer home energy reports are produced. The program vendor maintains quality assurance measures throughout the production process to catch potential errors. However, Duke Energy also performs a number of second-level quality control checks, including reviewing a representative sampling of pre-print PDFs and a flat file containing all up-to-date customer data for each weekly batch of reports.

Once this second level of quality assurance has been successfully completed, the program vendor sends the full batch of PDFs to a subcontractor for printing and mailing. The PDFs are also uploaded into a program vendor -hosted web portal called the Enterprise system, so that the reports can be viewed by representatives from the call center vendor and the Customer Prototype Lab. The following sections discuss this process in more detail.

Data Handling

Throughout the creation and development of the data integration and report production processes, the program vendor worked with Duke Energy to identify common issues that might arise with the data used to generate a customer's report. For instance, if a customer is missing the current month's billing data, then a software rule flags the customer ID and labels it as ineligible for a report since there is no new data available to create the monthly comparison. A similar rule applies to customers who are missing their thirteenth month of previous billing data since that anchors the beginning of the year-to-date comparison. Likewise, the program vendor needed to write a software rule that stops the report process if the customer is missing two bills within the 13 month period, excluding the first and thirteenth months, since too many missing data points cause the graphs to render poorly. Missing billing data is reconciled with Duke Energy on a nightly basis to mitigate such issues, but the rules must be in place in order to control the small percentage of situations to which they apply at the time the batch is processed.

Because the data integration process is so complex, it has required ongoing process improvements to fine tune the most appropriate ways to handle data idiosyncrasies. On numerous occasions, additional software rules needed to be written to deal with the unforeseen circumstances. Billing data issues provide a good example. In some cases customers may receive two bills in a single month. Under the originally envisioned scenario, the second bill would be

OFFICIAL COPY
Mar 04 2015

added to the first bill. However, in another scenario, the first bill should be considered cancelled, while the second bill shows the corrected amount. Without a software rule in place to address this real world business practice, the customer's MyHER report would present inaccurate information. These types of fixes are made whenever issues are discovered.

Home Characteristics

The comparative nature of the MyHER reports relies upon the program vendor's ability to automate the creation of data clusters of similar homes. The program vendor's data integration process ensures that each customer ID is paired with several identifying household characteristics:

- Age of home
- Size (square footage)
- Heating fuel type
- Location (multiple vectors based on latitude and longitude)
- State (ensures neighborhoods do not cross state lines during clustering)
- Bill dates (ensures billing periods are of similar duration to produce accurate comparisons for consumption)

These characteristics are compiled from a variety of data sources with a specific order of precedence based upon their availability and deemed degree of accuracy. Those data sources are:

1. Customer specified information, such as corrected numbers for home square footage, age, and heat fuel type, as captured via telephone conversations with the call center vendor or email exchanges with the Customer Prototype Lab;
2. Household characteristics recorded during a visit by a professional auditor as part of Duke Energy's Home Energy House Call (HEHC) program;
3. Duke Energy algorithms applied to confirm customer provided data, such as heating fuel type, since customers may erroneously think they have gas or electric heat, while an analysis of their annual electric load shape reveals otherwise;
4. Household characteristics provided directly by customers when they completed a data collection survey as part of Duke Energy's Personalized Energy Report (PER) program; and
5. Household characteristics acquired by the program vendor via publically available Experian third party data.

Once these characteristics have been appended to the customer ID, the characteristics are used to help identify other similar households that will be clustered together later in the process to generate the home energy use comparisons.

All parties agree that this aspect of the report generation process is well-conceived, but data quality issues have hampered implementation to varying degrees. In one instance, data quality issues involving heat fuel types caused large numbers of erroneous reports to be sent out to South Carolina participants during April of 2013. (See Data Quality Assurance starting on page 31 for more information on this.).

OFFICIAL COPY
Mar 04 2015

Data Clustering

One key difference between the original clustering methodology used during the early program development and the current deployment is that Duke Energy's original methodology relied on static clusters of homes that were generated one time based upon similar home characteristics. This static clustering offered the advantage of facilitating comparisons with a consistent set of homes each month. However, the static clustering method did not easily accommodate the fact that new comparable homes became eligible each report cycle, while other homes needed to be dropped from the comparison pool based upon eligibility changes or upon customer requested corrections to their home characteristics. The program vendor's clustering methodology accommodates these data changes by employing a K-means data clustering methodology that creates new and accurate cluster assignments for each report cycle. While sacrificing a static comparison to the exact same houses each month, the K-means clustering methodology offers the advantage of ensuring a more accurate, consistent, and unbiased comparison of homes with similar attributes each report cycle, which Duke Energy deemed fundamental given the changing nature of the data.

Despite its differing dynamic nature, the program vendor's methodology yields clusters closely similar to those generated by Duke Energy's original static method. The dynamic clustering methodology works by creating a coordinate, or vector, for each piece of household information — bill date, home size, home age, fuel type, longitude, latitude, proximity of location, etc. — to receive a weight. Heuristic algorithms then run until convergence is reached and clusters of similarly weighted homes are generated. The reports refer to these clusters as "neighborhoods," but the homes are grouped based upon their similarly weighted attributes rather than being grouped as customers might commonly think of a neighborhood, such as homes sharing sidewalks, streets, and proximity to local landmarks.

The number and size of the data clusters changes each month because they are dynamically generated based upon the vector weightings of the data. A sample of the program vendor data for March of 2013 revealed that North Carolina has an average of 973 neighborhood clusters per month, while South Carolina averages 660 neighborhood clusters. Across the entire Duke Energy service territory, the program vendor's system is generating an average of 3,275 clusters. The analysis also showed that the numbers of homes within a cluster ranges from a low of 10 homes to a peak cluster size of 8,924 homes, which happened to be in North Carolina. The average cluster in North Carolina contains 806 homes. In South Carolina the average cluster contains 369 homes, while its average maximum is 4,380 homes. Theoretically there is no maximum to the number of clusters or to the number of homes. However, the numbers noted above represent typical cluster sizes.

In essence, the program vendor's clustering methodology recognizes clusters that are too large do not provide an accurate comparison, while clusters that are too small may have their average and efficient home comparisons swayed by the undue weighting of individual homes. It is for this reason that if a cluster contains less than 10 similar homes then the customer does not receive a report. Duke Energy and the program vendor are currently considering the trade-offs between raising that minimum to provide greater statistical significance versus the reduced energy impacts resulting from sending reports to fewer homes.

OFFICIAL COPY
Mar 04 2015

Calculating Average and Efficient Homes

The key to the social norming process employed by the MyHER reports is the way that the reports compare a customer's energy usage with others. The reports make two different comparisons.

The first comparison is to the "average" home. Average is calculated by determining the arithmetic mean for the cluster. This is calculated by summing all kWh usage in the cluster and then dividing by the number of homes in the cluster. So, for a hypothetical cluster of three homes with 1000 kWh, 1200 kWh, and 1400 kWh, the sum would be 3600 kWh. When divided by three, this equals an average of 1200 kWh.

Because social norms tend to influence behavior toward the group average, Duke Energy also adds a second comparison designed to further influence customers toward additional energy savings. For this reason, the reports also compare customer energy usage to an "efficient" home. The efficient home represents the 25^{th} percentile (first quartile) of energy usage such that homes at this mark use less energy than 75% of homes in the cluster.

Report Design and Data Presentation

The focal points of the MyHER reports are the monthly energy use comparison on the front page of the report and the annual energy use comparison on the back page of the report. The monthly comparison commands at-a-glance visual attention. The headline: "How am I doing?" immediately establishes context, while three bold bars compare the reader's home energy use to that of the average home and efficient home. Bar lengths provide a graphic display of information, while kWh amounts specify the exact values.

The second page of report also sports a prominent graph; this one is a line graph displaying monthly energy use for 13 months to facilitate year-to-year comparisons of energy usage. Average and efficient homes are also shown, so that customers can see how their annual performance compares to their peers. In this way, the line graph encourages both internal and external competition as customers strive to better both their own performance and that of others.

The program vendor provided a significant enhancement to fostering this sense of competition when it created a way to alter the display of the monthly bar chart. When the reports were produced by Duke Energy, the amounts displayed for the average home, your home, and the efficient home would change each month as the data changed. But pilot testing and industry research revealed that when customers were shown that their energy usage was lower than average, their performance tended to revert toward average rather than continuing to improve toward the efficient home. Duke Energy and the program vendor resolved this issue when the program vendor developed a way to drop the column displaying average home performance and center the remaining two columns (see Appendix D: Example MyHER Mailing for an example). This change necessarily causes readers to focus on the difference between their homes and efficient homes, thereby continuing to spur a sense of competition toward achieving even greater energy savings. However, even when customers use less energy than average for a given month, the average home performance continues to be displayed on the annual usage line graph since the customer may be above average and below average at different times of the year.

OFFICIAL COPY
Mar 04 2015

Similar attention to detail has gone into the explanations that accompany the monthly comparison chart (Figure 1). To the right of the monthly bar chart a legend explains whose electricity usage is being compared to the customer. The legend then lists the number of households in the data cluster, as well as providing the heat source, range of square footage, and age range of the houses in the cluster. This information is presented so that customers understand how closely similar the homes they are being compared with are. This is intentionally stated to increase credibility and build customer trust in the accuracy and reliability of the comparisons.



Figure 1. Monthly Energy Use Comparison

This verisimilitude became a point of disagreement between Duke Energy and the program vendor during the development phase. The program vendor felt strongly that the number of homes, square footage, and age range shown on the reports should be changed each month to automatically and accurately reflect the exact homes in that month's dynamically generated comparison cluster. Duke Energy disagreed, citing calls and emails from customers who were confused as to why those numbers were changing each month. Because customers were focusing on those "wrong" changes instead of focusing on their changing energy use, the two parties eventually agreed to display a fixed range of comparison for the square footage and home age. Those were set at +/- 300 square feet and +/- five years from those attributes of the customer's home. This change ensured that customers would see a consistent and reliable benchmark for the comparisons, even though the actual numbers may vary slightly according to the data points in that month's dynamically generated cluster.

OFFICIAL COPY
Mar 04 2015

Other elements of the report have been the subject of careful consideration as well. According those we interviewed, each element and detail of the reports has been carefully considered to elicit a trusting and positive response from Duke Energy customers. The typeface, colors, gradient fades, and differing layouts between the first and second page were all specifically chosen. For instance, the color yellow was selected to show the homeowner's energy usage since it is the easiest color to see, while green was picked for the "efficient" home to reinforce the "green is environmentally friendly" message. Likewise the houses atop the monthly bar chart columns were selected for their simple iconic representation of a home, and the green leaves were designed to simultaneously imply financial savings and environmental friendliness.

The current two page format was expanded in March of 2012, when the program vendor began producing the reports in order to provide more space for additional information. Prior to that time, the reports consisted of a single page of new information with monthly and annual graphs showing on the same page along with the energy saving tips. The rear of the report consistently listed frequently asked questions. To create extra space for the graphs and messages, the FAQs were shifted to a welcome letter (see Appendix F: Welcome Letter and Frequently Asked Questions) that arrives by mail along with the first report. The program website replicates these FAQs so customers can refer to them long after the welcome letter has been disposed of.

Two questions: "What is this report?" and "Why would Duke Energy try to help me save energy?" were retained on the front page of each report since they were considered important to establish and ensure context for the reader. The reports also contain other consistent elements including email and telephone contact details, a link to the program website, and a Quick Response (QR) code inviting those with mobile phone scanners to watch an online video about the home energy reports.

Participant surveys, conducted as a part of this evaluation, had not yet been completed when we spoke with the product manager, call center representative, and the Customer Prototype Lab (CPL) manager, but all three people indicated that customers are responding positively to report design, according to unsolicited customer feedback obtained via the call center and email. (This finding was later corroborated by satisfaction ratings from the participant surveys as discussed in the Satisfaction with MyHER section below.) A link to a new online customer opinion survey was added to the reports in March of 2013. It was anticipated to provide ongoing feedback, but no survey results had yet been prepared at the time of this evaluation.

Presenting Monthly Energy Costs in kWh and Dollars

While home energy use comparisons are currently presented using kWh, this practice began during July of 2013. Prior to that time the data was graphed on the reports in terms of dollars. Dollar amounts are calculated using the actual kWh usage and a multiplier known as a rate factor, which is a composite figure created to represent the blended value of all the charges a customer would be presented with on the bill. This single number was multiplied by the kWh used by each customer to determine the dollar amount to display on the reports. While the monthly bar charts are now displayed in kWh, rate factors are still used to generate the dynamic dollar values presented below the graphic. The $78 amount shown in Figure 1 was calculated using a rate factor.

OFFICIAL COPY
Mar 04 2015

The rate factor for North Carolina is $0.1006, while that of South Carolina is $0.1062.The rate factor is calculated by the Duke Energy rates department after allowing for the various tariffs that eligible customers may be on, as well as riders, taxes, and other fees. This single number is considered to be the most appropriate way to create a statewide "apples-to-apples" dollar value comparison between sets of customers who may be on different rate schedules.

Duke Energy made the decision to switch from graphics displaying dollars to using kWh for several reasons. First, when data is displayed in kWh it is an accurate reflection of the customer's actual energy usage, whereas rate factor-generated dollar amounts tend to be close approximations. Second, by changing the data labels from dollar amounts to kWh, Duke Energy brought the MyHER reports into closer alignment with customer bills. Based upon feedback from customer focus groups, Duke Energy felt this would help to increase the perceived accuracy of the MyHER reports, and thus positively influence their effects on customers.

The switch from dollars to kWh was anticipated to yield other benefits as well. The Duke Energy product manager cites an additional advantage being that kWh figures are the true metric of customer usage. KWh is also the metric for measuring the impact of the energy savings for the MyHER program. Thus, a commonality of metrics and language may be achieved by reporting the values in kWh. Moreover, reporting usage in kWh serves to begin educating customers about the importance of kWh for their homes in a manner akin to miles per gallon for their cars. In the same way that fuel economy influences their driving behavior and vehicle purchases, a stronger understanding of home energy economy has the potential to lead to greater and more persistent savings.

Report Messaging

Duke Energy devotes considerable time and effort to ensuring that the language in the home energy reports remains consistent with the company brand — TecMarket Works finds the copywriting to be crisp, the wording friendly, and the tone encouraging. This messaging discipline is maintained through a combination of creative freedom on the part of the writers and keen editorial oversight during the internal review process. While every word on the reports has been carefully considered, three areas of the report contain dynamic messaging sections that serve to turn an otherwise static report into an individually targeted mailing to encourage the adoption of specific energy saving measures appropriate to that particular home.

Explaining the Graphics

One of the hallmarks of the MyHER program is the program vendor's ability to customize the messages that a customer sees according to their home's monthly usage, their cluster's values for average and efficient home, and the specific characteristics of their home. This customization applies to captions below the graphics, to home-specific energy savings tips on the front page, and to tailored messages from Duke Energy on the second page.

The first area with customized messaging is the caption below the monthly energy use graphic on the front page. That wording is automatically generated based on software rules designed around the numeric differences between the monthly cluster's unique values for the average home, your home, and the efficient home. So, if a customer uses more energy than the average home, the message might say, "You spent $36 more than the average home. Ready to be better

OFFICIAL COPY
Mar 04 2015

than average? Join the ranks of the efficient. Try one of the tips below." However, if the customer uses less energy than the efficient home, then the message might say, "Way to go! You are among the most efficient homes in your area. You can always save more. Try one of the tips below."

A similar customization methodology applies to the 13-month comparison on the second page. Using the same customer examples as just described, these messages might say, "Your usage for this month has <increased> compared to a year ago. You spent <$ value> <more> than the <efficient homes> in your area in the last 12 months." Or it might say, "Your usage for this month has <decreased> compared to a year ago. You are <among the most efficient homes in your area for the year. Great job.>" The brackets < > are inserted here to illustrate conditional text delivered according to preset conditions in the program vendor's software coding. In all cases, the messages are intended to be encouraging and are written to prompt customers to take the next step.

Presenting Energy Saving Ideas

Just below the current month comparison chart on the front page is a headline that reads, "What can I do to save money and energy?" This headline tops a two column box that presents home energy tips specifically targeted at that home for that month. The tips suggest ways the customer can save energy and improve their monthly comparisons with neighboring homes.

Tips cover topics ranging from lighting, HVAC, and water heating to weather sealing, appliance use, and new Energy Star recommendations. While many tips are generally applicable to all customers at any time, others are seasonally appropriate and are tailored to the particular characteristics of a given home. So, a tip about air conditioning appears during the summer and new homes don't receive suggestions about replacing old windows. A sample tip is shown in Figure 2 below.



Figure 2. Energy Saving Tip

Tips can also be prioritized by potential energy saving impacts, so recommendations that can produce higher savings are mentioned before those likely to have a lesser impact. This dynamic

OFFICIAL COPY
Mar 04 2015

system makes it possible to present one customer with a message about CFLs in January, while a neighbor who becomes eligible to participate in the program in February may see that same CFL message in March, while the first customer sees a message about task lighting that month.

To further increase the likelihood of the customer taking action, the program vendor pairs each tip with an estimate of the dollar savings that action might bring. Savings estimates are calculated based on a combination of deemed energy savings for the measure and particular household characteristics. For standard measures, such as replacing an incandescent bulb with a CFL, these calculations are fairly straightforward. However, others can be considerably more complicated. For instance, showing an accurate savings estimate for changing a thermostat setting requires building model calculations based upon variables like heating fuel, square footage, and type of HVAC system, which may or may not be known depending upon the data available. Going to such lengths is far more complicated than simply presenting one standard dollar amount to everyone, but Duke Energy feels the extra effort is worthwhile because it demonstrates for the customer the real world financial value of making the effort.

The program vendor maintains a library of tips (Appendix E: Summary of Energy Saving Action Tips and Messages) and is contractually responsible for writing new tips and calculating the associated energy savings. Tips were written at the start of the contract and revised to align with Duke Energy's technical specifications and branding considerations. The savings estimates were likewise approved.

To ensure the tips remain fresh, the system is designed to present new tips to participants each month, with no repeated tips until all unseen messages in the tip library have been used. The original tip library contained a total of 23 energy savings tips, five of which were coded not to apply to newer homes, leaving a total of 18 tips for those customers. By April of 2013, the program vendor had reached the end of its original collection of 18 tips for Ohio participants, who had been receiving the program vendor-generated reports since March of 2012. (South Carolina customers would not run out original tips until July of 2013, while North Carolina customers had enough original tips to last until September of 2013.)

In April of 2013 because the program vendor had not yet written new tips, some Ohio customers began receiving repeated tips. By intention, the tip generation system was to recycle tips by age, repeating the oldest ones first so that customers were less likely to recall seeing them before. However, spot check quality control measures at that time revealed that program vendor programming issues caused at least one participant to receive the same tip two months in a row. As a result, the automated tip assignment system was suspended for all service territories until the software code could be updated. The program vendor's human resources were not available to make this fix until after the dollar to kWh changes (discussed under "Presenting Monthly Energy Costs in kWh and Dollars" above) had been completed. As a result, dynamic tip assignment shifted to a more universal methodology in the interim.

In May of 2013 the program vendor wrote 28 new energy savings tips for its library, 14 of which will be paired with energy saving calculations, and 14 of which won't show specific dollar amounts for the energy savings, such as cleaning the lint trap on the clothes dryer or storing hot coffee in a thermos, since the savings will be small. Two new energy saving tips were selected

OFFICIAL COPY
Mar 04 2015

for the reports that all participants were to receive in June. For the July reports, the program vendor worked with three new tips, including one about grilling outside in summer, and one about installing a programmable thermostat. The grilling tip was sent to all report recipients, while the thermostat tip only applied to 99% of customers. So the third tip to check the temperature of your freezer and refrigerator was sent to the remaining 1% of customers.

This interim solution was used until updated software code for dynamic tip assignment was ready for generating the reports mailed to customers in November. The updated system also adds a new feature: one no cost/low suggestion, such as closing window blinds, and one more expensive suggestion, such as having your HVAC system serviced, will now be presented to customers. Roll out of this update feature was scheduled to begin with the resumed dynamic messaging in November of 2013.

Duke Energy Messages

The second page of the report is visually commanded by the annual energy trend chart. Below that is the headline "Take action. Reduce your use." This marks the section of the report reserved for two customized messages directly from the Duke Energy MyHER product manager. The messages come in two types — general energy savings suggestions and promotions for other Duke Energy efficiency programs. The messages the customer sees are determined by the customer's previous participation in other Duke Energy programs. See Figure 3.



Figure 3. Duke Energy Messages

The MyHER product manager creates and maintains a calendar of messages for the year. Typically, one of the two messages shown each month is either a seasonally appropriate or a general message that can run at any time of the year. Seasonally appropriate tips could include suggestions for how to save energy while baking (delivered during November) or the direction ceiling fans should spin in summer (delivered in June). General messages could include energy savings tips like how to check the seal on a refrigerator door with a dollar bill, safety messaging such as calling 811 before you dig, or requests for contributions to help with heating assistance. These messages are generally shown on all reports. The second message slot tends to be more customized, based on promotions for other efficiency programs each month.

OFFICIAL COPY
Mar 04 2015

The MyHER product manager works with colleagues to develop a schedule to encourage enrollment in various Duke Energy efficiency and rebate programs each month. The program vendor's system cross-checks Duke Energy's customer participation records, and if the database indicates that the customer has not yet participated in the featured program, it includes a promotional message encouraging the customer to enroll (see Figure 3 above). If the database indicates that the customer has already participated in the program, then the program vendor's software coding replaces the program promotion with a more general substitute, such as a message encouraging readers to visit the Duke Energy website to watch energy efficiency videos.

Messaging Challenges

This system generally worked well for months. But the team ran into a challenge in October of 2012 when it sought to send out segmented messages regarding participation in Duke Energy's CFL program. This particular promotion added a new wrinkle to the system. Instead of requiring a software look up to determine whether a customer had previously participated in the program at all, this segmentation scheme required the program vendor to query data regarding the number of CFLs that the customer had previously ordered. If the customer had ordered 9 or fewer CFLs, then they were to receive a message encouraging them to order additional bulbs. If they had ordered 10 or more CFLs, they were to receive a message encouraging them to be sure to install the bulbs that they already had.

Querying this new data field proved to be problematic, as was revealed during quality assurance checks. The underlying issue was subsequently identified and fixed before the next month's cycle. While it took multiple attempts for the program vendor to correct a problem, the effort exemplifies the determination that the team has to ensure that customers receive accurate data and messaging. What is more, the effort proved effective, lifting CFL participation by more than three percent in OH, NC, and SC where the messages were sent.

With a dynamic system as complex as the one the program vendor uses to generate the reports, a certain number of technical challenges are inevitable. Other issues, however, are more accurately considered to be data quality lapses resulting from the complex nature of the data integration and report generation process. Those challenges are discussed below.

Data Quality Assurance

The above-mentioned challenges represent the types of issues that Duke Energy and the program vendor work closely to resolve either through advance strategic planning or upon discovering a problem during the process of data quality assurance. Quality control checks are built into each step of the data ingestion and report generation process on the program vendor side. Duke Energy also maintains its own quality control measures to ensure that the reports are generated using accurate data, that graphs and messages are displaying correctly, and that the appropriate customers are receiving reports.

When the program vendor assumed report generation in March of 2012, much of the quality assurance process resided within its production arm. However, as errors have been discovered, Duke Energy has added layers of oversight. Since that transition, the following types of data quality issues have been discovered and corrected:

OFFICIAL COPY
Mar 04 2015

- Incomplete data population,
- Improperly rendered graphs due to missing data,
- Data precedence issues, whereby older inaccurate data replaced corrected information,
- Inappropriate data ranges,
- Inaccurate messaging per household characteristics,
- Dollar savings estimates of incongruous amounts,
- Not accounting for program participation,
- Inaccurate message segmentation,
- Repeated energy saving tips two months in a row,
- Duplicate mailings to some participants within a single month (sent several weeks apart),
- Mailing to approximately 100 participants in a control group in North Carolina, and
- Heat fuel type coding issues resulting in inaccurate rendering of energy saving calculations for some customers and in improper cluster comparisons shown in reports sent during April of 2013 (discussed below).

Many, but not all, of these errors were corrected prior to mailing. To ensure they don't return, as well as to find as yet undiscovered issues, in January of 2013 Duke Energy instituted a quality assurance policy whereby the program vendor provided Duke Energy with weekly batches of 10,000 PDF examples of reports (up from 1,000 PDFs beginning in July of 2012) for a representative visual inspection, plus a quality assurance file that contains all pertinent customer data used for that month. With approximately one million customers receiving reports and still more customers not receiving reports that month due to various eligibility requirements, the file size is immense. The Duke Energy data analyst reviewed this file each month. It was during such a review that the inadvertent mailing of 100 customers in a control group in North Carolina was discovered. The source of the problem was identified and the fix applied. The 100 customers were removed from the control group and the database was updated with a note explaining the reason for the transfer.

While this error involved 100 people, other errors involving fuel type inaccuracies caused issues with more than 119,000 reports sent during April of 2013 (Table 6). The problem was discovered during May of 2013, at which point the current month's report creation cycle was halted for seven days while the problem was identified and rectified. The difficulty arose from issues with the software coding used to reference the type of heat associated with each customer's home. While all states except Indiana were affected, the issue predominantly involved South Carolina customers, who represented 99% of all inaccurate reports due to a program vendor mistake of not accurately updating all customer records for that state. In all, 119,049 South Carolina customers were affected. This represents 57% of South Carolina MyHER recipients. Only 58 North Carolina customers received reports containing inaccurate fuel type references.

Table 6. Number of Reports with Incorrect Heat Fuel Type*

Number of Reports Sent with Incorrect Heat Fuel Type					
OH	IN	KY	NC	SC	Total
35	0	5	58	119,049	119,147

**Shows total number of reports sent. Actual numbers of reports whose clusters were affected are higher.*

OFFICIAL COPY
Mar 04 2015

Duke Energy deemed these data quality problems and mail delays to be violations of the vendor's Service Level Agreements and resulted in a financial penalty for the vendor. Despite this, customer response regarding the issue was negligible. The call center reported receiving "only two or three calls" (on a volume of 119,147 erroneous reports sent) from customers who noticed anything related to the fuel type issue. Likewise, the Customer Prototype Lab reported no noticeable customer feedback via email correspondence.

To address these quality assurance issues Duke Energy and the program vendor instituted the following systematic, procedural, and staffing changes beginning in June of 2013:

Program Vendor

- Dedicated three new employees to the MyHER project, bringing the total to seven people;
- Defined new roles and hierarchies for support, quality control, and software development;
- Assigned one new project employee to conduct an end-to-end review of all MyHER processes and document everything;
- Mandated full documentation for each change by any party;
- Automated systems to reduce the possibility of human error;
- Created specific checklists for each process that requires human activity; and
- Improved post monthly-cycle reporting.

Duke Energy and Vendor

- Began full review of all customer data file for each weekly batch prior to report generation (Previously this was conducted monthly after reports were sent.);
- Initiated data reconciliation of all customer demographic data, including heat type, on a cycle basis;
- Required signatures from program vendor and Duke Energy for each change; and
- Engaged continuous dialog to better understand, implement, and document all feature requests, technical fixes, and quality assurance issues.

Duke Energy and the program vendor considered the additional quality assurance efforts to be necessary in eliminating the opportunity for similar types of errors in the future. Implementation of these efforts was said to be smooth by both parties.

Printing and Delivery

Once Duke Energy has confirmed that the PDF data complies with quality assurance requirements and that all necessary corrections have been made, the program vendor receives the go-ahead to release the PDFs to the printing subcontractor that handles the paper production and mail delivery. The printing subcontractor prints the reports and envelopes. Then it sends them to a commingler for processing and mailing via the U.S. post office. The printing subcontractor also checks for first-time program participants and inserts a welcome letter for those who have not previously received a report.

OFFICIAL COPY
Mar 04 2015

Report Frequency

Pilot testing in Ohio and South Carolina compared the effectiveness of monthly versus quarterly delivery of the reports. Results showed that customers who received monthly reports saw greater energy impacts. However, the MyHER reports are currently delivered to qualifying customers eight times per year. Since heating and cooling costs account for the largest shares of a typical home's energy usage, the reports are generally sent three months in a row during winter and three months in a row during the summer, since these are peak heating and cooling months. The reports are also sent every other month during fall and spring when customers typically require less HVAC. This frequency of delivery was deemed to be the optimum balance between reinforcing energy saving behaviors and managing program costs for production, printing, and delivery. Duke Energy retains the ability to shift report delivery months for a given state without impacting delivery in other states based upon weather, programming needs, or regulatory requirements.

Print Quality

Both the Duke Energy staff and the program vendor employees we spoke with expressed concerns about the quality of the printing done by the printing subcontractor. Minor issues regarding text, color, and gradient fades had been identified and resolved. But one significant issue involved the presence of streaks or bands of white in the color banner that made it appear that the printer is running out of ink.

The printing subcontractor maintains its own quality control process that duplicates one report out of every thousand for a visual inspection prior to mailing. Employees at the printer were satisfied, but the MyHER product manager double checks the print quality using returned mail and seed names of fellow Duke Energy employees who share their reports in the office. It was these Duke Energy second level checks that identified the printing issues.

Once made aware of the issue, the program vendor worked with the printing subcontractor to resolve the situation. As of June 2013 the program vendor and Duke Energy agreed that the print quality was acceptable, although efforts to fine tune the system persisted into September 2013.

Report Delivery

The service level agreement between Duke Energy and the program vendor specifies that the vendor, and hence the printing subcontractor, will ensure the 98% on-time delivery of each batch of reports in a 17-day production cycle, with four batches per month and a total volume of approximately one million reports across all service territories. Of these reports, approximately 685,000 are currently designated for Carolina System customers.

Both the program vendor and Duke Energy report that these service levels have been satisfactorily met in all months, except June of 2013, when data quality lapses, and the necessitated corrections and fixes, caused report production to halt for seven days, as discussed under Data Quality above. As a result of the week-long production halt, the first reports in the June cycle entered the mail stream 12 days late. A shorted production cycle incrementally reduced the delay to a single day for the last batch of reports sent in that monthly cycle. This brought the next month's reports back into a normal timeframe for delivery. The program vendor was assessed a financial penalty for this delay according to service level contracts.

OFFICIAL COPY
Mar 04 2015

Enterprise Server

In addition to holding responsibility for producing and distributing the reports, the program vendor also provides an online web portal, called the Enterprise server, which hosts customer household data, as well as PDF copies of each customer's monthly reports. This system makes it possible for agents of the call center vendor and Customer Prototype Lab to input customer-generated corrections for their household data (e.g. square footage, home age, heating fuel type) and call up copies of monthly reports to discuss them with customers on the phone or via email.

The Enterprise system is designed to run 24 hours per day, even though the system only needs to be accessible to customer service representatives during business hours. As with any server, it must be maintained and it occasionally experiences operational issues. The majority of the time, those issues are fixed through scheduled maintenance and planned performance upgrades. However, as may be expected with an online system, the server has also experienced a few crashes that have taken it offline. The root causes of these issues have been different each time. Most often, the system has gone down for only a few hours or less due to a software issue that was quickly fixed. Once, a hardware failure required a day for replacement. This also occasioned the installation of redundancy measures to prevent the issue from reoccurring. Despite this handful of down times, the call center and email support agents report that they are pleased with the system's ease of use and robust reliability.

Call Center Customer Support

Because the MyHER program is designed as an opt-out program that delivers reports throughout the year, Duke Energy deemed it important to have a toll-free number and a dedicated call center for customer support. The call center vendor provides call center operations for the MyHER program in all Duke Energy service territories that offer the program. This same third party vendor provides call center support for other Duke Energy programs, as well. For this program, the call center vendor staffs 13 trained customer service representatives (CSRs) and two team leads. The call center vendor began supporting the MyHER program overall on June 11, 2012.

Call Volume

Call volume for the program is low. For all states served by the program, only 13,396 inbound calls have been received as of October 16, 2013. For North Carolina, the total call volume as of the same date was 6,393 calls since starting on October 17, 2012. For South Carolina there were 2,937 calls since starting on May 25, 2012. Given that reports are now sent to more than one million Duke Energy customers, this equates to less than one percent of total MyHER recipients. The percentage of calls by customers from the Carolina System is correspondingly low.

Overall, call volume averages less than 30 calls per day from all states, with lows of typically less than 20 and peaks reaching less than 100 calls per day when reports are mailed. The call center team leader that we interviewed reports that individual state call volume follows a predictable month over month pattern. Each time a new round of customers is added to the program, the percentage of calls rises for the first two reports, peaks by the third report, and then diminishes since by this time the majority of customers who desire to correct errors or ask questions have done so.

OFFICIAL COPY
Mar 04 2015

TecMarket Works considers this pattern, and the correspondingly low percentage of customer calls, to be a positive indication that the reports are well-designed with accurate data, meaningful comparisons, and clear messaging.

Call Handling

All CSRs are equipped with a Telescript software system that generates context-specific scripting to guide them in the most appropriate responses. The system also captures all call data for record keeping, reporting, and quality assurance.

When customers call in, agents are trained to acknowledge the customer's request and to ask for an account number. This is used to locate the appropriate household records. If the customer has called previously and is calling from same number, the Telescript system will auto-populate the information. However, agents always have the customer confirm the account to ensure they have the proper file just in case someone is calling from one phone to discuss a different household's report or they are using a different phone. If no existing record is found, the agent inputs the customer's name, address, phone number, and account number.

After ensuring the customer's contact information is in the system, the customer's specific desires are addressed. Depending upon the request, the CSR uses a dropdown menu to select the most appropriate call type. This brings up a script that specifies how to deal with that kind of call.

If the customer has specific concerns, those are addressed first. For instance, customers sometimes ask why the amount on the reports doesn't match the amount on their bills. The Telescript system provides the CSR with a response akin to the following: "Your bill uses your kWh and your actual rate, but to compare everyone on a level playing field we use an average price per kilowatt-hour because customers may have different rates." Similarities between bill and report also arise because billing cycles do not necessarily correspond with monthly report cycles, so agents explain that the reports are intended to be informative and advisory rather than duplicative.

Once specific concerns have been addressed, the agents access the program vendor's online Enterprise system that provides online access to the customer's specific reports, so they can view customer reports in real time, while the customer is on the phone. The agent verifies that the most recent report, which is typically what the customer has in hand, is showing the correct square footage, heating type, and year the home was built. Making one or more of these corrections is the most common reason to call, so customers frequently mention them. But the agents are trained to always ask in an effort to be thorough, since the conversation presents an ideal opportunity to improve Duke Energy's records and the accuracy of the home report comparisons. Any corrections are updated in the Enterprise system. The changes are also captured to show how many customers are calling to correct their information and which data points are the most frequently corrected. The most frequently corrected data points are heat fuel type, square footage, and home age, in that order.

Next, the agents direct customers to the energy saving action items on bottom of page one and the Duke Energy message section on page two. Depending upon the interest of the customer, a

OFFICIAL COPY
Mar 04 2015

discussion of other energy efficiency saving measures may follow. The Telescript system contains answers to previously asked customer questions. So agents are prepared to discuss where to install energy efficiency upgrades, where customers can find tax incentives for energy efficiency, CFL mercury content, and more. The agents are also trained to discuss basic information about Duke Energy's other energy efficiency programs. If customers are interested in a specific program, the agents provide the toll-free phone number and an offer to transfer the caller to the appropriate department. If the customer is calling to order free CFLs, this service is also taken care of during the phone call.

The Telescript system also guides the CSR in the event that a customer wants to stop receiving the reports. As the agents accommodate the request, they are trained to inquire for a specific reason the customer wants to opt-out. Check boxes in the system make it easy to capture common reasons, including when customers feel they're already efficient enough; they no longer need the report; they don't feel the report is accurate; they don't want to waste paper and/or postage; or the report is being sent for a garage account or a home business. Another field captures less standard reasons. The three most common reasons for opting out are that the reports are an inappropriate use of Duke Energy's resources (40%), customers believe they are doing enough (16%), and no reason given (10%).

Conversely, if a customer wants to opt-in to the program, the Telescript system guides the agent through that process as well. The agent collects account information and confirms eligibility based on disqualifiers such as an apartment number or a lack of 13 months of billing information. If the customer is qualified, then the data and request are passed to Duke Energy for processing, since the customer may be part of a control group and further tracking adjustments may need to be made. If the customer is ineligible due to lack of 13 months of billing data, they are informed that they will be automatically enrolled when they become eligible.

Approximately 95 percent of customer calls follow one of the previously mentioned general scenarios. The remaining five percent of customers may have specific concerns that require redirection to other Duke Energy departments, such as bill inquiries, making payments, arranging credit, and speaking with customer service about other account-related matters. The frequency of redirected calls was notably diminished beginning on September 17, 2012, when an interactive voice response (IVR) system was installed on the front end of the program's phone system. The system intercepts inbound calls and says:

> "Thank you for calling My Home Energy Report. To ensure that you receive accurate and courteous service this call may be recorded. For questions or more information about My Home Energy Report press one. For questions about your Duke Energy bill, electric services and all other questions press two."

This less-than-30-second step helps to ensure that customers reach the right department as swiftly as possible. It also helps reduce call handling costs, since it frees up MyHER agents to spend more time focusing on program-related calls.

OFFICIAL COPY
Mar 04 2015

Training

In addition to the on-the-spot support provided by the Telescript system, the call center vendor's customer service team underwent two days of intensive training on June 7 and 8, 2012. Training was provided by Duke Energy representatives from the MyHER new product development and product management teams, as well as by representatives from Duke Energy's Customer Prototype Lab (CPL), which handled call center functions during the previous two years of piloting and operational functioning. Training included a program overview, PowerPoint presentations, training playbooks, sample reports for agent review, the program welcome letter, and a comprehensive compilation of frequently asked questions and suitable replies developed and tested during two years of customer phone calls. The agents were also trained on how to use the program vendor's Enterprise system.

All customer responses generated by the Telescript system and used by the call center vendor and CPL (see Email Customer Support below) have been carefully crafted by Duke Energy to deepen customer engagement and foster customer satisfaction.

In the event the program vendor's Enterprise server goes down, CSRs are trained to report the issue so a trouble ticket can be sent to the program vendor. CSRs then manually note the customer's account information and any requested data corrections, so the information can be added to the Enterprise system when it comes back online. If customers have questions about their reports, then the agents return the customer's calls when the system is operational. The call center vendor reports that this has only been an issue approximately five times during their usage of the Enterprise system.

Quality Control

Quality assurance is maintained through three layers of call monitoring. For all Duke Energy programs that it supports, not just MyHER, the call center vendor's internal review process randomly reviews two calls by each agent per week. The call center vendor's quality assurance lead then meets with the agent to review the call and conduct coaching according to an agreed upon checklist. This is the first level of review. The next level is conducted by Duke Energy staffers who randomly select 50 calls per month and perform a similar checklist review and coaching session. The final layer of review is performed by the MyHER product manager, who also randomly selects calls to listen to.

Call review primarily focuses on set standards for interpersonal engagement with the customer, such as building rapport, being apologetic, remaining professional, explaining things effectively, avoiding slang terms or abbreviations the customer may not be familiar with, and providing respectful service. Agents are also judged on call management, such as how well they steer the course of the call and keep the caller on point. Another point quality controllers look at is customer focus, which is a category for assessing an agent's job knowledge and problem-solving skills as applied to meeting customer's expectations, offering solutions to customers, and acting with customer interests in mind. Yet another category of review looks at call results to ensure that business objectives are being met and supported, such as trying for one-call resolution, properly identifying the caller, being proficient, and upholding the Duke Energy brand.

OFFICIAL COPY
Mar 04 2015

When interviewed, the MyHER product manager reported that current call center operations are going well. Earlier in the program cycle, shortly after call center launch, she indicated that quality assurance revealed a discrepancy between call monitoring suggestions and initially trained procedures for reviewing a customer's report. That has since been resolved.

Service Level Agreements

In addition to meeting quality assurance standards, the call center vendor's service level agreements specify requirements for average answer time, average call handle time, and abandonment rates. Both the call center vendor and Duke Energy report that the call center is well-staffed, well-trained and that call standards are being met.

Email Customer Support

In addition to call center support, customers also have the option of receiving support via email. The email address, HomeReport@duke-energy.com, is printed on the front of every MyHER report. Email messages are routed to Duke Energy's Customer Prototype Lab (CPL), which has supported the program since its pilot stages in Ohio and South Carolina. CPL handles the program's email support for all Duke Energy service territories. CPL service representatives receive the same training and use the same customer response playbook and Enterprise software system as their counterparts at the call center vendor.

As with the customer call center, weekly email volume depends upon report batch timing. Likewise, email volume tends to drop off after customers have received their fourth or fifth report. Total CPL email volume during a representative week of Feb 18-22, 2013 was 51 emails. During the next week, 88 inquiries were received. Of these, North Carolina customers sent in 48 emails, while South Carolina customers sent in 13. These numbers appear to be consistent with fact that both groups of customers had received multiple reports by February, although those in South Carolina had received more reports by then. The ratio of email inquiries to customers enrolled in a given state appears to be consistent.

Also, like the call center, the most frequent reason for customer email is to correct comparison criteria (i.e. heating type, square footage, home age) for their home. Other customer emails focus on the following categories, which are not ranked in order of popularity.

- Opt-out (the reason why is captured, see below)
- Opt-in
- General energy efficiency questions
- Billing, service, and credit questions
- Other

When customer requests such as these are processed, the CPL staff use the program vendor's Enterprise system to make the requested change to the customer's account.

Reasons for customer opt-outs include:

- Customers feel they are doing all they can (most popular)
- Not concerned about usage
- Have received the report enough times

OFFICIAL COPY
Mar 04 2015

- Report is incorrect and they are not patient enough to correct it
- Color commentary similar to "This is a waste of money"
- No reason stated
- Other

Quality Control

Quality assurance is maintained through two levels of monitoring by the CPL director and the response team supervisor. Both conduct weekly reviews of all CPL inbound and outbound communications. They also conduct spot checks of emails specifically for the MyHER program. Because CPL has supported the program for a considerable time, the majority of customer requests or questions are routine. So the quality reviews skim standard exchanges such as square footage corrections and focus more closely on other questions such as, "I've followed all the tips on the reports and I want to save even more. What else can I do?" Even these responses are routine at this point, according to the CPL director, but they are regularly reviewed to maintain quality.

Service Level Agreements

CPL's customer service level agreement provides for MyHER program support between 8 a.m. and 5 p.m., Monday through Friday, and allows two business days for responses to customer queries by U.S. mail, email, fax or social media. These agreements are being met or exceeded. The level of support provided by the CPL is considered to be of high quality by all parties TecMarket Works spoke with.

Customer Paper Mail

Periodically, customers also send in paper mail to the program. Those messages are directed by Duke Energy mail code to the product manager, who reads the message and forwards the message to the call center for processing, unless a personal response from the manager is seen as necessary.

Website

The current program website consists of a limited number of web pages containing static information, such as a primer on how to read the report and a list of frequently asked questions. It also has one interactive feature, a two minute online video featuring an actress who explains more about the reports. The website is generating increasing levels of traffic according to Google Analytics, which Duke Energy deploys to track website metrics for the My Home Energy Report web pages.

Web site visits to the North Carolina pages increased from a mere 129 between the program launch in October 17, 2012 and January 31, 2012 compared to 2,483 visits between January 1 and September 30, 2013. During that same period, visitors stayed longer as well with a 2012 average of 1.35 pages visited over 1:04 minutes compared to 2.25 pages and an average visit time of 2:33 minutes during 2013. South Carolina website traffic also increased albeit not quite as dramatically. Between May 25, 2012 and year end 2012 the South Carolina site had 310 visits compared to 611 between January and September 30, 2013. However, unlike North Carolina, the number of page visits dropped from an average of 3.01 minutes during 2012 to 2.4 minutes

OFFICIAL COPY
Mar 04 2015

during 2013. Time on site also declined from an average of 3:47 minutes to 2:35 minutes. More details are provided in the table below.

Table 7 Website Traffic

State		Visits	% New Visits	New Visits	Bounce Rate	Pages/Visit	Average Visit
NC	2013	2483	72.9%	1810	16.7%	2.25	2:33
	2012	129	79.1%	102	27.1%	1.35	1:04
	% Change	1824.8%	-7.8%	1674.5%	-38.4%	66.6%	138.0%
SC	2013	611	77.1%	471	1342.0%	2.40	2:35
	2012	310	82.6%	256	6.1%	3.01	3:47
	% Change	97.1%	-6.7%	84.0%	119.0%	-20.1%	-32.0%

Social Media

As a service to the program, the Duke Energy Customer Prototype Lab monitors social media for various mentions of the Home Energy Report. Most online commentary is dealt with internally, such as making changes to household characteristics. However, on occasion an online comment requires a different level of handling. For instance, an agent in the CPL discovered a negative customer comment on Twitter complaining about the tone of the report wording (see unintentional sarcasm in Report Messaging above). Per Duke Energy protocol, the comment was forwarded to Duke Energy's social media liaison for products, services, and complaints. The liaison responded promptly to apologize to the customer and explain the wording was intended to be complimentary. In a multipart exchange that followed, the liaison addressed the customer's concern, answered a follow-up question, and noted a feature request for an online version of the reports in the future. The incident is mentioned here to demonstrate Duke Energy's overarching efforts to monitor and respond to customer feedback regarding the program in whatever channels customers prefer to use.

Working Relationships

The Program Vendor

The program vendor and Duke Energy have worked together since the vendor was awarded the contract in 2011. The joint program operations team meets weekly via teleconference and uses email and phone calls as necessary, often on a daily basis. The weekly meetings cover feedback from customers, data quality, new system fixes and upgrades, progress on features being worked on, and the current weekly production cycle. Monthly operational meetings review the previous month's entire production cycle. Separate quarterly governance meetings bring together senior management from both organizations to discuss business forecasts and strategic planning, progress toward goals, issues management, and service level performance, including on time delivery, data quality, and print quality.

Because this program requires billing analysis to determine energy savings, throughout the first year of operations the program has received no feedback about progress toward its energy saving goals. That information will predominantly come from the impact evaluation that will follow this process evaluation. Short of having this information, the program team has focused on enhancing customer experience and improving system functionality to ensure data quality.

OFFICIAL COPY
Mar 04 2015

Since the program vendor was awarded the contract in 2011, the vendor and Duke Energy have worked closely to engineer a largely automated mechanism for generating more than one million customized energy reports each monthly cycle. With a program as highly customized as MyHER, myriad changes needed to be made to ensure that all the complexities of report generation work smoothly. During the development process and first nine months of full commercial operation, the two companies experienced periodic friction regarding quality control issues and change requests. These came to a head in December of 2012 when they disagreed about the display of the date printed at the top of the monthly reports (Figure 4).



Figure 4. Production Issue Example

Duke Energy's quality assurance measures revealed that the program vendor was generating reports with inconsistent dates for the customer's energy usage on a percentage of reports whose billing periods crossed months (e.g., Nov. 8 – Dec. 5). The problem arose because the program vendor was generating the report month based on the end date of the customer's billing cycle, so the report dates would be consistent with the customer's bill date, rather than creating a monthly header that is consistent across all reports for the monthly cycle as specified by Duke Energy in order to help customers draw a distinction between the bills and the reports. There was a misunderstanding in the business requirements written in the contract that led to this incongruence.

As of July 2013, all members of the team (both Duke Energy and the program vendor) reported that day-to-day communications and normal operations are now functioning smoothly and effectively. With time to reflect upon the matter, they have concluded that the difficulties arose because the parties' expectations were not in alignment regarding quality assurance requirements, service level agreements, and business exigencies.

TecMarket Works' investigation finds that this misalignment was likely caused by shifting operational conditions and changes in personnel on both sides. As discussed in the Program Development section above, the program underwent two significant changes in a matter of months. First came the shift from pilot program to full commercialization using Duke Energy production. Then came the transition from Duke Energy to external operations handled by the program vendor. During approximately this same time frame, Duke Energy shifted program oversight from its new product development group to its ongoing program management team. Likewise, staffing also shifted at the program vendor. These changes in both operating

OFFICIAL COPY
Mar 04 2015

conditions and personnel meant that while the operating agreement between the two companies remained unchanged, its interpretation by the original individuals was not the same as that of their successors on either side.

Since then, Duke Energy has established clearer parameters about the thresholds for data quality, print quality, and customer feedback that will be permitted before fixes and improvements become necessary. These clarified requirements were enforced after the data quality and report delivery service level violations in June of 2013. Despite the penalty, working relations representatives from both parties indicated that working relationships remain positive and they expressed a commitment to a continuing strengthening of their partnership. In summary, the program manager described the current vendor relations as "going better now that the new processes are in place. They're flexible, responsive, and timely."

With up to one million reports being generated each month, it is important to carefully consider the scale of the program, the complexity of the change, and the resulting costs and consequences of making that change. Continuous process improvement is fundamental to Duke Energy's brand and business model. Indeed, it is this spirit of innovation and customer focus that makes the utility a standout in the industry. However, it remains commonsensical to ask if it is appropriate to make changes based upon a small number of errors or customer comments. The answer may well and appropriately be yes, but the threshold for change—and the impacts of doing so—should be clearly understood by all parties.

With these parameters in mind, the program team members from both companies will be better assured of enjoying a shared set of expectations and a clear imperative to make the program as effective as possible.

Call Center Vendor

The call center vendor works with Duke Energy to provide call center services for a number of the utility's energy efficiency programs. The MyHER program represents one facet of this larger relationship. All parties indicate that working relationships are positive, professional, and productive.

Customer Prototype Lab

The Customer Prototype Lab is a department within Duke Energy that worked on the pilot program and continues to provide email support for the commercialized version of the MyHER program. As such, members of this group work closely and effectively with their Duke Energy counterparts.

Program Changes Interviewees Would Like to See

Messaging

The program vendor's system ostensibly tracks which tips the customer has previously seen and which programs the customer has previously participated in. But program vendor's software engineers have not yet devised a method for cross-checking whether the tips written by program vendor and presented on the front page are similar to those written by Duke Energy and shown on the second page. The task is fairly easy for humans who can naturally grasp the degrees of

OFFICIAL COPY
Mar 04 2015

relative similarity or difference between lighting messages, for instance. But it is more complicated for a computer that requires hard coded distinctions. Until this matter is resolved, closely similar messages remain possible. Such an upgrade was said to be on the program improvement to-do list, but it had not risen in priority enough to be implemented yet.

Another challenge involves the ability to deliver two Duke Energy program promotions each month, rather than one as is the norm. Because this functionality was not envisioned from the start, it was not available and could not be swiftly implemented when the opportunity arose in March of 2013. This too is a planned upgrade.

So far the MyHER program's ability to customize messages is based primarily on static household characteristics (age, square footage, location) and program participation data. However, those we interviewed envision even more customization in the future, whereby suggestions are further targeted based upon how efficient customers' homes are compared to their neighbors. "We'd like to be able to suggest buying new equipment when that makes more sense than trying to squeeze more efficiency via lots of efforts with relatively small yields," said one interviewee. Plans to develop models for this were under exploration, but no details were yet available.

Data Transfer

Successful report production depends upon successful data integration and generation. This, in turn, depends upon a highly effective data transfer between Duke Energy's computer system and those at program vendor. One step in this regard taken during the quality assurance upgrades in the summer of 2013 was the development of "data delivery documents" to accompany transferred files. Much like a delivery packing slip that lists the contents of a shipment, the data documents make it easier to identify and examine the contents of the transferred files. While no other changes have been suggested, all parties expressed a general eagerness for the data transfers to be continually refined in an ongoing effort to eliminate errors, reduce processing time, and improve report production capabilities.

Website

Interviewees expressed a desire to increase the level of interactivity on the website to provide more reasons for customers to visit and more opportunities to deepen customer engagement. Examples of potential website additions might include interactive energy saving tips (e.g. click the button to reveal a hidden tip), demonstration videos, and customer testimonials.

Conclusions

The My Home Energy Report program provides Duke Energy residential customers with a meaningful look at their homes' energy use compared to other homes similar to theirs. Overall, the program is well-designed and well run, but its implementation has been troubled by periodic software coding limitations and data quality concerns. Some challenges are to be expected due the high volume of data and the complex nature of the dynamic report production process. Yet other issues are the result of mistakes made by the implementation contractor.

Participation numbers are on target and customer opt-outs represent a fraction of one percent of participating customers.

OFFICIAL COPY
Mar 04 2015

TecMarket Works considers the reports to be well designed for at-a-glance reading. Data is clearly presented and easily understood. Messages are crisp and actionable. Low call and email volume from customers attests to the above. The top reason why customers reach out is to correct household information, which is understandable given the data's third party origin.

The program vendor's platform continues to change as newly envisioned ways of presenting customized information arise. Report production has been periodically hampered by data quality concerns, many of which have arisen as a result of increasing software coding demands to add more functionality. Most data quality concerns have been caught and fixed prior to mailing. Two important errors were not: One caused 100 people in the North Carolina control group to receive reports. Another error resulted in heat fuel type inaccuracies on more than 119,000 reports sent to South Carolina customers during the month of April 2013. Despite this error affecting 57% of South Carolina's program participant base, "only two or three" customers contacted Duke Energy regarding the issue. Correcting the problem caused report delivery to be delayed by several days during one month, although the timing differences may have gone unnoticed by customers due to fact that reports are not sent every month. Print quality has also been an issue, but steps toward resolution appear to be successful.

Call center operations and email support from the Customer Prototype Lab are operating smoothly and those teams interface effectively with the program management team. Duke Energy – the program vendor working relations are operationally functional and productive. Tensions from disagreements regarding data quality issues and change requests were an issue, but appear to be resolved now that clear expectations and performance parameters are established.

Overall the program appears to be well designed and well run. Despite continuing technical challenges, the MyHER program represents a noteworthy contribution to Duke Energy's efficiency portfolio and an ambitious behavior change program for residential customers.

Recommendations for Program Improvements

TecMarket Works presents the following recommendations for improvements.

Clustering

1. The dynamic clustering used to generate the peer groups for energy use comparisons ensures that customers' homes are compared to others that are most closely similar to their own. This method increases the accuracy of the comparisons, but is dynamic in nature and does not allow for customers to remain in one static group over time. However, this upside is offset by the downside of comparing customers to a different group each month, rather than comparing usage to a consistent or static group over time as was done previously when Duke Energy produced the reports. Both methods have their advantages.

   Some members of the Duke Energy team wondered about the potential for confusion on the part of customers who may not understand why the sizes of their comparison groups

OFFICIAL COPY
Mar 04 2015

are changing each month. That this confusion does not appear to be widespread is evidenced by the fact that the call center vendor and CPL do not have records indicating these concerns in their customer contact databases. However, it remains unclear whether changing customer cluster assignments is influencing customer behavior and thus energy savings.

RECOMMENDATION: If dynamic clustering is to continue and this question persists, consider investigating the impact of customers' knowledge of changing cluster sizes on energy savings by removing cluster size information from the monthly reports for a test group of customers to be compared to a control group who receive that information on their reports. This would give additional validity to the notion that customer knowledge of cluster size influences their usage. Alternatively, add an answer to the MyHER frequently asked questions to explain why cluster sizes change over time and why customers may find themselves compared to different size clusters on different reports.

2. The current minimum cluster size for peer group comparisons has been set by Duke Energy at 10 homes. If a customer's home does not have at least nine other homes that match its characteristics (square footage, age, heat fuel type, location, etc.), then that home does not receive a report. Duke Energy is considering raising the minimum to more than 10 homes, but says the advantages of increasing the cluster size minimum must outweigh the disadvantages of making fewer homes eligible to receive reports.

   One notable advantage of increasing the cluster size is that Duke Energy will be able to demonstrate statistical validity of the comparisons made on the reports. Without a sufficiently large n-size for the comparison group, the average and quartile rankings are subject to a lack of statistical power, and thus the generalizability of the data to the homes in the cluster might be questioned.

   RECOMMENDATION: Consider changing cluster sizing or conducting a longitudinal analysis of existing data (plus or minus one year) to determine whether the energy savings observed from homes in small clusters is similar to energy savings from homes in larger clusters.

Tips and Messages

1. Some customers have asked to see on their reports an explanation of what the "average" and "efficient" home references represents. Without this, customers do not know what their energy usage is being compared with. The definitions appeared regularly on early iterations of the report, but were removed and transferred to the welcome letter and FAQ section of the website to save space. The customers making this request did not recall the definitions from the welcome letter, so, seeking clarification, they called the toll-free number rather than visiting the website.

   RECOMMENDATION: While there is insufficient room for all FAQs on the reports, returning an explanation of average and efficient to the report would provide clarity about the report comparisons and preempt the need for participant phone calls.

OFFICIAL COPY
Mar 04 2015

2. The energy saving messages on the front and back of the report are necessarily short, crisp, and simple because space is limited. As a result the advice tends to be directed to readers who are less familiar with the range of energy saving options available to them. Given the goal of maximizing program impacts for a mass audience this approach makes sense, but it comes at the expense of being less engaging to more advanced readers who may already be familiar with the basic information. Fortunately, this need not be an either/or situation, since the reports can be customized to the individual reader. With this in mind, it may be possible to change the software coding, so that customers performing better than average see more advanced tips than those customers performing worse than average. Another possibility for creating an opportunity for extended engagement would be to provide a link to a web page that gives more detailed advice in written form or via video.

   RECOMMENDATION: Whether the specific suggestions noted above are adopted or not we encourage Duke Energy to investigate ways to engage advanced customers on a deeper level in order to derive even more savings.

3. Sending energy reports to customers eight times per year on an ongoing basis presents an inherent challenge to keep the reports interesting to readers. While new monthly energy usage comparisons will always be timely and relevant, the other messages in the report may lead to reader disinterest if they appear to be repetitive. One possible option might be to consider including an energy facts section to the reports, somewhat like the fast facts box used prior to the switch to the two-page format. Such a box could enable Duke Energy to share energy-related trivia and questions to spur reader thinking, such as: "If you added up the size of all the little gaps in your homes windows, doors, floors, and ceiling, how big do think they would be? A. The size of a golf ball. B. The size of a softball. C. The size of a basketball. D. The diameter of a hula hoop. Answer: Every home is different, but a typical home has enough gaps to equal at least the size of a basketball. That's a lot of air moving in and out of your house. Sealing these…"

   RECOMMENDATION: Take steps to ensure that energy saving suggestions remain fresh and interesting.

Data Quality

4. Spot checking of data quality in advance of report generation and full data file checking after the reports were mailed has been demonstrated to be insufficient to catch errors that affect accurate data presentation to customers, in some cases on a virtually statewide basis.

   RECOMMENDATION: While acknowledging that significant quality assurance improvements have been made, we encourage the program team to continue to implement those measures in advance of all customer mailings and monitor customer data closely for accuracy.

OFFICIAL COPY
Mar 04 2015

Overall

5. With a program of this magnitude that involves the generation of more than one million reports each month, it is important to carefully consider the above mentioned recommendations—and any other changes that may be contemplated—in light of the overall the scale of the program, the complexity of the change, and the resulting costs and consequences of making such a change.

   RECOMMENDATION: Consider if it is appropriate to make changes based upon a small number of errors or customer comments. The answer may well and appropriately be yes, but the threshold for change—and the impacts of doing so—should be clearly understood by all parties.

OFFICIAL COPY
Mar 04 2015

Results From MyHER Customer Surveys

Introduction

TecMarket Works completed telephone surveys with 302 randomly selected program participants in North and South Carolina from April 30 to July 23, 2013. This section presents the results from the surveys. The survey instrument can be found in Appendix C: MyHER Customer Survey Instrument.

When the customer was successfully contacted, the surveyor asked that customer if they were familiar with the MyHER mailings. If not, the surveyor provided a short description of the MyHER mailings they have been receiving: *"This program provided information on how much electricity you used in the previous month and in the previous 12 months compared to your neighbors and provided tips on how you could lower your electricity use and costs in becoming more energy efficient."* If the customer still did not recall the MyHER report, they were thanked for their time and the call was terminated (N=64, or 17.0% of those contacted, did not recall the program reports). If they did recall the MyHER report, the survey continued regardless of whether they read the MyHER report. There were 312 customers out of 376 contacted (83.0%) who recalled receiving the MyHER report, though only 302 recipients completed the entire survey (ten incomplete surveys are not included in this evaluation).

Customers Who Read the MyHER and Why

Almost all of the surveyed customers report that they read the MyHER when they receive it: 96.7% (292 out of 302) of the customers surveyed who remembered receiving the reports are reading them. If the full number of contacted customers are included in this calculation (N=376 including partially-completed surveys, as noted above), and it is assumed that those who do not remember receiving the MyHER reports or don't recall reading them are throwing them away, this brings the percent of customers reading the MyHER down to 80.1% (301[8] out of 376) of the targeted customers. Table 8 below shows the percent of surveyed customers that read the MyHER when they receive it. There are no statistically significant differences by state.

Table 8. Customers That Read MyHER

	North Carolina		South Carolina		Total	
	Count	Percent	Count	Percent	Count	Percent
All customers contacted	190	100.0%	186	100.0%	376	100.0%
Recalled receiving MyHER	156	82.1%	156	83.9%	312	83.0%
Customer read MyHER	149	78.4%	152	81.7%	301	80.1%
Recall receiving but threw MyHER away	7	3.7%	4	2.2%	11	2.9%
Do not recall receiving MyHER	34	17.9%	30	16.1%	64	17.0%

Duke Energy provided recent actual MyHER scores for surveyed customers; there does not appear to be a significant relationship between a customer's score and the likelihood that they read it or throw it away, as seen in Table 9.

[8] In addition to the 292 out of 302 customers who completed the entire survey, nine out of ten customers who only partially completed the survey said that they read the MyHER report.

OFFICIAL COPY
Mar 04 2015

Table 9. Customers That Read MyHER by Recent MyHER Score

	Less than efficient home (N=88)	Less than average, but more than efficient home (N=59)	More than average home (N=147)
Read MyHER	97.7%	100.0%	95.2%
Throw MyHER away	2.3%	0.0%	4.8%

Note: eight surveyed recipients do not have recent MyHER scores and are not included in this table, although these recipients are included in our analysis elsewhere where recency is not a factor.

TecMarket Works next asked customers who read MyHER why they read it. Most customers surveyed (70.9% or 207 out of 292 who read the report) said they read MyHER because they were interested in learning about how their household uses energy, with learning about saving energy being the next most-mentioned response (28.1% or 82 out of 292).

Table 10. Why Customers Read MyHER

Base: customers who read the reports	North Carolina (N=144)	South Carolina (N=148)	Total (N=292)
Interested in learning how my household uses energy	74.3%	67.6%	70.9%
Interested in learning more about how to save energy	23.6%	32.4%	28.1%
Avoid increases in power costs or lower rates	20.8%	8.1%	14.4%
Interested in comparison with other households	8.3%	18.9%	13.7%
It is from Duke Energy	15.3%	10.8%	13.0%
To save money on my energy bills	3.5%	2.0%	2.7%
To see how my household usage changes over time	0.0%	5.4%	2.7%
Interested in learning more about climate change or environmental reasons	0.0%	2.7%	1.4%
Read everything that comes in the mail	1.4%	0.7%	1.0%
Measuring the effect of home improvements and appliance upgrades (before and after comparison based on EE actions)	1.4%	0.7%	1.0%
For the tips and suggestions	0.7%	0.7%	0.7%
Unique responses (listed below)	1.4%	0.0%	0.7%
Don't know / just curious / no reason	0.7%	1.4%	1.0%

Percentages total to more than 100% because respondents could give multiple responses.

Two recipients gave unique reasons for why they read MyHER, which are listed below.

- *"Seeing if I'm successful with energy efficiency."*
- *"Seeing what programs Duke offers to help its customers with energy savings. Duke used to do things like offer energy-saving appliances; it doesn't anymore, but I wish it still did."*

OFFICIAL COPY
Mar 04 2015

The ten surveyed customers (3.3% out of 302) who reported that they throw MyHER away provided the following reasons for not reading the report:

- Unique reasons (listed below) (N=6 or 60% of 10)
  - *It doesn't pertain to me; I know what I need to do but haven't had time to make improvements.*
  - *The tips are things I already know.*
  - *The reports don't do anything to help me lower my bill.*
  - *I'm on a fixed income and I can't do the energy efficiency things.*
  - *Our house is a rental.*
  - *My wife throws them away without telling me.*
- *I am too busy/don't have time.* (N=2 or 20% of 10)
- *I am already doing the best I can.* (N=2 or 20% of 10)
- *Too low a priority for me.* (N=1 or 10% of 10)
- *I don't believe it is accurate for my home.* (N=1 or 10% of 10)
- Don't know (N=2 or 20% of 10)

Percentages total to more than 100% because respondents could give multiple responses.

Of the ten customers surveyed who threw out MyHER, six (60% of 10) said that they did read them at one time but have since stopped, while four (40% of 10) said that they never read the reports. Of those who used to read the reports but have stopped, all six were able to tell us how many reports they read before they stopped: These six customers read an average of 1.9 reports apiece in the six months to over a year[9] since they started receiving them (ranging from one report up to three), during which time these six customers received an average of 5.5 Home Energy Reports apiece.

Customer Perceptions of Their Efforts Regarding Energy Efficiency

TecMarket Works asked MyHER customers how they thought their efforts to decrease energy consumption compared to what others typically do to save energy, both currently and before the MyHER program. The wording of the first question was: *"When you consider the efforts you and your household are currently making to decrease your energy consumption at your home, do you feel that on average your efforts are less than what others typically do, about the same as what others typically do, or more than what others typically do?"* The results are presented below in Figure 5.

Of the surveyed customers that read the Home Energy Report, almost half (45.9% or 134 out of 292) believe that they do about the same as others do to be more energy efficient, while 43.8% (128 out of 292) believe that they are currently doing more than the average household. Only 7.2% (21 out of 292) believe that they do less than others, and 3.1% (9 out of 292) are not sure how they compare to others.

[9] These six customers joined the program between May and November of 2012, and the survey was conducted in April 30 to July 23, 2013.

OFFICIAL COPY
Mar 04 2015

Among the ten customers surveyed who say that they throw out the Home Energy Report, 60% (6 out of 10) say they do more than others, 20% (2 out of 10) say they do about the same and 10% (1 out of 10) says they do less than others, while the other 10% (1 out of 10) was not sure. Compared to those who throw the reports away, customers who read them are significantly more likely to say they do about the same as others ($p<.10$ using student's t-test).

These results suggest that most customers believe they are doing the same or more than others with regard to efficiency and few believe they are doing less.



Figure 5. Current Effort to Reduce Energy Consumption Compared to Others by Read or Throw Away Reports

Figure 6 shows recipients' perception of how their efforts to save energy compare to others separated by state; there are no statistically significant differences between North and South Carolina recipients.

OFFICIAL COPY
Mar 04 2015



Figure 6. Current Effort to Reduce Energy Consumption Compared to Others by State

TecMarket Works also asked MyHER customers how they thought their efforts to decrease energy consumption compared to what others typically do before MyHER. The exact wording for this question was: *"Now think back to the time before you began receiving the Home Energy Report. At that time, would you say your efforts to decrease energy consumption were less than what others were typically doing, about the same, or more than what others were typically doing?"* The results are presented in Figure 7.

Compared to current efforts, surveyed customers who read the Home Energy Report report that they were more likely to have been doing "less than others" (16.8% or 49 out of 292) and less likely to have been doing "more than others" (31.2% or 91 out of 292) before the MyHER program. Both of these differences between "current" and "before the program" efforts are significant for customers who read the report at $p<.05$ using student's t-test.

Among the ten recipients who did not read the report, there were no changes at all between their stated "current" and "before the program" efforts.

OFFICIAL COPY
Mar 04 2015



Figure 7. Effort to Reduce Energy Consumption Compared to Others Before MyHER

Finally, TecMarket Works asked MyHER recipients which of four statements best described the difference between their earlier efforts before MyHER and their current efforts after joining the program; these responses are shown in Figure 8. More than half of recipients report that they are doing "about the same" before and after joining MyHER (54.8% or 160 out of 292 for customers who read the report, and 80% or 8 out of 10 among those who did not read the report; this difference is significant at $p<.10$ using student's t-test). Most of the remaining customers surveyed report that they either "used to do less and now do more" or "were already doing more than most, but are doing even more now" (combined 40.1% or 117 out of 292 for customers who read the report, and 10% or 1 out of 10 among those who did not read the report; this difference is significant at $p<.05$ using student's t-test). Only ten customers surveyed (3.4% of 292 who read the report) said they are doing less now than they were before (none of the ten customers who didn't read the report said that they are doing less than they were before; this difference is not statistically significant).

OFFICIAL COPY
Mar 04 2015



Figure 8. Difference Between Earlier and Current Efforts to Reduce Energy Consumption by Read Reports or Throw Away

Customers in North and South Carolina give somewhat different responses to this question, as reported in Figure 9. Compared to North Carolinians who receive MyHER, South Carolina recipients are more likely to say that they "used to do less, now do more" (29.8% or 45 out of 151) and less likely to say they do "about the same" (51.0% or 77 out of 151; both of these differences between states are significant at $p<.10$ or better using student's t-test).

OFFICIAL COPY
Mar 04 2015



Figure 9. Difference Between Earlier and Current Efforts to Reduce Energy Consumption by State

Customer Perceptions Compared to Recent MyHER Scores

Duke Energy provided actual recent MyHER scores[10] for surveyed customers, which are used to categorize customers into three groups: those whose energy usage is "less than the efficient home", "less than average, but more than the efficient home", or "more than the average home".[11] These scores can be compared to customer's perceptions of how energy efficient they are compared to others. As Figure 10 shows, there is some relationship between self-perception and actual performance (as measured by a recent MyHER score), but there are many customers who think they do more than others but have below average scores, or think their efforts are average when the results are not.

[10] Most of the recent scores used in this analysis (95.4% or 288 out of 302) are from the June 2013 MyHER reports; another six survey respondents (2.0% of 302) did not receive June reports, so May or March 2013 scores were used. Since each report is a "snapshot" of energy usage for a particular month, customers' scores may change over time or vary throughout the year. In other words, a customer who uses less energy than average on their June 2013 MyHER report may not be below average on other reports.

[11] Eight survey respondents (2.6% or 302) became ineligible for the program after receiving one or more reports (due to changes in billing status, renter status, or their service address did not match their billing address). These eight customers are not included or reported in analyses that show responses categorized by recent MyHER scores.

OFFICIAL COPY
Mar 04 2015

Regardless of actual MyHER scores, very few customers describe their efforts as being "less than others", which is consistent with the theory of social norming (people don't want to be seen as being below the norm). In fact, 54.4% (80 out of 147) of MyHER recipients whose used "more than the average home" on their recent report say that they do "about the same as others" and 35.4% (52 out of 147) actually say they do "more than others" for energy efficiency. Even among customers whose recent MyHER reports show them using "less than the efficient home", only 56.8% (50 out of 88) believe they are doing "more than others" for energy efficiency and 6.8% (6 out of 88) actually say they do "less than others" for energy efficiency.

The differences in self-described energy efficiency efforts between those with "less than efficient" and "less than average, but more than efficient" scores are not statistically significant. Customers whose recent reports show their usage was "more than the average home" are significantly more likely to say they do "about the same" as others and less likely to say they "do more than others" compared to the two groups that use less than the average home (these differences are significant at $p<.05$ using student's t-test).



Figure 10. Comparing Customers' Actual Recent MyHER Scores to Self-Perception

What Energy Efficiency Means to Customers

We asked all surveyed customers to define, in their own words, "what it means to be energy efficient". The responses are categorized below in Table 11. Most customers defined energy efficiency to include "using less energy / using the least amount of energy necessary / not

OFFICIAL COPY
Mar 04 2015

wasting energy" (67.9% or 205 out of 302), about a third (31.8% or 96 out of 302) mentioned "saving money / being cost effective / keeping rates down" and one in ten mentioned environmental concerns (9.6% or 29 out of 302).

A number of specific actions that can be taken to conserve energy were mentioned by customers who read MyHER, though none were mentioned by more than about 5% of respondents. Although none of the customers who throw MyHER away mentioned these types of actions, the differences between customers who read reports and throw them away are not statistically significant due to the small sample size.

Table 11. In Your Own Words, Please Tell Me What It Means To Be Energy Efficient

	Read MyHER (N=292)	Throw MyHER Away (N=10)	Total (N=302)
Try to use less energy / least amount necessary / don't waste	68.8%	40.0%	67.9%
Saving money on bills / being cost effective / keeping rates down	32.2%	20.0%	31.8%
Helping the environment / sustainability / being green	9.9%	0.0%	9.6%
Turn off lights / appliances when not in use	5.5%	10.0%	5.6%
Upgrading home and appliances with efficient equipment	4.8%	0.0%	4.6%
Being aware of energy use	4.8%	0.0%	4.6%
Heating & cooling decisions / trading comfort for savings	2.7%	0.0%	2.6%
Insulation / seal doors, windows and other leaks	1.0%	0.0%	1.0%
Educating children about energy and conservation	1.0%	0.0%	1.0%
Use CFLs	0.7%	0.0%	0.7%
Try to use less water / don't waste	0.3%	0.0%	0.3%
Unique responses (listed below)	1.7%	30.0%	2.6%
Don't know	1.4%	0.0%	1.3%

Percentages total to more than 100% because respondents could give multiple responses.

Eight customers surveyed (2.6% of 302) gave unique responses when asked to define energy efficiency; these responses are categorized and listed below.

Read MyHER (N=5)

- *It's also a safety thing; my husband is a firefighter and he is conscious about cords plugged in and the overuse of outlets.*
- *Being energy efficient also means increasing the value of my home.*
- *Energy efficient means to save money by not wasting or using more energy than we should, which in turn, saves the power plants from needing to expand, and saves them money as well.*
- *I think energy efficiency is a gimmick to get people to spend more money by telling people that they can save money by spending more money.*

OFFICIAL COPY
Mar 04 2015

- *Not to live in a millhouse because of all the windows.*

Throw MyHER away (N=3)

- *Being energy efficient means to look out for your light bill and budget yourself.*
- *Use things wisely.*
- *I stay ahead on my payments and keep my bills paid up.*

Six customers surveyed (2.4% of 252) mentioned unique, specific actions as part of their definition of energy efficiency, which are categorized and listed below.

Complete responses to this question can be found in Appendix G: What It Means to be Energy Efficient.

Though "try to use less energy" is the most-mentioned definition of energy efficiency for all groups of customers, Table 12 shows some significant differences in how energy efficiency is defined by customers with different MyHER scores. Customers whose recent MyHER reports show they use "less than the efficient home" were the most likely to define energy efficiency in terms of "saving money" (39.8% or 35 out of 88), as well as the most likely to mention "turn off lights and appliances" (8.0% or 7 out of 88) and "heating and cooling decisions" (4.5% or 4 out of 88; significantly different from other groups at p<.10 or better using student's t-test). Customers who use "more than the average home" are the least likely to mention "turning off lights and appliances" (3.4% or 5 out of 147) and "heating and cooling decisions" (1.4% or 2 out of 147), and the most likely to mention "upgrading home and appliances" (6.1% or 9 out of 147; significantly different from other groups at p<.10 or better using student's t-test). It is suggestive that the most efficient customers are more likely to mention simple and relatively cost-free behaviors that save energy (turning things down or off), while those who use the most energy are more likely to mention expensive purchases (upgrading with more efficient equipment) and less likely to view energy efficiency as a money-saving proposition.

Customers who used "less than average, but more than the efficient home" were the least likely to mention "helping the environment" (5.1% or 3 out of 59; significantly different from other groups at p<.10 using student's t-test). Statistically significant differences are marked in Table 12 with **bold text** for p<.10, and ***bold italic*** text for p<.05.

Table 12. What It Means To Be Energy Efficient by Recent MyHER Score

	Less than efficient home (N=88)	Less than average, but more than efficient home (N=59)	More than average home (N=147)
Try to use less energy / least amount necessary / don't waste	63.6%	72.9%	69.4%
Saving money on bills / being cost effective / keeping rates down	***39.8%***	**28.8%**	***28.6%***
Helping the environment / sustainability / being green	**11.4%**	**5.1%**	**10.9%**
Turn off lights / appliances when not in use	**8.0%**	5.1%	**3.4%**
Upgrading home and appliances with	**2.3%**	5.1%	**6.1%**

OFFICIAL COPY
Mar 04 2015

efficient equipment			
Being aware of energy use	6.8%	5.1%	3.4%
Heating & cooling decisions / trading comfort for savings	**4.5%**	3.4%	**1.4%**
Insulation / seal doors, windows and other leaks	2.3%	1.7%	2.7%
Educating children about energy and conservation	**0.0%**	0.0%	**2.0%**
Use CFLs	0.0%	1.7%	1.4%
Try to use less water / don't waste	1.1%	0.0%	0.0%
Unique responses	**1.1%**	**0.0%**	**4.1%**
Don't know	1.1%	1.7%	1.4%

Percentages total to more than 100% because respondents could give multiple responses.

Next, customers were asked what actions they do, or could do, to be more energy efficient. The question was worded, *"When you think about what you and your household does or can do to decrease energy consumption, what things come to mind?"*, and was repeated to allow for up to six responses. The full list of responses can be found in Appendix H: What Surveyed Customers Do to be More Energy Efficient.

Only one customer surveyed (0.3% of 302) could not answer the question (*"I really don't know what more I could do.")* Another 7.3% (22 out of 302) of customers surveyed only gave one response to the question. However, most participants in the program were able to give three or more responses (72.5% or 219 out of 302), as seen in Figure 11 below.

OFFICIAL COPY
Mar 04 2015



Figure 11. Things Your Household Does or Could Do to Decrease Energy: Number of Responses per Participant

There were a total of 1041 verbatim responses reported by the 302 customers surveyed, which when coded into categories yields 1116 coded responses[12] (a mean of 3.7 per customer surveyed).

Figure 12 shows all categories of response mentioned by at least 5% of customers surveyed, plus mentions of Duke Energy programs and non-responses. The full list of verbatim responses to this question is presented in Appendix H: What Surveyed Customers Do to be More Energy Efficient.

The two most frequently mentioned responses are both about lighting: "turn off lights when not in use" (55.3% or 167 out of 302) and "use more efficient light bulbs (CFLs and LEDs)" (41.7% or 126 out of 302). The next three most frequent responses are also behavior-based: "turn

[12] Verbatim and coded responses do not always correspond exactly because some verbatim responses received multiple codes ("turn off lights and appliances" is coded as two categories of action), and other responses duplicated responses already given by that customer (if someone said they "seal leaks" and "caulk windows" these are both considered actions within the same code category).

OFFICIAL COPY
Mar 04 2015

appliances and other items off when not in use" (35.4% or 107 out of 302), "use less cooling" [13] (32.5% or 98 out of 302) and "use less heating" (22.8% or 69 out of 302).

Only a few customers surveyed mentioned specific Duke Energy programs: two MyHER recipients (0.7% of 302) report joining Power Manager, and one (0.3% of 302) participated in the Home Energy House Call program. Additionally, three recipients (1.0% of 302) unplugged or recycled a spare freezer or refrigerator, though we do not know if this was due to the influence of a Duke Energy program or not.



Figure 12. What Surveyed Customers Do or Can Do To Save Energy
Percentages total to more than 100% because respondents could give multiple responses.

Interest in Energy Efficiency and MyHER

TecMarket Works asked MyHER customers about their interest in energy efficiency and their interest in reading the next Home Energy Report they will receive. Customers were asked to rate their interest on a 10-point scale, with 1 meaning "very uninterested" and 10 meaning "very interested". Mean ratings scores for these questions are shown in Table 13.

[13] This survey was conducted in the Carolina System during cooling season (May, June and July), which may account for the larger number of cooling mentions (32.5%) compared to heating mentions (22.8%).

OFFICIAL COPY
Mar 04 2015

Overall, surveyed MyHER customers scored their interest in energy efficiency (8.86) higher than their interest in reading the next MyHER (8.40; significant at $p<.05$ using student's t-test); this difference is significant for both customers who read the reports (8.89 for efficiency, 8.55 for reading the next report) and especially for those who throw them away (8.00 for efficiency, 4.10 for reading the next report; all differences significant at $p<.05$ using student's t-test).

Customers who say they do "more than others" for energy efficiency do indeed give a higher rating for their interest in energy efficiency compared to other customers, with an overall mean score of 9.16 (significantly higher than the mean interest in efficiency of the other groups at $p<.05$ using ANOVA). These customers are also the most interested in reading the next MyHER, with a mean score 8.61, though this is not significantly higher than for the other groups. None of the differences in mean ratings scores between customers who do "about the same", "do less" and "don't know" are statistically significant for either of these ratings.

Customers in North and South Carolina are equally interested in saving energy in their homes (8.84 and 8.87, respectively), though South Carolina recipients are more interested in reading the next MyHER (8.72 compared with 8.08 in North Carolina; this difference is significant at $p<.05$ using ANOVA).

Table 13. Mean Customer Interest in Energy Efficiency and Reading MyHER

	Interest in Energy Efficiency	Interest in Reading the Next MyHER
All Surveyed Customers by Read or Throw Away		
Read It (N=292)	8.89	8.55
Throw It Away (N=10)	8.00	4.10
Total (N=302)	8.86	8.40
Surveyed Customers Indicating EE Actions are "More Than" Others		
Read It (N=128)	9.24	8.84
Throw It Away (N=6)	7.50	3.67
Total (N=134)	9.16	8.61
Surveyed Customers Indicating EE Actions are "About the Same" as Others		
Read It (N=134)	8.59	8.32
Throw It Away (N=2)	8.50	4.00
Total (N=136)	8.59	8.26
Surveyed Customers Indicating EE Actions are "Less Than" Others		
Read It (N=20)	8.60	8.29
Throw It Away (N=1)	10.00	10.00
Total (N=21)	8.67	8.36
Surveyed Customers Indicating EE Action Comparison to Others is "Don't Know"		
Read It (N=9)	8.89	8.33
Throw It Away (N=1)	8.00	1.00
Total (N=10)	8.80	7.60
AllSurveyed Customers by State		
North Carolina (N=151)	8.84	8.08
South Carolina (N=151)	8.87	8.72

When these ratings of interest are examined by recent MyHER scores, customers who use more energy than the average home have slightly lower interest scores for energy efficiency (8.71) and

OFFICIAL COPY
Mar 04 2015

interest in reading the next MyHER (8.27), although none of the differences between groups shown in Table 14 are statistically significant (p>.10 using ANOVA).

Table 14. Customer Interest in Energy Efficiency and Reading MyHER by Recent MyHER Score

	Less than efficient home (N=88)	Less than average, more than efficient (N=59)	More than average home (N=147)
Interest in energy efficiency	8.95	9.10	8.71
Interest in reading the next MyHER	8.30	8.80	8.27

Frequency of Receiving MyHER

Table 15 below presents the preferences of surveyed MyHER customers on the frequency in which they receive the MyHER, along with each group's mean interest score (in reading the next MyHER). About three-quarters (72.5% or 219 out of 302) of surveyed customers are satisfied with how frequently they currently receive the MyHER (about eight times per year). Only 30.0% (3 out of 10) of those who throw MyHER away without reading it say they don't want to receive the reports at all, and none (0 out of 292) of the customers who do read the report said they don't want to receive it. In a separate question also presented in Table 15, about one-quarter (27.8% or 84 out of 302) of MyHER recipients surveyed said they would prefer reports by email.

Table 15. Frequency of Receiving MyHER

Would you prefer to get the reports . . .	Read MyHER (N=292)	Throw it away (N=10)	Total (N=302)
More Frequently	**N=33**	**N=0**	**N=33**
Percent	11.3%	0.0%	10.9%
Interest Score	*9.5*	-	*9.5*
Same Frequency	**N=215**	**N=4**	**N=219**
Percent	73.6%	40.0%	72.5%
Interest Score	*8.7*	*7.3*	*8.7*
Less Frequently	**N=43**	**N=3**	**N=46**
Percent	14.7%	30.0%	15.2%
Interest Score	*6.9*	*2.7*	*6.6*
Do not want any	**N=0**	**N=3**	**N=3**
Percent	0.0%	30.0%	1.0%
Interest Score	-	*1.3*	*1.3*
Don't know	**N=1**	**N=0**	**N=1**
Percent	0.3%	0.0%	0.3%
Interest Score	*5.0*	-	*5.0*
Prefer E-mail version	**N=81**	**N=3**	**N=84**
Percent	27.7%	30.0%	27.8%
Interest Score	*8.7*	*4.0*	*8.5*

Of the 46 MyHER customers that would prefer to get the MyHER less frequently (15.2% of 302 customers surveyed), three-quarters (78.3% or 36 out of 46) said they would prefer to receive the reports quarterly, 10.9% (5 out of 46) said they would like to get them every other month and only one (2.2% of 46) said they would prefer the reports annually.

OFFICIAL COPY
Mar 04 2015

Of the 33 MyHER customers that would prefer to get the MyHER more frequently (10.9% of 302 customers surveyed), most (81.8% or 27 out of 33) said they would like to receive the reports monthly.

Accuracy of Home Information

Table 16 indicates that more than two-thirds (70.9% or 214 out of 302) of the surveyed customers report that their home information is correct on their Home Energy Report, and about a quarter of them (22.8% or 69 out of 302) do not know. This could be because they don't know the age or size of their home[14], or because they don't look at the house data on their MyHER. Only 6.3% (19 out of 302) customers surveyed said there was incorrect information about their home on the report.

Compared to customers who read the reports, customers who throw them away are twice as likely not to know if their home information on the report is correct or not (50.0% or 5 out of 10 "don't know"), and are also more likely to say their home information is not accurate (20.0% or 2 out of 10; these differences are significant at $p<.05$ using student's t-test).

Table 16. Accuracy of Home Information

Are the home characteristics correct on your report?	Read MyHER		Compared to Others			Overall (N=302)
	Read (N=292)	Throw Away (N=10)	Do More (N=134)	Same (N=136)	Do Less (N=22)	
Correct	72.3%	30.0%	73.1%	69.9%	63.6%	70.9%
Incorrect	5.8%	20.0%	7.4%	4.4%	9.1%	6.3%
Don't Know	21.9%	50.0%	19.4%	25.7%	27.3%	22.8%

Those who "don't know" how they compare to others are not shown in this table.

About one in fifteen (6.3% or 19 out of 302) of the surveyed MyHER customers report that there is incorrect information on their mailings. The issues reported by these customers are categorized and listed below: The most common problems reported were incorrect home size (mentioned by 9 of 19), incorrect age of the home (5 out of 19) and incorrect type of heating (5 out of 19).

House Size: (N = 9)

- *Our one story home is being compared with two story homes.*
- *The square footage was off by about 500-600 square feet.*
- *Square footage is off by 700 square feet.*
- *The square footage is wrong. The report says that it's 1800, but it's really 3000.*
- *The square footage is wrong. The report says my home is smaller than it is.*
- *The square footage on the report is underestimated.*

[14] We asked customers later in the survey for the square footage and age of their home: Although only 5.3% (16 out of 302) of customers surveyed did not know how old their home was, 20.9% (63 out of 302) did not know the square footage. It should also be noted that the age or footage they gave us may not be correct (some respondents who provided answers may be "guesstimating"; these responses were not checked against other records for accuracy.)

OFFICIAL COPY
Mar 04 2015

- *The square footage is wrong. My home is 1100 square feet, the report says my home is much bigger than it really is.*
- *Our home is a little smaller than your average two bedroom, about 900 square feet.*
- *I am not sure if the home size is correct.*

Age of Home: (N = 5)

- *The age of our home as listed on the report is incorrect.* (N=2)
- *Our home is much older than what is listed in the report.*
- *The age of my home is from 1982 and the report says it from the 2000s.*
- *The age was listed as newer than it should be.*

Type of Heating: (N = 5)

- *I'm using portable electric heaters for my heating and not natural gas.*
- *It shows we are natural gas but we are electric.*
- *Possibly the type of heating unit; I have a natural gas-fueled boiler with radiator heat.*
- *The report says we have non-electric heating, but we have an electric heat pump.*
- *Our heating used to be oil, but we have replaced it with propane and electric.*

Energy Efficiency Scores

The front page of Home Energy Reports present a comparison of monthly energy cost for the customers' households compared to the "average home" and/or the "efficient home". An example of the portion of the report that presents a customer's scores is shown in Figure 13 below[15]. In this example, the customer's energy usage is "more than average", so they are shown both the average and efficient comparison home scores. If a customer's MyHER score is "less than average" (or "less than the efficient home"), then only the efficient home is presented for comparison and the average home is not shown on front of the report.

[15] This is an example of the format used when the customer surveys were conducted. Since then, the front of the report shows kWh values instead of dollars.

OFFICIAL COPY
Mar 04 2015



Figure 13. Monthly Energy Use Comparison: Front of MyHER Report

A second comparison chart is currently presented on the back page of the Home Energy Reports, which shows the customer's energy usage for the past 13 months compared to both the average and efficient homes, as seen in Figure 14. Regardless of the customer's recent MyHER score, all report recipients are shown both the efficient and average homes on these annual usage comparison charts.



Figure 14. Annual Energy Use Comparison: Back of MyHER Report

Table 17 shows that about a third of customers surveyed (32.8% or 99 out of 302) say that their Home Energy Report usually shows that they use less energy than the average comparable home, while a similar number (36.8% or 111 out of 302) say that the report shows they use more energy

OFFICIAL COPY
Mar 04 2015

than the average comparable home.[16] Among the ten MyHER recipients surveyed who throw their report away without reading it, most (60.0% or 6 out of 10) don't know how they compare, and none (0% of 10) say the reports show their usage is above average.

Customers who say they do "more than others" for energy efficiency are more likely to say their report shows their home uses "less than average" (43.3% or 58 out of 134) compared to those who do "about the same" and "less than others" (combined 24.1% or 38 out of 158; significant at $p<.05$ using student's t-test). Customers who say they do "less than others" (50.0% or 11 out of 22) and "about the same as others" (41.9% or 57 out of 136) are also significantly more likely to say that their report shows their home uses more energy than average compared to those who do "more than others" (28.4% or 38 out of 134; significant at $p<.05$ using student's t-test).

Table 17. MyHER Comparison to the Average Home

MyHER usually shows home uses . . .	Read MyHER		Compared to Others			Overall (N=302)
	Read (N=292)	Throw Away (N=10)	Do More (N=134)	Same (N=136)	Do Less (N=22)	
Less than average	33.2%	20.0%	43.3%	22.8%	31.8%	32.8%
About average	23.3%	20.0%	22.4%	27.2%	9.1%	23.2%
More than average	38.0%	0.0%	28.4%	41.9%	50.0%	36.8%
Don't know	5.5%	60.0%	6.0%	8.1%	9.1%	7.3%

Those who "don't know" how they compare to others are not shown in this table.

Customers' perception of what their MyHER comparison shows corresponds to their actual recent MyHER scores (though it should be noted that what the recent report shows may not be what their reports "usually" show, since customer scores can change from report to report). Most customers whose reports show their recent usage was "less than the efficient home" say that their reports usually show their usage is "less than average" (62.5% or 55 out of 88), while a plurality of customers with "above average, below efficient" scores also say their reports usually show their usage is "less than average" (39.0% or 23 out of 59). A majority of customers whose recent report shows they use "more than the average home" say that their reports usually show they use "more than average" (57.1% or 84 out of 147). The differences in distribution in Figure 15 are highly significant ($p<.01$ for the entire table using chi-square). However, there are still many customers whose recent scores do not match their perception of their usual scores: 12.5% (11 out of 88) of customers who use "less than the efficient home" say their reports usually show they use "more than average", while 11.6% (17 out of 147) of customers whose recent usage is "more than the average home" say that their reports usually show they use less energy than the average home.

[16] Customers were not asked what their reports usually show "compared to the efficient home". Though not all reports include the average home comparison on the front of the report, all reports in the Carolina System include the average home comparison on the annual usage chart on the back of the report.

OFFICIAL COPY
Mar 04 2015



Figure 15. Customers' Perception of Their Usual MyHER Score Compared to Their Actual Recent MyHER Score

Overall, more than six out of ten customers surveyed (62.3% or 188 out of 302) say they use the charts in the Home Energy Report to track their home's energy usage. The percentages of key groups using MyHER in this way are shown in Table 18: Customers who say they do "more than others" for energy efficiency are more likely than those who do the same as or less than others to track their usage using MyHER charts (68.7% or 92 out of 134; $p<.10$ or better using student's t-test).

There are no significant differences in using the reports to track usage by what customers report their Home Energy Reports usually show. However, when comparing actual MyHER scores, customers who used "more than the average" on their recent report are the least likely to say they use MyHER to track their usage (58.5% or 86 out of 147; significantly more than the other groups at $p<.10$ using student's t-test).

Customers who do not read MyHER reports (20.0%), those who don't know how their energy usage compares to others (30.0%), and those who don't know how MyHER charts compare their home to others (36.4%) are the least likely to use the MyHER charts to track their energy usage (significantly less than other groups at $p<.05$ using student's t-test). There is no significant difference between customers in North and South Carolina however.

OFFICIAL COPY
Mar 04 2015

Table 18. Using MyHER to Track Home Energy Usage

	% who use MyHER charts to track home energy usage
Overall (N=302)	62.3%
Read MyHER reports or throw them away	
Read MyHER (N=292)	63.7%
Throw away MyHER (N=10)	20.0%
Efforts to decrease energy consumption compared to others	
Do more than others (N=134)	68.7%
Do about the same as others (N=136)	61.0%
Do less than others (N=22)	45.5%
Don't know how compare to others (N=10)	30.0%
Usage usually shown on MyHER chart	
MyHER shows home uses less than average (N=99)	61.6%
MyHER shows home uses about the same as the average home (N=70)	65.7%
MyHER shows home uses more than average (N=111)	65.8%
Don't know how MyHER shows comparison to average home (N=22)	36.4%
Recent MyHER Score	
Recent MyHER score: less than efficient home (N=88)	65.9%
Recent MyHER score: less than average, but more than efficient home (N=59)	69.5%
Recent MyHER score: more than average home (N=147)	58.5%
State	
North Carolina (N=151)	58.9%
South Carolina (N=151)	65.6%

As seen in Table 19, about half of MyHER customers surveyed (47.7% or 144 out of 302) say they are trying to improve how their energy efficiency compares to their neighbors. Customers who say they do "more than others" for energy efficiency (58.2% or 78 out of 134) are significantly more likely to be making efforts than other customers (combined 39.3% or 66 out of 168; significant at $p<.05$ using student's t-test). Customers who throw away MyHER (10.0%) or who don't know what their MyHER usually shows (27.3%) are the least likely to be trying to improve their home energy comparisons.

There are no significant differences in the rate of trying to improve efficiency between customers with different recent MyHER scores, or based on what customers report their MyHER usually shows. However, South Carolina recipients (52.3% or 79 out of 151) are more likely to be trying to improve their scores than North Carolina recipients (43.0% or 65 out of 151; this difference is significant at $p<.05$ using student's t-test).

OFFICIAL COPY
Mar 04 2015

Table 19. Trying to Improve How Home Efficiency Compares to Others

	% trying to improve efficiency
Overall (N=302)	47.7%
Read MyHER reports or throw them away	
Read MyHER (N=292)	49.0%
Throw away MyHER (N=10)	10.0%
Efforts to decrease energy consumption compared to others	
Do more than others (N=134)	58.2%
Do about the same as others (N=136)	38.2%
Do less than others (N=22)	45.5%
Don't know how compare to others (N=10)	40.0%
Usage usually shown on MyHER chart	
MyHER shows home uses less than average (N=99)	45.5%
MyHER shows home uses about the same as the average home (N=70)	50.0%
MyHER shows home uses more than average (N=111)	52.3%
Don't know how MyHER shows comparison to average home (N=22)	27.3%
Recent MyHER Score	
Recent MyHER score: less than efficient home (N=88)	47.7%
Recent MyHER score: less than average, but more than efficient home (N=59)	45.8%
Recent MyHER score: more than average home (N=147)	49.0%
State	
North Carolina (N=151)	43.0%
South Carolina (N=151)	52.3%

Table 20 shows the mean ratings for satisfaction with aspects of the program and Duke Energy overall according to whether they use the MyHER charts to track their usage or not, and whether they are trying to improve their comparison with others or not. Customers who do use the charts and those who are intending to improve their comparison to others give higher satisfaction scores across the board. Statistically significant differences at $p<.10$ or better using ANOVA are marked in ***bold italic*** text in the table below; differences are significant for every item except overall satisfaction with Duke Energy and "reports are easy to understand" by tracking usage or not.

OFFICIAL COPY
Mar 04 2015

Table 20. Satisfaction Scores for Those Who Use Charts to Track Usage and Who Are Trying to Improve Their Comparison to Others

Statement	Use charts to track usage		Trying to improve comparison		Overall
	Yes (N=188)	No (N=107)	Yes (N=144)	No (N=144)	(N=302)
The report's comparisons are reasonable and appropriate.	***7.70***	***7.03***	***7.86***	***6.98***	7.46
The report's comparisons are useful.	***8.03***	***6.75***	***8.36***	***6.76***	7.61
The reports are easy to read and understand.	9.35	9.10	***9.45***	***9.08***	9.26
The energy saving tips in the report provided new ideas that I was not previously considering.	***7.69***	***6.73***	***8.04***	***6.68***	7.38
I find the reports useful.	***8.96***	***7.85***	***9.15***	***7.90***	8.56
I enjoy receiving and reading the reports.	***8.79***	***7.63***	***8.89***	***7.83***	8.36
I find the graphics helpful in understanding how my energy usage compares to others like me.	***9.18***	***8.33***	***9.30***	***8.46***	8.88
I find the graphics helpful in understanding how my energy usage changes over the seasons.	***9.30***	***8.44***	***9.29***	***8.74***	9.00
Overall I am satisfied with the reports.	***9.14***	***8.81***	***9.25***	***8.80***	9.04
Overall satisfaction with Duke Energy	8.27	8.07	8.17	8.17	8.20

Those who answered "don't know" if they track usage or are trying to improve are only included in the "Overall" column of this table.

Customers in the Carolina System were asked to rate the usefulness of three options for presenting the home comparisons on reports: using dollars spent per month (the current method), as well as presenting kilowatt hours per month or pounds of pollution produced per month. These ratings were recorded on a 10-point scale, where 10 means "very useful" and 1 means "not useful", and the average ratings by groups are shown in Table 21. The current dollars per month comparison receives the highest average ratings for usefulness (8.73), significantly higher than the average ratings for kilowatt hours per month (5.85), which in turn received a significantly higher average rating than pounds of pollution per month (4.42). There are no significant differences between customers who read or throw away reports, or by how customers feel their efficiency efforts compare to others.

OFFICIAL COPY
Mar 04 2015

Table 21. Ratings for Three Home Comparison Units

Average rating for usefulness	Read MyHER		Compared to Others			Overall (N=302)
	Read (N=292)	Throw Away (N=10)	Do More (N=134)	Same (N=136)	Do Less (N=22)	
Dollars spent per month	8.73	8.71	8.69	8.84	8.36	8.73
Kilowatt hours per month	5.87	4.86	6.11	5.75	5.43	5.85
Pounds of pollution per month	4.42	4.60	4.66	4.30	4.40	4.42

Those who "don't know" how they compare to others are not shown in this table.

Tips and Messages

The series of questions regarding recalled tips and message that were asked of surveyed MyHER customers can be found in Appendix C: MyHER Customer Survey Instrument starting on page 161, and begin with question 9. First we asked if they recalled any of the tips that they read on the MyHER, and if they did, we asked which tips they recalled. For all recalled tips and messages (up to three), we asked a series of questions about those tips or messages they recalled. We asked if their response to the tip or message was favorable, if it was believable, if and what they did in response to the tip or message, and how influential the MyHER was in their decision to take the action.

Duke Energy provided TecMarket Works with examples of MyHER mailings, and the database of customer contacts provided to TecMarket Works included which MyHER mailings customers received and when (by the mail drop date provided). With this information, we determined if the message or tip they recalled was a correct or false recollection of a tip or message they received. If the recalled tip or message was correct, we calculated how many days passed from the day they received the MyHER with that tip or message to the day that they were surveyed by TecMarket Works.

If a message or tip was sent to a customer on multiple MyHERs, then the days to recall—or days from receiving the MyHER mailing with that MyHER message or tip to the day the customer was surveyed—is from the most recent MyHER mailing with that message. For example, if the customer received a weatherization tip on a report with a mail drop date of January 2, 2013 and again received a weatherization tip with a mail drop date of April 9, 2013, and then was surveyed on May 9, 2013, we count the number of days from the April drop date for the "days to recall" metric, which would be 30 days in this example (instead of 127).

The Difference Between Tips and Messages

One important difference between tips and messages is their location on the MyHER: Two tips are presented on the front page, while two messages are generally shown on the back page. Tips are customized so that every month customers receive those most appropriate to their household, while all customers receive messages from the same set of monthly messages (all participants receive one or two messages from a set of up to three messages each month). During the period of the eleven reports covered by this evaluation (reports titled "May 2012" through "June 2013"), a total of 30 separate[17] tips were sent to customers. These eleven reports also included 23

[17] Two similar tips are counted separately for reporting purposes: "install a programmable thermostat" is a revised version of the earlier tip "install and program a programmable thermostat" with updated text.

OFFICIAL COPY
Mar 04 2015

separate messages. A key to messages and tips can be found in Appendix J: Summary of Tips and Messages. An example of a report provided to TecMarket Works can be found in Appendix D: Example MyHER Mailing.

Recalled Tips and Messages

Surveyed MyHER customers that read the MyHER were asked if they recalled any of the tips or messages on any of the MyHERs they received. Table 22 presents a summary of how many surveyed MyHER customers recalled tips or messages.

The bottom rows in Table 22 present the same metrics as the top rows, but only consider tips and messages that were correctly recalled (and also adds a row for "percentage of tips and messages recalled correctly"). Half of MyHER customers surveyed (50.3% or 152 out of 302) could recall at least one tip or message from MyHER. Among these customers who could recall at least one tip or message, the majority (87.5% or 133 out of 152) recalled something that correctly matched the tips and messages that were sent to them. Overall, only 77.9% (271 out of 348) of the tips and messages which were recalled by survey participants correctly matched tips and messages that were actually sent.

Table 22 also presents the overall mean number of tips or messages recalled, and the mean for only those surveyed customers who recalled at least one tip or message. For those that recall at least one tip or message, the mean number of tips or messages recalled was 2.29 apiece, and the mean number correctly recalled by those making at least one correct recollection was 2.04 apiece.

MyHER recipients who throw the reports away are less likely to recall any tips or messages (30.0% or 3 out of 10, compared to 51.0% or 149 out of 292 among those who read the reports; this difference is significant at $p<.10$ using student's t-test). The three recipients who throw MyHER away but recalled a tip or message anyhow are also significantly less likely to recall tips and messages correctly (42.9% or 3 out of 7 recalls matching tips or messages that were sent on their reports, compared to 78.6% or 268 out of 341 for those who read the reports; this difference is significant at $p<.05$ using student's t-test).

OFFICIAL COPY
Mar 04 2015

Table 22. Summary of Combined Tips and Messages Recalled

	Read MyHER (N=292)	Throw away MyHER (N=10)	Total (N=302)
Count of Customers Indicating They Recalled Tips or Messages	149	3	152
Percent of Customers Indicating They Recalled Tips or Messages	51.0%	30.0%	50.3%
Total Number of Tips or Messages Recalled	341	7	348
Mean Number of Tips or Messages Recalled (maximum of 3), All Surveyed	1.17	0.70	1.15
Mean Number of Tips or Messages Recalled (maximum of 3), All Surveyed With At Least One Recalled Tip or Message	2.29	2.33	2.29
The Values Below Consider Only Correctly Recalled Tips and Messages			
Count of Customers Recalling At Least One Tip or Message Correctly	131	2	133
Percent of Customers Recalling At Least One Tip or Message Correctly	44.9%	20.0%	44.0%
Total Number of Tips or Messages Recalled Correctly	268	3	271
Percentage of Tips and Messages that were Recalled Correctly	78.6%	42.9%	77.9%
Mean Number of Correctly Recalled Tips or Messages (maximum of 3), All Surveyed	0.92	0.30	0.90
Mean Number of Correctly Recalled Tips or Messages (maximum of 3), All Surveyed With At Least One Correctly Recalled Tip or Message	2.05	1.50	2.04

Comparison: Messages versus Tips

A primary difference between a tip and a message is the location of the statement on the MyHER: Tips are presented on the front of the reports, while messages are presented on the back. Tips are customized for each household, while messages are generally the same for all customers each month.[18] For a complete list of messages and tips included in this analysis, please see Appendix J: Summary of Tips and Messages.

Table 23 presents the mean number of tips and messages recalled, and the mean number of days to recall that tip or message. Surveyed MyHER customers correctly recalled more tips (0.53 per respondent) than messages (0.36 per respondent), and the mean days to recall was lower for tips (140 days) than messages (196 days). Customers who throw their MyHER away recalled fewer tips (0.20 per respondent) and messages (0.10 per respondent) correctly.

[18] Because messages are not randomized like tips, larger numbers of surveyed customers were exposed to messages relative to tips; on the high end, 97% (293 out of 302) of survey respondents received the "Smart Saver Health Check" and "Dial 811" messages, while there was only one message received by fewer than 20% of respondents ("Power of Giving Back" was sent to only 2% or 7 out of 302). However, the number of recipients who have seen each tip during this same time period ranges from less than 1% (2 out of 302 for "check the temperature of your refrigerator and freezer") up to a maximum of only 58% (176 out of 302 for "insulate outlets and switch plates"). The number of customers receiving each tip and message is shown in the left-hand columns of Table 25 and Table 26.

OFFICIAL COPY
Mar 04 2015

Table 23. Number of Tips and Messages Correctly Recalled

	Read MyHER (N=292)	Throw away MyHER (N=10)	Total (N=302)
Number of Correctly Recalled Tips	159	2	161
Mean Number of Tips per Customer	0.54	0.20	0.53
Mean Days to Recall Tips	140	91	140
Number of Correctly Recalled Messages	109	1	110
Mean Number of Messages per Customer	0.37	0.10	0.36
Mean Days to Recall Messages	196	173	196

The tables below present all of the correctly recalled tips and messages, the number of surveyed customers recalling the tip or message, how many of them responded to the tip or message favorably, how many found it believable, and finally, how many of them took action based on the tip or message along with the influence of the MyHER on their taking the action. The Influence Score was determined by calculating the mean response to the following: *"Please indicate how influential the Home Energy Report was to your decision to take this action using a 1 to 10 scale with 1 meaning the report had no influence and you would have taken this action on your own, and 10 meaning that the report was very influential and that you would not have taken this action on your own without reading the tip on the Report."*

Table 24 presents all the recalled tips in one table, combining all counts and averaging the favorability scores of all responses for each tip. The most commonly recalled tips are "use efficient bulbs for your outdoor lighting" (34 recipients), "use energy efficient lighting indoors" (31 recipients) and "keep your shades closed in the summer" (9 recipients), all of which were recalled by more than 10% of the customers receiving those tips on their MyHER reports. The two most frequently recalled tips from MyHER reports are about CFL's, which corresponds to customers' responses about energy efficiency actions shown in Figure 12.

Customers surveyed found most of the tips to be believable and gave them high favorability scores. The lowest-rated tip in terms of favorability is "unplug your second refrigerator or freezer" (6.7 on a 10-point scale based on three ratings), and most tips received ratings higher than 8.0 out of 10. All of the tips were deemed believable by a clear majority of customers recalling those tips, except for "install a programmable thermostat (believable for 50% or 2 out of 4 customers).

In most cases, a majority of customers recalling a tip took action based on that tip. Among tips recalled by more than five respondents, there were four where fewer than 50% of customers took action: "buy an Energy Star computer" (16.7% or 1 out of 6), "insulate your attic" (20% or 1 out of 5), "replace your windows with low-E Energy Star windows" (40% or 2 out of 5) and "buy an Energy Star television" (42.9% or 3 out of 7). For almost all of the tips, a majority of customers who took action were satisfied with the results.

The amount of time to recall these tips ranged from about 4 weeks to more than eight months, with the top two most frequently recalled tips having been recalled on average from 151 to 155 days (about five months) after the reports containing those tips were sent.

OFFICIAL COPY
Mar 04 2015

All but two of the tips sent to Carolina System customers on MyHER reports were recalled by fewer than 10 survey respondents apiece, which is not a large enough sample for significance testing. Differences between tips in terms of ratings and actions should be considered directional indicators, not statistically significant findings.

Table 24. All Recalled Tips

Recalled Tip (Number of Respondents Receiving)	**Number of Recalls for This Tip** (percent recalling)	**Mean Favora-bility Score**	**Number Finding It Believable** (percent yes)	**Number of Customers Taking Action** (percent yes)	**Satisfied With Results** (percent of those taking action)	**Customers Planning to Take Action** (percent of those recalling)	**Mean Days to Recall**
Use efficient bulbs for your outdoor lighting (N=169)	34* (20%)	8.7	33 (97%)	22 (65%)	21 (95%)	1 (3%)	151
Use energy efficient lighting indoors (N=159)	31* (19%)	8.9	30 (97%)	24 (77%)	23 (96%)	1 (3%)	155
Keep your shades closed in the summer (N=76)	9 (12%)	9.6	9 (100%)	6 (67%)	5 (83%)	1 (11%)	28
Buy an Energy Star computer (N=74)	6 (8%)	8.3	6 (100%)	1 (17%)	1 (100%)	2 (33%)	29
Replace your windows with low-E Energy Star windows (N=88)	5 (6%)	8.8	5 (100%)	2 (40%)	2 (100%)	1 (20%)	68
Turn off outdoor lights during the day (N=165)	8 (5%)	8.5	8 (100%)	6 (75%)	6 (100%)	0 (0%)	233
Insulate electrical outlets and switch cover plates (N=176)	8* (5%)	9.7	8 (100%)	4 (50%)	2 (50%)	2 (25%)	207
Weatherize your home (N=149)	7 (5%)	9.3	7 (100%)	7 (100%)	6 (86%)	0 (NA)	122
Buy an Energy Star television (N=152)	7* (5%)	9.4	7 (100%)	3 (43%)	2 (67%)	2 (29%)	164
Cut the standby power used for home entertainment (N=151)	6 (4%)	7.3	5 (83%)	5 (83%)	4 (80%)	0 (0%)	209
Insulate your attic (N=147)	5* (3%)	9.8	5 (100%)	1 (20%)	0 (0%)	1 (20%)	146
Cut standby power to your home computing system (N=135)	4 (3%)	8.8	4 (100%)	4 (100%)	3 (75%)	0 (NA)	73
Install a programmable thermostat (N=146)	4 (3%)	7.3	2 (50%)	3 (75%)	2 (67%)	0 (0%)	17
Minimize the run time of your dryer (N=157)	4 (3%)	10.0	4 (100%)	4 (100%)	4 (100%)	0 (NA)	196
Save on hot water use (N=96)	3 (3%)	9.7	3 (100%)	2 (67%)	2 (100%)	1 (33%)	227
Use task lighting (N=149)	3 (2%)	8.0	3 (100%)	3 (100%)	3 (100%)	0 (NA)	253
Dust off that crock pot (N=150)	3 (2%)	7.7	2 (67%)	2 (67%)	2 (100%)	0 (0%)	33
Buy an Energy Star	3	9.0	3	0	NA	1	124

OFFICIAL COPY
Mar 04 2015

Recalled Tip (Number of Respondents Receiving)	Number of Recalls for This Tip (percent recalling)	Mean Favora-bility Score	Number Finding It Believable (percent yes)	Number of Customers Taking Action (percent yes)	Satisfied With Results (percent of those taking action)	Customers Planning to Take Action (percent of those recalling)	Mean Days to Recall
dehumidifier (N=152)	(2%)		(100%)	(0%)		(33%)	
Replace your old hot water heater (N=153)	3 (2%)	8.0	2 (67%)	2 (67%)	2 (100%)	1 (33%)	146
Buy an Energy Star dishwasher (N=155)	3* (2%)	8.7	3 (100%)	0 (0%)	NA	1 (33%)	142
Unplug your second refrigerator or freezer (N=163)	3 (2%)	6.7	3 (100%)	2 (67%)	2 (100%)	0 (0%)	76
Install and program a programmable thermostat (N=47)	1 (2%)	9.0	1 (100%)	1 (100%)	1 (100%)	0 (NA)	259
Enable energy management on your computer (N=156)	2 (1%)	9.0	2 (100%)	1 (50%)	1 (100%)	0 (0%	217
Use your microwave instead of a conventional oven (N=159)	2 (1%)	10.0	2 (100%)	0 (0%)	NA	0 (0%)	54
It is time for summer cookouts and energy savings (N=148)	1 (0.7%)	10.0	1 (100%)	1 (100%)	1 (100%)	0 (NA)	24
Buy an Energy Star refrigerator (N=156)	1 (0.6%)	9.0	1 (100%)	1 (100%)	1 (100%)	0 (NA)	88
Put your outdoor lights on motion detectors or timers (N=156)	1 (0.6%)	8.0	1 (100%)	1 (100%)	1 (100%)	0 (NA)	103

** Six surveyed participants recalled communications that matched two similar tips sent on the same report (such as "use efficient lighting indoors" and "use efficient lighting outdoors"), thus these six cases are counted twice in this table (once for each tip that is considered a match). Note: If a customer already took action based on a tip, they were not asked if they planned to take action based on that tip in the future (thus "NA" for the percent planning to take action for tips where 100% of customers already took action).*

Table 25 presents messages recalled by customers surveyed, with the most recently recalled messages at the top. For most months' reports, MyHER includes the same two messages sent to all recipients at the same time. The most frequently recalled report messages are "CFL Twist" (48 recipients or 28.7% of 167 who received this message) and "CFL Free" (23 recipients or 30.3% of 76 who received this message). Both of these messages were included on the October 2012 reports, and as is the case with the most-recalled tips from reports, these messages are also about CFL's. None of the other messages were recalled by as many as 10% of customers receiving those messages.[19]

[19] May, June and July 2013 reports were being mailed to customers while this survey was in progress. The earliest May 2013 reports were mailed on June 4, 2013, by which time 160 (52.6% of 305) of participants in the Carolina

OFFICIAL COPY
Mar 04 2015

Customers who received the "CFL Twist" message had previously received CFL's through a Duke Energy program (this message encouraged them to install the light bulbs they already have) while "CFL Free" was sent to customers who were eligible to receive free CFL's from Duke Energy (this message encouraged them to enroll in the free bulb program). Compared to those receiving "CFL Free", customers who received the "CFL Twist" message gave higher favorability ratings (9.3 on a 10-point scale, compared to 8.4 for "CFL Free") and were more likely to have taken action based on the tip (72.9% or 35 out of 48, versus 60.9% or 14 out of 23 for "CFL Free"), although neither of these differences rise to the level of statistical significance ($p>.10$ using student's t-test).

Among the remaining messages recalled, favorability ratings are quite high (8.9 or higher for all messages recalled by at least five respondents), and large majorities find these messages believable (88.9% or 8 out of 9 for even the least-believable message).

Table 25. All Recalled Messages

Recalled Message (Number of Respondents Receiving)	**Number of Recalls for This Message** (percent recalling)	**Mean Favora-bility Score**	**Number Finding It Believable** (percent yes)	**Number of Customers Taking Action** (percent yes)	**Satisfied With Results** (percent of those taking action)	**Customers Planning to Take Action** (percent of those recalling)	**Mean Days to Recall**
Refrigerator Jun 2013 (N=148)	1 (0.7%)	7.0	1 (100%)	0 (0%)	NA	1 (100%)	12
Out With The Old May 2013 (N=143)	2 (1%)	7.0	2 (100%)	1 (50%)	0 (0%)	0 (0%)	34
Smart Saver Health Check Mar 2013 (N=293)	2 (0.7%)	8.0	2 (100%)	2 (100%)	2 (100%)	0 (NA)	112
Screen Savers Jan 2013 (N=291)	9 (3%)	8.9	8 (89%)	8 (89%)	7 (88%)	0 (0%)	127
Hugs For Heaters Dec 2012 (N=260)	6 (2%)	9.3	6 (100%)	4 (67%)	3 (75%)	2 (33%)	165
Dirty Laundry Oct 2012 (N=243)	7 (3%)	9.3	7 (100%)	4 (57%)	4 (100%)	1 (14%)	205
CFL Twist Oct 2012 (N=167)	48 (29%)	9.3	45 (94%)	35 (73%)	32 (91%)	0 (0%)	201
CFL Free Oct 2012 (N=76)	23 (30%)	8.4	22 (96%)	14 (61%)	14 (100%)	1 (4%)	199

System had already been surveyed. The earliest June 2013 reports were mailed on June 24, 2013, by which time 60.6% (185 out of 305) of participants had been surveyed. July 2013 reports only started going in the mail on July 23, 2013, which was the last day of participant surveys (so none of the surveyed participants would have seen the July 2013 report by the time they were surveyed). All survey respondents would have received all reports from March 2013 and earlier by the time they were surveyed (based on their months of participation in the program; due to billing and other issues, some customers do not receive every report).

OFFICIAL COPY
Mar 04 2015

Recalled Message (Number of Respondents Receiving)	Number of Recalls for This Message (percent recalling)	Mean Favora-bility Score	Number Finding It Believable (percent yes)	Number of Customers Taking Action (percent yes)	Satisfied With Results (percent of those taking action)	Customers Planning to Take Action (percent of those recalling)	Mean Days to Recall
Drafts Sep 2012 (N=88)	1 (1%)	9.0	1 (100%)	0 (0%)	NA	1 (100%)	266
Read Write Reset Aug 2012 (N=151)	6 (4%)	9.6	6 (100%)	1 (17%)	0 (0%)	2 (33%)	261
Vacation Jun 2012 (N=132)	3 (2%)	6.3	3 (100%)	0 (0%)	NA	1 (33%)	317
Smart Saver May 2012 (N=59)	2 (3%)	6.5	2 (100%)	1 (50%)	1 (100%)	0 (0%)	348

Notes: If a customer already took action based on a message, they were not asked if they planned to take action based on that message in the future (thus "NA" for the percent planning to take action for messages where 100% of customers already took action).

There were another eleven messages and three tips which none of the surveyed participants recalled; these are listed below in Table 26, along with the number of survey participants receiving each message or tip on their MyHER reports.

Table 26. Tips and Messages That Were Not Recalled by Any Surveyed Participants

	Number of Respondents Receiving Message or Tip
Messages that were not recalled (and monthly report)	
Water and Electricity (Jun 2013)	148
Heads Up Cool Down (May 2013)	150
Power of Giving Back (May 2013)	7
Dial 811 (Mar 2013)	293
Power Manager (Jan 2013)	247
Videos (Jan 2013)	44
Go Green (Dec 2012)	260
Winter Magic (Sep 2012)	88
Know Your Home (Jul 2012)	148
Home Energy House Call (Jun 2012)	132
Spring Cleaning (May 2012)	59
Tips that were not recalled (not tied to particular months)	
Air dry your laundry	155
Try an LED light bulb	44
Check the temperature of your refrigerator or freezer	2

If customers said a tip or message was "not believable", they were asked why. These verbatim responses are listed below for customers who found tips or messages to be "not believable". Overall, there were only five cases where a tip was "not believable" and four cases where a message was deemed "not believable" (though three of these cases represent a customer's recollection matching both a tip and a message, so these comments are reported below twice for

OFFICIAL COPY
Mar 04 2015

the corresponding tips and messages). Another two tips and one message were recalled by customers who "don't know" if those messages are believable, though these customers were not asked to explain the reasons for their answers.

Why tips were not believable

Cut the standby power used for home entertainment (N=1)

- *"I felt like plugging it in and pulling it out was a waste, until I realized that I was saving energy. One example was the Glade Plug-ins; while I like to come home to a house that smells nice, I researched more and found that they use energy because they're on all the time. It was the same with my coffee pot: even with a timer, that's using energy. I didn't think about it until I started getting the reports."*

Replace your old hot water heater (N=1)

- *"I don't feel like this is really the problem with my electric bill, but I plan on buy a new water heater anyway."*

Install a programmable thermostat (N=1)

- *"I would have to replace three thermostats which would be more expensive than just manually adjusting the thermostats myself."*

Use efficient bulbs for your outdoor lighting (N=1)

- *"We didn't see any difference in our bill."*

Use energy efficient lighting indoors (N=1)

- *"The Reveal lights bulbs work just as well and I like the light quality better."*

Why messages were not believable

CFL Twist (N=3)

- *"I have not seen any evidence in my bill yet."*
- *"We didn't see any difference in our bill."*
- *"The Reveal lights bulbs work just as well and I like the light quality better."*

Screen Savers (N=1)

- *"I felt like plugging it in and pulling it out was a waste, until I realized that I was saving energy. One example was the Glade Plug-ins; while I like to come home to a house that smells nice, I researched more and found that they use energy because they're on all the time. It was the same with my coffee pot: even with a timer, that's using energy. I didn't think about it until I started getting the reports."*

OFFICIAL COPY
Mar 04 2015

Influence of MyHER Tips and Messages On Actions Taken

Customers who took action based on a tip or message were asked to rate the influence of the MyHER program on their action using a 10-point scale, where "10" means "very influential." Overall, among the 105 actions taken based on tips the average rating of influence was 7.94, while for the 70 actions taken based on messages the average rating of influence was 7.53. The mean influence ratings for all tips and messages for which customers took action are shown below in Figure 16 and Figure 17.



Figure 16. Mean Influence Ratings of Tips on Actions Taken

OFFICIAL COPY
Mar 04 2015



Figure 17. Mean Influence Ratings of Messages on Actions Taken

Tip and Message Relevance

Surveyed MyHER recipients were asked if they felt that the tips and messages included on the report were relevant and applied to their household. These results are shown in Table 27. Overall, more than two-thirds (70.2% or 212 out of 302) of customers felt that the tips and messages are relevant and apply to their households. Specific subgroups that are significantly less likely to feel the tips and messages are relevant and applicable include those who throw away the reports (30.0% or 3 out of 10) and those who don't know what their MyHER usually shows in comparison to other households (50.0% or 11 out of 22; these groups are significantly different from the others at $p<.10$ or better using student's t-test). However, there was little difference between groups based on their actual, recent MyHER scores or efforts to improve energy efficiency.

OFFICIAL COPY
Mar 04 2015

Table 27. Relevance and Applicability of Tips and Messages for Customers' Households

	% who feel tips are relevant and apply to household
Overall (N=302)	70.2%
Read MyHER reports or throw them away	
Read MyHER (N=292)	71.6%
Throw away MyHER (N=10)	30.0%
Efforts to decrease energy consumption compared to others	
Do more than others (N=134)	71.6%
Do about the same as others (N=136)	69.9%
Do less than others (N=22)	59.1%
Don't know how compare to others (N=10)	80.0%
Usage usually shown on MyHER chart	
MyHER shows home uses less than average (N=99)	67.7%
MyHER shows home uses about the same as the average home (N=70)	74.3%
MyHER shows home uses more than average (N=111)	73.9%
Don't know how MyHER shows comparison to average home (N=22)	50.0%
Recent MyHER Score	
Recent MyHER score: less than efficient home (N=88)	69.3%
Recent MyHER score: less than average, but more than efficient home (N=59)	81.4%
Recent MyHER score: more than average home (N=147)	66.0%
State	
North Carolina (N=151)	71.5%
South Carolina (N=151)	68.9%

Customers who said the tips and messages on the MyHER report were not relevant were asked if there were any specific tips or messages that stood out to them as not being applicable to their household. All but ten of the recipients surveyed who did not feel the tips were relevant or applicable either did not know if the tips and messages were relevant or applicable, or could not recall any particular tips or messages that were not relevant or applicable. The ten responses from customers who commented about tips and messages not being applicable or relevant are categorized and listed below.

Does not apply to renters (N=3)

- *Add insulation to your attic, walls, and crawlspace, and install Energy Star A/C and heat pump do not apply. We can't do these because the home is a rental.*
- *I live in a rental apartment, so I have no control over changes for energy efficiency.*
- *Most of the tips are great, but some are directed at homeowners and we rent.*

Reject tips and messages in general (N=4)

- *Since I already knew most of the tips, I wasn't paying very close attention.*
- *I feel that the tips are very elementary or basic and that this information is readily available elsewhere.*
- *Many of the tips do not apply to me because I am a frugal bachelor.*
- *I cannot afford to do many tips.*

OFFICIAL COPY
Mar 04 2015

Specific tips and messages which were not relevant or applicable (N=3)

- *I was already in the habit of turning lights off when they're not needed.*
- *The turning lights off tip was very general, so not very useful.*
- *Tips about setting the thermostat higher during the summer do not apply to me due to health reasons.*

Tip and Message Savings

Customers were asked to estimate their monthly savings from taking actions inspired by MyHER tips and messages, in terms of dollars on their monthly bill and in terms of energy saved. Only one surveyed participant[20] who took action was able to answer the question about energy savings in terms of kWh (though they answered in terms of "kilowatts per month"), and customers were only able to give dollar savings estimates for about half (49.7% or 83 out of 167) of actions described (including actions which did not match recalled tips). These verbatim estimates are listed below by tips and messages recalled.

Estimated Monthly Savings from Tips

Use efficient bulbs for your outdoor lighting (N=12)

- *$20 to $25*
- *$15* (N=2)
- *$10*
- *$5 to $10*
- *$7 or $8; I saved 50 to 60 kilowatts per month.*
- *$7*
- *$4 to $5*
- *$3* (N=2)
- *No savings* (N=2)

Use energy efficient lighting indoors (N=9)

- *$40*
- *$25*
- *$20 to $25*
- *$20*
- *Less than $10*
- *$7 or $8; I saved 50 to 60 kilowatts per month.*
- *$6*

[20] The recalled communication by the participant who estimated that they saved "50 to 60 kilowatts per month" was matched to the "CFL Twist" message as well as both tips about "efficient lighting", since this customer received both "efficient lighting" tips at the same time on the same report. Thus this estimate is repeated three times in this section, once for each of the three tips and messages this customer's recollection was matched to.

OFFICIAL COPY
Mar 04 2015

- *$5*
- *$5 or $6*

Cut standby power to your home computing system (N=3)

- *$25*
- *$20 to $25*
- *$2*

Minimize the run time of your dryer (N=3)

- *$20 including all efforts*
- *$5*
- *$2 to $3*

Turn off outdoor lights during the day (N=3)

- *$45*
- *$20 to $30*
- *$10*

Dust off that crock pot (N=2)

- *$7 per month when combined with other strategies.*
- *$3*

Install a programmable thermostat (N=2)

- *3% savings*
- *No savings*

Insulate electrical outlets and switch cover plates (N=2)

- *$50*
- *$5 to $10*

Keep your shades closed in the summer (N=2)

- *$5*
- *$3*

Weatherize your home (N=2)

- *15% to 18% savings*
- *$5*

Use task lighting (N=2)

- *$20 to $25*
- *$20*

OFFICIAL COPY
Mar 04 2015

Cut the standby power used for home entertainment (N=1)

- *$7 per month when combined with other strategies.*

Enable energy management on your computer (N=1)

- *$25*

Install and program a programmable thermostat (N=1)

- *$30*

It's time for summer cook outs and energy savings (N=1)

- *$3*

Put your outdoor lights on motion detectors or timers (N=1)

- *$50*

Replace your windows with low-E Energy Star windows (N=1)

- *$10*

Save on hot water use (N=1)

- *$30*

Unplug your second refrigerator or freezer (N=1)

- *$30 to $40*
- *$4*

Buy an Energy Star computer (N=1)

- *$50* (This participant's recollection was matched to the "computer" tip since that was the appliance-related tip they received most recently; however, this respondent specified that they purchased a new high efficiency A/C unit.)

Buy an Energy Star television (N=1)

- *I think my energy bill was nearly cut in half. I'm probably saving around $40 per month.* (This participant's recollection was matched to the "television" tip since that was the appliance-related tip they received most recently; however, this respondent specified that they purchased a new stove, refrigerator, dishwasher, washer, dryer, and deep freezer.)

No estimates were provided for the following tips (N=0):

Air dry your laundry
Buy an Energy Star dehumidifier
Buy an Energy Star dishwasher
Buy an Energy Star refrigerator
Check the temperature of your refrigerator or freezer
Insulate your attic

OFFICIAL COPY
Mar 04 2015

Replace your old hot water heater
Use your microwave instead of a conventional oven

Estimated Monthly Savings from Messages

CFL Twist (N=17)

- *$40*
- *$25*
- *$20 to $25 per month*
- *$20*
- *$10 or $15, maybe as much as $20 a month.*
- *$15*
- *$10*
- *Maybe $10*
- *Less than $10*
- *$5 to $10*
- *$7 or $8; I saved 50 to 60 kilowatts per month.*
- *$7*
- *$6*
- *$5 or $6*
- *$3*
- *No savings* (N=2)

CFL Free (N=4)

- *$10*
- *$5*
- *$4 to $5*
- *$3*

Hugs For Heaters (N=3)

- *$50*
- *$10*
- *$3*

Screen Savers (N=3)

- *$20 to $25*
- *$7 per month when combined with other strategies.*
- *$4*

Dirty Laundry (N=2)

- *$20 including all efforts*

OFFICIAL COPY
Mar 04 2015

- *$5*

Smart Saver Health Check (N=2)

- *Less than $10*
- *$3*

Read Write Reset (N=1)

- *$50*

Smart Saver (N=1)

- *$35*

No estimates were provided for the following messages (N=0):

Dial 811
Drafts
Go Green
Heads Up Cool Down
Home Energy House Call
Know Your Home
Out With The Old
Power Manager
Power of Giving Back
Refrigerator
Smart Saver Insulate & Seal
Spring Cleaning
Two Minute Warning
Vacation
Videos
Water and Electricity
Who Knows Your Home
Winter Magic

Effect of Actions Taken on Comfort

Customers were asked if the actions they have taken based on recalled tips and messages changed the comfort level in their home. These results are shown in Figure 18 for tips and Figure 19 for messages.

Actions taken based on tips and messages are generally described as either increasing comfort or not effecting comfort, with a small minority mentioning decreases in comfort. Some tips that recipients generally reported as improving their comfort level include "insulate electrical outlets and switch cover plates", "weatherize your home", and a number of tips for which only one or two customers took action. The only tip that decreased comfort more than increasing it is "buy an Energy Star computer", though only one customer took action based on this tip.

OFFICIAL COPY
Mar 04 2015

Only three other tips and two messages caused any customers at all to report a decline in comfort: the tips "install a programmable thermostat", "efficient lighting indoors" and "efficient lighting outdoors", and the messages "CFL Free" and "CFL Twist".



Figure 18. Changes in Comfort Due to Actions Taken from Tips

OFFICIAL COPY
Mar 04 2015



Figure 19. Changes in Comfort Due to Actions Taken from Messages

Customers Receiving Duplicate Reports

During some months, a portion of customers in the MyHER program received more than one MyHER report. This was apparently due to a data handling issue at the program vendor. Duke Energy became aware of the problem, having discovered it independently during their own quality control process. As of Spring 2013 this problem has been corrected. Most of the duplicate reports for the Carolina System were sent in August 2012 (2.6% or 8 out of 302 customers surveyed received two reports that month), though there were also a small number in June and December 2012. Among customers surveyed for this evaluation, there were no duplicate reports sent for the most recent five MyHER reports, January 2013 through July 2013. When these duplicate reports were sent, both included the same messages but (usually) different sets of tips.

OFFICIAL COPY
Mar 04 2015

Table 28. Customers Receiving Multiple Reports in the Same Month

Month of Report	Customers Receiving Two Reports (N=302)
May 2012	0.0%
June 2012	0.3%
July 2012	0.0%
August 2012	2.6%
September 2012	0.0%
October 2012	0.0%
December 2012	0.7%
January 2013	0.0%
March 2013	0.0%
May 2013	0.0%
June 2013	0.0%
July 2013	0.0%

For the purposes of matching tips and messages to what customers recall from the reports, duplicate reports were included in the analysis (if a customer remembered a tip from either report received in a month, it was considered a correct match and the "days to recall" is calculated from the drop date of the report with the matching tip or message).

In the Carolina System, we also found a few examples of customers receiving the same tip on two consecutive reports (tips are not supposed to be duplicated until a customer has received all of the tips relevant for their household). Six survey participants (2.0% of 302) received an identical tip on their May and June 2012 reports, while one participant (0.3% of 302) received duplicate reports for the month of June 2012 with both versions of this report containing an identical tip. In all six of these cases, the second report received contained one tip identical to the previous report, but also one new tip the customer had not previously received. A summary of duplicate tips can be found in Table 29.

Table 29. Customers Receiving Duplicate Tips

Tip	Customers Receiving Tip Twice (N=302)
Buy an Energy Star television	0.7%
Turn off outdoor lights during the day	0.3%
Cut the standby power used for home entertainment	0.3%
Minimize the run time of your dryer	0.3%
Insulate electrical outlets and switch cover plates	0.3%
Replace your windows with low-E Energy Star windows	0.3%

Other Energy Efficiency Actions Taken

Some of the surveyed MyHER customers have taken actions since they started receiving the Home Energy Reports that they say were not influenced by MyHER messages or tips. Table 30 presents percentages of customers surveyed who have reported that they have taken such additional energy efficient actions. If the customer indicated that they took action, we asked them what they did. These open-ended responses are in Appendix K: List of Self-Reported Energy

OFFICIAL COPY
Mar 04 2015

Efficiency Actions. The first question was open-ended, directed towards activities not influenced by MyHER, and contains a variety of responses. The series of questions following the first asked about specific changes that they may have made in their homes, and includes both actions inspired by the program and actions not inspired by the program.

When the initial open-ended question about actions taken beyond those recommended by MyHER tips and messages was asked, none (0% of 10) of the customers who throw away the Home Energy Report said they had taken additional actions compared to 14.4% (42 out of 292) of those who read the reports (this difference is significant at $p<.10$ using student's t-test).

However, when we probed about specific areas of action, many customers who throw away their reports said they did take actions. For reducing energy use from heating (overall 33.4%), cooling (40.7%) and water heating (20.2%), customers who throw the reports away are statistically just as likely to have taken action as those who read the reports; though customers who read the reports are more likely to have taken action to reduce energy usage from appliances (32.9% versus 10.0%), lighting (58.2% versus 30.0%) and home entertainment (35.3% versus 10.0%; all significant at $p<.10$ or better using student's t-test).

Customers who say they do "more than others" for energy efficiency are significantly more likely to have taken action to reduce energy from heating (41.0%) and from hot water heating (24.6%) compared to the other groups ($p<.10$ or better using student's t-test). Among the 23 surveyed customer who have pools, those who say they do "more than others" are also more likely to have taken steps to save energy usage by their pools (60.0%, significantly more than other groups at $p<.10$ using student's t-test).

Customers who say they do "less than others" for energy efficiency (22.7%) are significantly more likely to those who do "about the same as others" (11.0%) to have taken additional actions beyond the program ($p<.10$ using student's t-test), but neither of these groups is significantly different from those who do "more than others" (14.9%).

OFFICIAL COPY
Mar 04 2015

Table 30. Energy Efficiency Actions Taken by Customers

Statement	Read MyHER		Compared to Others			Overall (N=302)
	Read (N=292)	Throw Away (N=10)	Do More (N=134)	Same (N=136)	Do Less (N=22)	
Taken additional action to save electricity in the home (beyond actions influenced by MyHER)	14.4%	0.0%	14.9%	11.0%	22.7%	13.9%
Reduce energy used to light home (including actions influenced by MyHER)	58.2%	30.0%	59.0%	56.6%	54.5%	57.3%
Reduce energy used to cool home (including actions influenced by MyHER)	40.8%	40.0%	37.3%	44.1%	36.4%	40.7%
Reduce energy from home computers or electronics (including actions influenced by MyHER)	35.3%	10.0%	37.3%	33.1%	36.4%	34.4%
Reduce energy used to heat home (including actions influenced by MyHER)	33.9%	20.0%	41.0%	27.9%	22.7%	33.4%
Reduce energy from home appliances (including actions influenced by MyHER)	32.9%	10.0%	32.8%	30.1%	31.8%	32.1%
Reduce energy used to heat water (including actions influenced by MyHER)	20.2%	20.0%	24.6%	17.6%	18.2%	20.2%
Have a pool	7.5%	10.0%	7.5%	7.4%	9.1%	7.6%
Base: respondents with a pool	**N=22**	**N=1**	**N=10**	**N=10**	**N=2**	**N=23**
Made changes to pool to make it more efficient	31.8%	100.0%	60.0%	20.0%	0.0%	34.8%

Those who "don't know" how they compare to others are not shown in this table.

After asking customers whether they have taken actions to reduce energy in their home in the categories shown above, we asked what they did (recording up to three actions taken per respondent) and if MyHER had any influence on the actions taken: MyHER recipients could either say MyHER was the "main reason", "one reason among several (but not the main reason)" or that MyHER "did not have an influence" on their action. These results are shown in Figure 20 for six specific areas of energy efficiency action (lighting, cooling, heating, water heating, home computers and electronics, and appliances).

Customers who took actions cited MyHER as the "main reason" for from 19.2% to 26.2% of actions taken, depending on the category. The greatest number of actions were taken in the area of lighting (N=225 actions[21] taken by the 302 customers surveyed), and this was also the area where MyHER's influence was greatest overall, with MyHER being either the "main reason" or

[21] This survey recorded up to three actions per customer for each of the six specific areas of energy efficiency asked about. Thus the "number of actions" reported in Figure 20 is not the same as the "number of surveyed customers" who took at least one action in a given area, which is reported in Table 31Table 31.

OFFICIAL COPY
Mar 04 2015

"one reason of several" for 81.8% (184 of 225) of actions taken to reduce energy used to light the home (significantly higher than the percentage of actions influenced by the program for all other categories asked about at p<.10 or better using student's t-test) . The program also had some influence on the majority of actions taken to reduce energy usage in other areas; the least influence of the program was on water heating, but even then 58.9% (43 out of 73) of actions taken in this area were influenced by the program to some degree (though this represents significantly less influence of the program than any of the other areas asked about at p<.05 using student's t-test).



Figure 20. Influence of MyHER on Energy Efficiency Actions

MyHER customers in this survey were also asked if they had taken any actions since they started receiving the reports that might have increased their energy usage. These results are shown in Table 31; overall, the proportion of MyHER customers taking such actions is under 10% for every category that was asked about. The most common actions taken that would increase energy use involve home computers and electronics (8.3% or 25 out of 302) and home appliances (5.6% or 17 out of 302). The least common areas for such actions are cooling the home (3.0% or 9 out of 302) and heating the home (3.3% or 10 out of 302).

OFFICIAL COPY
Mar 04 2015

Table 31. Actions Taken by Customers that Increase Energy Use

Statement	Read MyHER		Compared to Others			Overall (N=302)
	Read (N=292)	Throw Away (N=10)	Do More (N=134)	Same (N=136)	Do Less (N=22)	
Increased energy from home computers or electronics	8.2%	10.0%	9.7%	6.6%	4.5%	8.3%
Increased energy from home appliances	5.8%	0.0%	4.5%	5.1%	13.6%	5.6%
Increased energy used to heat water	4.8%	0.0%	3.7%	4.4%	9.1%	4.6%
Increased energy used to light home	4.1%	0.0%	4.5%	3.7%	4.5%	4.0%
Increased energy used to heat home	3.4%	0.0%	2.2%	4.4%	0.0%	3.3%
Increased energy used to cool home	3.1%	0.0%	1.5%	3.7%	4.5%	3.0%

Those who "don't know" how they compare to others are not shown in this table.

Satisfaction with MyHER

Surveyed customers provided ratings of satisfaction with various aspects of the MyHER, their overall satisfaction with the program and their satisfaction with Duke Energy. These satisfaction scores are presented in this section.

Surveyed MyHER customers that read the report were asked to indicate their agreement with a series of statements using a 10-point scale, with 1 indicating that they strongly disagreed with the statement, and 10 indicating that they strongly agreed with the statement. A summary of the results are presented in Table 32.

Overall, the aspects of the program which received the highest ratings were the reports being easy to read and understand (9.26), graphics being helpful for understanding how usage changes over the year (9.00) and graphics being helpful for understanding how usage compares to others (8.88). The lowest-rated aspects of the program are for the energy-saving tips providing new ideas (7.38), the reasonableness and appropriateness of the comparisons (7.46) and usefulness of those comparisons (7.61). Overall satisfaction with the Home Energy Reports is quite high at 9.04, and these customers are also satisfied with Duke Energy, giving their utility a mean satisfaction score of 8.20.

Customers who read the Home Energy Report consistently give higher program satisfaction ratings than those who throw them away, overall and for every aspect of the program inquired about (all at $p<.05$ using ANOVA). The only rating that is not significantly different between customers who read the reports and those who throw them away is for overall satisfaction with Duke Energy.

Customers who say they do "more than others" to save energy rate their satisfaction with the usefulness of the report's comparisons higher than others ($p<.05$ using ANOVA), however this is the only rating in Table 32 that differs significantly according to how customers feel their efforts compare to others.

OFFICIAL COPY
Mar 04 2015

Table 32. Mean Satisfaction with MyHER

Statement	Read MyHER		Compared to Others			Overall (N=302)
	Read (N=292)	Throw Away (N=10)	Do More (N=134)	Same (N=136)	Do Less (N=22)	
The report's comparisons are reasonable and appropriate.	7.50	5.00	7.84	7.20	7.16	7.46
The report's comparisons are useful.	7.65	4.75	8.06	7.26	7.45	7.61
The reports are easy to read and understand.	9.30	7.67	9.39	9.17	8.90	9.26
The energy saving tips in the report provided new ideas that I was not previously considering.	7.45	4.33	7.30	7.53	7.53	7.38
I find the reports useful.	8.61	6.17	8.74	8.57	8.09	8.56
I enjoy receiving and reading the reports.	8.44	4.67	8.59	8.24	8.14	8.36
I find the graphics helpful in understanding how my energy usage compares to others like me.	8.93	6.20	9.08	8.84	8.77	8.88
I find the graphics helpful in understanding how my energy usage changes over the seasons.	9.04	7.17	8.98	9.13	8.86	9.00
Overall I am satisfied with the reports.	9.07	7.33	9.10	9.05	8.95	9.04
Overall satisfaction with Duke Energy	8.20	8.00	8.31	8.13	8.41	8.20

Those who "don't know" how they compare to others are not shown in this table.

MyHER recipients who rated aspects of the program at "7" or less on a 10-point scale were asked how this could be improved; verbatim responses are listed in Appendix L: Improving Aspects of the Program.

There are also a couple of significant differences by actual recent MyHER scores when it comes to satisfaction ratings, shown in Table 33. Compared to both of the groups that use less energy, customers whose recent MyHER report showed their usage was "more than the average home" gave lower satisfaction scores for the report's comparisons being reasonable and appropriate (6.86); these customers also gave lower ratings than the "less than average, more than efficient" group for the comparisons being useful (7.31; both differences significant at $p<.10$ or better using ANOVA). For all of the remaining satisfaction ratings (including overall satisfaction with the reports and satisfaction with Duke Energy), there were no significant differences by recent MyHER score.

OFFICIAL COPY
Mar 04 2015

Table 33. Mean Satisfaction with MyHER by Recent MyHER Score

Statement	Recent MyHER Score		
	Less than efficient home (N=88)	Less than average, but more than efficient home (N=59)	More than average home (N=147)
The report's comparisons are reasonable and appropriate.	7.85	8.30	6.86
The report's comparisons are useful.	7.54	8.34	7.31
The reports are easy to read and understand.	9.25	9.49	9.14
The energy saving tips in the report provided new ideas that I was not previously considering.	6.96	7.78	7.51
I find the reports useful.	8.53	8.66	8.52
I enjoy receiving and reading the reports.	8.50	8.68	8.12
I find the graphics helpful in understanding how my energy usage compares to others like me.	9.02	9.19	8.65
I find the graphics helpful in understanding how my energy usage changes over the seasons.	9.23	9.22	8.74
Overall I am satisfied with the reports.	9.07	9.27	8.90
Overall satisfaction with Duke Energy	8.06	8.39	8.15

Those who "don't know" how they compare to others are not shown in this table.

Sharing MyHER and Using Social Media

Most of the surveyed MyHER customers in the Carolina System are sharing or discussing their reports with others (56.6% or 171 out of 302). Table 34 presents the percent of customers sharing or discussing their Home Energy Report with other people. MyHER customers are most likely to discuss their report with family members (40.7% or 123 out of 302), and they are significantly more likely to discuss the report with others if they read the reports rather than throw them away ($p<.05$ using student's t-test). Customers who feel they do "more than others" to save energy are more likely to discuss the reports with friends ($p<.05$ using student's t-test).

Table 34. Percent of MyHER Customers Sharing Their Reports with Others

	Read MyHER		Compared to Others			Overall (N=302)
	Read (N=292)	Throw Away (N=10)	Do More (N=134)	Same (N=136)	Do Less (N=22)	
Percent discussing their MyHER with others (total)	58.2%	10.0%	59.7%	53.7%	50.0%	56.6%
Discussed with family	42.1%	0.0%	40.3%	39.7%	40.9%	40.7%
Discussed with friends	13.7%	0.0%	17.2%	10.3%	9.1%	13.2%
Discussed with neighbors	12.0%	10.0%	14.2%	9.6%	18.2%	11.9%
Discussed with co-workers	5.5%	0.0%	5.2%	5.1%	9.1%	5.3%

Those who "don't know" how they compare to others are not shown in this table.

Though more than a third of customers surveyed (39.4% or 119 out of 302) use social media, only 1.3% (4 out of 302) said they have interacted with Duke Energy through Facebook, and only 3.3% (10 out of 302) said they have communicated with other people about energy-related issues through social media.

OFFICIAL COPY
Mar 04 2015

Table 35. Social Media Usage

	Read MyHER		Compared to Others			Overall (N=302)
	Read (N=292)	Throw Away (N=10)	Do More (N=134)	Same (N=136)	Do Less (N=22)	
Use social media (in general)	39.4%	40.0%	39.6%	39.0%	45.5%	39.4%
Interacted with Duke Energy through Facebook	1.4%	0.0%	1.5%	1.5%	0.0%	1.3%
Interacted with Duke Energy through Twitter	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Interacted with Duke Energy through other social media site (listed below)	0.7%	0.0%	0.7%	0.0%	4.5%	0.7%
Use social media to communicate with other people about energy-related topics	3.4%	0.0%	4.5%	2.9%	0.0%	3.3%

Those who "don't know" how they compare to others are not shown in this table.

The two MyHER recipients (0.7% of 302) who said they communicated through "other" social media portals were asked how they communicated with Duke Energy. These responses are listed below.

- *Facebook storm page*
- *Tumbler and Google+*

The ten MyHER recipients (3.3% of 302) who said they discussed energy-related issues through social media were asked what they communicated about. These responses are listed below.

- *I commented on, and read, some Facebook posts on energy efficiency topics.*
- *I discussed energy efficient washing machines with friends on Facebook.*
- *I read the comments, but don't make any personally, for discussions about changes which are the things that most catch my interest: especially for the projects Duke is spending money to build.*
- *I discussed the water levels of Lake Jocassee, a Duke-created reservoir.*
- *Google+ communities for Renewable Energy, Reduce Reuse Recycle, Solar Energy and Solar Power.*
- *A friend and I compared the rates of different power companies.*
- *Comparing energy companies and rates with people in other states.*
- *We compared energy costs of different states.*
- *I have complained, on Face Book, about Duke Energy raising the prices.*
- *We discussed differences in our energy bills.*

OFFICIAL COPY
Mar 04 2015

Customers Contacting Duke Energy

More than a third of MyHER recipients in the Carolina System (39.4% or 119 out of 302) say they have visited the Duke Energy website in the past year, as seen in Table 36. The most commonly cited reason for visiting the website is to pay bills (24.5% or 74 out of 302 customers overall, or 62.2% or 74 out of 119 who visited the website).

Table 36. Duke Energy Website Usage

	Read MyHER		Compared to Others			Overall (N=302)
	Read (N=292)	Throw Away (N=10)	Do More (N=134)	Same (N=136)	Do Less (N=22)	
Visited Duke Energy website within the past year (for any reason)	39.0%	50.0%	42.5%	34.6%	45.5%	39.4%
Pay bill at website	24.0%	40.0%	25.4%	22.8%	27.3%	24.5%
Review or change account info	5.8%	0.0%	5.2%	5.9%	9.1%	5.6%
Search for ways to save on bills	4.8%	0.0%	7.5%	1.5%	9.1%	4.6%
Search for info on EE programs	4.5%	0.0%	4.5%	3.7%	4.5%	4.3%
Review / print out bill (not pay it)	1.7%	0.0%	0.7%	2.9%	0.0%	1.7%
Find Duke Energy contact info (looking up phone numbers)	1.7%	0.0%	2.2%	0.7%	4.5%	1.7%
Find out about Duke Energy activities	1.7%	0.0%	2.2%	0.0%	4.5%	1.7%
Find out about Duke Energy company news (mergers, executives, etc.)	1.0%	0.0%	0.7%	1.5%	0.0%	1.0%
Order CFL light bulbs	1.0%	0.0%	0.7%	0.0%	4.5%	1.0%
Unique reasons (listed below)	4.1%	0.0%	6.0%	0.7%	9.1%	4.0%
Don't know why visited website	2.1%	10.0%	1.5%	3.7%	0.0%	2.3%

Those who "don't know" how they compare to others are not shown in this table.

Twelve MyHER recipients (4.0% of 302) visited the Duke Energy Website for unique reasons, which are listed below.

- *I had a question about the Home Energy Report, though I don't remember what the issue was.*
- *When I receive an email from Duke, I often click the links, such as the CFL Program or for the Home Energy Audit. These links take me to the Duke Energy website.*
- *I was looking for discounts on LEDs.*
- *I researched a green initiative for my daughter's school project, and I received a home energy efficiency kit.*
- *I was voting for our school for a program that did something for the school if they won.*
- *I read the Personal Energy Report.*
- *I looked at my usage of electricity and compare how much I use each month.*
- *I now own another property so I've been getting things in order for that. I use the website to keep tabs on my properties' energy usage.*
- *To see the payback rates for solar energy, and to investigate net metering.*

OFFICIAL COPY
Mar 04 2015

- *Checking for power outages.*
- *I look at it for work-related reasons; I've done home audits.*
- *I was looking for job opportunities.*

About one MyHER recipient in six (17.2% or 52 out of 302, including both phone and email) has contacted customer support (for any reason), as shown in Table 37. The vast majority of these contacts were made by telephone (94.2% or 49 out of 52 customers contacting Duke Energy); only three recipients surveyed (5.8% or 3 out of 52) contacted Duke Energy by email.

Table 37. MyHER Customers Contacting Customer Support

	Read MyHER		Compared to Others			Overall (N=302)
	Read (N=292)	Throw Away (N=10)	Do More (N=134)	Same (N=136)	Do Less (N=22)	
Called customer support	16.4%	10.0%	15.7%	15.4%	18.2%	16.2%
Emailed customer support	1.0%	0.0%	1.5%	0.7%	0.0%	1.0%
Did not contact customer support	82.2%	90.0%	82.1%	83.8%	81.8%	82.5%
Don't know	0.3%	0.0%	0.7%	0.0%	0.0%	0.3%

Those who "don't know" how they compare to others are not shown in this table.

When MyHER recipients who said they contacted Duke Energy were asked what they contacted Duke Energy about, about half of these customers said they were calling about bills and billing-related issues (51.9% or 27 out of 52 customers who contacted Duke Energy, or overall 8.9% of 302 customers surveyed). Issues with power outages were mentioned by seventeen customers (overall 5.6% of 302 surveyed), while only two (0.7% of 302) called about their Home Energy Report, and four (1.3% of 302) contacted Duke Energy about CFLs. These responses are categorized and listed below.

Billing or payment issues (N=27)

- *Needed to arrange a payment* (N=3)
- *Had a billing issue / question* (N=2)
- *I called regarding a perceived discrepancy on my bill.*
- *I wanted to see how to lower my bill, so I called.*
- *My light bill was high, and I called to get it taken care of.*
- *There was a spike in my bill.*
- *My bill was getting higher every month, no matter what I did, so I called to see if the meter was broken.*
- *My bill was very high and I thought that the meter readers read my meter wrong.*
- *I called because I was concerned about the accuracy of my energy bill; I felt my bill was higher than it should be.*
- *I emailed because I was concerned about the accuracy of my energy bills; I felt my bills were higher than they should be.*
- *To discuss the unreasonable increase in our bill during the winter months. I am not real happy with how my bill skyrockets in the winter. My gas bill creeps up even before I turn*

OFFICIAL COPY
Mar 04 2015

the furnace on. The bill creeps up around $100 a month from December through March. We keep our thermostat set constant. There are only two people living in the house. Although we have two furnaces we only use the one for the downstairs as the upstairs is only used during the summer when we have house guests. I don't understand why the bill goes up so much.

- *Duke cut off our power due to accidental past-due payment issues we incurred while on vacation.*
- *I called about a service outage resulting from a missed bill payment.*
- *I called twice because my name is spelled incorrectly on the bill.*
- *I had the account for an additional property that I own changed to my name from the previous tenant.*
- *To report a name change.*
- *I used to send my son to pay the bill with a check and because he was the one dropping off the check they forced me to have my son's name on the account even though he was just a kid back then and my name was on the checking account.*
- *I had a question about paying my bills at local stores.*
- *Set up account for automatic payment.*
- *I called to set up a payment plan, while husband was transferring for his job.*
- *I called to discuss my bills and the equal payment plan. The equal payment plan's monthly rate was the equal payment plan's monthly rate was too expensive for me to pay. I called to cancel my participation in the program.*
- *I was having financial trouble paying my bill.*
- *I called about a $430 charge on my bill for some sort of security deposit. I don't understand what the charge is really for.*
- *I called about a bill because I was confused. I also complained that there is a charge for paying online. I also said their website is difficult to navigate to pay your bill. The website has too much information on it for a consumer who just wants to find out how to pay a bill.*

Power outages (N=17)

- *To report a power outage.* (N=12)
- *We had three power outages.*
- *A tree took down the line.*
- *The power went out because of the weather.*
- *Power outage; storms regularly knock out our transformers.*
- *They cut my power off for no reason once, but they fixed it.*

For free CFLs / questions about CFLs (N=4)

- *I called about the free light bulb program.*
- *I called about the free CFL program.*

OFFICIAL COPY
Mar 04 2015

- *I called to try to get some more CFLs.*
- *To ask questions about the CFLs.*

To correct MyHER information / questions about MyHER (N=2)

- *I called because the home characteristics listed on MyHER were incorrect.*
- *When I first started getting the reports I called to find out why I was getting them.*

Other reasons (N=2)

- *I reported a street lamp that was burnt out.*
- *I wanted to have information to give to my husband about frequent adjustments to the thermostat. I understand this is very wasteful.*

MyHER recipients who contacted Duke Energy customer support were asked if they were satisfied with the response they received. Nearly three-quarters (71.1% or 37 out of 52) reported that they were satisfied, while twelve customers said they were not satisfied (23.1% of 52), and three customers (5.8% of 52) reported mixed or inconclusive results. Among the twelve customers who say they were not satisfied with their customer support experience, all but two contacted Duke Energy about billing-related issues. The negative, mixed and inconclusive results are categorized and listed below.

Not satisfied, billing-related (N=10)

- *No, my name is still spelled incorrectly.*
- *No, I felt the customer service representative was cold and unwilling to entertain the possibility that we might have been billed incorrectly.*
- *No. Duke did not send someone to re-read the meter.*
- *Not really. No one investigated why our home's bill went up so much. A technician never came, no service was offered, they just offered to set up a payment plan.*
- *No. We were told that the increase in our bill was based on the meter readings.*
- *No, they just confirmed what was on my paper, what was on my bill.*
- *No, they should have been more understanding, especially considering we have been Duke customers for28 years.*
- *No, the person in customer service was a 'foreigner' and was unable to explain the charge. I think she said it was something about overdue charges or a security deposit. She was not good at communicating and I still have not made any progress with my problem.*
- *No. The person I spoke to about getting the name switched back to mine said I would have to pay a deposit of $200 which is after I gave them a $200 deposit to get the power turned on in the first place. It's been fifteen years and the account is in my son's name.*
- *No, not satisfied at all. The customer services is absolutely horrible! Normally, when you call a company, they are more than willing to make sure you're happy. One specific example of how horrible Duke's customer service is this, which happened a year ago: my husband was being transferred for work and I called to set up a payment plan for our*

OFFICIAL COPY
Mar 04 2015

energy bill. Now, I've NEVER had to set up anything like this before. I ALWAYS paid our bills on time and everything. I set up a date to make our first payment and was told I had until 5 p.m. that day to make it. When I got home that day at 3:30 or so, my power was off. I called to find out why and was told I'd missed the deadline. The customer service supervisor said they would go back and listen to the recording of the first call to find out what the date and time was. They got back to me and said I'd missed the date by a day and wouldn't let me listen to the recording. They pulled my payment plan and I had to pay it all that day, plus a reconnection fee. I've never been late before and I had to go on their word that I got the wrong date for my first payment. They would not let me listen to the recording. They had me over a barrel. They didn't care; they weren't without power. If it had been my fault, fine. But, here I was doing what I was supposed to and we set it up, but they had me over a barrel. I couldn't not pay my bill. If it was my fault, I accept that, but they didn't give me a chance to listen to the earlier conversation and that's what's made me so upset.

Not satisfied, other reasons (N=2)

- *No, I dislike the automated phone rigmarole. When calling, I would prefer to speak to a customer service representative right away.* (Called about power outage)
- *No. I was told I would receive information in the mail about frequent adjustments to the thermostat, however I never received anything from Duke.* (Called about information on thermostat settings)

Mixed or inconclusive results, billing-related (N=2)

- *I was mostly satisfied, though I was disappointed to learn that Duke does not provide home energy audits for mobile homes.*
- *Yes, it was resolved, but I had to pay the bill twice.*

Mixed or inconclusive results, other reasons (N=1)

- *No, because I didn't get to talk to a person. Yes, because the power was back on quickly.* (Called about power outage)

Customer-Suggested Changes to the MyHER

Nearly one in three MyHER recipients surveyed (30.1% or 91 out of 302) had something they would like to see changed about the MyHER program, as seen in Table 38.

Table 38. Customers That Would Like Changes Made to the MyHER

	Read MyHER		Compared to Others			Overall (N=302)
	Read (N=292)	Throw Away (N=10)	Do More (N=134)	Same (N=136)	Do Less (N=22)	
Customers that would like to see changes to the MyHER	29.5%	50.0%	31.3%	25.7%	45.5%	30.1%
No change / fine as is / don't know / not specified	70.5%	50.0%	68.7%	74.3%	54.5%	69.9%

Those who "don't know" how they compare to others are not shown in this table.

OFFICIAL COPY
Mar 04 2015

Table 39 shows the types of suggestions made by MyHER customers who made suggestions to improve the program. Among the five customers making suggestions who throw MyHER reports away, most (60.0% or 3 out of 5) said they either want to receive reports less frequently or not at all.

The most common suggestions involved wanting to see more information or detail on the report (made by 33 customers overall, or 10.9% of all 302 customers surveyed), concerns about the accuracy of household comparisons (mentioned by thirteen customers, or 4.3% of 302), wanting more/better tips (twelve customers or 4.0% of 302), preferring email or internet access to reports (ten customers or 3.3% of 302) and wanting to have the number of residents in a household included when making household comparisons (nine customers or 3.0% of 302).

Customers who throw the reports away are significantly more likely to say they want the reports less often (40.0% or 2 out of 5) and to make unique suggestions (40.0% or 2 out of 5), while customers who read the reports are more likely to want more information and details (38.4% or 33 out of 86; all three differences are significant at $p<.05$ using student's t-test).

Table 39. Changes Customers Would Like Made to the MyHER

Base: customers who made specific suggestions to improve program	**Read MyHER**		**Overall** (N=91)
	Read (N=86)	**Throw Away** (N=5)	
Want more information / details (listed below)	38.4%	0.0%	36.3%
Household info or comparison group is not accurate / could be more accurate	14.0%	20.0%	14.3%
More / better / less repetitious tips	14.0%	0.0%	13.2%
Send by email / available online	10.5%	20.0%	11.0%
Include number of residents in home for comparisons	10.5%	0.0%	9.9%
Better graphics / layout / larger print	8.1%	0.0%	7.7%
Send reports more often	7.0%	0.0%	6.6%
Send reports less often	3.5%	40.0%	5.5%
Want less information / simplify	2.3%	20.0%	3.3%
Include report with / on monthly bill	3.5%	0.0%	3.3%
Unique suggestions (listed below)	4.7%	40.0%	6.6%
Don't want to receive reports	2.3%	20.0%	3.3%
Lower energy rates (not program related)	1.2%	0.0%	1.1%

Percentages total to more than 100% because respondents could give multiple suggestions.

Thirty-three customers (10.9% of 302), all of whom read the reports, said they wanted more information or details on their Home Energy Report, which was the most frequently made suggestion. The verbatim responses of these customers which explain the type of details or information are listed below.

Read MyHER: suggest more information or details (N=33)

- *Add a comparison of kilowatts used.*
- *Do the comparison in kilowatt hours instead of dollars spent.*
- *For the comparison change dollars spent per month to kilowatt hours*

OFFICIAL COPY
Mar 04 2015

- *Include kilowatt hours and dollars spent per month in the comparison because rates are different in different areas.*
- *Include kilowatt hours and dollars spent per month in the comparison.*
- *Would like to see the use of kilowatt hours charted. Would also like to have reports show the money saved from month to month.*
- *I would like to see the comparisons added that include kilowatt hours, pollution, and dollars spent per month.*
- *Showing the amount of pollution that your house puts out would be very interesting to me.*
- *I would like to see the report focus on our respective carbon footprints and provide targeted goals for reducing home energy usage.*
- *It's hard to know what the cost savings of my efforts are when the rates change. I might be using less energy but my bill is going up.*
- *I would like to see a thorough explanation of what a kilowatt hour is.*
- *I'd like an online access link to monitor the usage differently, like being able to find out where exactly I am using energy, and if I am wasting or overusing it in a particular category.*
- *I would be interested in finding out how much energy is being used by certain things in the home, like how much energy is being used to run the refrigerator for the day or how much energy is being used by the TV and it's accoutrements in an hour.*
- *It would be nice to know the breakdown of how I use electricity.*
- *I'd like the reports weekly by email and maybe twice-a-month in hard copy or printed mail. I'd like to be able to look back from the very first day I moved in and see how I'm doing now. I'd like a record over the years. I'd like to know how I'm using energy, it would be nice to see an energy usage trend over years, not money-wise.*
- *There needs a better average on the reports. The reports need to include more specifics about our home in the comparisons. I'd like see a semi-annual average, a 6-month average. It's hard for me to track over the seasons with month-to-month reports.*
- *I would like more information about how Duke Energy came up with the information that they are using for the comparisons. I don't know about their methodology.*
- *I need proof about the comparison or more information about it.*
- *I think it should be more detailed in terms of the home comparisons.*
- *Show charts comparing last year's energy use vs. the current year.*
- *I'd like to see a graph on each report showing the energy consumption from the same time the year before to compare to the current consumption. The graph could show KWH and dollars spent to show how much more we are paying in the current year compared to last. It would also be a good comparison to see how much the rates have been increased from year to year.*
- *Have the results on the report more keyed in to particular climates and consider how the climate has been changing recently.*

OFFICIAL COPY
Mar 04 2015

- *Add charting of ambient outdoor temperature from month to month to monitor changes from year-to-year and month-to-month.*
- *I would like to see the comparison based on location: city vs. country homes.*
- *On the energy comparison, there are two bars now; I would like to see multiple months compared on one graphic.*
- *I would like more specific suggestions as to why my energy bill is so high.*
- *I would like to see a clearer breakdown of the costs associated with different types of heating units.*
- *I'd like some additional information included. I'd be interested in finding out more information about the environmental impact of energy conservation and how doing certain things can help with conservation.*
- *I'd be interested in getting more details about how the energy reports are helping us save money and how we can save more money in the reports.*
- *It would be great if there was some way to show people how much they are improving when they do.*
- *I'd like to see some information on the reports that is new and more complex, all the information on the MyHER is way too generic and common.*
- *I want more information.*
- *Provide more details so the report would be more meaningful.*

Six customers (2.0% of 302) made unique suggestions for improving the program, which are listed below.

Read MyHER: unique suggestions (N=4)

- *Educate customers to be a little more maternal or paternal and then educate their children on how to limit their use of gizmos and go outside and play again.*
- *I would like Duke to offer more things, rather than tell me to find a way to do it myself. Piedmont offers products to enhance their services; I wish Duke would also offer similar products.*
- *The reports should do more to promote the various energy conservation services that Duke provides.*
- *I'd like to have someone to talk to about the reports so I can understand my energy usage better.*

Throw away MyHER: unique suggestions (N=2)

- *I find the graph that compares my home to other homes complicated, but I understood the one that shows energy use over the year pretty well.*
- *No more telephone surveys like this one.*

Participation and Interest in Other Duke Energy Programs

Surveyed customers were asked what other Duke Energy programs they have participated in, which is shown in Table 40. The most frequently mentioned programs were CFLs (overall 73.8%

OFFICIAL COPY
Mar 04 2015

or 223 out of 302), Power Manager (13.6% or 41 out of 302) and Home Energy House Call (5.0% or 15 out of 302).

Compared to those who say they do "about the same" as others for energy efficiency, MyHER recipients who say they do "more than others" are more likely to have participated in CFL programs (79.1% or 106 out of 134), Power Manager (19.4% or 26 out of 134), Home Energy House Call (7.5%% or 10 out of 134) and Smart $aver HVAC (5.2% or 7 out of 134; these differences are all significant at $p<.05$ using student's t-test). Customers who do "more than others" also participate in the greatest number of programs (an average of 1.18 apiece) and are the most likely to participate in more than one program (26.1% 35 out of 134; these differences are significant at $p<.05$ using ANOVA and student's t-test, respectively). Customers who do "about the same" as others are more likely to have not participated in any programs (26.5% or 36 out of 136); customers who do "less than others" are not significantly different from other groups due to small sample size.

Table 40. Self-Reported Participation in Other Duke Energy Programs

	Read MyHER		Compared to Others			Overall (N=302)
	Read (N=292)	Throw Away (N=10)	Do More (N=134)	Same (N=136)	Do Less (N=22)	
CFLs by mail (not HEHC or PER)	74.3%	60.0%	79.1%	69.9%	68.2%	73.8%
Power Manager	14.0%	0.0%	19.4%	8.1%	9.1%	13.6%
Home Energy House Call (HEHC)	5.1%	0.0%	7.5%	2.9%	4.5%	5.0%
Residential Smart $aver HVAC	3.1%	10.0%	5.2%	0.7%	9.1%	3.3%
Personalized Energy Report (PER)	3.1%	0.0%	3.7%	2.9%	0.0%	3.0%
Appliance Recycling	1.7%	10.0%	3.0%	1.5%	0.0%	2.0%
None of the above	20.2%	40.0%	15.7%	25.7%	22.7%	20.9%
Average number of programs participated in (from the list above)	1.01	0.80	1.18	0.86	0.91	1.01
Participating in two or more programs (from the list above)	18.5%	10.0%	26.1%	11.8%	13.6%	18.2%

Those who "don't know" how they compare to others are not shown in this table; percentages may total to more than 100% since respondents can participate in more than one program.

Duke Energy provided customer record data about participation in other energy efficiency programs. Table 41 shows that 82.1% (247 out of 302) of MyHER recipients have participated in another Duke Energy program (closely matching the 79.1% or 239 out of 302 customers who self-reported participating in other Duke Energy programs, as seen in Table 40). All of these customers participated in a Duke Energy Residential Smart $aver program, with one customer participating in this program and also the Duke Energy Appliance Recycling program. Four out of five customers surveyed (79.8% or 241 out of 302) received CFLs from Duke Energy's Residential Smart $aver program, while no more than about 5% of respondents participated in any of the other programs. Customers who read MyHER are more likely to have participated in a program than those who throw the reports away, and customers who do "more than others" are more likely to have participated in another program compared to those who do "less than others" (both significant at $p<.10$ or better using student's t-test).

OFFICIAL COPY
Mar 04 2015

Table 41. Energy Efficiency Measures from Other Duke Energy Programs (Customer Records)

	Read MyHER		Compared to Others			Overall (N=302)
	Read (N=292)	Throw Away (N=10)	Do More (N=134)	Same (N=136)	Do Less (N=22)	
Duke Energy Residential Smart $aver – CFLs	80.5%	60.0%	82.8%	78.7%	72.7%	79.8%
Duke Energy Residential Smart $aver – Residential Energy Assessments - Home Energy House Call	5.5%	0.0%	6.0%	5.1%	0.0%	5.3%
Duke Energy Residential Smart $aver – Residential Energy Assessments - Personalized Energy Report	5.1%	10.0%	6.7%	3.7%	0.0%	5.3%
Duke Energy Residential Smart $aver – Energy Efficiency Education Program for Schools	5.5%	0.0%	5.2%	4.4%	9.1%	5.3%
Duke Energy Residential Smart $aver – HVAC	3.8%	0.0%	5.2%	1.5%	9.1%	3.6%
Duke Energy Residential Smart $aver – Low Income Energy Efficiency and Weatherization Assistance Program	1.0%	0.0%	1.5%	0.7%	0.0%	1.0%
Duke Energy Residential Smart $aver – Low Income Neighborhood	1.0%	0.0%	0.7%	1.5%	0.0%	1.0%
Duke Energy Residential Smart $aver – Specialty Bulbs	0.7%	0.0%	1.5%	0.0%	0.0%	0.7%
Duke Energy Appliance Recycling Program	0.3%	0.0%	0.0%	0.7%	0.0%	0.3%
Duke Energy Residential Smart $aver – Property Manager CFLs	0.3%	0.0%	0.0%	0.7%	0.0%	0.3%
None of the above	17.1%	40.0%	14.9%	19.9%	27.3%	17.9%

Those who "don't know" how they compare to others are not shown in this table; percentages total to more than 100% because respondents could participate in multiple programs.

MyHER recipients were also asked to rate their interest in participating in Duke Energy programs in which they had not already participated. Mean interest ratings on a 10-point scale (where 10 is most interested and 1 is least interested) are shown in Table 42.

The highest interest score is for CFLs by mail at 8.68 overall, and Smart $aver HVAC had the next-highest mean interest score (7.49), though it is significantly lower than the interest in CFLs ($p<.05$ using ANOVA). Power Manager received the lowest interest ratings, with an overall mean of only 4.85 on a 10-point scale (significantly lower than all other programs listed at $p<.05$ using ANOVA).

Customers who read their reports are more interested in HEHC and PER than customers who throw their reports away ($p<.05$ using ANOVA), and customers who do "less than others" to save energy are significantly more interested in Residential Smart $aver HVAC compared to those who do "about the same" or "more than others" ($p<.05$ using ANOVA).

OFFICIAL COPY
Mar 04 2015

Table 42. Ratings of Interest in Other Duke Energy Programs

	Read MyHER		Compared to Others			
	Read (N=292)	Throw Away (N=10)	Do More (N=134)	Same (N=136)	Do Less (N=22)	Overall (N=302)
CFLs by mail (not HEHC or PER)	8.69	8.40	8.51	8.92	8.27	8.68
Residential Smart $aver HVAC	7.52	6.80	7.47	7.30	8.73	7.49
Appliance Recycling	7.13	4.80	6.73	7.17	7.91	7.05
Home Energy House Call (HEHC)	7.09	5.70	6.94	7.11	7.19	7.04
Personalized Energy Report (PER)	7.04	5.30	7.10	6.86	7.41	6.98
Power Manager	4.90	3.50	4.53	4.97	5.15	4.85

Those who "don't know" how they compare to others are not shown in this table. Customers were only asked to rate programs that they had not already participated in.

Additional Services from Duke Energy

TecMarket Works asked surveyed MyHER customers (those that read it and those that throw the MyHER away, N=302) about their interest in a list of additional services that Duke Energy may offer. TecMarket Works read the following statement: *"As a follow up to the report, Duke Energy is interested in providing further services that might be of interest to customers. I am going to read a list of possible services that Duke Energy may consider offering. On a scale from 1-10, with 1 indicating that you would be very uninterested, and 10 indicating that you would be very interested, please rate your interest in the following services."*

A summary of the responses is presented in Table 43 below. Surveyed MyHER customers in the Carolina System have the most interest (mean rating 8.48 on a 10-point scale) in rebates for energy efficient home improvements, which are provided through Duke Energy's Smart $aver® program (the overall average rating for this service is higher than any of the other services inquired about at $p<.05$ using ANOVA). Mean interest ratings for most of the other services inquired about ranged from 5.8 to 6.8 on a 10-point scale, while the least interest (3.74 on a 10-point scale) was generated by the idea of social networking sites set up by Duke Energy to read about or discuss energy efficient solutions with energy experts (ratings for this service are significantly lower than all others asked about at $p<.05$ using ANOVA).

Surveyed customers who read their reports give higher mean interest ratings for "inspection services of work performed by contractors", "help in finding weatherization contractors to make your home more efficient" and "social networking sites such as Facebook and Twitter to read about or discuss energy efficient solutions with energy experts" compared to those who throw their reports away (significant at $p<.10$ or better using ANOVA). The only significant difference by how customers feel their energy-saving efforts compare to others is that report recipients who do "less than others" give higher interest ratings for "financing for energy efficient home improvements" compared to other recipients (significant at $p<.10$ using ANOVA).

There was not a follow up question asking customers how they would like to receive information if they indicated they were interested in getting help in any of these areas, but most of these customers read the MyHER, directions to finding this kind of information could be included in a MyHER mailing.

OFFICIAL COPY
Mar 04 2015

Table 43. Ratings of Interest in Additional Duke Energy Services

	Read MyHER		Compared to Others			
	Read (N=292)	Throw Away (N=10)	Do More (N=134)	Same (N=136)	Do Less (N=22)	Overall (N=302)
Rebates for energy efficient home improvements	8.52	7.50	8.48	8.55	8.55	8.48
Help in finding energy efficient equipment and appliances	6.84	6.00	6.66	6.97	7.41	6.81
Home energy audits or inspections of your home with specific recommendations for improvements	6.56	5.20	6.49	6.50	7.50	6.52
Inspection services of work performed by contractors	6.47	4.20	6.21	6.54	7.27	6.39
Financing for energy efficient home improvements	6.70	6.10	6.48	6.73	8.09	6.68
Help in finding weatherization contractors to make your home more efficient	5.90	3.90	5.51	6.11	6.36	5.83
Social Networking sites such as Facebook and Twitter to read about or discuss energy efficient solutions with energy experts	3.81	1.80	3.55	3.97	4.18	3.74

Those who "don't know" how they compare to others are not shown in this table.

Customers were also asked an open-ended question, "*What other services could Duke Energy provide to help improve home energy efficiency?*" Seventy-one customers (23.5% of 302) made suggestions, which are categorized and listed below (there are more than 71 suggestions listed because some customers made more than one suggestion).

Green energy (N=11)

- *A program that involves solar panel installation and rebates.*
- *A program that offers rebates for solar panels or solar leasing.*
- *A rebate program for solar panels.*
- *Help with installing home solar with either financing or rebates or something of that nature.*
- *Help people with solar power. Getting some literature out to customers about how to get solar power for their homes would be beneficial to the environment and then Duke wouldn't have to build so many new power plants after the government outlaws coal plants.*
- *I can't really think of anything offhand, unless a solar panel rebate is an option. I read somewhere that South Carolina is the worst state in the nation for support of energy efficiency improvement initiatives. I'm not sure if this is still true, but I know I can't afford to do the things I want to do. There are no tax credits to take advantage of.*
- *Leasing out roofs of customers for solar cells. Give customers alternatives to standard energy supplies.*
- *To promote green energy such as windmills and solar panels.*

OFFICIAL COPY
Mar 04 2015

- *Duke should provide more education about global warming and sustainable energy.*
- *Have rebates for solar hot water heaters.*
- *Duke should provide a program that would help homeowners install hybrid car and boat chargers.*

Light bulbs (N=10)

- *A program that provides free LEDs.*
- *A program for free/discounted LEDs.*
- *I'd like to see more information and an expansion with the LED program.*
- *A program that offers free LEDs, or better discounts on them.*
- *A program that offers coupons for LEDs or mail them directly to the home.*
- *Add smaller sized CFLs to your free CFL program.*
- *Duke should mail the free CFLs in smaller boxes that fit in average-sized mailboxes.*
- *I'd like to be able to get more free CFLs.*
- *Advertise free CFLs.*
- *A program that helps people upgrade their outdoor lighting, either with the fixtures or the bulbs.*

Appliances (N=7)

- *More information about tankless water heaters.*
- *A program that offers rebates for tankless water heaters.*
- *Rebates for installing energy efficient water heaters.*
- *A program that provides rebates for installing or recycling water heaters.*
- *Duke should recycle water heaters as part of their appliance recycling program.*
- *An appliance recycling program for washers and dryers.*
- *Duke Energy should have a website that lets people know about energy efficient appliances and other products.*

Other free or discounted items (not including appliances and light bulbs) (N=10)

- *A program that provides rebates for programmable thermostats.*
- *Offer a service to check A/C units and furnaces. Upgrade to a digital or programmable thermostat. Provide free furnace filters.*
- *Duke should provide rebates for eMonitor purchases.*
- *Duke could provide customers with timers for home lighting.*
- *Duke could provide free surge protectors. The frequent power outages and surges may be taking a toll on my electronics and electrical system.*
- *Rebates for energy efficient windows.*
- *Provide financing for replacement of heating and cooling systems.*
- *Duke should offer financing for HVAC equipment.*

OFFICIAL COPY
Mar 04 2015

- *Duke should provide energy efficient space heaters and A/C rentals, especially to elderly people.*
- *More free stuff.*

Changes to rates (N=11)

- *It would be a good idea to have rates drop over night to encourage people to use their appliances during off peak hours.*
- *I'd like it if there were different rates throughout the day.*
- *Operate as frugally as they can and efficiently so they can keep their energy rates as low as possible. Use cam-casts instead of sending your big-wigs off to a big event in Hawaii. Don't spend like a 'drunken sailor'.*
- *Provide lower rates for the disabled.*
- *Lower the rates, then maybe I could afford to do some improvements.*
- *It would be great if Duke Energy cut their rates a little bit, it gets more expensive every year.*
- *Lower the rates.* (N=4)
- *I wish that we didn't have to pay the power bill, it should be free.*

More elderly, disabled and low-income programs (N=6)

- *An assistance program for the elderly.*
- *Anything to help the elderly and disabled. Fixed incomes make improvements so limited.*
- *Duke should have a program that specifically provides home audits and energy efficiency education to senior citizens.*
- *Duke should provide a low income assistance program for disabled people.*
- *I used to work for an agency that helped low-income people with their, food, rent, and their energy bills. I think Duke Energy needs a program for low-income individuals where a Duke Energy employee comes out to check what might be causing a spike in energy usage in a low-income household. This should be a program where Duke contacts the household, where Duke identifies what might cause a significant difference in a bill from month to month. Preventative measures. I can't tell you how often I saw this problem, when I was working with these people. They have no idea what could have caused such a difference when it wasn't even a change of season.*
- *Develop an energy-efficient window program: upgrade low-income homes with double pane/double tilt sash. They're easy to clean and there's no need for storm windows. Develop a similar low-income roofing program.*

Auditing and consulting (N=6)

- *Duke should offer an infrared home energy analysis.*
- *Someone could come check the house for energy leaks during the winter..*
- *I would like a home energy audit that would analyze the ductwork in my attic.*
- *Duke should provide home energy audits for mobile homes.*

OFFICIAL COPY
Mar 04 2015

- *If Duke would come and inspect my home and help me fix some things, that would help me save money.*
- *Duke Energy could be participating in consultation when people are planning to build a new house: to make it energy efficient in ways they might not think of.*

Insulation and sealing (N=3)

- *Provide home insulation services or provide a reputable company to do a good job.*
- *I would like a program where there is a rebate for installing insulation throughout the house.*
- *I'd like help with fixing the underpinning of my house and help with getting the heating and cooling duct work fixed.*

Metering and usage reporting (N=3)

- *Provide home meters for private home use that displays real-time usage in dollars.*
- *I really don't know, other than getting the reports more frequently by email, weekly, something I could tap into when I want. I watch my meter sometimes; I haven't done this for a while. I just want to see how my appliances affect my energy usage. If I know I'm going to leave one of my computers running for a week, I want to see how different it would be with two, or if I had them both shut down.*
- *I wouldn't mind seeing a one-time, long-term energy consumption history to stack up against our house's consumption over time, and this report could also contain a seasonal-by-year temperature graph to see what is due to abuse or what could not be helped due to the weather.*

More advertising and awareness (N=3)

- *They could do a better job of communicating that the Duke Energy programs are available. We all get busy in our lives so the last thing we have time to do is search for this type of information. Have more media advertising these programs or mailing information about these programs with the bill.*
- *They just need to make people more aware of the energy-efficiency programs that already exist. Also, I wish we still had a Duke office we could visit in person.*
- *Just keep us up-to-date with info about the newest services, please.*

Unique suggestions (N=4)

- *No more power bills by mail, just use e-mail.*
- *Duke should offer the ability to adjust programmable thermostats via a WiFi connection.*
- *They offered that they would do electrical work a few years back, and I didn't take advantage of that. I would jump on that now. I would like them to have a wire assurance program like the phone company does.*
- *Air filters: does Duke have recommendations? How often should they be changed? Does the type of filtration matter? Filtration rates: what does it all mean?*

OFFICIAL COPY
Mar 04 2015

Electric Vehicles and Solar Power

MyHER customers were also asked if they had an electric vehicle, solar water heating or solar panels for their home. Only eight program participants surveyed (2.6% of 302) have electric vehicles (all have one vehicle apiece except for one respondent who has three), four (1.3% of 302) have solar power (not including solar-powered outdoor night lights) and one (0.3% of 302) has a solar water-heating system.

Table 44. Electric Vehicles and Solar Power

	Read MyHER		Compared to Others			Overall (N=302)
	Read (N=292)	Throw Away (N=10)	Do More (N=134)	Same (N=136)	Do Less (N=22)	
Own an electric vehicle	2.7%	0.0%	3.7%	0.7%	9.1%	2.6%
Solar water heating system	0.3%	0.0%	0.0%	0.7%	0.0%	0.3%
Solar photovoltaic system (solar panels)	1.4%	0.0%	0.7%	2.2%	0.0%	1.3%

Those who "don't know" how they compare to others are not shown in this table.

Conclusions and Recommendations for Program Changes

The Home Energy Report provides Duke Energy residential customers with a meaningful comparison of their home's energy use compared to other homes similar to their own.

TecMarket Works presents the following recommendations for program changes.

1. Add CFL coupons to the MyHER mailing, if it can be shown that the participants can use additional CFLs that they are not likely to purchase on their own. Customers who use the coupons will show that they are reading the MyHER, are open to the messages and tips, and possibly to solicitations for participation in other Duke Energy programs. The number of redeemed coupons can also be utilized in the billing analysis and allow for engineering estimates of energy savings.

2. Some surveyed customers suggested including the number of people in the household as a factor in drawing comparisons with other homes, since more people living in a home does correspond to more energy usage. Duke Energy should consider adding this variable to the comparison group clustering algorithm and reporting household size on reports along with other facts about comparison groups. Doing so may help to increase the perceived accuracy of the home energy use comparisons in the minds of these customers. Although, such a potential advantage should be weighed against the data collection and programming required to add such a factor to the clustering methodology.

3. Since participation in other Duke Energy efficiency programs is twice as high among MyHER report readers compared to those who throw the reports away, the messaging section on the second page of the reports presents an opportunity to communicate directly with a segment of customers who are particularly inclined toward participating in additional programs. Consider replacing more of the general efficiency messages on the second page of the report with more specific marketing messages for other Duke Energy programs.

OFFICIAL COPY
Mar 04 2015

Appendix A: Program Manager Interview Instrument

Name: _____

Title: _____

We are conducting this interview to obtain your opinions about and experience with the [STATE NAME] My Home Energy Report Program. We'll talk about the Program and its objectives, your thoughts on improving the program and its participation rates, and the technologies the program covers. Do you have any questions before we begin?

PROGRAM DESCRIPTION

In your own words, please describe the [STATE NAME] My Home Energy Report Program.

Please discuss the history and development of the program. What was the influence of HECR pilot on the full program? How has MyHER changed since the pilot phase?

Why did Duke Energy chose to use vendors instead of launching this as an in house commercialized project as you did for the pilots? What were the pros and cons of using vendors vs. doing it in-house? How did using vendors change program design and program implementation?

What are the current program's objectives? That is, what is the program trying to accomplish (e.g. generate energy savings via behavior change, installation of efficiency devices, enrollment in other programs, non-energy benefits)? In your opinion, which objectives do you think are being met or will be met? Have the objectives changed over time. If yes, how do you think they have changed?

Are there any program objectives that are not being addressed or that you think should have more attention focused on them? If yes, which ones? How should these objectives be addressed? What should be changed? How will these changes improve the program? Would it improve customer satisfaction, lower program costs or delivery a better product to customers?

Should the program objectives be changed in any way because of market conditions, other external or internal program influences, or any other conditions that have developed since the program objectives were devised? What changes would you put into place, and how would it affect the objectives?

How many households receive the MyHER report in [service territory]?

What are the program requirements for inclusion/participation? Does MyHER go to renters as well as homeowners? Why or why not?

What kinds of marketing, outreach and customer contact approaches do you use to make your customers aware of the program and its options?

OFFICIAL COPY
Mar 04 2015

Why is the program designed as opt-out and not opt-in? How have customers responded to this? How many (what percentage) have opted out? How are customers informed about their opt-out choice? What are the steps they need to take to opt-out? Conversely, how does the program handle customers who want to opt-in?

Since the opt-out nature of the program naturally brings together different types of customers into one large pool, are the customers segmented after inclusion? For instance, does MyHER go to residential customers of different rate classes beyond standard, such as TOU? If so, how is this differentiated?

What are the program's goals? That is, what goals and metrics are you tasked with achieving (such as energy savings targets, numbers of new enrollments, numbers of installs, website visits, etc.)? What is the current performance towards these targets?

Are there any program changes that you think would improve the program's performance towards its goals and objectives?

PROGRAM MANAGEMENT AND OPERATIONS

Please describe your role and scope of responsibility in detail. What is it that you are responsible for as it relates to this program? When did you take on this role? If a recent change in management…Do you feel that Duke Energy gave you enough time to adequately prepare to manage this program? Did you get all the support that you needed to manage this program?

Please review with us how the My Home Energy Report Program operates relative to your duties, that is, please walk us through the processes and procedures and key events that allow you do currently fulfill your duties.

Have any recent changes been made to your duties? If so, please tell us what changes were made and why they were made. What are the results of the change?

Is there any other person or group within Duke Energy that you work with on the implementation of this program? Who is that and what role do they serve?

Which third parties or vendors do you work with to implement this program? Please describe their roles in the implementation of the program.

How effective is the vendor in its assigned role? What works well? What could be improved? (Repeat for each third party vendor.)

How often and in what form do you communicate with the vendors? How would you characterize your working relationships?

How do you manage and monitor or evaluate third-party involvement or performance? What do you do if contractor performance is exemplary or below expectations?

OFFICIAL COPY
Mar 04 2015

Describe the use of any advisors, technical groups or organizations that have in the past or are currently helping you think through the program's approach or methods. How often do you use them? What do you use them for?

PROGRAM IMPLEMENTATION

What information, research or assessments are you using to identify barriers and to develop more effective approaches/mechanisms for achieving program goals?

Can you cite any market, operational or technical barriers that impede a more efficient program operation? Please describe.

How does the program accommodate that customers may become eligible and ineligible at any time? Please describe the process used for forecasting participation and production. How are differences between forecasts and actual numbers adjusted?

Overall, what about the My Home Energy Report Program works well and why?

Do you have any suggestions for how program performance toward goals can be increased?

In what ways can the My Home Energy Report Program's operations be improved?

If you could change any part of the program what would you change and why?

What are your quality assurance measures? What have those efforts uncovered?

REPORT GENERATION AND DELIVERY

Please describe the process by which the reports are actually generated and distributed.

Please describe any challenges or quality concerns with the report generation and delivery process.

In what format are reports delivered? Why was it chosen? What other formats were considered? How has it been working out?

How was the current report delivery schedule determined? How has it been working? Any challenges? Any changes made or planned?

COMPARISONS

Now let's look more closely at the actual home energy reports and the process that you use to generate them. More specifically let's discuss the framework for scoring homes and the comparisons between similar homes.

The reports compare the customer's energy usage with other customers. My notes indicate that the pilot considered homes that are similar in four main characteristics: heat source, square

OFFICIAL COPY
Mar 04 2015

footage, age of home, and number of occupants. Is this true of the current program? How are each of these characteristics defined?

Another factor is geography. How is that accounted for?

Where does the data for these comparisons come from?

How are similar homes actually identified and grouped?

What is the range of sample sizes used for comparison? What is the smallest allowable pool for comparison? What is the largest? Why these limits?

Once the comparison pool is established, it is my understanding that the customer's energy usage is calculated and compared to the pool average and to the most efficient homes in the comparison pool. Is this correct?

How is the individual customer home's monthly energy use figure generated?

How is the average home's energy usage determined within the pool of comparable homes?

How is the efficient home's usage determined? What percentage of households is considered efficient? How is this group determined? How do you control for households with unusually low or high usage?

Is the program making an attempt to verify information about the home characteristics used for comparisons? During an earlier evaluation of PER, Kelly Griffin mentioned that PER data was considered to be more accurate than public records because it was self-generated by the customer. Is this type of data being incorporated into the program? If so, how?

Is the energy usage figure different from the comparison score? If so, how? How is the comparison score generated? How is the score adjusted for variations in house attributes such as age, size, heat source, and number of occupants within the pool? Are there other adjustments?

The pilot evaluation in OH discussed single month scores versus long term scores. Please explain the difference, tell me which you use now and why. Are there any drawbacks? What are they? How are they addressed?

Can you suggest any ideas for improving the comparisons used by the program?

DATA PRESENTATION

The data presented in the reports is designed to drive energy savings. On what research or communications principles (such as social norms, psychology, logic, persuasion, etc.) did you base your decisions for how to present the data?

OFFICIAL COPY
Mar 04 2015

How do you establish the context of your data presentation? For instance, the data can be presented in terms of saving energy, saving money, helping the environment, etc. How do you present the concept of reducing energy use and why do you this approach?

Why is monthly energy use presented in dollars and not kWh?
How is the influence of data presentation measured or otherwise accounted for?

The pilot evaluation considered questions about layout, language, and other data presentation. How were those findings incorporated into the current format? What changes have been made since the roll out? Is further testing being conducted? Are additional changes planned? If so, what are those changes?

When did you change from one to two page reports? Why did this happen? What was the impact of the change? How do you know?

Have you made any other changes to the way you present the data? If so why? What was done?

Can you suggest any ideas for improving the data presentation aspect of the program?

ENERGY SAVING TIPS AND MESSAGES

What is the difference between an energy saving tip and a message?

How are energy savings tips and messages generated?

Do you draw a distinction between encouraging persistent behaviors and taking action to be more efficient? That is, do you make a distinction between repeated behaviors such as turning off or unplugging and one time actions such as the purchase and installation of equipment that is more efficient? If so how? Which are you driving toward? Why? How? Please provide examples.

How do you ensure the tips are relevant to the household in question? For instance, are tips different for renters than homeowners, older homes versus newer homes, for pool owners vs. people without pools, or for people who are already enrolled in other Duke Energy programs?

The pilot evaluation mentions concerns about the ability to determine which tips are presented to which customers and when. Is this still true? If so, why? If so, what do you do about it? If not, what was changed? How has this change improved things?

Part of the challenge of presenting an on-going report is maintaining customer interest and driving continued energy savings. How do you address this consideration? For instance, the Ohio pilot evaluation states "While tips directly aimed at energy savings are necessary to supplement social norm messaging, it may be useful to include other relevant and interesting facts so that customers continue to be engaged and interested." How is this addressed? How do you keep tips fresh for people who have been the program for a while?

OFFICIAL COPY
Mar 04 2015

In addition to driving customers to take energy savings actions, the reports also prompt customers to take other behaviors such as visiting the MyHER website. Why get them to visit the website? What are you trying to achieve?

Is Duke Energy tracking website visits? Are you making a distinction between program participants who only receive the reports and participants who also visit the website? If so, how are you separating and attributing energy impacts? Do you have a big enough sample size to address this question?

Can you suggest any changes or improvements to this aspect of the program?

Please provide a list of tips presented to customers in [STATE NAME].

CUSTOMER RESPONSE

How many (what percentage of) recipients are reading the MyHER reports? How is the level of readership determined? How often is it measured? How has it changed over time?

Do you assess, track or measure customer reaction to the reports? If so, how? How do customers respond to the reports? What differences and similarities do you find among their responses?

Are you measuring the effectiveness of your data presentation? If so, how? What are you finding? How effective are the home energy comparisons? How do you know?

Besides website visits, are there other customer interactions you are trying to drive, like other program enrollments? If so, which programs and why? How does that work?

DATA COLLECTION AND ENERGY SAVINGS

How does Duke Energy track and attribute energy savings?

Does the program differentiate between energy savings generated via repeated conservation behaviors (turn off lights, wash in cold water, wash full loads, etc.) and one time improvements in efficiency, such as CFLs, new appliances, adding insulation, new HVAC, etc.? If not, why? If so, how? If so, does the program investigate synergies between the two?

Can and do you track savings by individual behavior or action? Which behaviors or actions does the program seek to encourage? Why those? How do you measure them?

Can and do you track attribution of actions that are high energy savings/no cost to Duke such the purchase of new appliances?

How does the program address persistence of energy saving? How long are impacts from this program projected to last?

OFFICIAL COPY
Mar 04 2015

How do you handle enrollments by new customers? In what month do you begin counting energy savings? (e.g. the month they become eligible to join, or the next month after their first report.)

How do you analyze the data you collect? Do you segment the data in any way, such as by household characteristics, timing, message, rate class, change in usage etc.? Which groups are returning the greatest savings? The least? What does Duke Energy do with the data it collects?

How are customer scores changing over time? How do you know? For instance, do you compare to previous individual household usage info or changes relative to the average and efficient home? What percentage of customers is improving? Are they trying? How do you know?

Since program launch has Duke Energy conducted any testing, such as messages, tips, promotions, coupons, timing, etc.?

The nature of the MyHER program is one of energy use comparisons. Do you track or measure the influence of other exchanges that customers may be having beyond receiving the energy reports, such as conversions occurring via social media? If so, how? What are you finding?

Can you suggest any changes or improvements to this aspect of the program?

CLOSING SUGGESTIONS AND COMMENTS

If you could change anything else about the program, what would you change and why?

Are there any other issues or topics you think we should know about and discuss for this evaluation?

Is there anyone else that I should speak with to better complete this evaluation?

OFFICIAL COPY
Mar 04 2015

Appendix B: Vendor Interview Instrument

Name: _____

Title: _____

We are conducting this interview to obtain your opinions about and experiences with the [STATE NAME] My Home Energy Report program. We'll talk about the program and its objectives, your thoughts on improving the program, and the technologies the program covers. The purpose of this study is to capture the program's current operations as well as help identify areas where the program might be improved. Your responses will feed into a report that will be shared with Duke Energy and the state regulatory agency. I want to assure you that the information you share with me will be kept confidential; we will not identify you by name. However, you may provide some information or opinions that could be attributed to you by virtue of your position and role in this program. If there is sensitive information you wish to share, please warn me and we can discuss how best to include that information in the report. Do you have any questions for me before we begin?

OVERVIEW

In your own words, please describe the [STATE NAME] My Home Energy Report Program.

Please describe your organization's role and scope of responsibility in the implementation of this program.

How does the way your company implements this program for Duke Energy differ from other implementations your company provides for other utilities?

What is it that you are personally responsible for as it relates to this program? When did you take on this role? If a recent change in management, do you feel that Duke Energy gave you enough time to adequately prepare to manage this program? Did you get all the support that you needed to manage this program?

Please review with us how the [STATE NAME] MyHER program operates relative to your duties, that is, please walk us through the processes and procedures and key events that allow you do currently fulfill your duties.

Have any recent changes been made to your duties? If so, please tell us what changes were made, when, and why they were made. What are the results of the change?

Is there any other person or group within Duke Energy that you work with on the functioning of this program? Who is that and what role do they serve?

OFFICIAL COPY
Mar 04 2015

PROGRAM GOALS AND OBJECTIVES

In your own words, please describe the [STATE NAME] MyHER program's current objectives. That is, what is the program trying to accomplish (e.g. generate energy savings via behavior change, installation of efficiency devices, enrollment in other programs, non-energy benefits)? In your opinion, which objectives do you think are being met or will be met? Have the objectives changed over time. If yes, how do you think they have changed?
Are there any program objectives that are not being addressed or that you think should have more attention focused on them? If yes, which ones? How should these objectives be addressed? What should be changed? How will these changes improve the program? Would it improve customer satisfaction, lower program costs or delivery a better product to customers?

Should the program objectives be changed in any way because of market conditions, other external or internal program influences, or any other conditions that have developed since the program objectives were devised? What changes would you put into place, and how would it affect the objectives?

What are the program's goals? That is, what targets is the overall program set to achieve?

How is program progress against these goals measured? Do you know the current performance against these goals? Which goals are being met or will be met?

What specific metrics is your company tasked with achieving? How is your company's performance relative to your goals?

Describe your quality control and tracking process.

OTHER VENDOR AND DUKE ENERGY ASSESSMENT

(If not captured earlier) Please explain how the interactions between Duke Energy, your company and another other vendors work. Who within Duke Energy and which others vendors do you work with to implement this program? Please describe their roles, relative to you company's, in the implementation of the program.

How effective are they in their assigned role? What works well? What could be improved? *(Repeat for each group.)*

Do you think these interactions should be changed in any way? If so, how and why?

How often and in what form do you communicate with Duke Energy and other vendors? How would you characterize your working relationships?

Are key industry experts, trade professional or peer used to identify program enhancements, cost reduction opportunities or process improvements? If so, how does this work?

OFFICIAL COPY
Mar 04 2015

Are key industry experts and trade professionals used in other advisory roles such as market or marketing experts or industry professionals? If so how does this work and what kind of support is obtained?

OVERALL STRENGTHS, NEEDS, AND SUGGESTIONS

Overall, what about the [STATE NAME] MyHER program works well and why?

What doesn't work well and why? Do you think this discourages customer acceptance or the quality of the offer to the customer?

Do you have suggestions for improvements to the program that would increase offer quality, customer interest or lower costs?

Do you have suggestions for the making the program operate more smoothly or effectively?

Do you have suggestions for improving or increasing energy impacts?

OPERATIONAL, MARKET, & TECHNICAL BARRIERS AND SUGGESTIONS

What information, research or assessments are you using to identify barriers to implementation and develop more effective ways to deliver this program?

Can you identify any market, operational or technical barriers that impede a more efficient program operation?

Anything on the horizon that you think will impact the energy savings generated by this program?

In what ways can program operations or operational efficiencies be improved?

INCREASING READERSHIP AND CUSTOMER ACTIONS (SUGGESTIONS)

In what ways can the program increase the number of customers who read the reports and take energy saving actions?

In what ways can the program encourage customers to follow the recommended energy saving actions?

CLOSING SUGGESTIONS AND COMMENTS

If you could change anything else about the program, what would you change and why?

Are there any other issues or topics you think we should know about and discuss for this evaluation?

Is there anyone else that I should speak with to better complete this evaluation?

OFFICIAL COPY
Mar 04 2015

Appendix C: MyHER Customer Survey Instrument

State
( ) Indiana
( ) Kentucky
( ) Ohio
( ) North Carolina
( ) South Carolina

Info
Surveyor Name: _____
Survey ID: _____

Month & Year customer started getting MyHER reports (from calling sheet)

_____

Use four attempts at different times of the day and different days before dropping from contact list. Call times are from 10:00 a.m. to 8:00 p.m. EST or 9-7 CST Monday through Saturday. No calls on Sunday. (Target: 250 per state)

Note: Only read aloud words in bold type.
Instructions are in italics.

Introduction

for answering machine 1st through penultimate attempts:
Hello, my name is _____ . I am calling to conduct a customer survey, on behalf of Duke Energy. I'm sorry I missed you. I'll try again another time.

for answering machine - Final Attempt:
Hello, my name is _____ . I am calling to conduct a customer survey, on behalf of Duke Energy. This is my last attempt at reaching you, my apologies for any inconvenience.

if person answers
Hello, my name is _____. I am calling to conduct a customer survey, on behalf of Duke Energy. May I speak with _____ please?

If person talking, proceed. If person is called to the phone reintroduce.
If not home, ask when would be a good time to call and schedule the call-back:

We are conducting this survey to obtain your opinions about the My Home Energy Report. Our records indicate that you have been receiving the Home Energy Report in the mail from Duke Energy. We are not selling anything. Your answers will be confidential, and if you qualify for the survey we will send you $20 for your time today. The survey will take about 30 minutes. May we begin the survey?

OFFICIAL COPY
Mar 04 2015

Note: If this is not a good time, ask if there is a better time to schedule a callback.

1. **Do you remember receiving the Home Energy Reports in the mail from Duke Energy since** *(Month and Year of first report)* **?**

( ) Yes
( ) No
( ) DK/NS

If No or DK/NS, ask:

1a. **This program provided information on how much electricity you used in the previous month and in the previous 12 months compared to your neighbors and provided tips on how you could lower your electricity use and costs in becoming more energy efficient.**

Do you remember receiving these reports now?

( ) Yes
( ) No
( ) DK/NS

If No or DK/NS terminate interview and go to next participant.

2. **What do you do with the Home Energy Report when you receive it?**
(Mark all that apply)

[ ] I read it.
[ ] Someone else in the house reads it
[ ] Throw it away/ignore it
[ ] Other

If customer does not read it, but someone else in the house reads it, ask:

Can I talk to that person?
If another person does take the call, go back to Introduction.
or
Schedule callback if necessary, and do survey from beginning at that time.
or
Continue with person you are talking to if that is what they wish.

If answer to q2 is 'I read it', ask:

2a. **Why do you read the Home Energy Report?**
(Mark all that apply)

[ ] It is from Duke Energy
[ ] I am interested in learning how my household is using energy
[ ] I am interested in learning more about how to save energy
[ ] I am interested in learning more about climate change or environmental reasons
[ ] Avoid increases in power costs or lower rates
[ ] Other

OFFICIAL COPY
Mar 04 2015

[ ] DK/NS

If answer to q2 is "Throw it away/ignore it", ask:
2b. **Why do you throw it away or ignore it?**
(Mark all that apply)
[ ] I'm too busy/don't have time
[ ] It's too confusing
[ ] I don't believe it's accurate for my household
[ ] I've done all the tips it suggests
[ ] I'm already doing the best that I can
[ ] I do not care about energy savings or use
[ ] I don't use very much energy
[ ] Too low a priority for me
[ ] Other
[ ] DK/NS

If answer to q2 is "Throw it away/ignore it", ask:
2c. **Did you always ignore the report, or did you read some but have since stopped?**
( ) Never read them
( ) I read some *ask:* **About how many did you read?** : _____
( ) DK/NS

3. **When you consider the efforts that you and your household are currently making to decrease energy consumption at your home, do you feel that on average your efforts are less than what others typically do, about the same as what others typically do, or more than what others typically do?**
( ) Less than others
( ) About the same
( ) More than others
( ) DK/NS

3a. **Now think back to the time before you began receiving the Home Energy Report. At that time, would you say your efforts to decrease energy consumption were less than what others were typically doing, about the same, or more than what others were typically doing?**
( ) Less than others
( ) About the same
( ) More than others
( ) DK/NS

3b. **Of the following four statements, which best characterizes the degree of difference between your earlier actions and your more recent efforts?**
( ) **We used to do less, but now we are doing more.**
( ) **We used to do more, but now we are doing less.**
( ) **I think we were already doing more than others, but we're doing even more now.**
( ) **About the same**

OFFICIAL COPY
Mar 04 2015

( ) DK/NS

4. **In your own words, please tell me what it means to be energy efficient.**

5. **When you think about what you and your household does or can do to decrease energy consumption, what things come to mind?**
after each answer, ask:? **Anything else?**
(repeat until exhausted)
a.: _____
b.: _____
c.: _____
d.: _____
e.: _____

If more than five answers to q5, put spillover here:

6. **Using a 1 to 10 scale with 1 meaning "very uninterested" and 10 meaning "very interested", what is your level of interest in saving energy in your home?**
( ) 1
...
( ) DK/NS

7. **Using the same 1 to 10 scale with 1 meaning "very uninterested" and 10 meaning "very interested", what is your level of interest in reading your next report?**
( ) 1
...
( ) 10
( ) DK/NS

8. **Would you like to receive these reports more frequently, less frequently, or at the same frequency they are now being sent to you?**
If they ask, tell them that Reports are sent about 8 times a year.
( ) More frequently
( ) Less frequently
( ) Same frequency
( ) Don't want to get any
( ) DK/NS

If q8 is 'more' or 'less', ask:
8a: **How often would you prefer to get the reports?**
( ) Daily
( ) Weekly
( ) Monthly
( ) Every other month
( ) Few times a year/quarterly
( ) Annually

OFFICIAL COPY
Mar 04 2015

( ) Other
( ) DK/NS

8b. **Would you prefer to get the reports electronically through email?**
( ) Yes
( ) No
( ) DK/NS

If they never read the reports, Skip to question 21.

9. **You received multiple tips on how to save energy on the Home Energy Reports. Do you recall what any of the tips were?**
( ) Yes
( ) No
( ) DK/NS

If No or DK/NS, skip to question 13

If yes to q9, ask:
10. **What tip do you remember?** *{Tip1}*

_____

10z. Did the customer get this tip in a report?
( ) Yes
( ) No
( ) DK/NS

If remembered a tip in q10, ask:
11. **Do you remember any other tip?** *{Tip2}*

_____

11z. Did the customer get this tip in a report?
( ) Yes
( ) No
( ) DK/NS

If remembered a tip in q11, ask:
12. **Do you remember any other tip?** *{Tip3}*

_____

12z. Did the customer get this tip in a report?
( ) Yes
( ) No
( ) DK/NS

OFFICIAL COPY
Mar 04 2015

Ask questions 10a to 10m for the tip indicated in response to question 10.
Tip 1:

10a. **Using a 1 to 10 scale with 1 meaning your reaction to the tip** *{Tip1}* **was very unfavorable and 10 meaning your reaction was very favorable, please tell me about your reaction to this tip.**

( ) 1
...
( ) 10
( ) DK/NS

10b. **Did you feel that this tip was believable, that is, that it really could help you reduce your energy consumption?**

( ) Yes
( ) No *ask: 10c.* **What about it was not believable?:** _____
( ) DK/NS

10d. **Did you do anything to your home/behavior in response to this tip?**

( ) Yes
( ) No
( ) DK/NS

If no to q10d, ask:
10e. Do you plan to do anything in response to this tip?

( ) Yes *ask:* 10f. **When?** _____
( ) No
( ) DK/NS

If yes to q10d, ask:
10g. **What did you do?**

10h. **Are you satisfied with the results of following the tip?**

( ) Yes
( ) No
( ) DK/NS
( ) Other _____

10i. **Please answer the following question as best you can: How much money do you think you saved each month as a result of the changes?**

( ) None
( ) amount _____
( ) DK/NS

10j. **Do you happen to know the actual amount of energy that was saved?**

( ) Yes: _____
( ) No

OFFICIAL COPY
Mar 04 2015

( ) DK/NS
( ) Other _____

10k. **Do you think the changes you made resulted in increased or decreased comfort in your home, or did it stay the same?**
( ) Increased comfort
( ) Decreased comfort
( ) Stayed the same
( ) DK/NS

10m. **Please indicate how influential the Home Energy Report was to your decision to take this action using a 1 to 10 scale with 1 meaning the report had no influence and you would have taken this action, and 10 meaning that the report was very influential and that you would not have taken this action without reading the tip on the Report.**
( ) 1
...
( ) 10
( ) DK/NS
( ) Didn't Take the Action

Ask questions 11a to 11m for the tip indicated in response to question 11.
Tip 2:

11a. **Using a 1 to 10 scale with 1 meaning your reaction to the tip** *{Tip2}* **was very unfavorable and 10 meaning your reaction was very favorable, please tell me about your reaction to this tip.**
( ) 1
...
( ) 10
( ) DK/NS

11b. **Did you feel that this tip was believable, that is, that it really could help you reduce your energy consumption?**
( ) Yes
( ) No *ask: 11c.* **What about it was not believable?**: _____
( ) DK/NS

11d. **Did you do anything to your home/behavior in response to this tip?**
( ) Yes
( ) No
( ) DK/NS

If no to q11d, ask:
11e. **Do you plan to do anything in response to this tip?**
( ) Yes *ask:* **11f. When?** : _____

OFFICIAL COPY
Mar 04 2015

( ) No
( ) DK/NS

If yes to q11d, ask:
11g. **What did you do?**

11h. **Are you satisfied with the results of following the tip?**
( ) Yes
( ) No
( ) DK/NS
( ) Other _____

11i. **Please answer the following question as best you can: How much money do you think you saved each month as a result of the changes?**
( ) None
( ) amount: _____
( ) DK/NS

11j. **Do you happen to know the actual amount of energy that was saved?**
( ) Yes: _____
( ) No
( ) DK/NS
( ) Other _____

11k. **Do you think the changes you made resulted in increased or decreased comfort in your home, or did it stay the same?**
( ) Increased comfort
( ) Decreased comfort
( ) Stayed the same
( ) DK/NS

11m. **Please indicate how influential the Home Energy Report was to your decision to take this action using a 1 to 10 scale with 1 meaning the report had no influence and you would have taken this action, and 10 meaning that the report was very influential and that you would not have taken this action without reading the tip on the Report.**
( ) 1
...
( ) 10
( ) DK/NS
( ) Didn't Take the Action

Ask questions 12a to 12m for the tip indicated in response to question 12.
Tip 3:

OFFICIAL COPY
Mar 04 2015

12a. **Using a 1 to 10 scale with 1 meaning your reaction to the tip** *{Tip3}* **was very unfavorable and 10 meaning your reaction was very favorable, please tell me about your reaction to this tip.**

( ) 1
...
( ) 10
( ) DK/NS

12b. **Did you feel that this tip was believable, that is, that it really could help you reduce your energy consumption?**

( ) Yes
( ) No *ask: 12c.* **What about it was not believable?** _____
( ) DK/NS

12d. **Did you do anything to your home/behavior in response to this tip?**

( ) Yes
( ) No
( ) DK/NS

If no to q12d, ask:
12e. **Do you plan to do anything in response to this tip?**

( ) Yes *ask:* 12f. **When?** _____
( ) No
( ) DK/NS

If yes to q12d, ask:
12g. **What did you do?**

12h. **Are you satisfied with the results of following the tip?**

( ) Yes
( ) No
( ) DK/NS
( ) Other _____

12i. **Please answer the following question as best you can How much money do you think you saved each month as a result of the changes?**

( ) None
( ) amount _____
( ) DK/NS

12j. **Do you happen to know the actual amount of energy that was saved?**

( ) Yes _____
( ) No
( ) DK/NS
( ) Other _____

OFFICIAL COPY
Mar 04 2015

12k. **Do you think the changes you made resulted in increased or decreased comfort in your home, or did it stay the same?**

( ) Increased comfort
( ) Decreased comfort
( ) Stayed the same
( ) DK/NS

12m. **Please indicate how influential the Home Energy Report was to your decision to take this action using a 1 to 10 scale with 1 meaning the report had no influence and you would have taken this action, and 10 meaning that the report was very influential and that you would not have taken this action without reading the tip on the Report.**

( ) 1
...
( ) 10
( ) DK/NS
( ) Didn't Take the Action

13. **Did you feel that the tips included on the report were relevant and applied to you and your household?**

( ) Yes
( ) No
( ) DK/NS

If no to q13, ask:
13a. **Do any specific tips stand out to you as <u>not applying</u> to you or your house? Why?**
after each answer, ask: **Any others? Why?**

1: _____
2: _____
3: _____

14. **The report presented a comparison of your home energy usage to that of similar homes. As part of the comparison, the report provides detailed information regarding which homes yours is being compared to, including the number of homes, the age and size of the homes, and the type of heating they use. Using a 1 to 10 scale with 1 meaning this comparison was not at all reasonable or appropriate and 10 meaning it was very reasonable or appropriate, how did you find this comparison?**

( ) 1
...
( ) 10
( ) DK/NS

OFFICIAL COPY
Mar 04 2015

15. **Using a 1 to 10 scale with 1 meaning this comparison was not at all useful and 10 meaning it was very useful, how useful did you find this comparison?**

( ) 1
...
( ) 10
( ) DK/NS

16. **How does your home's energy use compare, does your report show that you usually use more than the average home, less than the average home or about the same as average?**
( ) More than average
( ) About the same
( ) Less than average
( ) DK/NS

17. **Do you use the charts to track your home's energy usage?**
( ) Yes
( ) No
( ) DK/NS

18. **Are you trying to improve how your home efficiency compares to your neighbors?**
( ) Yes
( ) No
( ) DK/NS

19. **Are the characteristics such as your home size and age correct on your report?**
( ) Yes
( ) No *ask:* 19a. **What is incorrect?** _____
( ) DK/NS

20. **Did you move into a new home since** ***(The Month & Year the customer began getting reports.)*****?**
( ) Yes *ask:* 20a. **When did you move?** _____
( ) No

21. **Since** ***(Month and Year of first report)*****, have you done anything else to save electricity in your home that was not included as a tip contained in the Home Energy Reports?**
( ) Yes
( ) No
( ) DK/NS

If yes to q21, ask:
21a. What have you done?
after each answer, ask: **Anything else?**
Get details on what was done and when. Leave blank if they reply "Nothing else".

OFFICIAL COPY
Mar 04 2015

1: _____
2: _____
3: _____

The following questions ask you to tell us if you did anything in a particular category. We may ask you to duplicate some information you already gave us, but please do tell us again because we want to get more details in each category.

Home Appliances

Repeat the series "did you take any steps..." If Yes "how much influence the MyHER report was..." up to three times

22. **Since receiving your first Home Energy Report did you take any steps to reduce the amount of energy used by your home appliances, such as removing a second refrigerator or upgrading old appliances?**

( ) Yes *ask:* **What have you done?** _____
( ) No
( ) DK/NS

22a. **Please tell us how much influence the MyHER report was on your decision to take this step, was it...**

(read answers aloud, select only one)

( ) **the main reason,**
( ) **one reason among several, but not the main reason, or**
( ) **it did not have an influence**
( ) DK/NS

22b. **Did you do anything else to reduce the amount of energy used by your home appliances?**

(since receiving the 1st report.)
( ) Yes *ask:* **What have you done?** _____
( ) No
( ) DK/NS

22c. **Please tell us how much influence the MyHER report was on your decision to take this step, was it...**

( ) **the main reason,**
( ) **one reason among several, but not the main reason, or**
( ) **It did not have an influence**
( ) DK/NS

22d. **Did you do anything else to reduce the amount of energy used by your home appliances?**

(since receiving the 1st report.)
( ) Yes *ask:* **What have you done?** _____
( ) No

OFFICIAL COPY
Mar 04 2015

( ) DK/NS

If yes,
22e. **Please tell us how much influence the MyHER report was on your decision to take this step, was it...**
( ) **the main reason,**
( ) **one reason among several, but not the main reason, or**
( ) **It did not have an influence**
( ) DK/NS

22f. **Did you do anything that might have <u>increased</u> the energy usage by your appliances? An example of increasing your home appliance energy use would be to add another appliance, such as a new freezer.**
( ) Yes
( ) No
( ) DK/NS

If yes to q22f, ask:
22g. **What have you done?**
after each answer, ask: **Anything else?**
Get details on what was done and when.
1: _____
2: _____
3: _____

Home Cooling

Repeat the series "did you take any steps..." If Yes "how much influence the MyHER report was..." up to three times
23. **Since receiving your first Home Energy Report did you take any steps to <u>reduce</u> the amount of energy used to cool your home?**
( ) Yes *ask:* **What have you done?** _____
( ) No
( ) DK/NS

23a. **Please tell us how much influence the MyHER report was on your decision to take this step, was it...**
(read answers aloud, select only one)
( ) **the main reason,**
( ) **one reason among several, but not the main reason, or**
( ) **It did not have an influence**
( ) DK/NS

23b. **Did you do anything else to <u>reduce</u> the amount of energy used to cool your home?**
(since receiving the 1st report.)
( ) Yes *ask:* **What have you done?** _____

OFFICIAL COPY
Mar 04 2015

( ) No
( ) DK/NS

23c. **Please tell us how much influence the MyHER report was on your decision to take this step, was it...**
( ) the main reason,
( ) one reason among several, but not the main reason, or
( ) It did not have an influence
( ) DK/NS

23d. **Did you do anything else to <u>reduce</u> the amount of energy used to cool your home?** *(since receiving the 1st report.)*
( ) Yes *ask:* **What have you done?** _____
( ) No
( ) DK/NS

If yes,
23e. **Please tell us how much influence the MyHER report was on your decision to take this step, was it...**
( ) the main reason,
( ) one reason among several, but not the main reason, or
( ) It did not have an influence
( ) DK/NS

23f. **Did you do anything that might have <u>increased</u> the energy used to cool your home? An example of something that might increase your energy use is to purchase a larger AC unit, as opposed to a new one of similar size.**
( ) Yes
( ) No
( ) DK/NS

If yes to q23f, ask:
23g. **What have you done?**
after each answer, ask: **Anything else?**
Get details on what was done and when.
1: _____
2: _____
3: _____

Home Heating

Repeat the series "did you take any steps..." If Yes "how much influence the MyHER report was..." up to three times
24. **Since receiving your first Home Energy Report did you take any steps to <u>reduce</u> the amount of energy used to heat your house?**
( ) Yes *ask:* **What have you done?** _____

OFFICIAL COPY
Mar 04 2015

( ) No
( ) DK/NS

24a. **Please tell us how much influence the MyHER report was on your decision to take this step, was it...**
(read answers aloud, select only one)
( ) **the main reason,**
( ) **one reason among several, but not the main reason, or**
( ) **It did not have an influence**
( ) DK/NS

24b. **Did you do anything else to <u>reduce</u> the amount of energy used to heat your house?**
(since receiving the 1st report.)
( ) Yes *ask:* **What have you done?** _____
( ) No
( ) DK/NS

24c. **Please tell us how much influence the MyHER report was on your decision to take this step, was it...**
( ) **the main reason,**
( ) **one reason among several, but not the main reason, or**
( ) **It did not have an influence**
( ) DK/NS

24d. **Did you do anything else to <u>reduce</u> the amount of energy used to heat your house?**
( ) Yes *ask:* **What have you done?** _____
( ) No
( ) DK/NS

If yes,
24e. **Please tell us how much influence the MyHER report was on your decision to take this step, was it...**
( ) **the main reason,**
( ) **one reason among several, but not the main reason, or**
( ) **It did not have an influence**
( ) DK/NS

24f. **Did you do anything that might have <u>increased</u> the amount of energy you use to heat your home? An example of a change that would increase the energy used is if you purchased a larger heat pump.**
( ) Yes
( ) No
( ) DK/NS

If yes to q24f, ask:
24g. **What have you done?**

OFFICIAL COPY
Mar 04 2015

after each answer, ask: **Anything else?**
Get details on what was done and when.

1: _____
2: _____
3: _____

Home Lighting

Repeat the series "did you take any steps..." If Yes "how much influence the MyHER report was..." up to three times

25. **Since receiving your first Home Energy Report did you take any steps to reduce the amount of energy used to light your home?**

( ) Yes *ask:* **What have you done?** _____
( ) No
( ) DK/NS

25a. **Please tell us how much influence the MyHER report was on your decision to take this step, was it...**
(read answers aloud, select only one)

( ) **the main reason,**
( ) **one reason among several, but not the main reason, or**
( ) **It did not have an influence**
( ) DK/NS

25b. **Did you do anything else to reduce the amount of energy used to light your home?**
(since receiving the 1st report.)

( ) Yes **What have you done?** _____
( ) No
( ) DK/NS

25c. **Please tell us how much influence the MyHER report was on your decision to take this step, was it...**

( ) **the main reason,**
( ) **one reason among several, but not the main reason, or**
( ) **It did not have an influence**
( ) DK/NS

25d. **Did you do anything else to reduce the amount of energy used to light your home?**
(since receiving the 1st report.)

( ) Yes *ask:* **What have you done?** _____
( ) No
( ) DK/NS

If yes,
25e. **Please tell us how much influence the MyHER report was on your decision to take this step, was it...**

OFFICIAL COPY
Mar 04 2015

( ) **the main reason,**
( ) **one reason among several, but not the main reason, or**
( ) **It did not have an influence**
( ) DK/NS

25f. **Did you do anything that may have <u>increased</u> the amount of energy used to light your home? An example of increasing the energy used to light your home would be adding new inside light fixtures or outdoor flood lights.**
( ) Yes
( ) No
( ) DK/NS

If yes to q25f, ask:
25g. **What have you done?**
after each answer, ask: **Anything else?**
Get details on what was done and when.
1: _____
2: _____
3: _____

Home Computers or Electronics

Repeat the series "did you take any steps..." If Yes "how much influence the MyHER report was..." up to three times
26. **Since receiving your first Home Energy Report did you take any steps to <u>reduce</u> the amount of energy used by home computers or electronics?**
( ) Yes *ask:* **What have you done?** _____
( ) No
( ) DK/NS

26a. **Please tell us how much influence the MyHER report was on your decision to take this step, was it...**
(read answers aloud, select only one)
( ) **the main reason,**
( ) **one reason among several, but not the main reason, or**
( ) **It did not have an influence**
( ) DK/NS

26b. **Did you do anything else to <u>reduce</u> the amount of energy used by home computers or electronics?**
(since receiving the 1st report)
( ) Yes *ask:* **What have you done?** _____
( ) No
( ) DK/NS

OFFICIAL COPY
Mar 04 2015

26c. **Please tell us how much influence the MyHER report was on your decision to take this step, was it...**

( ) **the main reason,**
( ) **one reason among several, but not the main reason, or**
( ) **It did not have an influence**
( ) DK/NS

26d. **Did you do anything else to <u>reduce</u> the amount of energy used by home computers or electronics?**
(since receiving the 1st report)

( ) Yes *ask:* **What have you done?** _____
( ) No
( ) DK/NS

If yes,
26e. **Please tell us how much influence the MyHER report was on your decision to take this step, was it...**

( ) **the main reason,**
( ) **one reason among several, but not the main reason, or**
( ) **It did not have an influence**
( ) DK/NS

26f. **Did you do anything that may have <u>increased</u> the amount of energy used to power your home computer or electronics? An example would be if you purchased another TV or computer.**

( ) Yes
( ) No
( ) DK/NS

If yes to q26f, ask:
26g. **What have you done?**
after each answer, ask: **Anything else?**
Get details on what was done and when.

1: _____
2: _____
3: _____

Water Heater

Repeat the series "did you take any steps..." If Yes "how much influence the MyHER report was..." up to three times
27. **Since receiving your first Home Energy Report did you take any steps to <u>reduce</u> the amount of energy used to heat the hot water in your home?**

( ) Yes *ask:* **What have you done?** _____
( ) No
( ) DK/NS

OFFICIAL COPY
Mar 04 2015

27a. **Please tell us how much influence the MyHER report was on your decision to take this step, was it...**
(read answers aloud, select only one)

( ) **the main reason,**
( ) **one reason among several, but not the main reason, or**
( ) **It did not have an influence**
( ) DK/NS

27b. **Did you do anything else to <u>reduce</u> the amount of energy used to heat the hot water in your home?**
(since receiving the 1st report.)

( ) Yes *ask:* **What have you done?** _____
( ) No
( ) DK/NS

27c. **Please tell us how much influence the MyHER report was on your decision to take this step, was it...**

( ) **the main reason,**
( ) **one reason among several, but not the main reason, or**
( ) **It did not have an influence**
( ) DK/NS

27d. **Did you do anything else to <u>reduce</u> the amount of energy used to heat the hot water in your home?**
(since receiving the 1st report.)

( ) Yes *ask:* **What have you done?** _____
( ) No
( ) DK/NS

If yes,
27e. **Please tell us how much influence the MyHER report was on your decision to take this step, was it...**

( ) **the main reason,**
( ) **one reason among several, but not the main reason, or**
( ) **It did not have an influence**
( ) DK/NS

27f. **Did you do anything that would have <u>increased</u> the amount of energy used to heat the hot water in your home? An example of something that would increase the amount of energy is to turn up your hot water tank's temperature.**

( ) Yes
( ) No
( ) DK/NS

If yes to q27f, ask:

OFFICIAL COPY
Mar 04 2015

27g. **What have you done?**
after each answer, ask: **Anything else?**
Get details on what was done and when.
1: _____
2: _____
3: _____

Pool

28. **Do you have a pool?**
( ) Yes
( ) No
( ) DK/NS

If yes. ask:
28a. **Did you make any changes to your pool's heating or filtering systems to make it more efficient?**
( ) Yes
( ) No
( ) DK/NS

If yes to q28a, ask:
28b. **What have you done?**
after each answer, ask: **Anything else?**
Get details on what was done and when.
1: _____
2: _____
3: _____

If they never read the reports, Skip to q40

Now I am going to ask you some general agreement statements. On a scale from 1-10, with 1 indicating that you strongly disagree, and 10 indicating that you strongly agree, please rate the following statements.

29. **The reports are easy to understand.**
( ) 1
...
( ) 10
( ) DK/NS

If 7 or less, ask:
29a. **How could this be improved?**

_____

OFFICIAL COPY
Mar 04 2015

Ask question 29b if they were receiving the reports before April or May 2012.
29b. **Do you recall noticing a change in the reports in April or May 2012?**
( ) Yes *ask:* 29c. **What changed?** _____
( ) No
( ) DK/NS
( ) Not applicable

If yes to 29b, ask:
29d. **Are the reports now easier to understand, more difficult, or about the same?***
( ) Easier
( ) More difficult
( ) About the same
( ) DK/NS

30. **The energy saving tips in the report provided new ideas that I was not previously considering.**
( ) 1
...
( ) 10
( ) DK/NS

If 7 or less, ask:
30a. **How could this be improved?**

_____

31. **I find the reports useful.**
( ) 1
...
( ) 10
( ) DK/NS

If 7 or less, ask:
31a. **How could this be improved?**

_____

32. **I enjoy receiving and reading the reports.**
( ) 1
...
( ) 10
( ) DK/NS

If 7 or less, ask:
32a. **How could this be improved?**

_____

OFFICIAL COPY
Mar 04 2015

33. **I find the graphics helpful in understanding how my energy usage compares to others like me.**

( ) 1
...
( ) 10
( ) DK/NS

If 7 or less, ask:
33a. **How could this be improved?**

_____

34. **I find the graphics helpful in understanding how my energy usage changes over the seasons.**

( ) 1
...
( ) 10
( ) DK/NS

If 7 or less, ask:
34a. **How could this be improved?**

_____

35. **Overall I am satisfied with the reports.**

( ) 1
...
( ) 10
( ) DK/NS

If 7 or less, ask:
35a. **How could this be improved?**

_____

36. **Is there anything that you would like to see changed about the report?**

_____

37. **On a scale from 1-10, with 1 indicating that you were very dissatisfied, and 10 indicating that you were very satisfied, please indicate your overall satisfaction with Duke Energy.**

( ) 1
...
( ) 10
( ) DK/NS

If 7 or less, ask:
37a. **How could this be improved?**

_____

OFFICIAL COPY
Mar 04 2015

38. **Have you shared or discussed this report with others?**
( ) Yes
( ) No
( ) DK/NS

If Yes to q38, ask:
38a. **Who did you share it with?**
(Mark all that apply)
[ ] Family
[ ] Friends
[ ] Neighbors
[ ] Co-workers
[ ] Other
[ ] DK/NS

39. **If you were rating your overall satisfaction with the Home Energy Report, would you say you were Very Satisfied, Somewhat Satisfied, Neither Satisfied nor Dissatisfied, Somewhat Dissatisfied, or Very Dissatisfied?**
( ) Very Satisfied
( ) Somewhat Satisfied
( ) Neither Satisfied nor Dissatisfied
( ) Somewhat Dissatisfied
( ) Very Dissatisfied
( ) Refused
( ) DK/NS

39a. **Why do you give it that rating?**

_____

40. **There is a phone number and email address for Customer Support on the reports, have you called or emailed Customer Support for any reason?**
[ ] Yes, emailed
[ ] Yes, called
[ ] No
[ ] DK/NS

If yes,
40a. **Why did you call/email?**

_____

If yes,
40b. **Were you satisfied with the response you received? Why or why not?**

_____

OFFICIAL COPY
Mar 04 2015

41. **Do you use Facebook, Twitter and/or other social media?**
( ) Yes
( ) No
( ) DK/NS

If yes to q41, ask:
41a. **Have you ever interacted with Duke Energy thru social media? And if so, what did you use?**
(Mark all that apply)
[ ] Yes, Facebook
[ ] Yes, Twitter
[ ] Yes, Other
[ ] No
[ ] DK/NS

If yes to q41, ask:
41b. **Have you ever used social media to communicate with other people about Duke Energy, energy efficiency, energy prices, or other energy related topics?**
( ) Yes
( ) No
( ) DK/NS

If yes to 41b, ask:
41c. **What did you communicate about?** _____

42. **Have you or someone in your household visited the Duke Energy web site in the past year?**
( ) Yes
( ) No
( ) DK/NS

If Yes to 42, ask:
42a. **What did you do while you were accessing the website?**
(Do not read answers. Mark all that apply)
[ ] Pay my bill
[ ] Review or change account information
[ ] Search for ways to save on my bill (energy savings tips, etc.)
[ ] Search for information on energy efficiency (rebates, incentives, programs, etc.)
[ ] Find out about Duke Energy activities (e.g. plant building, community actions etc.)
[ ] Other
[ ] DK/NS

As a follow up to the report, Duke Energy is interested in providing further services that might be of interest to customers. I am going to read a list of possible services that Duke

OFFICIAL COPY
Mar 04 2015

Energy may consider offering. On a scale from 1-10, with 1 indicating that you would be very uninterested, and 10 indicating that you would be very interested, please rate your interest in the following services.

43. **Help in finding weatherization contractors to make your home more efficient**
( ) 1
...
( ) 10
( ) DK/NS

44. **Help in finding energy efficient equipment and appliances**
( ) 1
...
( ) 10
( ) DK/NS

45. **Rebates for energy efficient home improvements**
( ) 1
...
( ) 10
( ) DK/NS

46. **Inspection services of work performed by contractors**
( ) 1
...
( ) 10
( ) DK/NS

47. **Financing for energy efficient home improvements**
( ) 1
...
( ) 10
( ) DK/NS

48. **Home energy audits or inspections of your home with specific recommendations for improvements**
( ) 1
...
( ) 10
( ) DK/NS

49. **Social Networking sites such as Facebook and Twitter to read about or discuss energy efficient solutions with energy experts**
( ) 1
...
( ) 10

OFFICIAL COPY
Mar 04 2015

( ) DK/NS

50. **Are you now or have you ever been a participant in any of the following Duke Energy programs**
(Mark all that apply)
(Enter DK if they do not recall when they participated)
If they ask "What is that program?" you may use the explanation given in q51.

[ ] Power Manager
ask: **What month and year did you participate in this program? _____**
[ ] Residential Smart Saver HVAC
ask: **What month and year did you participate in this program? _____**
[ ] Home Energy House Call
ask: **What month and year did you participate in this program? _____**
[ ] Personalized Energy Report
ask: **What month and year did you participate in this program? _____**
[ ] Appliance Recycling
ask: **What month and year did you participate in this program?**
[ ] CFLs shipped to your home *(IVR/WEB – NOT HEHC or PER -callers, please verify)*
ask: **What month and year did you participate in this program? _____**
[ ] None of the above

For all programs not checked in q50, ask the following questions:
51. **On a scale from 1-10, with 1 indicating not at all interested and 10 indicating very interested, please rate your interest in Duke Energy providing the following programs:**

(Power Manager)
51a. **A program that provides bill credits in exchange for allowing Duke Energy to temporarily turn your air conditioning unit off and on during periods of high use on hot days**

( ) 1
...
( ) 10
( ) DK/NS

(Residential Smart Saver HVAC)
51b. **A program that provides rebates for energy efficient improvements to your house such as energy efficient heating and cooling units.**

( ) 1
...
( ) 10
( ) DK/NS

(Home Energy House Call)
51c. **A program in which an assessor comes to your house, suggests energy efficiency improvements, and Duke Energy provides certain low-cost improvement materials for free.**

( ) 1

OFFICIAL COPY
Mar 04 2015

...
( ) 10
( ) DK/NS

(Personalized Energy Report)
51d. **A program that provides personalized energy analysis and ways to save energy and money by filling out a short survey with questions about your home.**
( ) 1
...
( ) 10
( ) DK/NS

(Appliance Recycling)
51e. **A program that provides a rebate to pick up and properly recycle an inefficient refrigerator or freezer from your home**
( ) 1
...
( ) 10
( ) DK/NS

(Free CFLs - IVR/WEB)
51f. **A program that provides free CFLs mailed directly to your home**
( ) 1
...
( ) 10
( ) DK/NS

52. **What other services could Duke Energy provide to help improve home energy efficiency?** _____

I would now like you ask you a few demographic questions before we get off the phone.

e1. **Do you own an electric vehicle?**
( ) Yes *ask:* **How many?** _____
( ) No
( ) Refused

e2. **Do you have a solar water heating system?**
( ) Yes *ask:* **What size?** _____
( ) No
( ) Refused

e3. **Do you have a solar photovoltaic system?** *(Solar panels)*
( ) Yes *ask:* **What size?** _____
( ) No

OFFICIAL COPY
Mar 04 2015

( ) Refused

d1. **In what type of building do you live?**
( ) Single-family home, detached construction
( ) Single family home, factory manufactured/modular
( ) Single family, mobile home
( ) Row House
( ) Two or Three family attached residence-traditional structure
( ) Apartment (4 + families)---traditional structure
( ) Condominium---traditional structure
( ) Other _____
( ) Refused
( ) DK/NS

d2. **What year was your residence built?**
( ) 1959 and before
( ) 1960-1979
( ) 1980-1989
( ) 1990-1997
( ) 1998-2000
( ) 2001-2007
( ) 2008-present
( ) DK/NS

d3. **How many rooms are in your home (excluding bathrooms, but including finished basements)?**
( ) 1-3
( ) 4
...
( ) 9
( ) 10 or more
( ) DK/NS

d4. **Which of the following best describes your home's heating system?**
(Mark all that apply)
[ ] None
[ ] Central forced air furnace
[ ] Electric Baseboard
[ ] Heat Pump
[ ] Geothermal Heat Pump
[ ] Other

d5. **How old is your heating system?**
( ) 0-4 years
( ) 5-9 years
( ) 10-14 years

OFFICIAL COPY
Mar 04 2015

( ) 15-19 years
( ) 19 years or older
( ) DK/NS
( ) Do not have
( ) Other _____

d6. **What is the primary fuel used in your heating system?**
( ) Electricity
( ) Natural Gas
( ) Oil
( ) Propane
( ) Other _____

d7. **What is the secondary fuel used in your primary heating system, if applicable?**
( ) Electricity
( ) Natural Gas
( ) Oil
( ) Propane
( ) Other _____
( ) None

d8. **Do you use one or more of the following to cool your home?**
(Mark all that apply)
[ ] None, do not cool the home
[ ] Heat pump for cooling
[ ] Central air conditioning
[ ] Through the wall or window air conditioning unit
[ ] Geothermal Heat pump
[ ] Other _____

d9. **How many window-unit or "through the wall" air conditioner(s) do you use?**
( ) None
( ) 1
...
( ) 7
( ) 8 or more

d10. **What is the fuel used in your cooling system?**
[ ] Electricity
[ ] Natural Gas
[ ] Oil
[ ] Propane
[ ] Other
[ ] None

d11. **How old is your cooling system?**

OFFICIAL COPY
Mar 04 2015

( ) 0-4 years
( ) 5-9 years
( ) 10-14 years
( ) 15-19 years
( ) 19 years or older
( ) DK/NS
( ) Do not have

d12. **What is the fuel used by your water heater?**
(Mark all that apply)
[ ] Electricity
[ ] Natural Gas
[ ] Oil
[ ] Propane
[ ] Other
[ ] No water heater

d13. **How old is your water heater?**
( ) 0-4 years
( ) 5-9 years
( ) 10-14 years
( ) 15-19 years
( ) More than 19 years
( ) DK/NS

d14. **What type of fuel do you use for indoor cooking on the stovetop or range?**
(Mark all that apply)
[ ] Electricity
[ ] Natural Gas
[ ] Oil
[ ] Propane
[ ] Other
[ ] No stovetop or range

d15. **What type of fuel do you use for indoor cooking in the oven?**
(Mark all that apply)
[ ] Electricity
[ ] Natural Gas
[ ] Oil
[ ] Propane
[ ] Other
[ ] No oven

d16. **What type of fuel do you use for clothes drying?**
(Mark all that apply)
[ ] Electricity

OFFICIAL COPY
Mar 04 2015

[ ] Natural Gas
[ ] Oil
[ ] Propane
[ ] Other
[ ] No clothes dryer

d17. **About how many square feet of living space are in your home?**
(Do not include garages or other unheated areas)
Note: A 10-foot by 12 foot room is 120 square feet
( ) Less than 500
( ) 500 to 999
( ) 1000 to 1499
( ) 1500 to 1999
( ) 2000 to 2499
( ) 2500 to 2999
( ) 3000 to 3499
( ) 3500 to 3999
( ) 4000 or more
( ) DK/NS

d18. **Do you own or rent your home?**
( ) Own
( ) Rent

d19. **How many levels are in your home (not including your basement)?**
( ) One
( ) Two
( ) Three

d20. **Does your home have a heated or unheated basement?**
( ) Heated
( ) Unheated
( ) No basement

d21. **Does your home have an attic?**
( ) Yes
( ) No

d22. **Are your central air/heat ducts located in the attic?**
( ) Yes
( ) No
( ) N/A

d23. **Does your house have cold drafts in the winter?**
( ) Yes
( ) No

OFFICIAL COPY
Mar 04 2015

d24. **Does your house have sweaty windows in the winter?**
( ) Yes
( ) No

d25. **Do you notice uneven temperatures between the rooms in your home?**
( ) Yes
( ) No

d26. **Does your heating system keep your home comfortable in winter?**
( ) Yes
( ) No

d27. **Does your cooling system keep your home comfortable in summer?**
( ) Yes
( ) No

d28. **Do you have a programmable thermostat?**
( ) Yes
( ) No

d29. **What temperature is your thermostat set to on a typical summer weekday afternoon?**
( ) Less than 69 degrees
( ) 69-72 degrees
( ) 73-78 degrees
( ) Higher than 78 degrees
( ) Off
( ) DK/NS

d30. **What temperature is your thermostat set to on a typical winter weekday afternoon?**
( ) Less than 67 degrees
( ) 67-70 degrees
( ) 71-73 degrees
( ) 74-77 degrees
( ) 78 degrees or higher
( ) Off
( ) DK/NS

d31. **Do You Have a swimming pool, spa or hot tub?**
( ) Yes
( ) No

Read all answers until they reply
d32. **Would a two-degree increase in the summer afternoon temperature in your home affect your comfort..**
( ) **Not at all**

OFFICIAL COPY
Mar 04 2015

( ) **Slightly**
( ) **Moderately, or**
( ) **Greatly**

d33. **How many people live in this home?**
( ) 1
...
( ) 7
( ) 8 or more
( ) Prefer not to answer

d34. **How many of them are teenagers?** *(age 13-19)*
If they ask why: Explain that teenagers are generally associated with higher energy use.
( ) 0
...
( ) 7
( ) 8 or more
( ) Prefer not to answer

d35. **How many persons are usually home on a weekday afternoon?**
( ) 0
...
( ) 7
( ) 8 or more
( ) Prefer not to answer

d36. **Are you planning on making any large purchases to improve energy efficiency in the next 3 years?**
( ) Yes
( ) No
( ) DK/NS

The following questions are for classification purposes only and will not be used for any other purpose than to help Duke Energy continue to improve service.

d37. **What is your age group?**
( ) 18-34
( ) 35-49
( ) 50-59
( ) 60-64
( ) 65-74
( ) Over 74
( ) Prefer not to answer

d38. **Please indicate your annual household income.**
( ) Under $15,000

OFFICIAL COPY
Mar 04 2015

( ) $15,000-$29,999
( ) $30,000-$49,999
( ) $50,000-$74,999
( ) $75,000-$100,000
( ) Over $100,000
( ) Prefer Not to Answer

We've reached the end of the survey. As I mentioned earlier, we would like to send you $20 for your time and feedback today. Should we send the $20 to *{address on file}*, or would a different address be better?

Either way, enter entire address here:
Name: _____
Address: _____
City: _____
State: _____
Zip: _____

You should receive your $20 check in about 4-6 weeks. It will come in an envelope from our company: TecMarket Works. Thanks again for your time today!

OFFICIAL COPY
Mar 04 2015

Appendix D: Example MyHER Mailing

JOHN DOE
Account Number: 00001-00001
July 2013

DUKE ENERGY

My Home Energy Report

JOHN DOE's Home Electricity Usage for July 2013

How am I doing?



Whose electricity usage is being compared to mine?

189 households compared
- In the Greensboro area
- Non-electric heating
- 4700-5300 sq. ft.
- Built in 1983-1993

A 42" LCD TV used for 5 hours per day consumes roughly 16 kWh per month.
For more examples of kWh usage, visit www.duke-energy.com/homereport

Based on your electricity usage, you spent about **$78 more** than the average home. Ready to be better than average? Join the ranks of the efficient. Try one of the tips below.

What is this report?

Duke Energy developed this report to help you understand your energy usage and find ways to help you save money and energy. The report compares your home energy efficiency with similar homes.

Why would Duke Energy try to help me save energy?

When customers reduce their energy needs, it reduces the costs to provide energy and the need to build more power plants, which lower bills for you, your community, and Duke Energy.

Questions?

Visit:
www.duke-energy.com/homereport

Email:
HomeReport@duke-energy.com

Call:
888-873-3853
M-F 7AM-7PM ET
SAT 8AM-1PM ET

Check out this video to learn more about your personalized report.

Tips Based on Your Usage and Home Profile

What can I do to save money and energy?

Cold water, cold cash!

Wash your laundry in cold water

Save up to $24 per year.

Did you know that most of the energy consumed doing laundry is used to heat the water? All of that heat (and your hard earned money) then gets washed down the drain. Wash more of your laundry using cold water and save. As a bonus, colors will last longer and fabrics will stay stronger. Look for laundry detergents that are specifically formulated to work using cold water and you'll find your clothes still get as clean as before, but your wallet won't be feeling so light.

Try just one!

Try an LED light bulb

Save up to $12 per year.

LED light bulbs have become very affordable and are one of the best ways to save on your electric bill. You don't have to change all the bulbs in your house right now, but how about trying just one? Replacing a single 60-watt incandescent bulb with an equivalent LED model can save you real money now. And since LED bulbs last many times longer than old-fashioned incandescents, over time, the savings will become a really big deal!

OFFICIAL COPY
Mar 04 2015

JOHN DOE's Home Electricity Usage for the Past Year

How am I doing over time?



Your usage for this month has **decreased** compared to a year ago. Based on your electricity usage, you spent **$1819 more** than efficient homes in your area in the last 12 months.

Take action. Reduce your use.

Run a Tight Ship

You wouldn't try to sail a leaky boat. Why waste money heating a leaky house?

Now is a great time to make your home ship-shape. Our **Smart Saver Insulate and Seal** program provides incentives of up to $350 for improving the efficiency of your home and duct system.

Visit **duke-energy.com/MyHER13** to locate a qualifying vendor and learn how much you can save.

Who knows your home better than you?

Duke Energy uses the square footage, age, location and heating source of your home and others like it to create our comparison groups. Since **no one knows your home better than you, please take a moment to check the information we have on your home.** You'll find it to the right of the houses on your report. Updating this information will allow us to **provide you with detailed reports that are customized... just for YOUR home.**

Please email us at **HomeReport@duke-energy.com** or call **888-573-3853** with any corrections you may have.

DUKE ENERGY®

www.duke-energy.com
Customer Support: 888-873-3853
P.O. Box 1006
Charlotte, NC 28201-1006

JOHN DOE
2112 MAPLE AV
GREENSBORO, NC 27455-2005

OFFICIAL COPY
Mar 04 2015

Appendix E: Summary of Energy Saving Action Tips and Messages

NOTE: Each customer receives each tip one time.

Teaser	Action Title	Action Text	Savings in kWh	Age Threshold (> years: Only applies to homes that meet age requirement.
Original Tip Library				
Put a lid on your home!	Insulate your attic	A house with no insulation is like a coffee cup with no lid: all the heat goes up and out. Your furnace has to use more energy to replace the lost heat, and in the summer, the same thing happens with cool air and your AC. Keep the lid on by insulating your attic and reduce the energy used for both heating and cooling. It's one of the best energy efficiency investments you can make in your home.	Model	10
Reduce drafts and save!	Weatherize your home	Weatherize is a complicated sounding word, but don't let it throw you. Just get some caulk and weather stripping and use it to plug air leaks around your doors and windows. When you do this, you keep warm air from leaking in during the summer and leaking out during the winter. That means you'll use less energy when cooling and heating and be more comfortable with reduced drafts.	Model	5
Creep up a degree or two...	Set your thermostat as high as comfortable in summer	Air conditioners use a lot of energy. Turning up the temperature by just a few degrees can cut your energy bills: on average, you can save about 3% per degree! You can start by just turning up the temperature 1-2 degrees, and see how it feels. Try another 1-2 degrees a few days later. You might be pleasantly surprised how comfortable you feel while you save energy!	Model	
Upgrade that old tank!	Replace your old hot water heater	If your water heater is more than 10 to 15 years old, consider buying a new, more efficient model. If you heat your water with electricity, water heating can be one of your biggest energy consumers. Do some research into your options, then talk to a trusted contractor and be sure to tell them that you want the most efficient model possible.	Model	10

OFFICIAL COPY
Mar 04 2015

Lighting up the night, not the day.	Turn off outdoor lights during the day	If you prefer leaving you outdoor lights on at night for security or aesthetics, be sure to turn them off during daylight hours. Every morning, make it a habit to turn your outdoor lights off when you get the paper or let the dog out. If you have trouble remembering to do this, consider installing a light sensor, timer, or motion sensor on your outdoor lights, or switch to solar powered lights.	650	
Is your second fridge eating cash?	Unplug your second refrigerator or freezer	Most backup refrigerators are at least 10 years old and use huge amounts of energy. Many families keep a second refrigerator to hold extra drinks or to use in the basement during parties. If you're one of them, retire that second fridge -- or plug it in only when you really need it -- and you'll be surprised how much energy you save.	550	
Save loads of energy!	Air dry your laundry	Skip the dryer and air dry your laundry. Dryers are amazing, but they're energy hogs. One dryer load uses enough energy to power a CFL light bulb for 200 hours. Air drying just one load of laundry each week can save you energy each year. (Bonus! Your clothes will last longer, too.)	550	
Why pay for power you don't use?	Cut the standby power used for home entertainment	Your TV and all the associated gadgets use power even when they are off. This "standby" power is waste and can account for as much as 10% of the energy used in your home! To reduce this waste, plug your television and its accessories into a power strip or surge protector, and turn of the strip when these items aren't in use.	350	
Easy habits that can add up!	Save on hot water use	Making a few small changes in how you use water can easily save you 5% on your hot water use. Start in the morning by shortening your showers by a minute or two, and don't let the hot water run when you shave or brush your teeth. When doing laundry, wash your clothes in cold water. In the kitchen, run the water only when rinsing the dishes.	330	
Give your computer a rest!	Enable energy management on your computer	Change the settings on your computer so that it goes to sleep after 15 minutes of inactivity. Enabling "power management" or "sleep mode" on your computer could cut your computer's energy consumption in half!	300	
Plug into savings.	Cut standby power to your home computing system	Your computers and all the gadgets that go with them use power even when they are off. This "standby power" accounts for over 50% of the total energy used by many of these devices! The easiest way to cut this waste is to plug all your gadgets into a power strip and turn it off when you're not using those devices.	220	

OFFICIAL COPY
Mar 04 2015

Increase security and cut costs!	Put your outdoor lights on motion detectors or timers	Do you leave your outdoor lights on all night? Try installing motion detectors or timers on your outdoor lights to reduce the power they burn through. Motion detectors help ward off trouble while significantly reducing energy use. Using motion detectors or timers is a great way to get the benefits of outdoor lighting while cutting your energy use.	220	
A bright idea for outside!	Use efficient bulbs for your outdoor lighting	Put efficient ENERGY STAR compact fluorescent (CFL) bulbs in your outdoor light fixtures. CFL bulbs use 75% less energy, and they last 10 times longer than incandescent bulbs. Outdoor lights can be on for 12-14 hours of every day, so you'll really save energy when you switch. Here's the bonus: ENERGY STAR lights last so long, you won't have to get out your ladder so often to change bulbs.	220	
Stay dry and save energy!	Buy an ENERGY STAR dehumidifier	Choose a dehumidifier with the ENERGY STAR label when purchasing a new unit. An ENERGY STAR qualified dehumidifier uses 15% less energy than a standard model. That means that an ENERGY STAR dehumidifier can save as much energy as a small refrigerator uses in a year! Choose the right size for your home, and keep in mind that larger units typically operate more efficiently than smaller ones.	210	
A bright idea for indoors!	Use energy efficient lighting indoors	Use energy efficient compact fluorescent (CFLs) bulbs to provide quality lighting throughout your home. CFLs use 75% less energy than incandescent bulbs and last 10 times longer. Only air conditioning and heating use more electricity in people's homes. Since most of the electricity used by an incandescent bulb is wasted as heat, you can actually save on air conditioning by switching to CFLs.	200	
Light your task, not your room.	Use task lighting	Use task lighting - lighting directed at a specific area - instead of overhead or general lighting. If you light the area well that you are working in, you can light the rest of the room less. The fewer lights you have on, the more energy you can save.	120	
Good shows, great savings!	Buy an ENERGY STAR television	If you are in the market for a new TV, consider buying an ENERGY STAR model. TVs in use in the U.S. consume over 50 billion kWh of energy each year - enough electricity to power all the homes in the state of New York for an entire year! ENERGY STAR qualified TVs, which cover standard models, HD-ready TVs, and flat-screen plasma TVs, use about 30% less energy than conventional units.	120	

OFFICIAL COPY
Mar 04 2015

Give your filters a clean start!	Clean or replace your furnace filters	Clean or replace the filters in your forced-air heating and cooling system once a month or as needed. Energy is lost when your heating and cooling systems have to work harder to draw air through dirty filters. Give your furnace a break and save up to 5% on air conditioning by cleaning or changing your filters.	120	
Use sensors and save.	Minimize the run time of your dryer	Not quite ready to air dry your laundry? No problem - just try the auto-sensing setting on your dryer to reduce your energy use. This setting will automatically stop the dryer when your laundry is dry. No auto-sensing on your dryer? Set the timer for 5-10 minutes less than usual and see how you do. Remember, it's better to add a few minutes at the end than run the dryer for too long.	100	
Keep cool when buying a fridge...	Buy a ENERGY STAR refrigerator	Look for the ENERGY STAR label when purchasing a refrigerator. ENERGY STAR refrigerators use at least 20% less energy than non-ENERGY STAR models. To maximize your savings, consider a model with the fridge on top or bottom (not side by side) that doesn't have an ice maker in the door.	100	5
Cook smart and save.	Use your microwave instead of a conventional oven	When reheating food or cooking smaller dishes, use your microwave whenever possible. You can save up to 50% of your cooking energy usage by using a microwave oven instead of a conventional electric oven. Using a microwave where you can is an easy way to save energy, and it cooks your food much faster than a traditional oven.	90	
Newly Added Tips (Display Cost Savings)				
Leaky ducts condition the wrong air.	Check to see if your ducts are sealed.	Are you losing air? Over time the ducts that move your cool or hot air throughout your home can become leaky or poorly connected. According to Energy Star, a typical home can lose 20% of its conditioned air that is meant to keep your home comfortable. This means that the nice cool or warm air goes to places where it's not needed, like your attic or crawlspace. Sealing or repairing leaky ducts will increase your comfort and decrease your energy use.	Model	
Help your cooling system breathe.	Clean your cooling system filter.	While your cooling system is cooling the air in your home, it can also be pulling in dust and other particles. Over time, this starts to clog the filter making your unit work harder and less efficiently. Keeping the filter clean can lower energy use by 5 to 15%.	Model	
A yearly checkup to keep you cool!	Have your central air conditioner serviced.	If you have a central air conditioner, optimize its efficiency by having the unit serviced annually. In most homes, the central air conditioner uses more electricity than any other device. Regular maintenance will keep it operating at peak performance.	Model	

OFFICIAL COPY
Mar 04 2015

What's your temperature?	Turn down your hot water heater's thermostat.	We don't go so far as to recommend COLD showers. But water that is too hot can be costly and even dangerous. Some manufacturers preset water heater temperatures to 140 degrees Fahrenheit, but 115-120 degrees is adequate for most households. For every 10 degrees you lower your water heater's temperature you could reduce your costs by 3-5% .	Model	
Clean savings.	Five minutes could save you fifty gallons.	A 5 minute shower uses 10 to 25 gallons of hot water, while a full bath tub can hold up to 70 gallons. Save water and energy by choosing a quick shower.	Model	
Hot water just when you need it.	Do you know that if you have a standard tank water heater, it cycles on to heat the water overnight, even when you are not using hot water?	Your water heater's job is to make sure you have hot water available whenever you turn on the tap. With standard tank heaters, that means continuously cycling to keep the stored water heated. Remembering to turn off your water heater when you go on vacation - some systems even have a vacation setting - will save energy (and money toward your next vacation). If your household has particular pattern, you can take it a step further by installing a timer so the water heater thermostat turns down or all the way off after morning showers are done or everyone is off to work or school.	Model	
Dishwashing made even easier!	Let the dishwasher do the work.	No more dishpan hands. Do you rinse your dishes before loading them into the dishwasher? If you plan to run it immediately, skip this step. Just scrape, load and press the start button. According to Consumer Reports, most dishwashers on the market today have an efficient pre-rinse cycle that will save you time, water and energy.	Model	
Check your head.	Go for a low-flow showerhead.	Water heating accounts for nearly 15 percent of the average home's energy usage. Low-flow showerheads can reduce water usage by up to 50 percent. Thanks to the variety of low-flow showerheads on the market today, it's easy to find one that will save you water and energy.	Model	
Invite a STAR into your kitchen.	Buy an ENERGY STAR dishwasher.	Next time you're in the market for a new dishwasher, be sure to choose one with the ENERGY STAR label. Not only does an ENERGY STAR certified dishwasher use 10 percent less energy than standard units, it also uses 30 percent less water per load. That's a great way to reduce both your energy and water usage.	Model	5

OFFICIAL COPY
Mar 04 2015

Clean up with energy savings!	Choose an ENERGY STAR washing machine.	Laundry is a dirty job, but somebody has to do it. If that somebody is you, be sure you're using a machine that is efficient. Whenever you see the Energy Star label, you can be assured of using less electricity to power the machine, less energy to heat the water, and saving more money getting your laundry clean.	Model	
Shut those shades!	Keep your shades closed in the summer.	Sunny windows can account for 40 percent of unwanted heat and can make your air conditioner work two to three times harder. You can minimize this heat by closing your blinds or curtains on sunny days. Focus on South and West facing windows as those allow the most amount of heat into your home.	450	
Grill to keep cool!	Enjoy grilling season and save	Try cooking a meal or two per week on your barbeque grill. This will help keep your house cooler in the summer and save on your electricity bill. Cooking outside with a gas or charcoal grill uses no electricity at all and won't release heat into your kitchen. Your refrigerator and air conditioner won't have to work as hard to keep things cool - so you'll save event more on your electricity bill!	200	
Reach for that crock pot all year!	Dust off that Crock Pot.	Cooking in a crock pot can be much more efficient than using your oven. A crock pot costs 10 cents to run for 8 hours while an oven costs 32 cents to run for just one hour.	114	
An idea that really computes!	Buy an ENERGY STAR computer.	Look for the ENERGY STAR label when purchasing a new computer. ENERGY STAR models use 30% to 65% less energy than other models. The more you use your computer, the greater your savings will be.	100	
Newly Added Tips (Don't Display Cost Savings)				
Colder is not always better!	Check the temperature of your refrigerator or freezer.	Use a thermometer to check the temperature of your refrigerator or freezer. A refrigerator that is 10 degrees too cold can use up to 25% more energy than one running at the ideal temperature. Recommended temperatures are 37 to 40 degrees for the fresh food compartment, and 5 degrees for the freezer. If you have a separate freezer for long term storage, you should set it to 0 degrees.	84	
One Simple Step to Save	Turn off that ice maker.	Did you know that automatic ice makers generate heat that the freezer has to work against ? Or that ice makers can increase your refrigerator's energy use by 10% or more? To save energy, keep your automatic ice maker off until you *really* need a lot of ice.	70	

OFFICIAL COPY
Mar 04 2015

Cold, hard, cash savings!	Buy an ENERGY STAR freezer.	When buying a new freezer, look for the ENERGY STAR label to find the most efficient models. ENERGY STAR qualified freezers use at least 10% less energy than other models and up to 30% less energy than required by current federal standards. Since your freezer is on every hour of the day, these savings can really add up!	65	
Dish up some energy savings!	Air dry your dishes.	Is your dishwasher full of steam? Most dishwashers today are equipped with an electrical heating element that can account for up to 15 percent of the energy used. Instead of using the heated drying cycle, choose the "energy saver" or "economy" function. If your model doesn't have these options, stop the dishwasher before it enters its drying cycle. Open the door and let your dishes air dry instead.	45	
Put your computer to bed.	Turn off your computer at night.	Did you know that even when your computer is in "sleep mode", it is still awake enough to consume electricity? For energy savings, turn your computer and monitor OFF when not in use - especially overnight. Better still, unplug the unit from the wall outlet or use a smart strip to eliminate even standby power.	40	
Wake up and smell the savings!	Store hot coffee in a thermos/carafe.	Coffee - it's not just for mornings anymore. To save money and energy while savoring the rich flavors of your favorite brew, turn off the hot plate on your coffee maker and transfer your coffee to a thermos or insulated carafe instead. You'll save big and your coffee will stay fresh for a longer period of time.	30	
Is your TV too bright?	Lower your TV's brightness setting.	Did you know that most new televisions are shipped "showroom ready," with picture settings at full brightness? Most homes do not require such a bright display. A lower setting could make your television (easier on the eyes and) 15-30% more efficient.	30	
Keep your hairstyles cool.	If you use a hair dryer, try using it on a cool setting.	Hair dryers use between 1200 and 1875 watts, with most of the energy going to generate the heat. Setting it to cool cuts your energy consumption more than half (some dryers use as little as 400 watts on the cool setting).	20	
Don't over exhaust yourself.	Turn off exhaust fans when they are not in use.	Exhaust fans are great for removing moisture from your kitchen or bathroom. But they don't need to run more than 20 minutes to do their job. Leaving a fan on too long not only wastes energy, it also wastes cool air in the summer and hot air in the winter by exhausting them outdoors.	20	
Smart habits that save.	Clean your dryer's lint filter before every use.	Your dryer works by circulating air to remove the moisture from your wet, clean clothes. A clogged filter prevents air from moving freely. Take it a step further by making sure the exterior opening for your dryer vent is clear (in winter, just watch for the team coming out). Once a year go all the way and clean out the dryer vent completely.	15	

OFFICIAL COPY
Mar 04 2015

Keep it at a low boil.	Next time you boil water, try turning down the heat after the water boils.	Have you ever been told you couldn't even boil water? If so, here's a hot tip just for you! Next time your water reaches boiling point, reduce the heat and cover your pot with a lid. This will help keep the water boiling while saving energy.	15	
Do your fridge a favor... or three.	Maintain your fridge for peak performance.	A few simple steps can keep your fridge in shape. First, clean the coils (usually on the back or bottom of the fridge) with a vacuum or duster. Next, verify that the door seals tightly by closing a dollar bill in the door. If the bill slides out easily, you may need to clean or replace your seals. Finally, keep your fridge stocked! Refrigerators and freezers work most efficiently when they are full, but not overstuffed.	15	
Let the air flow!	Clean your dryer lint filter.	Improve the air circulation in your dryer by cleaning the lint filter after each load. Your clothes will dry faster and more efficiently. For even more savings, periodically scrub the lint filter with mild soap and water to remove residue left by dryer sheets and fabric softeners.	15	
Cut. Print. Save. A STAR is born!	Choose an ENERGY STAR printer, scanner or all-in-one.	If you are in the market for a new printer, scanner or all-in-one unit, be sure to choose an ENERGY STAR model. ENERGY STAR rated imaging equipment is designed to run cooler, last longer and be 40% more efficient than other models.	13	

OFFICIAL COPY
Mar 04 2015

Appendix F: Welcome Letter and Frequently Asked Questions



Enclosed you'll find My Home Energy Report, which shows how your energy use compares to similar homes in your community. It also gives practical, personalized advice – based on your home's size, age, location and other factors – on ways to use less energy.

My Home Energy Report includes:

- **Easy-To-Read Graphs**
  See how your home performs on a month-to-month basis and how it compares to similar homes.
- **Timely Tips**
  Relevant and seasonal tips on how to improve your home's energy efficiency.
- **Regular Updates**
  Updated reports will be sent periodically throughout the year, so you can see how your energy saving efforts have paid off over time.

Your voluntary participation in My Home Energy Report can be a practical first step in understanding your electricity usage and identifying steps to take more control.

Please review the frequently asked questions on the reverse side of this letter. If you have additional questions, please visit www.duke-energy.com/HomeReport, email HomeReport@duke-energy.com or call 888-873-3853.

My Home Energy Report is another way we're changing the face of energy information.

Sincerely,

K. Griffin

K. Griffin
Program Manager

OFFICIAL COPY
Mar 04 2015

Frequently Asked Questions about My Home Energy Report

What is My Home Energy Report?
Duke Energy developed this report to help you understand and conserve energy. The report compares your home's energy efficiency over time, and to similar homes in your area. This energy efficiency program is endorsed by your state utility commission.

Why is Duke Energy trying to help me save energy?
When customers reduce their energy consumption, it reduces the costs to provide energy and the need to build more power plants in the future, which actually lowers bills for everyone. So saving energy makes business sense and common sense.

How often will I receive the report?
Your report will be delivered through the mail periodically throughout the year. Keep an eye out for your next My Home Energy Report so you can track your progress.

Why doesn't this amount match what I see on my actual bill?
Because everyone is on different billing cycles, we multiply your actual energy usage (in kilowatt hours) over a fixed, common-time period with the average residential rate. This calculates the costs shown on your report.

How do you choose the homes used in my comparison?
Duke Energy compiles energy usage figures, customer-supplied data and public information (location, size and home age) on nearby, similar homes to develop the comparison. However, public information sometimes becomes outdated as homes are renovated or situations change. If the information on your report appears to be incorrect, please provide us the correct information by emailing HomeReport@duke-energy.com or calling 888-873-3853, so we can update it on future reports.

Is my home energy use being shared with other customers?
No. All of the comparison information is aggregated to create your report. Your specific information and home characteristics are not shared with others.

Whose home qualifies as the "Efficient Home"? Are these real people and homes?
Yes, these are real households. This report uses a scale of 1 to 100 to rank all of the homes that are similar to yours. The "Average Home" represents the ones in the middle of the pack, performing at the 50-percent mark. The "Energy Efficient Home" represents households that fall at the 25-percent mark, which means that 25 percent of the homes in your comparison spend this amount – or less – on energy.

How do my most efficient neighbors manage to use so much less energy than me?
They may be taking a variety of savings actions, like: adjusting or programming their thermostats to manage heating and cooling costs; turning off lights and home electronics when not in use; running only full laundry and dishwasher loads; and installing more efficient heating/air-conditioning systems or water heaters.

I have gas heating. Does this report compare energy usage for both electricity and gas?
No, the report only accounts for a household's electricity use, so the costs for gas are not included. However, you are only being compared to homes that are like yours, so we do not compere an all-electric home to a gas-heated home.

What is a kilowatt-hour?
A kilowatt-hour (kWh) is a universal unit of measure for electricity use. One 100-watt light bulb left on for 10 hours consumes one kWh of electricity (100 watts x 10 hours = 1,000 watt-hours = 1 kWh).

What if I have more questions, want to correct my household data or want to stop receiving this report?
Please email questions, data corrections or requests to HomeReport@duke-energy.com or call 888-873-3853.

OFFICIAL COPY
Mar 04 2015

Appendix G: What It Means to be Energy Efficient

Surveyed customers were asked to tell us "*in your own words what it means to be energy efficient.*"

Table 45. In Your Own Words, Please Tell Me What It Means To Be Energy Efficient

	Total (N=302)
Try to use less energy / least amount necessary / don't waste	67.9%
Saving money on bills / being cost effective / keeping rates down	31.8%
Helping the environment / sustainability / being green	9.6%
Turn off lights / appliances when not in use	5.6%
Upgrading home and appliances with efficient equipment	4.6%
Being aware of energy use	4.6%
Heating & cooling decisions / trading comfort for savings	2.6%
Insulation / seal doors, windows and other leaks	1.0%
Educating children about energy and conservation	1.0%
Use CFLs	0.7%
Try to use less water / don't waste	0.3%
Unique responses	2.6%
Don't know	1.3%

Percentages total to more than 100% because respondents could give multiple responses.

Try to use less energy / least amount necessary / don't waste

Most responses (67.9% or 205 out of 302) included something close to the standard definition of energy efficiency: trying to use less energy, using the least amount of energy necessary, not wasting energy, etc. All 205 of the verbatim responses in this category are listed below (note that multiple responses are accepted for this question, so some of these responses also include comments categorized under the other headings listed above).

- *It means saving energy.* (N=5)
- *Being energy efficient is being mindful of energy usage and making attempts to not waste it.*
- *Being energy efficient is about being aware of and finding ways to cut down on electricity usage.*
- *It's just being conscious of where your energy goes and you should just try and cut back on it. I like to be aware of whether I'm only using as much energy as I need.*
- *Being energy efficient is about always being conscious of the energy you're using. Try to use to least amount of energy you can. Be aware of things both big and small that affect energy use.*
- *Conserving more; being more aware of using what I need instead of wasting energy. Only using what you need and being mindful of what you need to have on.*

OFFICIAL COPY
Mar 04 2015

- *I think we all need to conserve; energy is a big thing, everybody should especially be conscious of the amount of energy they use and the amount that they could be cutting back on.*
- *It means that you take all measures to save energy while still doing the things you need and want to do.*
- *Being energy efficient is about using things that don't consume as much energy.*
- *It means that you cut down your energy use and then save money on your bill.*
- *Being energy efficient is about doing everything that you can to get the most out of it.*
- *It means that you make the best use of energy as you can.*
- *Being energy efficient means to use as little energy as possible for day-to-day activities.*
- *That the energy is there when I need it but I don't over use it.*
- *Being energy efficient means to be conservative and when getting ready to leave the house, to turn my stereo and lights out.*
- *Being energy efficient is about not wasting energy.*
- *Being energy efficient is about doing things to save energy.*
- *Being energy efficient is about reducing costs by consuming less energy.*
- *Being energy efficient is about not using unnecessary energy.*
- *Being energy efficient is about not using more energy than you need.*
- *It's to use as little voltage and wattage as possible.*
- *Being energy efficient is about decreasing energy usage.*
- *Being energy efficient is about using the latest technology to decrease energy use.*
- *It means that you try to use as little power as possible.*
- *It means making the best use of all energy.*
- *It means that you get by with using the least amount of energy possible.*
- *Being energy efficient means to have good insulation, good heating and air units, and just to use energy wisely.*
- *It means that you utilize a better use of electricity.*
- *It means that you are saving money and power.*
- *Use as little energy as possible.*
- *It means that you use less energy more effectively.*
- *It means that you do things to save energy.*

OFFICIAL COPY
Mar 04 2015

- *It means that you are using the least amount of energy as possible to do the things you need to or want to.*
- *Being energy efficient is not wasting energy. I keep my thermostat comfortable, but not cold: about 71 in the winter and 75 in the summertime.*
- *Try to conserve electricity when you can.*
- *It means that you use as little energy as possible.*
- *Being energy efficient is about using less watts.*
- *Using the least amount of energy and getting the most for your money.*
- *Try to use as little energy as possible.*
- *It means that you are saving power and money.*
- *It means that you watch your power usage and avoid wasting energy.*
- *Use less energy to save money.*
- *Conserve as much energy as possible.*
- *Not using more energy than you need.*
- *Being energy efficient means to conserve as much energy as you can because energy is eventually going to run out and it's really important to teach children about energy. I'm 65-years-old and I want to teach my grandchildren.*
- *To try to conserve as much power as possible so that I pay less, but it helps the environment too.*
- *It means that you save money on your bills by not being wasteful.*
- *It means that we save all the energy we can for the future. It also means that we are saving money.*
- *To use energy when it is needed but not waste it.*
- *It means use the best possible alternatives to minimize energy consumption.*
- *Being energy efficient is about using as little energy as possible while still maintaining comfort.*
- *Don't waste energy. Don't be careless with power.*
- *It means that you try to not waste electricity.*
- *It means that you are trying to use as little energy as possible to do what you do.*
- *It means that you save energy and money.*
- *It means ways that you can reduce energy use.*
- *It means that you conserve energy and try not use more than needed.*

OFFICIAL COPY
Mar 04 2015

- *Being energy efficient is about reducing energy use to keep your bills lower.*
- *It means that you conserve by not using more than you have to, to do the things you need and want to do.*
- *To save energy throughout the house.*
- *Being energy efficient is about reducing energy usage and using the latest technology to further that goal.*
- *Use energy wisely.*
- *Being energy efficient is about doing the best that you can to not waste energy, but instead to have it work for you to be comfortable.*
- *It means that your energy use will be less than it was.*
- *Being energy efficient is about getting the most effective use out of a service or object.*
- *It means that you try not to use a whole of energy.*
- *Being energy efficient is about using less energy by changing habits.*
- *It means that you use less electricity.*
- *It means that you don't waste energy.*
- *It means that you are saving money by saving energy.*
- *To use less energy so it can cost you less.*
- *Being energy efficient is about being aware of and finding ways to conserve as much energy as possible.*
- *It means that you're using less energy to do the things that you need and want to do.*
- *Being energy efficient is about doing what you can to save energy.*
- *To make the best use of the energy you are using.*
- *It means that you are using the least amount of energy possible.*
- *It means that you're not wasteful with power.*
- *It means to be careful about how much energy you use.*
- *It means that you saving money by finding ways to use less power.*
- *Being energy efficient is about not using excess energy.*
- *It means that you use the least amount energy as possible to get the job done.*
- *Conserve energy and using less energy to run your household.*
- *It means saving on everything you use.*
- *It means to save energy as much as you can*

OFFICIAL COPY
Mar 04 2015

- *It means that you are conserving energy.*
- *It means to conserve power.*
- *It means that you use less power.*
- *It means that you are not wasting resources.*
- *Being energy efficient is about doing things to help the environment: finding ways to save energy, time, and money.*
- *It means that you are saving energy and money.*
- *It means that you conserve energy to avoid waste and help other people: conserve so other people will have energy when they need it.*
- *Being energy efficient is about using the least amount of energy possible.*
- *Being energy efficient means to save as much energy as you can.*
- *Being energy efficient is about using the least amount of energy possible to get the job done.*
- *Being energy efficient is about keeping energy usage down and trying not to waste energy.*
- *Conserving energy.*
- *It means that you do not waste energy.*
- *It means saving money and saving energy.*
- *Being energy efficient is about following energy saving strategies.*
- *Saving money on our power bills and not being wasteful with power. Being energy efficient is better for the environment.*
- *To not waste electricity.*
- *Energy efficiency means to use new technologies and products that can help you reduce your energy consumption.*
- *To save as much power as possible.*
- *It means that you do not waste energy, that you use little as possible, and use the power as wisely as possible.*
- *It means that you are not to wasting any energy.*
- *Being energy efficient is about not using more energy than I need and being careful about ways to cut back.*
- *Being energy efficient is about using energy to maximum effect.*
- *To use the least amount of energy possible and still be comfortable in our home.*

OFFICIAL COPY
Mar 04 2015

- *To save energy or cut back on using energy.*
- *Conserving energy and buying energy efficient appliances.*
- *Only use what is necessary.*
- *Energy efficiency means to just use less energy at the right times, don't use energy when you are not at home.*
- *Energy efficiency means to save energy wherever you can.*
- *It means that you try to use as little energy as possible.*
- *Energy efficiency means to use energy wisely, to not let energy go to waste.*
- *To make sure that we conserve energy and power, to use only the power we need, and to try and cut down on the cost of electricity. As a single parent I am conscious of use: to not overuse, and to look for ways to save money.*
- *I save as much electricity as I can.*
- *It means that you do the little things to keep your usage power down so you can save some money.*
- *It means that you are trying to make sure the home is consuming as little energy as possible and that your activities are done with conserving energy in mind.*
- *Being energy efficient is about reducing our carbon footprint and energy consumption.*
- *Trying to save as much energy as possible.*
- *Being energy efficient is about saving power to help the environment and provide for the future.*
- *Being energy efficient is about not wasting energy and not using it when it's not needed.*
- *Using less energy: less electricity, water, and gas. Wasting less and utilizing more.*
- *It means that you use less power.*
- *It means using only the energy that is required to do what you are doing.*
- *Using power in the most efficient way possible and not wasting it; also, turning things off.*
- *To reduce costs by using less energy.*
- *It means using the energy in the best manner possible.*
- *Energy efficient means that you don't use as much electricity.*
- *It means that you are saving energy.*
- *It means that you try not to waste energy.*
- *It means that you conserve the power you use.*

OFFICIAL COPY
Mar 04 2015

- *It means that you are able to maintain a comfortable lifestyle while not using too much energy.*
- *To be energy efficient you need to use as little energy as possible, or however much is the most practical.*
- *Don't be a 'power hog'. Reduce greenhouse gases.*
- *Energy efficiency is conserving energy in both cost and usage of energy in a space.*
- *Using the least amount of energy while still living comfortably.*
- *To use as little electricity as possible.*
- *Energy efficient means to limit the amount of energy you use on a daily basis.*
- *To make wise decisions on how you use your energy in order to be efficient and save money.*
- *It means to attempt to use energy more wisely or in smaller amounts.*
- *Energy efficiency means trying to intelligently use the resources available to us properly: to not waste energy.*
- *It means that you try to use as little energy as possible.*
- *It means that you make the best use of the power source that you use.*
- *It means saving money by conserving energy.*
- *It means that you are using as little energy as you can.*
- *Being as conservative as you can be but still comfortable.*
- *It means that you conserve energy by not being wasteful.*
- *It means that you try to finds ways lower your power usage.*
- *Being energy efficient is to try to save money, to try to save the electricity I use, try not use lights or cook during the daytime, try not to turn my oven on during the daytime, and I only use lights in two rooms most of the time.*
- *It means that you are saving money and energy.*
- *Not wasting any energy.*
- *Being energy efficient is about using less energy yet still accomplishing what you need to get done.*
- *Being energy efficient means that I want to do better to save the earth. If I limit my use of energy, the better it is for everybody else.*
- *To be energy efficient you just do all you can do to save energy.*
- *It means that you are burning less energy.*

OFFICIAL COPY
Mar 04 2015

- *Being energy efficient is about not using more energy than you need.*
- *It means to try to not waste energy.*
- *Energy efficient means being conservative with energy use and making sure things are not wasting power.*
- *It means you are saving energy from not leaving the lights on and everything.*
- *Energy efficient just means to try to cut back on your consumption and to not waste energy to try to keep your cost for energy down.*
- *Keep your energy use down.*
- *It means to do things in your house to save energy: for example, if you use the efficient CFL light bulbs, you are using less energy.*
- *Energy efficient means to use energy in a logical manner, to save energy, to make sure your home has proper insulation and that the windows are keeping the drafts out.*
- *It means that we, as people, are saving on all the natural resources as much as possible. We are cutting our usage and saving as much as possible.*
- *Use energy less so it has doesn't leave a negative impact on the environment.*
- *Being energy efficient is about using products and changing habits to reduce energy consumption.*
- *Energy efficient means to be less wasteful with our energy by using fewer kilowatts. Energy is very expensive now, we have to be cleaner with our energy, plus it will save me money on my monthly bills if we are conservative with our energy use.*
- *Energy efficient means being more cautious about turning out the lights and doing things to try to save energy.*
- *Energy efficient means to save money by not wasting or using more energy than we should, which in turn, saves the power plants from needing to expand and saves them money as well.*
- *Less power consumption in general.*
- *Energy efficiency basically means doing things in your home to try to save energy and to not waste electricity. Also, being conscious to try to reduce your footprint, so to say, on the earth.*
- *Energy efficiency means to try to decrease my footprint, to try to use less energy and resources for everything I do, to be more green.*
- *To be energy efficient I cut the light out when I leave the room. I try to be conscious about how much energy I burn. I try to be frugal.*
- *Energy efficiency means cutting back on your energy usage as much as you can, basically using the utilities less.*

OFFICIAL COPY
Mar 04 2015

- *To do everything possible to minimize the amount of energy used.*
- *Being energy efficient is about being conservative with the energy you use.*
- *Energy efficient means to use less power for less money.*
- *Energy efficient means to not be wasteful; our country has become too wasteful, I try not to waste anything.*
- *Energy efficiency basically means being able to conserve energy.*
- *To get the maximum efficiency out of your power.*
- *To use less energy.*
- *Use less resources.*
- *Do not use more than you have to.*
- *The more I try to save energy, the less I'll be paying out for monthly bills in the long run.*
- *Energy efficient means to get the services you need from electricity for the lowest cost available.*
- *To use the least amount of energy that you can possibly can.*
- *Making sure that what I am using is not wasteful, or that I am not using more than what is needed.*
- *To be energy efficient means saving money on my monthly utility bill by reducing the amount of stuff that I use that consumes energy.*
- *It means conserve energy so there is energy available for everyone to use.*
- *Energy efficiency means trying to use as little energy as possible.*
- *Make sure that you are not wasting energy by making sure everything is working properly.*
- *Energy efficient means to take action towards saving energy and making sure you are not wasting energy.*
- *Energy efficient just means to not consume energy when you don't need it: To take care of your lights and so forth, don't burn lights that you don't need.*
- *I try to use as little energy as possible.*
- *It means being able to use what I need while not wasting power.*
- *Energy efficiency means to use less energy: cut it off if you are not using it, don't be wasting it.*
- *Conserve everything so you can keep your bill low.*
- *It means to use the least amount of electricity that you can by doing things that will improve your home's efficiency.*

OFFICIAL COPY
Mar 04 2015

- *Energy efficient means to consider conservation for our future generations, to conserve energy and essentially the fuels where the energy comes from.*

Saving money on bills / being cost effective / keeping rates down

The next most frequent category of response had to do with saving money on energy bills (31.8% or 96 out of 302). Some of the comments listed above under "try to use less energy" also include mentions of saving money. All 64 verbatim responses mentioning saving money which are not already included in the list above are listed below.

- *It means saving money.* (N=16)
- *Being energy efficient is about being conscientious of your energy bills and finding ways to reduce them.*
- *Energy efficiency means having lower energy costs, preserving the resources of the country; it means having the knowledge of what amounts of energy you are consuming.*
- *Someone who doesn't run up their bill by running lights all the time and fiddling with the thermostat.*
- *Set the temperature warmer in the summer and cooler in the winter. It's nice to know that your energy costs are cheaper. It makes me able to sit back and relax.*
- *I like the economy factor. I do not like wasting things. I like the notion that were living in an economic investment in this house.*
- *Saving money, that's the name of the game.*
- *Being energy efficient is about doing everything you can to decrease your power bill.*
- *Being energy efficient is about making energy bills as low as possible while maintaining comfort.*
- *It means that you're saving money and you do it because it's good for the environment.*
- *Energy efficiency saves you money and you're helping the environment all at the same time.*
- *It means lower electric bills.*
- *To do everything you to keep cost down.*
- *It means cheaper bills.*
- *It means that you have lower lighting bills.*
- *Being energy efficient is about trying to save money on my bill.*
- *It means I am saving money and being eco-friendly.*
- *It means to keep my costs down, and to keep my house warm in the winter and cool in the summer.*
- *It means whatever saves me money and whatever we can do to help my grandchildren in the future.*
- *Being energy efficient is about being a cheap miser that doesn't want to pay for more electricity than he has to.*

OFFICIAL COPY
Mar 04 2015

- *Being energy efficient means to decrease my energy bills and to increase the value of my home.*
- *It means less money spent on energy.*
- *It's cheaper for both the consumer and the energy provider if I am energy efficient with my power usage. I'm always challenging myself to do better with my energy use.*
- *It means saving money while conserving resources.*
- *Being energy efficient can save me money. By being energy efficient, I can prevent having additional hazardous material released into the atmosphere. The impact on the environment is less severe when we limit our energy usage.*
- *I can save money and it makes sense.*
- *It means that you have low bills.*
- *It means keeping energy costs down.*
- *Saving on your energy bill and helping the earth as well.*
- *For us and this very old house it means that we are saving money.*
- *It means to keep the power bill down.*
- *Keep bills down.*
- *It means that you are saving money and the environment*
- *Be fiscally responsibility and wise in order not to be wasteful.*
- *I want my energy bill to be less.*
- *It means paying less to you guys at Duke.*
- *It means saving money, the taxpayers' and mine. I know what it's going to take to improve my efficiency, but how long will it take to receive payback?*
- *Taking the extra steps to lower my bill as much as I can.*
- *It means receiving a lower energy bill.*
- *It means getting your bill down to the lowest it can be while still being comfortable in your home.*
- *Cut down on the energy bill.*
- *It is the relationship between comfort and cost.*
- *Energy efficiency is all part of saving money, about frugality; it saves money to be energy efficient. There are environmental concerns too, we need to provide fresh air to breathe, and it helps the environment when we all are trying to be more efficient with energy.*
- *Energy efficiency means to do everything you can to keep your power bill down.*
- *Energy efficiency basically means to not have a high power bill.*
- *It saves on the power bill.*
- *Get the most out of your systems at the lowest possible cost.*
- *Try to keep energy costs low by using Energy Star products.*
- *Save on your energy bill and reduce global warming.*

OFFICIAL COPY
Mar 04 2015

All other responses

There were another 29 responses to the question "what does energy efficiency mean to you" which did not involve either "saving energy" or "saving money". Most of these responses are either generic statements ("be aware of energy use") or specific actions ("use CFLs"); they are listed below. (The four survey respondents whose verbatim comments are not listed in this appendix responded "I don't know" to this question).

- *Be smart about what you use.*
- *Be conscious of what you use.*
- *Watch your energy consumption: turn the A/C down, change light bulbs to CFLs, add weather-stripping.*
- *Watching how you use electricity and how much time you run things.*
- *Being energy efficient is about being aware of the energy you use.*
- *It means that you are conscious of your energy usage and that you try to minimize the impact on the environment.*
- *It means turning lights off when you go out of the room, not using central air, leaving maybe one lamp on while I'm watching TV, and hanging clothes out instead of using the dryer.*
- *I would say turning the temperature down to 65-68 in winter, which I do not do, but I do lower the air conditioning.*
- *Make sure the house is insulated, seal window cracks and doors. I don't plan to run air conditioning this year.*
- *It is not just a financial issue, but also about saving resources. We need to look at the future; my 15-year-old son is pushing efficiency. It's also a safety thing: my husband is a firefighter and he is conscious about cords being plugged in and the overuse of outlets.*
- *Saving the environment, and saving electricity so that my grandson will have the opportunity to enjoy things. It's also turning around to kids and letting them know not to take stuff for granted.*
- *It means that you are decreasing your carbon footprint.*
- *It is something you do to not waste cold air in the summer or warm air in the winter. Keep the cold air out in the winter and warm air out in the summer.*
- *It's about turning out lights when I'm not in the room, making sure the doors and windows are tight, and not letting air in or out.*
- *Keep things turned off, period.*
- *Being energy efficient means to look out for your light bill and budget yourself.*
- *It means using things wisely.*
- *Energy efficiency means a lot to me. Our seven-year-old is learning about energy efficiency in school and she's bringing this information home. We live very near a Duke Energy power plant, so the kids are learning a lot about ecology in school.*
- *I stay ahead on my payments and keep my bills paid up.*

OFFICIAL COPY
Mar 04 2015

- *I think energy efficiency is a gimmick to get people to spend more money by telling people that they can save money by spending more money.*
- *Not to live in a millhouse because of all the windows.*
- *Buy energy saving appliances.*
- *It means that you are able to afford new, high efficiency appliances.*
- *Basically, it means turning lights off, getting efficient appliances, and maybe solar power for your hot water heater.*
- *It means to use energy efficient appliances and CFL lights, and making sure your home is draft-free. I try to do all that.*
- *Energy efficient means having well-made and currently-developed construction and items in your home to ensure that your home is using and keeping energy in an efficient manner.*
- *Energy efficiency is whether you use energy efficient light bulbs.*
- *To not be wasteful in using HVAC and other appliances. Purchase Energy Star products.*
- *It means that you are not using stuff that you don't need.*

OFFICIAL COPY
Mar 04 2015

Appendix H: What Surveyed Customers Do to be More Energy Efficient

This survey asked MyHER customers: "*When you think about what you and your household does or can do to decrease energy consumption, what things come to mind?*" Figure 21 shows the responses by category, with verbatim responses following.



Figure 21. What Surveyed Customers Do To Save Energy (complete responses)

<u>Turn off lights when not in use, N=167</u>

- Turn off lights when not in use (N=142)
- Turn fewer lights on / use less (N=12)

Unique/multiple responses:

OFFICIAL COPY
Mar 04 2015

- *I turn lights off that are not in use and I really don't use the lights a lot. The outdoor lights are only on when I know I will be coming home late.*
- *I shut off an exterior light before I go to bed so it doesn't burn all night.*
- *I make sure the lights get turned out in the evening and before I leave the house.*
- *We don't have the lights on in the day, we open the blinds for natural lighting.*
- *We turn the lights off, especially in the day; we try not to waste the electricity.*
- *I cut out the lights out when I don't need them. I use a flashlight at night sometimes so I don't have to turn on a light.*
- *Don't use lights unnecessarily. Use minimal lights. Use night lights.*
- *Keep lights off unless needed. Use night lights instead of overhead lights.*
- *Discontinue using night lights.*
- *We don't light up the whole house. We turn off lights when not needed. I have a neighbor with nine kids. One of the kids is assigned 'light patrol' per week. It is their responsibility to make sure that there are no unnecessary lights on.*
- *I train the kids to turn the lights off.*
- *Get my family to turn lights off when not in use.*
- *I should get rid of the kids because they never turn out the lights like I ask them to.*

Use more efficient light bulbs (CFL, LED, halogen), N=126

- Use CFLs / replace incandescents (N=94)
- Using CFLs received from Duke Energy (N=9)
- Use CFLs and LEDs (N=6)
- Use more efficient bulbs (type not specified) (N=14)

Unique/multiple responses:

- *We're using halogen and CFLs bulbs instead of incandescents.*
- *I tried the new light bulbs, but I don't like them too much.*
- *I could put in dangerous CFLs. I cut myself in high school on a fluorescent tube light and it took three and a half years to heal; it needed X-ray treatment.*

Turn items off when not in use / unplug / use power strip, N=107

- Turn items off when not in use (in general) (N=34)
- Unplug items when not in use (in general) (N=31)
- Turn off computers/TV/home entertainment when not in use (N=16)
- Unplug / turn everything off when out of town (N=9)
- Unplug chargers when not in use (N=8)
- Use power strips to turn things off (N=2)

Unique/multiple responses:

- *Unplug appliances when not in use, turn off the computer when not in use, unplug items on multiple sockets. Make sure kids don't have multiple things on; teach children not to use more energy than needed.*

OFFICIAL COPY
Mar 04 2015

- *We turn the TVs off when we are not watching them. We unplug all phone and camera chargers when they are not in use. I make sure the kids turn their games off when they are not playing them.*
- *I don't watch my TV during the day, but my son has his on all day long and plays video games.*
- *I don't watch TV as much.*
- *I don't leave the TV and stuff like that on. I've heard some people completely turn their computers off, but I don't turn mine off. I've heard that appliances, even if off, drain energy, but I have to be honest I don't unplug mine. I'm not currently unplugging my cell phone chargers and stuff. I guess I could be doing that.*
- *We could turn off that extra computer.*
- *I turn off the hot tub.*

Use less cooling (turn down or turn off A/C), N=98

- Set temperature higher in the summer / use A/C less often (N=72)
- Use natural cooling whenever possible / open windows (N=12)
- Turn up temperature when not home (N=5)

Unique/multiple responses:

- *We turn down A/C when leave town. When it's cool out we open the windows instead of running the A/C.*
- *I've adjusted my heating and cooling to the temperatures that Duke Energy has suggested on the MyHER.*
- *We set the HVAC settings to use less energy.*
- *I can keep the A/C on the reserve setting to conserve power.*
- *I don't use A/C until afternoon.*
- *With our window unit A/C, we usually only use it at night and we tend to turn it off when nobody's home.*
- *I only run the air conditioner upstairs, because heat rises.*
- *I use a fan in my window now. I got rid of my window air conditioner; it made my bill too high.*
- *I keep a general comfort zone on the thermostat: not too low in summer. I also keep windows open as much as possible to cool the house in summer.*

Use less heating (turn down thermostat, dress warmly), N=69

- Turn down thermostat / use less heat in winter (N=57)
- Use natural heating whenever possible (N=5)
- Lower temperature when not at home (N=2)

Unique/multiple responses:

- *I've adjusted my heating and cooling to the temperatures that Duke Energy has suggested on the MyHER.*
- *We set the HVAC settings to use less energy.*

OFFICIAL COPY
Mar 04 2015

- *Use an electric blanket and nice flannel sheets so you can turn the heat down at night.*
- *Use an electric blanket at night.*
- *Keep your heat set lower and use blankets to keep warm in winter.*

Insulate walls, ceilings, attic, basement, N=62

- Add insulation (not specified) (N=25)
- Add insulation to the attic (N=11)

Unique/multiple responses:

- *Add insulation to walls, attic and basement.*
- *Add insulation to attics, walls and crawl spaces when needed.*
- *Good insulation in attic, walls, and crawlspace.*
- *Insulate attic, walls, and crawlspace.*
- *Add insulation to attic, walls, and crawlspaces.*
- *Add insulation to walls, attic, and basement.*
- *Add insulation in attic and walls.*
- *Reinsulate ceilings, walls, and basement.*
- *Add insulation to the attic and basement.*
- *We have insulation in our ceilings and walls.*
- *Insulate your walls and under the house.*
- *We have insulation in the attic and under the house.*
- *We insulated the floor and attic of our 200-year-old home.*
- *Add insulation to attic, walls, and basement.*
- *I made sure I have proper insulation in my home. I just had the floors entirely insulated.*
- *Add insulation to attic, basement, and walls.*
- *Have sufficient wall and ceiling insulation.*
- *Insulate walls and ceiling and under the floor.*
- *Add insulation to attic and walls.*
- *We need to insulate exterior walls.*
- *We installed super-insulation in our sunroom. If I had the money and the determination, I would also have the sheet rock ripped in my garage.*
- *Underpinning/skirting under mobile home.*
- *Put insulation in roof of garage.*
- *Make sure insulation in attic is OK. Considering insulated garage door.*
- *I have insulated the walls of my cinderblock home and am working on adding insulation to the walls internally. I am also working on adding insulation to the attic.*
- *Add more insulation to attic and add reflective foil on the joists to keep heat out of the attic.*

OFFICIAL COPY
Mar 04 2015

Upgrade appliances / Energy Star, N=56

- Newer / more energy efficient appliances (not specific) (N=31)
- "Energy Star" appliances (not specific) (N=15)

Unique/multiple responses:

- *I went to HH Gregg and priced energy-saving appliances; I've got good idea what it will cost.*
- *I would like to replace appliances; they're not Energy-Star rated.*
- *We bought an energy efficient washer and dryer. We replaced our 30 year old water heater with a high efficiency one.*
- *I have energy efficient appliances such as refrigerator, washer and dryer. I have an energy efficient TV.*
- *We use energy efficient appliances including stove and refrigerator.*
- *Possible new refrigerator.*
- *I'm planning on replacing my hot water heater.*
- *I want a better hot water heater; it's likely as old as the house.*
- *I'm aware that I need of new fridge, so I will be purchasing a new one very soon. My current fridge runs constantly which I know is wasting energy.*
- *We installed all energy efficient appliances including the dishwasher, the washer and dryer, the refrigerator and the water heater.*

Upgrade windows / doors, N=54

- Install energy efficient windows (N=39)
- Install energy efficient doors (N=2)
- Install energy efficient windows and doors (N=9)

Unique/multiple responses:

- *I installed a storm door in the kitchen to keep hot air out in summer, but it can open its shade in winter; installed energy efficient windows.*
- *We could add a storm door to the back and replace the storm door in front; it has gaps in sealing to the frame.*
- *In the past, I've replaced three windows; I need to replace the rest of them.*
- *We need to replace our windows. We should have good insulating doors and windows, but we don't.*

Caulk/tape doors, windows / seal leaks, N=43

- Seal home / fix leaks (in general) (N=8)
- Caulking and weather stripping (N=5)
- Seal windows (N=5)
- Seal doors (N=5)
- Seal windows and doors (N=11)

Unique/multiple responses:

OFFICIAL COPY
Mar 04 2015

- *We sealed the crawlspace.*
- *Last year, I patched all the duct work to cover leaks.*
- *I've done caulking around windows to make sure there is a good seal around the windows. Also, making sure you have good seals everywhere else inside and outside the home.*
- *Put Styrofoam over my windows in summer to keep the sunlight out and then remove it in winter to let it in.*
- *Seal windows and use thermal window coverings.*
- *Plastic over the windows in winter. Under-door air shields.*
- *I weatherize the house for winter; I cover the windows with plastic.*
- *Put plastic on windows to block out sun.*
- *Add reflective foil on the joists to keep heat out of attic.*

Wash clothes less often / full loads only / cold water, N=30

- Only do full loads of laundry (N=8)
- Wash clothes in cold water (N=8)
- Do laundry less often / wash less (N=8)

Unique/multiple responses:

- *Do full loads of laundry in cold water.*
- *I wash in cold water, about 5 loads a week, much less than last year.*
- *Do laundry at night when rates are low, and do full loads.*
- *When doing laundry, I do the loads back to back.*
- *I always rinse my clothes in cold water.*
- *Run washer at efficient settings.*

Use curtains/shades to control light and heat from outdoors, N=27

- Close blinds / shades / curtains to keep sun out (N=14)
- Close blinds / shades / curtains to keep sun out, open them to let sun in (N=5)

Unique/multiple responses:

- *Tint windows to keep sunlight out of the home in summer.*
- *I keep drapes, which are insulated, closed in the winter.*
- *I use shades and blinds.*
- *Use efficient blinds.*
- *Open blinds when needed.*
- *In the summer, I let the cool air in at night and shade the windows during the day.*
- *Open the shades and rely on natural light instead of turning on the lights.*
- *We don't have the lights on during the day, we open the blinds for natural lighting.*

Upgrade HVAC system, N=24

OFFICIAL COPY
Mar 04 2015

- Replace furnace with heat pump (N=5)
- Energy efficient furnace (N=2)
- Energy efficient air conditioning (N=7)
- Energy efficient furnace and air conditioning (N=8)

Unique/multiple responses:

- *I installed a new heating and cooling unit for the rental property.*
- *Geothermal heating and cooling.*

Use fans to circulate air better, N=23

- Use ceiling fans to circulate air better (N=12)
- Use fans instead of A/C (N=3)
- Install attic fan (N=2)

Unique/multiple responses:

- *Install a fan in the attic that is solar powered.*
- *We use fans to circulate air throughout the house.*
- *I use fans to move the air.*
- *Use fans to cool your home.*
- *Use fans in summer.*
- *We always have a couple fans running at night, which again may increasing our usage.*

Conserving water (other than clothes washing), N=22

- Use less water (in general) (N=6)
- Use less hot water (N=2)
- Minimize dishwasher usage / full loads (N=7)
- Take shorter / fewer showers (N=5)

Unique/multiple responses:

- *I have two low-flow shower heads: one from the kit and one I purchased. Also a faucet aerator in the kitchen, and I am using the dishwasher less.*
- *While waiting for the hot water to reach the faucet, I collect the excess cold water for plant-watering.*

Use dryer less often / lower setting / clothesline, N=21

- Use dryer less (in general) (N=6)
- Air dry clothing instead of using dryer (N=10)

Unique/multiple responses:

- *Run dryer at efficient settings.*
- *I dry clothes on sensor-dry instead of using the timer on the dryer.*
- *I hang the towels outside to dry in summer instead of using the dryer.*
- *Putting a dry towel in with a wet load will make the load dry faster.*
- *When doing laundry, I do the loads back to back.*

OFFICIAL COPY
Mar 04 2015

Use stove / oven less, N=21

- Use microwave instead of stove / oven (N=4)
- Use slow cooker or toaster oven instead of stove / oven (N=4)

Unique/multiple responses:

- *I use a Crock-Pot instead of the oven, and we cook outdoors.*
- *I often use a George Foreman grill, which saves a lot of energy.*
- *I grill out a lot in the summertime, instead of using the oven. I use the oven more often in the wintertime.*
- *I have meals on wheels deliver food five times a week and mainly use the microwave instead of the oven.*
- *I'm trying not to cook so many different meals using all the appliances.*
- *I make meals that don't require cooking.*
- *I hardly ever cook and I eat out a lot.*
- *I don't cook much.*
- *I use the stove less than I used to.*
- *Turn off the oven.*
- *Try not to use automatic oven cleaning setting.*
- *We have two ovens and I usually use the smaller oven.*
- *I try not to use the microwave all the time.*

Do not adjust thermostat / maintain steady temperature, N=16

- Do not adjust thermostat / maintain steady temperature (N=14)

Unique/multiple responses:

- *We keep the A/C and heat at 72 all year round now, which is quite a difference from what we used to do.*
- *Adjusting the thermostat is really, really important, but we keep ours at 68 throughout the year. So we know we are using a lot more energy in the summer and a lot less in the winter.*

Solar power, N=15

- Install solar panels (N=2)

Unique/multiple responses:

- *Use solar lights.*
- *Install a fan in the attic that is solar powered.*
- *Use solar battery chargers.*
- *Use a solar blanket to heat your pool.*
- *Use passive solar power.*
- *We are planning on getting solar energy in the future.*
- *We are considering solar power.*

OFFICIAL COPY
Mar 04 2015

- *I am researching information on solar panels.*
- *We could put in solar panels.*
- *If I could afford it, I would love to do solar panels.*
- *If I could add a windmill or solar panels I could be off the grid.*
- *Some people use those things on your roof, solar panels, but not me; I want to know more about them.*
- *Solar energy.*

Keep doors / windows shut, N=15

- Shut doors / keep doors closed (N=8)
- Keep doors and windows tightly closed (N=4)

Unique/multiple responses:

- *Keep doors closed in the room with the refrigerator.*
- *I try to the keep garage door down, it helps to keep the heat and cold in.*
- *Keep windows shut to keep the cold or heat out, depending on the season.*

Regular HVAC maintenance, N=14

- *Do regular preventive maintenance by replacing filters.*
- *Keep your furnace filter clean; replace the filter every one to three months.*
- *Change furnace filter every three months.*
- *Change furnace filters.*
- *Keep your furnace filter clean.*
- *Change your A/C filter once a month.*
- *Change air filters regularly.*
- *Changing filters.*
- *Get your heater and A/C serviced every year; don't wait to make repairs.*
- *Check to see that systems such as the furnace and A/C are in good working order.*
- *Get your heat pump serviced every year.*
- *Get your A/C checked and tuned up every year.*
- *Keep your A/C unit clean and serviced.*
- *We service our A/C unit.*

Install tankless water heater, N=10

- Install a tankless water heater (N=7)

Unique/multiple responses:

- *I switched out water tanks to consume less energy to heat the water; I have an on-demand water heater.*
- *We installed an on-demand water heater, tankless, about three years ago.*
- *We installed a 'Rinnai' tankless hot water heater.*

OFFICIAL COPY
Mar 04 2015

Use fireplace / burn wood for heat, N=10

- *I have a wood burning fireplace as my primary heat source.*
- *We heat the house mainly with wood.*
- *We use wood to heat our home in the winter.*
- *In the winter we use a wood stove on extremely cold days.*
- *Use a wood stove in the winter.*
- *I use wood heat in winter.*
- *We supplement heating with a wood stove.*
- *We use a wood stove.*
- *Use wood heat.*
- *I've started using the fireplace insert.*

Turn down hot water temperature, N=10

- Reduce temperature of hot water heater (N=6)

Unique/multiple responses:

- *I insulated the hot water pipes which resulted in being able to lower the thermostat on the hot water heater.*
- *Weatherization Assistance turned my water heater down to 120 from 140.*
- *Turn your water heater down to 110 degrees Fahrenheit.*
- *Turn hot water heater down and thermostat down when leaving on vacation.*

Insulate water heater / water pipes, N=10

- *Insulate water heater.*
- *Wrap insulation around the water heater.*
- *Install hot water heater insulation blanket.*
- *The weatherization program wrapped my water heater and the pipes and turned the water heater down to 120 from 140.*
- *We replaced our water heater and wrapped a blanket around it.*
- *I insulated the hot water pipes which resulted in being able to lower the thermostat on the hot water heater.*
- *Put a blanket on the water heater and insulate the pipes.*
- *Our water heater is wrapped in a jacket.*
- *We wrapped the pipes in the basement.*
- *I turned down the water heater and insulated all the pipes and the heater itself.*

Install / use programmable thermostat, N=8

- Install / use programmable thermostat (N=8)

OFFICIAL COPY
Mar 04 2015

Use space heaters, N=8

- Use space heaters to supplement heating (N=6)

Unique/multiple responses:

- *Use space heaters and blankets to keep warm.*
- *We use an oil space heater during the winter, which may actually be increasing our energy use.*

Use less energy during peak demand hours, N=7

- *Use appliances such as the dishwasher and clothes dryer during off-peak hours.*
- *Run dishwasher late at night to lessen the strain on the electrical grid.*
- *Wash clothing in the evening when most people aren't doing laundry.*
- *I wash my clothes in the evening when there is less demand for power.*
- *Do laundry at night when rates are low.*
- *Do laundry at night.*
- *I do the laundry early in the morning.*

Keep refrigerator door closed, N=6

- Close refrigerator door / keep door closed (N=5)

Unique/multiple responses:

- *When I'm cooking, I try to open the fridge just once while retrieving or putting items back into the fridge.*

Turn things off with timers / motion detectors, N=5

- *Use sensors to turn off lights.*
- *I use an automated system for most of the home's lighting, a program called 'Xten' lets me control the lights from my computer.*
- *Use timer to turn off TV if I fall asleep.*
- *I put timers on the swimming pool so it's not running constantly anymore.*
- *Motion sensors on outdoor lights.*

Unplug or remove extra refrigerator / freezer, N=3

- *Unplug second refrigerator and freezer.*
- *Only use one refrigerator.*
- *We downsized our refrigerator and freezer.*

Outlet / switch gaskets, N=3

- Install outlet / switch gaskets (N=3)

Shut off rooms / don't use entire house, N=2

- *Use zone heating and cooling.*

OFFICIAL COPY
Mar 04 2015

- *Close off all rooms in the house that don't need to be heated or cooled.*

Power Manager, N=2

- *I participate in the Power Manager program that Duke offers, the one that shuts my A/C off when needed in high-use times of the summer. I have a separate heating and cooling unit for the upper floor of my house which is rarely used. It is only turned on when I have guests in the house.*
- *We participate in the Duke Energy Power Manager where we get about an $8 credit monthly on our cooling in the summer months.*

New roof, N=2

- *I have had a new roof put on the house.*
- *We installed a white metal roof for higher reflectivity in the summer.*

Home Energy House Call, N=1

- *I had a Duke representative inspect my house and give suggestions for ways to save on energy.*

Unique actions, N=22

- *Build an energy efficient home.*
- *Move to a newly built home.*
- *I stay at work a lot to not use my energy at home.*
- *To have no more than myself living in the home.*
- *Drive energy efficient vehicles.*
- *I have no heat.*
- *Heat more with gas and less with electricity; use the gas fireplace instead of the heat pump.*
- *We could use green roofing paint to minimize summer absorption and winter reflectivity.*
- *Use trees around the house for shade to keep house cool in summer*
- *I have shade trees to keep the house cool.*
- *I put a sheet of cardboard over the insulation in the attic.*
- *Install fewer light bulbs than the fixtures can hold.*
- *Do things manually, like use a knife instead of a food processor.*
- *I wash the dishes by hand.*
- *I rinse dishes with cold water.*
- *Use cold water to rinse dishes.*
- *Keep the clothes dryer clean.*
- *Keep your dryer filter clean.*
- *We need to clean the ductwork.*

OFFICIAL COPY
Mar 04 2015

- *I try to fix things that require repair on the house.*
- *Make sure to keep things in good working order: appliances, electronics, windows, doors, etc.*
- *You can use the home energy report to watch for an energy spike which will let you know if there's something going wrong.*

Don't know, N=1

- *I really don't know what more I could do.*

OFFICIAL COPY
Mar 04 2015

Appendix I: Surveyed MyHER Customer Demographics

Surveyed MyHER customers were asked a series of demographic and household questions at the end of the survey. These results are for internal Duke Energy use only.

MyHER customers were also asked if they had moved into a new home since the time they started receiving Home Energy Reports. None of the recipients in North Carolina have moved (0.0% of 151), but three recipients in South Carolina (2.0% of 151) did move into new homes. These recipients moved in August of 2012, May of 2013, and the third recipient had been maintaining two homes for the seven months prior to being surveyed (their old home as well as the new one they have moved into).

In what type of building do you live? * State

			State		Total
			South Carolina	North Carolina	
In what type of building do you live?	Single-family home, detached construction	Count	118	123	241
		% within State	78.1%	81.5%	79.8%
	Single family home, factory manufactured/modular	Count	9	12	21
		% within State	6.0%	7.9%	7.0%
	Single family, mobile home	Count	17	4	21
		% within State	11.3%	2.6%	7.0%
	Row House	Count	0	2	2
		% within State	0.0%	1.3%	0.7%
	Two or Three family attached residence-traditional structure	Count	1	3	4
		% within State	0.7%	2.0%	1.3%
	Apartment (4 + families)---traditional structure	Count	1	4	5
		% within State	0.7%	2.6%	1.7%
	Condominium---traditional structure	Count	1	0	1
		% within State	0.7%	0.0%	0.3%
	Other: Duplex	Count	2	1	3
		% within State	1.3%	0.7%	1.0%
	Other: listed below	Count	1	2	3
		% within State	0.7%	1.3%	1.0%
	DK/NS	Count	1	0	1
		% within State	0.7%	0.0%	0.3%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

Other types of buildings:

- *My home is an octagon built into a mountainside, half underground with a brick upper floor.*
- *Single family converted barn.*
- *Town house.*

What year was your residence built? * State

			State		Total
			South Carolina	North Carolina	
What year was your residence built?	1959 and before	Count	32	44	76
		% within State	21.2%	29.1%	25.2%
	1960-1979	Count	27	29	56
		% within State	17.9%	19.2%	18.5%
	1980-1989	Count	27	14	41
		% within State	17.9%	9.3%	13.6%
	1990-1997	Count	19	20	39
		% within State	12.6%	13.2%	12.9%
	1998-2000	Count	5	14	19
		% within State	3.3%	9.3%	6.3%
	2001-2007	Count	24	14	38
		% within State	15.9%	9.3%	12.6%
	2008-present	Count	9	8	17
		% within State	6.0%	5.3%	5.6%
	DK/NS	Count	8	8	16
		% within State	5.3%	5.3%	5.3%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

How many rooms are in your home (excluding bathrooms, but including finished basements)? * State

			State		Total
			South Carolina	North Carolina	
How many rooms are in your home (excluding bathrooms, but including finished basements)?	4	Count	9	17	26
		% within State	6.0%	11.3%	8.6%
	5	Count	29	35	64
		% within State	19.2%	23.2%	21.2%
	6	Count	35	32	67
		% within State	23.2%	21.2%	22.2%
	7	Count	27	20	47
		% within State	17.9%	13.2%	15.6%
	8	Count	14	25	39
		% within State	9.3%	16.6%	12.9%
	9	Count	9	6	15
		% within State	6.0%	4.0%	5.0%
	1-3	Count	3	1	4
		% within State	2.0%	0.7%	1.3%
	10 or more	Count	25	15	40
		% within State	16.6%	9.9%	13.2%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

Which of the following best describes your home's heating system?	South Carolina N=151		North Carolina N=151		Total N=302	
None	1	0.7%	0	0.0%	1	0.3%
Central forced air furnace	80	53.0%	85	56.3%	165	54.6%
Electric Baseboard	3	2.0%	7	4.6%	10	3.3%
Heat Pump	62	41.1%	50	33.1%	112	37.1%
Geothermal Heat Pump	0	0.0%	0	0.0%	0	0.0%
Electric space heaters	7	4.6%	11	7.3%	18	6.0%
Wood fireplace / wood stove	6	4.0%	13	8.6%	19	6.3%
Gas pack / gas log fireplace	1	0.7%	3	2.0%	4	1.3%
Boiler / radiators	2	1.3%	0	0.0%	2	0.7%
Dual heat pumps (upstairs and downstairs)	2	1.3%	0	0.0%	2	0.7%
Other: listed below	6	4.0%	2	1.3%	8	2.6%
Don't know	3	2.0%	2	1.3%	5	1.7%

May total to more than 100% because respondents could give multiple responses.

OFFICIAL COPY
Mar 04 2015

Other types of heating system:

- *'Through the wall' heating and A/C unit*
- *Electric in ceiling*
- *Two electric radiators*
- *Ceramic heaters*
- *Fuel furnace*
- *Oil furnace*
- *Kerosene*
- *Propane heater*

How old is your heating system? * State

			State		Total
			South Carolina	North Carolina	
How old is your heating system?	0-4 years	Count	43	48	91
		% within State	28.5%	31.8%	30.1%
	5-9 years	Count	44	27	71
		% within State	29.1%	17.9%	23.5%
	10-14 years	Count	14	25	39
		% within State	9.3%	16.6%	12.9%
	15-19 years	Count	12	13	25
		% within State	7.9%	8.6%	8.3%
	19 years or older	Count	16	19	35
		% within State	10.6%	12.6%	11.6%
	DK/NS	Count	20	17	37
		% within State	13.2%	11.3%	12.3%
	Do not have	Count	2	1	3
		% within State	1.3%	0.7%	1.0%
	Other: "*12 years for the furnace, 2 years for the heat pump*"	Count	0	1	1
		% within State	0.0%	0.7%	0.3%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

What is the primary fuel used in your heating system? * State

			State		Total
			South Carolina	North Carolina	
What is the primary fuel used in your heating system?	Electricity	Count	97	76	173
		% within State	64.2%	50.3%	57.3%
	Natural Gas	Count	46	58	104
		% within State	30.5%	38.4%	34.4%
	Oil	Count	2	5	7
		% within State	1.3%	3.3%	2.3%
	Propane	Count	3	2	5
		% within State	2.0%	1.3%	1.7%
	Wood	Count	1	10	11
		% within State	0.7%	6.6%	3.6%
	Kerosene	Count	1	0	1
		% within State	0.7%	0.0%	0.3%
	DK/NS	Count	1	0	1
		% within State	0.7%	0.0%	0.3%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

What is the secondary fuel used in your primary heating system, if applicable? * State

			State		Total
			South Carolina	North Carolina	
What is the secondary fuel used in your primary heating system, if applicable?	Electricity	Count	17	33	50
		% within State	11.3%	21.9%	16.6%
	Natural Gas	Count	2	5	7
		% within State	1.3%	3.3%	2.3%
	Oil	Count	0	3	3
		% within State	0.0%	2.0%	1.0%
	Propane	Count	4	0	4
		% within State	2.6%	0.0%	1.3%
	Wood	Count	4	3	7
		% within State	2.6%	2.0%	2.3%
	Gas logs	Count	2	1	3
		% within State	1.3%	0.7%	1.0%
	Kerosene	Count	2	0	2
		% within State	1.3%	0.0%	0.7%
	Other: listed below	Count	0	2	2
		% within State	0.0%	1.3%	0.7%
	None	Count	119	102	221
		% within State	78.8%	67.5%	73.2%
	DK/NS	Count	1	2	3
		% within State	0.7%	1.3%	1.0%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

Other types of secondary fuel:

- *Energy efficient 'Eden Pure' space heaters.*
- *Natural gas fireplace.*

OFFICIAL COPY
Mar 04 2015

Do you use one or more of the following to cool your home?	South Carolina N=151		North Carolina N=151		Total N=302	
None, do not cool the home	0	0.0%	1	0.7%	1	0.3%
Heat pump for cooling	61	40.4%	48	31.8%	109	36.1%
Central air conditioning	79	52.3%	86	57.0%	165	54.6%
Through the wall or window air conditioning unit	16	10.6%	21	13.9%	37	12.3%
Geothermal Heat pump	0	0.0%	0	0.0%	0	0.0%
Fans (ceiling, window, portable)	8	5.3%	4	2.6%	12	4.0%
Gas pack for cooling	0	0.0%	2	1.3%	2	0.7%
Dual heat pumps (upstairs and downstairs)	2	1.3%	0	0.0%	2	0.7%
Other: "*portable A/C unit*"	1	0.7%	0	0.0%	1	0.3%
Don't know	2	1.3%	1	0.7%	3	1.0%

May total to more than 100% because respondents could give multiple responses.

How many window-unit or through the wall air conditioner(s) do you use? * State

			State		Total
			South Carolina	North Carolina	
How many window-unit or through the wall air conditioner(s) do you use?	1	Count	12	10	22
		% within State	7.9%	6.6%	7.3%
	2	Count	5	10	15
		% within State	3.3%	6.6%	5.0%
	3	Count	4	4	8
		% within State	2.6%	2.6%	2.6%
	4	Count	1	1	2
		% within State	0.7%	0.7%	0.7%
	5	Count	1	0	1
		% within State	0.7%	0.0%	0.3%
	None	Count	128	126	254
		% within State	84.8%	83.4%	84.1%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

What is the fuel used in your cooling system?	South Carolina N=151		North Carolina N=151		Total N=302	
Electricity	149	98.7%	144	95.4%	293	97.0%
Natural Gas	3	2.0%	3	2.0%	6	2.0%
Oil	0	0.0%	0	0.0%	0	0.0%
Propane	0	0.0%	0	0.0%	0	0.0%
Butane	0	0.0%	1	0.7%	1	0.3%
None (no cooling system)	0	0.0%	1	0.7%	1	0.3%
None (use fans only)	1	0.7%	0	0.0%	1	0.3%
DK/NS	1	0.7%	2	1.3%	3	1.0%

May total to more than 100% because respondents could give multiple responses.

How old is your cooling system? * State

			State		Total
			South Carolina	North Carolina	
How old is your cooling system?	0-4 years	Count	56	46	102
		% within State	37.1%	30.5%	33.8%
	5-9 years	Count	46	37	83
		% within State	30.5%	24.5%	27.5%
	10-14 years	Count	13	31	44
		% within State	8.6%	20.5%	14.6%
	15-19 years	Count	11	8	19
		% within State	7.3%	5.3%	6.3%
	19 years or older	Count	10	10	20
		% within State	6.6%	6.6%	6.6%
	DK/NS	Count	14	17	31
		% within State	9.3%	11.3%	10.3%
	Do not have	Count	1	2	3
		% within State	0.7%	1.3%	1.0%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

What is the fuel used by your water heater?	South Carolina N=151		North Carolina N=151		Total N=302	
Electricity	112	74.2%	106	70.2%	218	72.2%
Natural Gas	35	23.2%	51	33.8%	86	28.5%
Oil	0	0.0%	0	0.0%	0	0.0%
Propane	3	2.0%	0	0.0%	3	1.0%
No water heater	1	0.7%	0	0.0%	1	0.3%
DK/NS	2	1.3%	0	0.0%	2	0.7%

May total to more than 100% because respondents could give multiple responses.

How old is your water heater? * State

			State		Total
			South Carolina	North Carolina	
How old is your water heater?	0-4 years	Count	47	37	84
		% within State	31.1%	24.5%	27.8%
	5-9 years	Count	47	31	78
		% within State	31.1%	20.5%	25.8%
	10-14 years	Count	25	35	60
		% within State	16.6%	23.2%	19.9%
	15-19 years	Count	6	14	20
		% within State	4.0%	9.3%	6.6%
	More than 19 years	Count	4	13	17
		% within State	2.6%	8.6%	5.6%
	DK/NS	Count	22	21	43
		% within State	14.6%	13.9%	14.2%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

What type of fuel do you use for indoor cooking on the stovetop or range?	South Carolina N=151		North Carolina N=151		Total N=302	
Electricity	134	88.7%	135	89.4%	269	89.1%
Natural Gas	15	9.9%	17	11.3%	32	10.6%
Oil	0	0.0%	0	0.0%	0	0.0%
Propane	2	1.3%	1	0.7%	3	1.0%
None (no stove)	0	0.0%	1	0.7%	1	0.3%
DK/NS	0	0.0%	0	0.0%	0	0.0%

May total to more than 100% because respondents could give multiple responses.

What type of fuel do you use for indoor cooking in the oven?	South Carolina N=151		North Carolina N=151		Total N=302	
Electricity	140	92.7%	136	90.1%	276	91.4%
Natural Gas	10	6.6%	15	9.9%	25	8.3%
Oil	0	0.0%	0	0.0%	0	0.0%
Propane	1	0.7%	1	0.7%	2	0.7%
None (no oven)	0	0.0%	1	0.7%	1	0.3%
DK/NS	0	0.0%	0	0.0%	0	0.0%

May total to more than 100% because respondents could give multiple responses.

What type of fuel do you use for clothes drying?	South Carolina N=151		North Carolina N=151		Total N=302	
Electricity	145	96.0%	138	91.4%	283	93.7%
Natural Gas	3	2.0%	7	4.6%	10	3.3%
Oil	0	0.0%	0	0.0%	0	0.0%
Air dry (clothesline)	1	0.7%	3	2.0%	4	1.3%
Propane	0	0.0%	1	0.7%	1	0.3%
None (no dryer)	3	2.0%	4	2.6%	7	2.3%
DK/NS	0	0.0%	0	0.0%	0	0.0%

May total to more than 100% because respondents could give multiple responses.

OFFICIAL COPY
Mar 04 2015

About how many square feet of living space are in your home? * State

			State		Total
			South Carolina	North Carolina	
About how many square feet of living space are in your home?	500 to 999	Count	9	8	17
		% within State	6.0%	5.3%	5.6%
	1000 to 1499	Count	37	32	69
		% within State	24.5%	21.2%	22.8%
	1500 to 1999	Count	33	38	71
		% within State	21.9%	25.2%	23.5%
	2000 to 2499	Count	16	16	32
		% within State	10.6%	10.6%	10.6%
	2500 to 2999	Count	9	8	17
		% within State	6.0%	5.3%	5.6%
	3000 to 3499	Count	9	5	14
		% within State	6.0%	3.3%	4.6%
	3500 to 3999	Count	2	4	6
		% within State	1.3%	2.6%	2.0%
	4000 or more	Count	8	5	13
		% within State	5.3%	3.3%	4.3%
	DK/NS	Count	28	35	63
		% within State	18.5%	23.2%	20.9%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

Do you own or rent your home? * State

			State		Total
			South Carolina	North Carolina	
Do you own or rent your home?	Own	Count	136	130	266
		% within State	90.1%	86.1%	88.1%
	Rent	Count	15	21	36
		% within State	9.9%	13.9%	11.9%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

How many levels are in your home (not including your basement)? * State

			State		Total
			South Carolina	North Carolina	
How many levels are in your home (not including your basement)?	One	Count	105	95	200
		% within State	69.5%	62.9%	66.2%
	Two	Count	41	54	95
		% within State	27.2%	35.8%	31.5%
	Three	Count	5	2	7
		% within State	3.3%	1.3%	2.3%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

Does your home have a heated or unheated basement? * State

			State		Total
			South Carolina	North Carolina	
Does your home have a heated or unheated basement?	Heated	Count	12	22	34
		% within State	7.9%	14.6%	11.3%
	Unheated	Count	22	18	40
		% within State	14.6%	11.9%	13.2%
	No basement	Count	117	111	228
		% within State	77.5%	73.5%	75.5%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

Does your home have an attic? * State

			State		Total
			South Carolina	North Carolina	
Does your home have an attic?	Yes	Count	118	116	234
		% within State	78.1%	76.8%	77.5%
	No	Count	33	35	68
		% within State	21.9%	23.2%	22.5%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

Are your central air/heat ducts located in the attic? * State

			State		Total
			South Carolina	North Carolina	
Are your central air/heat ducts located in the attic?	Yes	Count	46	41	87
		% within State	30.5%	27.2%	28.8%
	No	Count	67	76	143
		% within State	44.4%	50.3%	47.4%
	N/A	Count	38	34	72
		% within State	25.2%	22.5%	23.8%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

Does your house have cold drafts in the winter? * State

			State		Total
			South Carolina	North Carolina	
Does your house have cold drafts in the winter?	Yes	Count	40	46	86
		% within State	26.5%	30.5%	28.5%
	No	Count	111	105	216
		% within State	73.5%	69.5%	71.5%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

Does your house have sweaty windows in the winter? * State

			State		Total
			South Carolina	North Carolina	
Does your house have sweaty windows in the winter?	Yes	Count	27	22	49
		% within State	17.9%	14.6%	16.2%
	No	Count	124	129	253
		% within State	82.1%	85.4%	83.8%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

Do you notice uneven temperatures between the rooms in your home? * State

			State		Total
			South Carolina	North Carolina	
Do you notice uneven temperatures between the rooms in your home?	Yes	Count	80	70	150
		% within State	53.0%	46.4%	49.7%
	No	Count	71	81	152
		% within State	47.0%	53.6%	50.3%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

Does your heating system keep your home comfortable in winter? * State

			State		Total
			South Carolina	North Carolina	
Does your heating system keep your home comfortable in winter?	Yes	Count	138	145	283
		% within State	91.4%	96.0%	93.7%
	No	Count	13	6	19
		% within State	8.6%	4.0%	6.3%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

Does your cooling system keep your home comfortable in summer? * State

			State		Total
			South Carolina	North Carolina	
Does your cooling system keep your home comfortable in summer?	Yes	Count	140	147	287
		% within State	92.7%	97.4%	95.0%
	No	Count	11	4	15
		% within State	7.3%	2.6%	5.0%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

Do you have a programmable thermostat? * State

			State		Total
			South Carolina	North Carolina	
Do you have a programmable thermostat?	Yes	Count	98	78	176
		% within State	64.9%	51.7%	58.3%
	No	Count	53	73	126
		% within State	35.1%	48.3%	41.7%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

How many thermostats are there in your home? * State

			State		Total
			South Carolina	North Carolina	
How many thermostats are there in your home?	0	Count	0	6	6
		% within State	0.0%	4.0%	3.9%
	1	Count	1	109	110
		% within State	100.0%	72.2%	72.4%
	2	Count	0	23	23
		% within State	0.0%	15.2%	15.1%
	3	Count	0	4	4
		% within State	0.0%	2.6%	2.6%
	4 or more	Count	0	8	8
		% within State	0.0%	5.3%	5.3%
	DK/NS	Count	0	1	1
		% within State	0.0%	0.7%	0.7%
Total		Count	1	151	152
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY

Mar 04 2015

What temperature is your thermostat set to on a typical summer weekday afternoon? * State

			State		Total
			South Carolina	North Carolina	
What temperature is your thermostat set to on a typical summer weekday afternoon?	Less than 69 degrees	Count	17	3	20
		% within State	11.3%	2.0%	6.6%
	69-72 degrees	Count	47	38	85
		% within State	31.1%	25.2%	28.1%
	73-78 degrees	Count	72	78	150
		% within State	47.7%	51.7%	49.7%
	Higher than 78 degrees	Count	7	12	19
		% within State	4.6%	7.9%	6.3%
	Off	Count	6	12	18
		% within State	4.0%	7.9%	6.0%
	DK/NS	Count	2	8	10
		% within State	1.3%	5.3%	3.3%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

What temperature is your thermostat set to on a typical winter weekday afternoon? * State

			State		Total
			South Carolina	North Carolina	
What temperature is your thermostat set to on a typical winter weekday afternoon?	Less than 67 degrees	Count	26	10	36
		% within State	17.2%	6.6%	11.9%
	67-70 degrees	Count	73	61	134
		% within State	48.3%	40.4%	44.4%
	71-73 degrees	Count	31	28	59
		% within State	20.5%	18.5%	19.5%
	74-77 degrees	Count	10	25	35
		% within State	6.6%	16.6%	11.6%
	78 degrees or higher	Count	4	7	11
		% within State	2.6%	4.6%	3.6%
	Off	Count	4	11	15
		% within State	2.6%	7.3%	5.0%
	DK/NS	Count	3	9	12
		% within State	2.0%	6.0%	4.0%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

Do You Have a swimming pool, spa or hot tub? * State

			State		Total
			South Carolina	North Carolina	
Do You Have a swimming pool, spa or hot tub?	Yes	Count	25	15	40
		% within State	16.6%	9.9%	13.2%
	No	Count	126	136	262
		% within State	83.4%	90.1%	86.8%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

Would a two-degree increase in the summer afternoon temperature in your home affect your comfort * State

			State		Total
			South Carolina	North Carolina	
Would a two-degree increase in the summer afternoon temperature in your home affect your comfort	Not at all	Count	46	48	94
		% within State	30.5%	31.8%	31.1%
	Slightly	Count	56	43	99
		% within State	37.1%	28.5%	32.8%
	Moderately, or	Count	26	42	68
		% within State	17.2%	27.8%	22.5%
	Greatly	Count	23	18	41
		% within State	15.2%	11.9%	13.6%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

How many people live in this home? * State

			State		Total
			South Carolina	North Carolina	
How many people live in this home?	1	Count	34	34	68
		% within State	22.5%	22.5%	22.5%
	2	Count	59	69	128
		% within State	39.1%	45.7%	42.4%
	3	Count	29	24	53
		% within State	19.2%	15.9%	17.5%
	4	Count	17	18	35
		% within State	11.3%	11.9%	11.6%
	5	Count	5	4	9
		% within State	3.3%	2.6%	3.0%
	6	Count	5	0	5
		% within State	3.3%	0.0%	1.7%
	7	Count	2	2	4
		% within State	1.3%	1.3%	1.3%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

How many of them are teenagers? * State

			State		Total
			South Carolina	North Carolina	
How many of them are teenagers?	0	Count	130	133	263
		% within State	86.1%	88.1%	87.1%
	1	Count	16	12	28
		% within State	10.6%	7.9%	9.3%
	2	Count	4	6	10
		% within State	2.6%	4.0%	3.3%
	3	Count	1	0	1
		% within State	0.7%	0.0%	0.3%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

How many persons are usually home on a weekday afternoon? * State

			State		Total
			South Carolina	North Carolina	
How many persons are usually home on a weekday afternoon?	0	Count	20	17	37
		% within State	13.2%	11.3%	12.3%
	1	Count	57	65	122
		% within State	37.7%	43.0%	40.4%
	2	Count	43	43	86
		% within State	28.5%	28.5%	28.5%
	3	Count	17	18	35
		% within State	11.3%	11.9%	11.6%
	4	Count	6	7	13
		% within State	4.0%	4.6%	4.3%
	5	Count	2	1	3
		% within State	1.3%	0.7%	1.0%
	6	Count	4	0	4
		% within State	2.6%	0.0%	1.3%
	7	Count	1	0	1
		% within State	0.7%	0.0%	0.3%
	Prefer not to answer	Count	1	0	1
		% within State	0.7%	0.0%	0.3%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

Are you planning on making any large purchases to improve energy efficiency in the next 3 years? * State

			State		Total
			South Carolina	North Carolina	
Are you planning on making any large purchases to improve energy efficiency in the next 3 years?	Yes	Count	62	32	94
		% within State	41.1%	21.2%	31.1%
	No	Count	70	100	170
		% within State	46.4%	66.2%	56.3%
	DK/NS	Count	19	19	38
		% within State	12.6%	12.6%	12.6%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

What is your age group? * State

			State		Total
			South Carolina	North Carolina	
What is your age group?	18-34	Count	21	18	39
		% within State	13.9%	11.9%	12.9%
	35-49	Count	41	39	80
		% within State	27.2%	25.8%	26.5%
	50-59	Count	34	34	68
		% within State	22.5%	22.5%	22.5%
	60-64	Count	17	12	29
		% within State	11.3%	7.9%	9.6%
	65-74	Count	21	32	53
		% within State	13.9%	21.2%	17.5%
	Over 74	Count	17	15	32
		% within State	11.3%	9.9%	10.6%
	Prefer not to answer	Count	0	1	1
		% within State	0.0%	0.7%	0.3%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

Please indicate your annual household income * State

			State		Total
			South Carolina	North Carolina	
Please indicate your annual household income	Under $15,000	Count	19	18	37
		% within State	12.6%	11.9%	12.3%
	$15,000-$29,999	Count	18	20	38
		% within State	11.9%	13.2%	12.6%
	$30,000-$49,999	Count	23	21	44
		% within State	15.2%	13.9%	14.6%
	$50,000-$74,999	Count	33	21	54
		% within State	21.9%	13.9%	17.9%
	$75,000-$100,000	Count	11	10	21
		% within State	7.3%	6.6%	7.0%
	Over $100,000	Count	16	17	33
		% within State	10.6%	11.3%	10.9%
	Prefer Not to Answer	Count	31	44	75
		% within State	20.5%	29.1%	24.8%
Total		Count	151	151	302
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

Appendix J: Summary of Tips and Messages

Eleven different MyHER reports have been sent to customers in the Carolina System since the program was rolled out commercially in May 2012. Each report included two tips (on the front of the report) and one or two messages (on the back of the report). The tips presented on each report were customized for each individual household (thus any given month's report could have included up to 30 different tips sent to different customers). However, all customers who received MyHER reports for a given month received the same one or two messages from a set of up to three (listed in Table 47). The complete list of 30 tips is shown in Table 46.

Table 46. MyHER Tips and Text

Tip Title	Tip Text
Air dry your laundry	Dryers are amazing, but they're energy hogs. Air drying just one load of laundry each week can save you loads of money and energy. Remember, you can do it year round right in your home - no sunshine or clothesline is needed! Try hanging wet laundry on hangers or doorknobs, or even laying it flat on dry towels. Almost anywhere can work! Not ready to go all the way? Try air drying just a few items from each load.
Buy an ENERGY STAR computer	Look for the ENERGY STAR label when purchasing a new computer. ENERGY STAR models use 30% to 65% less energy than other models. The more you use your computer, the greater your savings will be.
Buy an ENERGY STAR dehumidifier	Choose a dehumidifier with the ENERGY STAR label when purchasing a new unit. An ENERGY STAR qualified dehumidifier uses 15% less energy than a standard model. That means that an ENERGY STAR dehumidifier can save as much energy as a small refrigerator uses in a year! Choose the right size for your home, and keep in mind that larger units typically operate more efficiently than smaller ones.
Buy an ENERGY STAR dishwasher	Look for the ENERGY STAR label when buying a new dishwasher. ENERGY STAR qualified dishwashers use 10% less energy and 30% less water than those without the ENERGY STAR label. You will reduce both your energy and water bills in one move!
Buy an ENERGY STAR refrigerator	Look for the ENERGY STAR label when purchasing a refrigerator. ENERGY STAR refrigerators use at least 20% less energy than non-ENERGY STAR models. To maximize your savings, consider a model with the fridge on top or bottom (not side by side) that doesn't have an ice maker in the door.
Buy an ENERGY STAR television	If you are in the market for a new TV, consider buying an ENERGY STAR model. TVs in use in the U.S. consume over 50 billion kWh of energy each year - enough electricity to power all the homes in the state of New York for an entire year! ENERGY STAR qualified TVs, which cover standard models, HD-ready TVs, and flat-screen plasma TVs, use about 30% less energy than conventional units.
Check the temperature of your refrigerator or freezer	Use a thermometer to check the temperature of your refrigerator or freezer. A refrigerator that is 10 degrees too cold can use up to 25% more energy than one running at the ideal temperature. Recommended temperatures are 37 to 40 degrees for the fresh food compartment, and 5 degrees for the freezer. If you have a separate freezer for long term storage, you should set it to 0 degrees.
Cut standby power to your home computing system	Your computers and all the gadgets that go with them use power even when they are off. This standby power" accounts for over 50% of the total energy used by many of these devices! The easiest way to cut this waste is to plug all your gadgets into a power strip and turn it off when you're not using those devices."
Cut the standby power used for home entertainment	Your TV and all the associated gadgets use power even when they are off. This standby power accounts for over 50% of the total

OFFICIAL COPY
Mar 04 2015

Tip Title	Tip Text
	energy used by many of these devices! The easiest way to cut this waste is to plug all your gadgets into a power strip and turn of the strip when these items aren't in use."
Dust off that crock pot	Cooking in a crock pot can be much more efficient than using your oven. A crock pot costs 10 cents to run for 8 hours while an oven costs 32 cents to run for just one hour.
Enable energy management on your computer	Change the settings on your computer so that it goes to sleep after 15 minutes of inactivity. Enabling power management or "sleep mode" on your computer could cut your computer's energy consumption in half!"
Install a programmable thermostat[22]	You'd never leave a burner on if you weren't cooking anything, right? Are you paying to cool your home while people sleep... or aren't even there? The majority of your power bill each summer goes to cooling your home. Invest in a programmable thermostat and set a program that works for your family. Just one degree difference can make a 3% difference in your energy usage.
Install and program a programmable thermostat	Install a programmable thermostat and program it to save energy. When used properly, programmable thermostats can save you energy on heating and cooling - especially while you sleep and when you're not home. Set the program that works for your family and stick to it!
Insulate electrical outlets and switch cover plates	Add insulation covers (often called gaskets) to outlets and switches on the exterior walls of your home. Gaps in insulation coverage typically happen at the outlets and switches on exterior walls. Drafts find their way into your home through these gaps. Adding outlet and switch gaskets will reduce your energy usage, and make your home more comfortable by eliminating drafts.
Insulate your attic	A house with no attic insulation is like a coffee cup with no lid: all the heat goes up and out. Your furnace has to use more energy to replace the lost heat, and in the summer, the same thing happens with cool air and your AC. Keep the lid on by insulating your attic and reduce the energy used for both heating and cooling. It's one of the best energy efficiency investments you can make in your home.
It is time for summer cookouts and energy savings	This summer, stay cooler by turning off the stove and turning up the savings. By cooking a few meals each week on your barbeque grill, your house will be cooler and you'll reduce your energy use. So enjoy some outdoor family time and save some energy!
Keep your shades closed in the summer	Sunny windows can account for 40 percent of unwanted heat and can make your air conditioner work two to three times harder. You can minimize this heat by closing your blinds or curtains on sunny days. Focus on south and west facing windows as these allow the most amount of heat into your home.
Minimize the run time of your dryer	Not quite ready to air dry your laundry? No problem - just try the auto-sensing setting on your dryer to reduce your energy use. This setting will automatically stop the dryer when your laundry is dry. No auto-sensing on your dryer? Set the timer for 5-10 minutes less than usual and see how you do. Remember, it's better to add a few minutes at the end than run the dryer for too long.
Put your outdoor lights on motion detectors or timers	Do you leave your outdoor lights on all night? Try installing motion detectors or timers on your outdoor lights to reduce the power they burn through. Motion detectors help ward off trouble while significantly reducing energy use. Using motion detectors or timers is a great way to get the benefits of outdoor lighting while cutting

[22] "Install a programmable thermostat" is a revised version of the previous tip "Install and program a programmable thermostat" with updated text that gives more specific information about the expected amount of savings. During the time period being evaluated in this report, both of these tips were sent to some recipients.

OFFICIAL COPY
Mar 04 2015

Tip Title	Tip Text
	your energy use.
Replace your old hot water heater	If your water heater is more than 10 to 15 years old, consider buying a new, more efficient model. If you heat your water with electricity, water heating can be one of your biggest energy consumers. Do some research into your options, then talk to a trusted contractor and be sure to tell them that you want the most efficient model possible.
Replace your windows with low-E ENERGY STAR windows	When it's time to replace your windows make sure that you choose efficient, low-E ENERGY STAR windows. Low-E glass has a special coating that helps to keep heat in during the winter, and out during the summer. Efficient windows also have multiple panes of glass that are usually filled with insulating" gases to help keep your home comfortable."
Save on hot water use	Making a few small changes in how you use water can easily save you 5% on your hot water use. Start in the morning by shortening your showers by a minute or two, and don't let the hot water run when you shave or brush your teeth. When doing laundry, wash your clothes in cold water. In the kitchen, run the water only when rinsing the dishes.
Try an LED light bulb	LED light bulbs have become very affordable and are one of the best ways to save on your electric bill. You don't have to change all the bulbs in your house right now, but how about trying just one? Replacing a single 60-watt incandescent bulb with an equivalent LED model can save you real money now. And since LED bulbs last many times longer than old-fashioned incandescents, over time, the savings will become a really big deal!
Turn off outdoor lights during the day	If you prefer leaving your outdoor lights on at night for security or aesthetics, be sure to turn them off during daylight hours. Every morning, make it a habit to turn your outdoor lights off when you get the paper or let the dog out. If you have trouble remembering to do this, consider installing a light sensor, timer, or motion sensor on your outdoor lights, or switch to solar-powered lights.
Unplug your second refrigerator or freezer	Most backup refrigerators are at least 10 years old and use a lot of energy. Many families keep a second refrigerator to hold extra drinks or to use in the basement during parties. If you're one of them, retire that second fridge -- or plug it in only when you really need it -- and you'll be surprised how much energy you save.
Use efficient bulbs for your outdoor lighting	Put efficient ENERGY STAR compact fluorescent (CFL) bulbs in your outdoor light fixtures. CFL bulbs use 75% less energy, and they last 10 times longer than incandescent bulbs. Outdoor lights can be on for 12-14 hours of every day, so you'll really save energy when you switch. Here's the bonus: ENERGY STAR lights last so long, you won't have to get out your ladder so often to change bulbs.
Use energy efficient lighting indoors	Use energy efficient compact fluorescent (CFLs) bulbs to provide quality lighting throughout your home. CFLs use 75% less energy than incandescent bulbs and last 10 times longer. Since most of the electricity used by an incandescent bulb is wasted as heat, you can actually save on air conditioning by switching to CFLs.
Use task lighting	Use task lighting - lighting directed at a specific area - instead of overhead or general lighting. If you light the area well that you are working in, you can light the rest of the room less. The fewer lights you have on, the more energy you can save.
Use your microwave instead of a conventional oven	When reheating food or cooking smaller dishes, use your microwave whenever possible. You can save up to 50% of your cooking energy usage by using a microwave oven instead of a conventional electric oven. Using a microwave where you can is an easy way to save energy, and it cooks your food much faster than a traditional oven.
Weatherize your home	Weatherize is a complicated sounding word, but don't let it throw

OFFICIAL COPY
Mar 04 2015

Tip Title	Tip Text
	you. Just get some caulk and weather stripping and use it to plug air leaks around your doors and windows. When you do this, you keep warm air from leaking in during the summer and leaking out during the winter. That means you'll use less energy when cooling and heating and be more comfortable with reduced drafts.

The 23 messages included with the first eleven Home Energy Reports for North and South Carolina are listed below in Table 47. In months with two messages listed, both messages were sent to all recipients on the same report. In some months, customers were sent reports with two messages customized from a list of three: One of the messages was the same on every report, with the second message being the most appropriate for a given household (for example, on October 2012 reports customers were either given a message encouraging them to sign up for free CFLs, or else to install the free CFLs they had already received, depending on their eligibility and past participation in Duke Energy CFL programs).

Table 47. MyHER Messages by Month

Report	Drop Dates	Message(s)	Name of PDF(s)
May 2012	May 25, June 4,	1. **Spring Cleaning** 2. **Smart Saver**	May2012SpringCleaningSS
June 2012	June 21, July 2, July 12	3. **Vacation** 4. **Home Energy House Call**	June2012VacationHEHC
July 2012	July 31, Aug 8, Aug 10, Aug 14	5. **Know Your Home**	July2012KnowYourHome
Aug 2012	Aug 22, Aug 28, Sep 7, Sep 12	6. **Read Write Reset**	August2012ReadWriteReset
Sep 2012	Oct 17, Oct 25	7. **Drafts** 8. **Winter Magic**	September2012DraftsWinterMagic
Oct 2012	Nov 11, Nov 14, Nov 29, Nov 30	*Received 2 of 3 messages:* 9. **Dirty Laundry** (N=243) *plus* 10. **CFL Twist** (N=167) *or* 11. **CFL Free** (N=76)	October2012Twist October2013Free
Dec 2012	Dec 19, Jan 2, Jan 8, Jan 11	12. **Go Green** 13. **Hugs For Heaters**	December2012GoGreen
Jan 2013	Jan 31, Feb 4, Feb 7, Feb 12	*Received 2 of 3 messages:* 14. **Screen Savers** (N=291) *plus* 15. **Power Manager** (N=247) *or* 16. **Videos** (N=44)	January2013PowerManager January2013Videos
March 2013	Mar 27, Apr 7, Apr 9, Apr 17	17. **Smart Saver Health Check** 18. **Dial 811**	March2013SSHC-Dial811
May 2013	June 4, June 6, June 11, June 12	*Received 2 of 3 messages:* 19. **Heads Up Cool Down** (N=150) *plus* 20. **Out With The Old** (N=143) *or*	May2013OutWithTheOld May2013PowerOfGivingBack

OFFICIAL COPY
Mar 04 2015

Report	Drop Dates	Message(s)	Name of PDF(s)
		21. Power Of Giving Back (N=7)	
June 2013	June 24, June 29, July 6, July 14	**22. Refrigerator** **23. Water And Electricity**	June2013Refrigerator-Water

OFFICIAL COPY
Mar 04 2015

Appendix K: List of Self-Reported Energy Efficiency Actions

10d/11d/12d. Did you do anything to your home/behavior in response to this tip? What have you done?

Recalled tip "Use energy efficient lighting indoors" and took action

- *After we began receiving the reports, we changed out almost all of the light bulbs in our house that weren't already energy efficient ones, even the outside lights.*
- *We are switching over to CFLs that we got from Duke Energy in November of 2012.*
- *I put in the CFLs that Duke sent me.*
- *I ordered the CFLs from Duke Energy.*
- *I used the free CFLs that Duke sent me. I replaced some commonly-used bulbs to try to save on electricity consumption. I would not have bought or used the bulbs on my own, I only used them because they were free.*
- *I started to use the energy saving bulbs. Some we purchased and some we received free from Duke.*
- *We bought some CFLs after we didn't get the ones that Duke Energy said they would send us. I installed the CFLs in all the bedrooms, and I'll do the rest of the bulbs in the future.*
- *We switched to CFLs.* (N=2)
- *I'm using CFLs in all fixtures.*
- *Every light socket that can take a CFL now has one in it.*
- *Changed more bulbs, especially the outside lighting; we went from 50-75% CFL use to 100% use.*
- *We replaced 15 light bulbs with CFLs.*
- *I have installed CFLs in most light fixtures.*
- *I would estimate that we have CFLs in 90% of our lighting fixtures now.*
- *We changed 75% of our bulbs to CFLs.*
- *I switched over half of my bulbs to CFLs.*
- *We have been changing some of our standard bulbs to CFLs.*
- *I started installing CFLs in highly-used lights. I've been trying to gradually replace all of the lights with CFLs; the bulbs are pretty expensive so it's been a slow and gradual change.*
- *We are replacing our standard bulbs with CFLs when the standard bulbs burn out. I like using the higher wattage bulbs for reading.*
- *I have been using CFLs for the last five years and plan on using LEDs.*
- *I continue to use the CFL and LED light bulbs.*
- *We continue to use CFLs.* (N=2)

OFFICIAL COPY
Mar 04 2015

Recalled tip "Use efficient bulbs for your outdoor lighting" and took action

- *I switched all my light bulbs to CFLs, which I received from Duke.*
- *We replaced our standard bulbs with CFL bulbs. I received the bulbs from Duke.*
- *We installed several of the free CFLs from Duke in five rooms.*
- *When prompted to get bulbs while paying bill online, I arranged to get a box of CFLs from Duke.*
- *I have CFLs in every light that will take one, even the outdoor floor light is now a CFL.*
- *I replaced most all of my bulbs with CFLs, including the specialty bulbs.*
- *Almost all of my light fixtures have CFLs.*
- *We have CFLs in nearly every available light fixture.*
- *I have CFLs installed in 95% of my light fixtures.*
- *I would estimate that we have CFLs in 90% of the available fixtures.*
- *I would estimate that we have CFLs in 75% of the available light fixtures.*
- *We changed 75% of our bulbs to CFLs.*
- *I am gradually replacing incandescent bulbs with CFLs as they burn out. I would estimate that 60% of the bulbs in my house are now CFLs.*
- *I would estimate that we have CFLs in 50% of the available light fixtures.*
- *We changed most of our bulbs to CFLs.*
- *We installed CFLs in most of our light fixtures.*
- *We started using CFLs in some locations; we went from zero usage to 40% usage.*
- *I would estimate that we have CFLs in 30% of our light fixtures.*
- *We are gradually replacing incandescent bulbs with CFLs.*
- *I have been installing more CFLs.*
- *We have been using the CFLs for a few years and continue to use them.*
- *I have been using CFLs for the last 5 years and plan on using LEDs.*

Recalled tip "Weatherize your home" and took action

- *We added weather stripping and cloth under-door air baffles.*
- *I put weather stripping around doors. I'm checking the seals on the windows and weather stripping the ones that need it.*
- *I weather stripped the doors.*
- *I created a double-pane by screwing a clear plastic panel over the existing window frame. This allows light and cuts drafts.*
- *I checked the seals on the windows to see if caulking or weather stripping was needed, but it wasn't. I added weather stripping around the doors to prevent drafts and to prevent the heating and cooling from escaping.*
- *I weather stripped doors and windows.*
- *I used weather stripping to seal doors and windows as best I could..*

OFFICIAL COPY
Mar 04 2015

Recalled tip "Turn off outdoor lights during the day" and took action

- *We turn the outside lights off when they aren't needed.*
- *We have an outside light that my wife used to leave on constantly. I now shut it off more, usually before we go to bed.*
- *I have turned off more lights, and have instructed my children to turn off lights as well.*
- *I encourage other members of my household to turn off the lights when not in use.*
- *We are more alert to turning off lights when we leave the room.*
- *We installed CFLs and are now more aware of turning off lights and various electronic items such as computers, cell phone chargers, etc.*

Recalled tip "Keep your shades closed in the summer" and took action

- *We keep our blinds closed in summer.*
- *I try to keep the curtains closed during the day in the summer.*
- *I close the shades on sunny days to keep the house cooler.*
- *I closed the blinds on nine windows; the A/C now cuts off more often instead of running almost constantly.*
- *We control the sunlight getting in by closing and opening the blinds.*
- *I continue to close the shades. I have been taking this action for years.*

Recalled tip "Cut the standby power used for home entertainment" and took action

- *I unplug the computer and lamp, and also use a power strip for some items.*
- *My wife started unplugging the TV's that we were not using very often.*
- *I am unplugging air fresheners, unplugging the coffee maker when not in use, and no longer using my water pixer as I am looking to purchase a new one. I only use phone chargers when needed.*
- *We are unplugging appliances and electronics that we don't use often.*
- *I unplugged the toaster, the microwave, and most major appliances.*

Recalled tip "Insulate electrical outlets and switch cover plates" and took action

- *I put insulation covers over my sockets.*
- *I did gasket insulators on the downstairs level: about 10 to 15 panels.*
- *I increased the amount of insulation around the home.*
- *We added insulation to the attic and crawlspace.*

Recalled tip "Cut standby power to your home computing system" and took action

- *When not in use, I have unplugged lamps, computers, the XBox game and television.*
- *I have been in the habit of turning off electronic items for many years.*
- *I'm trying harder to turn off unused lights, although my wife isn't so diligent.*

OFFICIAL COPY
Mar 04 2015

- *I've unplugged some things, but not the electronics or appliances that I use every day.*

Recalled tip "Minimize the run time on your dryer" and took action

- *I am using the sensor-dry setting on my dryer all the time.*
- *I set the clothes dryer for a minimum time depending on what it is. When the alarm goes off, I take clothes out that are dry and add five minutes as needed to dry the rest. I also try to have the washer and dryer end at the same time, so that washed clothes are going into a warm dryer.*
- *We will now iron a shirt or hang it up after washing and drying, rather than throw it in the dryer to remove wrinkles.*
- *I did start to clean the lint out of the dryer more frequently.*

Recalled tip "Use task lighting" and took action

- *We don't use lights unless we need to. We will open up the curtains to let in light instead. This has made our home less gloomy.*
- *We're trying to be more conscious about turning off every light when we leave a room.*
- *We try to turn lights off when they're not needed.*

Recalled tip "Buy an Energy Star television" and took action

- *Now, all of my appliances are Energy Star-rated appliances.*
- *We changed out most all of our appliances. We bought a new stove, fridge, dishwasher, washer and dryer, and a new deep freezer.*
- *We bought an Energy Star dishwasher and washing machine.*

Recalled tip "Install a programmable thermostat" and took action

- *My son installed a programmable thermostat for me. He is an HVAC professional.*
- *I set the temperature one degree higher during the summer.*
- *We reduce the heat and A/C and make sure the lights are turned off when leaving the house for an extended period of time.*

Recalled tip "Unplug your second refrigerator or freezer" and took action

- *I unplug appliances when not using them. I checked my daughter's room and unplugged things that did not need to be plugged in.*
- *I unplug some electronic items when they're not needed.*

Recalled tip "Replace your old hot water heater" and took action

- *We installed a tankless water heater. We had been thinking about doing that before we got the reports, because we knew that the old water heater wasn't going to last much longer.*
- *I replaced the water heater with an energy saving on-demand water heater.*

OFFICIAL COPY
Mar 04 2015

Recalled tip "Replace your windows with low-E ENERGY STAR windows" and took action

- *I installed a new bathroom window which stopped an air leak.*
- *I installed new windows in March 2012.*

Recalled tip "Save on hot water use" and took action

- *My wife and I take shorter showers. Also, when the kids are home from college, we urge them to conserve the hot water.*
- *I don't leave the water running while I brush my teeth.*

Recalled tip "Dust off that crock pot" and took action

- *We use our crock pot and microwave instead of the stovetop and oven.*
- *I started doing more cooking with crock pots. I got a cookbook and found a lot of recipes.*

Recalled tip "Buy an Energy Star refrigerator" and took action

- *When it came time for me to get a new fridge, I made sure it was one of those energy efficient ones. Same with the freezer: I bought a freezer that does not use a whole lot of energy.*

Recalled tip "Insulate your attic" and took action

- *We added insulation to the attic and crawlspace.*

Recalled tip "Put your outdoor lights on motion detectors or timers" and took action

- *I now use an auto-timer for turning off my lights.*

Recalled tip "Install and program a programmable thermostat" and took action

- *We sealed our home shell and now set our thermostat at a consistent temperature.*

Recalled tip "It is time for cookouts and energy savings" and took action

- *We tend to cook outdoors at least once per week.*

Recalled tip "Enable energy management on your computer" and took action

- *I use the sleep mode on my computer.*

Recalled message "CFL Twist" and took action

- *After we began receiving the reports, we changed out almost all of the light bulbs in our house that weren't already energy efficient ones, even the outside lights.*
- *I had gotten free CFLs from Duke in late 2011, but didn't install them until I read about CFLs in the Home Energy Reports. I put them in most outlets, but didn't put them in the overhead fans because they are too ugly.*
- *I filled out the form for the free CFLs through Duke Energy. We installed all of them in outlets that are used often. Since receiving them from Duke, I have been purchasing CFLs only.*

OFFICIAL COPY
Mar 04 2015

- *I put in the CFLs that Duke sent me.*
- *I received CFLs about a year ago. Since then I have installed most of them.*
- *We replaced our standard bulbs with CFL bulbs. I received the bulbs from Duke.*
- *We installed several of the free CFLs from Duke in five rooms.*
- *I started to use the energy saving bulbs. Some we purchased and some we received free from Duke.*
- *We bought some CFLs after we didn't get the ones the Duke Energy said they would send us. I installed the CFLs in all the bedrooms and I'll do the rest of the bulbs in the future.*
- *We changed the standard bulbs in our most frequently used lamps to CFLs.*
- *We are replacing our standard bulbs with CFLs when the standard bulbs burn out. I like using the higher wattage bulb for reading.*
- *We are gradually replacing incandescent bulbs with CFLs.*
- *We've been replacing bulbs that burn out with CFLs.*
- *I replaced all my light bulbs with CFLs.*
- *I'm using CFLs in all fixtures*
- *Every light socket that can take a CFL now has one in it.*
- *Almost all my light fixtures have CFLs.*
- *We have CFLs in nearly every available light fixture.*
- *I replaced most all of my bulbs with CFLs, including the specialty bulbs, with CFLs.*
- *I have CFLs installed in 95% of my light fixtures.*
- *Changed more bulbs, especially the outside lighting; we went from 50-75% CFL use to 100% use.*
- *Changed 75% of bulbs to CFLs*
- *I would estimate that we have CFLs in 75% of the available light fixtures.*
- *I am gradually replacing incandescent bulbs with CFLs as they burn out. I would estimate that 60% of the bulbs in my house are now CFLs.*
- *I have installed CFLs in most light fixtures.*
- *We changed most of our bulbs to CFLs.*
- *I switched over half my bulbs to CFLs.*
- *We have been changing some of our standard bulbs to CFLs.*
- *We started using CFLs in some locations; we went from zero usage to 40% usage.*
- *I am now using 10 CFLs.*
- *We have been using the CFL for a few years and continue to use them.*
- *We continue to use CFLs.* (N=2)
- *We continue to use CFLs.*
- *We use CFLs.*
- *I have been using CFLs for the last five years and plan on using LEDs.*

OFFICIAL COPY
Mar 04 2015

Recalled message "CFL Free" and took action

- *We are switching over to CFLs that we got from Duke Energy in November of 2012.*
- *When prompted to get bulbs while paying bill online, I arranged to get a box of CFLs from Duke.*
- *I ordered the CFLs.*
- *I would estimate that we have CFLs in 90% of our lighting fixtures.*
- *I purchased CFLs. As the incandescent bulbs burn out I am replacing them with CFLs.*
- *I started installing CFLs in highly-used lights. I've been trying to gradually replace all of the lights to CFLs, the bulbs are pretty expensive so it's been a slow and gradual change.*
- *We switched to CFLs.*
- *I have been installing more CFLs.*
- *I've been replacing burnt-out bulbs with new CFLs.*
- *We replaced 15 light bulbs with CFLs.*
- *I would estimate that we have CFLs in 50% of the available light fixtures.*
- *I would estimate that we have CFLs in 30% of our light fixtures.*
- *I continue to use the CFL and LED light bulbs.*

Recalled message "Screen Savers" and took action

- *When not in use, I have unplugged lamps, computer, XBox game, and television.*
- *We cut off power to computer and peripheries, which also helps extend the life of the equipment.*
- *I unplug the computer and lamp, and also use a power strip for some items.*
- *We are unplugging appliances and electronic that we don't use often.*
- *I unplug some electronic items when they're not needed.*
- *I unplugged the toaster, the microwave, and most major appliances.*
- *I am unplugging air fresheners, unplugging the coffee maker when not in use, and no longer using my water pixer as I am looking to purchase a new one. I only use phone chargers when needed.*
- *I've unplugged some things, but not the electronics or appliances that I use every day.*

Recalled message "Dirty Laundry" and took action

- *I used to do laundry about four times a week. I have limited my laundry cycles to now just two or three per week, and have been doing larger loads.*
- *I reset to cold water on loads that I feel I can. Undergarments and towels still get warm water to kill bacteria.*
- *We turned down the temperature on our hot water heater.*
- *I turned down the temperature on the hot water heater.*

Recalled message "Hugs For Heaters" and took action

OFFICIAL COPY
Mar 04 2015

- *We wrapped our hot water heater with insulation about one month ago*
- *We wrapped our water heater with home insulation in November 2012.*
- *I insulated the hot water pipes.*
- *Increased the amount of insulation around the home.*

Recalled message "Smart Saver Health Check" and took action

- *My husband cleaned our furnace thoroughly and replaced the filters.*
- *I change my furnace and A/C filters more often.*

Recalled message "Out With The Old" and took action

- *We replaced the two heat pumps in our home.*

Recalled message "Read Write Reset" and took action

- *I set my thermostat, if not conservatively, at least at a consistent temperature.*

Recalled message "Smart Saver" and took action

- *I upgraded my heating and cooling system. My old unit died.*

21. Since [month and date of first report], have you done anything else to save electricity in your home that was not included as a tip contained in the Home Energy Reports? What have you done? Anything else?

- *I bought "D. Light" brand solar lights. I use space heaters.*
- *I caulked around the windows. I replaced the baseboard on the floor. I plan on doing some insulation on the floors.*
- *I converted the water heater from electricity to gas.*
- *I cut back on using the dryer. I hang dry most of clothes. I cut back on doing laundry. I wait until I have a full load before using the washing machine.*
- *I hang clothes up rather than using the electric dryer. I keep doors closed. I bought an eMonitor.*
- *I have a manufactured home and I plan to change from a vinyl underpinning to a brick underpinning.*
- *I installed a smaller window A/C unit; I use that instead of using central air. I installed and use a propane fueled wall heater fireplace.*
- *I keep electronics unplugged when not in use.*
- *I keep some unused rooms closed off to the rest of the home. I had someone come in and fill some holes in the walls of my trailer.*

OFFICIAL COPY
Mar 04 2015

- *I keep the water heater temperature set as low as I can stand. I have the dishwasher set to reuse the water for the dishwasher, plus it uses less water because it's a new Energy Star appliance. I have my water heater wrapped with an insulating blanket.*
- *I put black plastic on some windows and thermal curtains in some windows during the summer of 2012.*
- *I put plastic over our windows in the winter.*
- *I put solar vents near the ground around my house for moisture control and it ended up saving electricity.*
- *I quit cooking.*
- *I recaulk certain windows every spring or fall.*
- *I replaced one door on my house that was not insulated.*
- *I replaced our nighttime lights with solar-powered lights.*
- *I replaced some exterior doors.*
- *I run appliances such as the washer, dry and dishwasher at night.*
- *I started turning the porch light off at night back in October 2012.*
- *I unplug things when I am gone for the weekend. I turn my computer completely off at night.*
- *Since summer of 2012, I keep chargers unplugged when not in use.*
- *I purchased an energy-efficient Apple laptop for my daughter to use at college.*
- *I replaced the rubber threshold gasket for an outside door.*
- *I replaced windows.*
- *I replaced windows in January 2013.*
- *The landlords installed a larger cooling unit for the apartment complex which has actually reduced the amount we spend on cooling.*
- *We are using blackout curtains on the side of the house where sun shines.*
- *We bought a new washer and dryer in March 2013.*
- *We bought a new washing machine.*
- *We bought a new water heater.*
- *We built an additional room that has energy efficient windows.*
- *We got a new energy reducing air conditioning unit. We installed low flow toilets in the house. We also have energy or water saving sinks.*
- *We got CFL candelabra bulbs.*
- *We have a heat pump for both floors, and I shut it off the upstairs unit in Dec 2012/Jan 2013.*
- *We have installed CFL and LED light bulbs.*
- *We installed two low-flow toilets.*
- *We put in new energy efficient windows before we began receiving the reports.*

OFFICIAL COPY
Mar 04 2015

- *We replaced our heating and air conditioning units. There are two sets, one for upstairs and one for downstairs.*
- *We sealed our windows.*
- *We switched from regular electric heaters to infrared heaters.*
- *We use air-blocking curtains in doorways between rooms. We use space heaters to supplement heating.*

Questions 22 through 28 were asked after reading the following statement: "*The following questions ask you to tell us if you did anything in a particular category. We may ask you to duplicate some information you already gave us, but please do tell us again because we want to get more details in each category.*" Thus, some of the actions listed below duplicate actions already reported as influenced by the program's tips and messages. Customers were also asked to rate the influence of the program on the actions taken below, which is shown in Figure 20.

22. Since receiving your first Home Energy Report, did you take any steps to reduce the amount of energy used by your home appliances, such as removing a second refrigerator or upgrading old appliances? What have you done? Anything else?

- *We have all brand new appliances at both trailer homes.*
- *Although I have been using appliances such as the dishwasher, dryer and washer in the evening for many years, I have become more conscious and have increased this action due to receiving the reports.*
- *I don't cook as much; we are doing more grilling out and eating sandwiches.*
- *We got an Energy Star refrigerator.*
- *I got a new dryer.*
- *We are heating less of the house by shutting off the rooms we aren't using.*
- *I am purchasing a new Energy Star dishwasher today or tomorrow.*
- *I began unplugging many major appliances.*
- *I began using cold water more often in the clothes washer. I set a minimum dry time on the dryer. We replaced the dishwasher with a much more energy efficient model and one that wasn't leaking water all over the place. I also always the energy saving setting, so that it shuts off after the rinse cycle and before the dry cycle, allowing the plates to drip dry.*
- *I bought a more efficient refrigerator.*
- *I bought a new stove.*
- *I bought a new washer and dryer.*
- *I do my dishes by hand because I live alone, but I am wondering if it would be better if I just waited until my dishwasher was full and then ran the dishwasher.*
- *I got a new energy-efficient stove and refrigerator.*

OFFICIAL COPY
Mar 04 2015

- *I got a new Energy Star oven and range. I vacuumed the back of the refrigerator. The new oven I purchased has two ovens, of which one is small. I don't need to warm up a large oven each time I use the oven.*
- *I got a new refrigerator. I do wash less frequently. I used to do wash daily and now I do it once a week.*
- *I got a smaller oven which I use whenever possible. We have two right now.*
- *I got rid of a fridge that was in the garage. I bought a new fridge and replaced the one in my kitchen. I purchased a new washer and dryer to replace my old ones.*
- *I got rid of a second freezer. I upgraded the refrigerator and the stove. I reduced the amount of wash I'm doing to once a week and have upgraded the washing machine to a more energy efficient model.*
- *I have reduced my clothes dryer usage. I clean my clothes dryer ducts regularly. I minimize microwave usage.*
- *I keep my dryer unplugged until I am ready to use it. I unplug my microwave when not in use.*
- *I limit my use of the washer and dryer by only doing full loads.*
- *I made efforts to minimize appliance use.*
- *I make sure the fridge is closed tight, sometimes the seal doesn't connect unless you push on the door to make sure it's sealed.*
- *I never use the drying option on the dishwasher, I always let them air dry.*
- *I now unplug the toaster and coffee maker when I don't need them.*
- *I purchased a new Energy Star deep freeze and refrigerator. I try to use the microwave as much as possible instead of using the oven.*
- *I purchased a new refrigerator and stove.*
- *I purchased a new refrigerator, which is Energy Star-rated.*
- *I purchased a new super efficient washer and dryer and a super efficient dishwasher.*
- *I purchased an Energy Star washer and dryer.*
- *I quit using my stove so much and starting using my microwave and outdoor grill more.*
- *I reduced my clothes dryer use.*
- *I reduced my clothes washer use.*
- *I removed a second refrigerator.*
- *I replaced our old fridge and freezer with new energy efficient appliances.*
- *I replaced our old washer and dryer with newer energy efficient appliances.*
- *I replaced the clothes washer with one that uses less electricity and less water.*
- *I stopped using our extra refrigerator. I cleaned it out, turned it off, and unplugged it.*
- *I traded with my brother for a smaller chest freezer.*
- *I try to keep the refrigerator closed.*
- *I turned down the refrigerator. I stopped using my dishwasher.*
- *I unplug the microwave when it's not in use.*

OFFICIAL COPY
Mar 04 2015

- *I unplug the appliances when I don't need them.*
- *I unplug the smaller appliances, like the toaster and microwave, when I don't need them.*
- *I unplugged a small second refrigerator.*
- *I upgraded appliances. I bought a new fridge, dishwasher, microwave and stove.*
- *I upgraded my microwave.*
- *I upgraded the fridge and bought a new one.* (N=2)
- *I installed a new Energy Star refrigerator.*
- *I installed a new high-efficiency stove.*
- *I installed an Energy Star dishwasher and washing machine.*
- *I installed a new Energy Star dishwasher and washing machine.*
- *I've reduced my laundry loads from four times per week to just two or three times per week.*
- *I unplug anything I'm not using, including the washer and dryer.*
- *We got a new dishwasher.*
- *We got a new dishwasher; the brochure claims 'outstanding savings' on energy use, but it takes longer to complete a cycle.*
- *We have a new energy-saving fridge.*
- *We got a new fridge and new stove.*
- *I had a new refrigerator installed in November or December 2012*
- *We have a new washer.*
- *We have a new washer and dryer and a new microwave, which are all energy efficient.*
- *I have priced replacement appliances, and hope to start replacing them this year if I can be called back to work. We are using the stovetop less and crock pot more. We don't use the dishwasher anymore.*
- *Reduced dishwasher use.*
- *I replaced my refrigerator with a more efficient model about a year ago, and we are unplugging more appliances.*
- *The stove was removed; I am a renter. I use the microwave and toaster oven in place of the stove. The door had become loose and rats ate through some wiring and it caught on fire.*
- *I unplugged the garage refrigerator.*
- *We unplugged our second refrigerator and freezer.*
- *We unplugged the toaster and blender.*
- *We upgraded our stove and refrigerator.*
- *We upgraded our refrigerator, freezer, and A/C.*
- *I upgraded all of the kitchen appliances, which includes the refrigerator, range, and dishwasher.*
- *We upgraded to an energy efficient refrigerator and dishwasher. When I cook, I use the medium-high setting for smaller pans.*

OFFICIAL COPY
Mar 04 2015

- *We are upgrading appliances with a new washer and dryer and refrigerator.*
- *We bought a new stove and dishwasher.*
- *We bought a new stove and refrigerator.*
- *We bought a new washer and dryer.*
- *We bought a new washing machine.*
- *We got a new fridge and cookstove to replace the old ones.*
- *We got a new refrigerator.*
- *We got rid of the hospice stuff after the death of my father in May 2013: electric bed, air mattress, oxygen machine, etc.*
- *We installed a new Energy Star refrigerator.*
- *We purchased a new washer, dryer and freezer. All of these are energy efficient.*
- *We removed a second refrigerator.*
- *We removed our hot tub.*
- *We replaced a dishwasher with a high efficiency one. We replaced our washer and dryer with high-efficiency ones.*
- *We stopped using the oven as often. We use the toaster oven when possible instead. I began using the sensor-dry setting on the dryer. I began to wash laundry in cold water.*
- *We unplug appliances that we don't use often.*
- *We upgraded and got new appliances: a toaster oven and coffee pot. I don't use the toaster oven or oven very often, I use an electric frying pan instead. I placed the coffee pot a timer so it would turn off by itself.*
- *We upgraded the kitchen refrigerator, and we unplugged the one in the basement that we are not using.*
- *We upgraded our fridge.*
- *We upgraded our refrigerator to an Energy Star one.*
- *We upgraded our refrigerator. We starting unplugging all the appliances we're not using that we can, like the coffee maker.*
- *We upgraded our washer and dryer.*
- *We upgraded the refrigerator to an Energy Star one.*
- *We use our appliances less than we used to. We purchased a high efficiency dishwasher.*

22f. Did you do anything that might have <u>increased the energy usage by your appliances</u>? An example of increasing your home appliance energy use would be to add another appliance, such as a new freezer. What have you done? Anything else?

- *We added an additional refrigerator in the basement, but it's less than five years old.*
- *Due to house guests this summer, we are using an additional appliance, a small freezer.*
- *We have an extra three to four kids in the home. We added a small refrigerator.*
- *I bought a second freezer. I built a pond that includes a water pump.*

OFFICIAL COPY
Mar 04 2015

- *I bought a space heater.*
- *We increased our use of washer and dryer, since we are now on city water instead of sharing a well.*
- *We installed a hot tub in May 2013.*
- *Our family grew by two people since November. We adopted a 6 year old and an 8 year old child.*
- *We are planning on buying a chest freezer and are making comparisons. I have noted that chest freezers are more efficient than upright freezers.*
- *We added an Energy Star deep freezer.*
- *We bought a small chest freezer at the same time we got the new fridge.*
- *We bought an extra freezer.*
- *We have a new baby in our home. Every facet of our energy use has increased.*
- *We have a new baby in our home. Our laundry usage has increased.*
- *We have been storing an extra refrigerator which had been plugged in.*
- *We recently purchased a chest freezer for the garage, but it's Energy Star.*
- *We wash more clothes now.*

23. Since receiving your first Home Energy Report did you take any steps to reduce the amount of energy used to cool your home? What have you done? Anything else?

- *A new cooling unit was installed for my apartment complex. I've been trying to regulate and keep the cooling at a slightly warmer temperature than I used to, by one or two degrees.*
- *We added insulation.*
- *I had a new heat pump installed in August 2012.*
- *I caulked around windows and doors. I'm also using an aftermarket metering system, watching to reduce spikes in use and pinpointing what uses the most energy.*
- *I closed the blinds on nine windows to reduce sunlight. Using ceiling fans more instead of A/C. Replaced the A/C core inside the house that had been malfunctioning for the previous two years.*
- *I eased the programming for the thermostat; raised the temperature from 72 to 74 when I'm at work.*
- *We got a new A/C.*
- *I raised the temperature on the thermostat from 70-72 degrees to 74-75 degrees. I close the window curtains to prevent the sun coming in in the summer in order to keep the house cooler.*
- *I added a ceiling fan and an attic fan.*
- *I added thermal window coverings.*
- *I adjust the temperature when leaving the house, even for a few hours.*

OFFICIAL COPY
Mar 04 2015

- *I adjusted the temp up for the air conditioner.*
- *I adjusted the temperature to be 2-3 degrees warmer.* (N=2)
- *I am in the process of replacing the HVAC.*
- *I am using the heat pump even less.*
- *I bought under-door air blockers.*
- *I change my HVAC filters monthly. I sealed and insulated my doors and windows.*
- *I change the filters in the air conditioning unit.*
- *I close the shades on hot days to keep the house cooler.*
- *I delay using my A/C until I have to, though I have been doing this for years. I use ceiling fans in place of using the A/C when possible, but again I have been doing this for years. I don't bother cooling the upstairs of my home because I usually spend my time downstairs.*
- *I encourage my wife to close the door so cool air does not escape when she heads outside to sit on the porch. I turned the thermostat up.*
- *I got a new cooling unit, it's electric.*
- *I had Freon added to my A/C. I weather stripped doors and windows.*
- *I had new windows installed.* (N=2)
- *I had the heating and cooling ducts checked for breaks, gaps, and seals to make sure there were no places the cooling was leaking out.*
- *I installed a new heating and cooling unit.*
- *I installed a smaller window A/C unit. I use that instead of using central air.*
- *I installed window shades and we have them down in the daytime to reduce how much the house heats up.*
- *I keep doors closed. I switched from halogen bulbs to CFLs, which generate less heat.*
- *I keep my thermostat set at 72 degrees to 74 degrees. I try to not switch it.*
- *I keep the house a little warmer than I used to in the summer.*
- *I keep the thermostat at a constant temperature.*
- *I limit the usage of the cooling by turning it off at night and I open the windows for natural cooling.*
- *I make sure that I don't leave the A/C running when I'm not home.*
- *I now have a programmable thermostat and use it according to my lifestyle.*
- *I now turn the temperature up to 72 during the day. I started keeping blinds closed to keep the cool in.*
- *I only use the air conditioner in the room that I am in, though I have air conditioners in several rooms.*
- *I purchased a new Energy Star A/C unit. I close the air vents in rooms we are not using and shut the doors. I set the temperature one degree higher.*
- *I purchased a new super efficient air conditioning/heating unit combo.*
- *I purchased an Energy Star A/C unit.*
- *I put a fan in the window, so I don't have to use an air conditioner.*

OFFICIAL COPY
Mar 04 2015

- *I raised the temperature on my air conditioner, so it would run less.*
- *I replaced my central A/C unit.*
- *I replaced some doors. I put foam around the windows. I purchased a new window unit, a more energy efficient model.*
- *I replaced windows.*
- *I run my ceiling fans to help keep my home cool. This has resulted in not having to use the A/C at such a low temperature. I change the A/C filters monthly. I adjusted my thermostat from 70 degrees up to 73 degrees during summer.*
- *I set my thermostat at more consistent temperatures.*
- *I set my thermostat more conservatively.*
- *I stopped running the air conditioner.*
- *I try to just keep the thermostat set to one constant temperature. If I do adjust the temperature, it is by only one or two degrees.*
- *I turn off the A/C and close the window shades before I leave the house. I participate in Power Manager. The upper level of the house has a separate cooling unit which is only on when needed.*
- *I turn up the thermostat to about 75 when I can stand it. I caulked around the windows.*
- *I turned up the temperature to 73 from 69 to 70 and locked it; I don't let anybody touch it now.*
- *I upgraded the A/C unit to a higher efficiency one.*
- *I use three ceiling fans to circulate the air from the air conditioner and heater.*
- *I use the programmable thermostat to adjust the temperature in the house according to my work schedule.*
- *I'm using ceiling fans more instead of turning the A/C up.*
- *I increased thermostat setting from 77 to 79 or 80.*
- *I increased the thermostat temperature in summer from 72 to 76. Using upstairs heat pump about 40% less.*
- *I installed a fan in the attic that is solar powered in winter 2012*
- *I installed a new heat pump.*
- *I installed a new heat pump in June 2012.*
- *I installed a new heat pump in Sep or Oct 2012.*
- *I installed an energy efficient window air conditioning unit in the bedroom.*
- *I've adjusted the lowest temperature by two degrees, making it slightly warmer in my home. I've scheduled regular maintenance for the cooling unit and change the filters regularly.*
- *I've been keeping the home warmer this summer.*
- *I've been turning the A/C off when I'm not there.*
- *I've had the cooling unit serviced to make sure it is running efficiently.*
- *I've raised the temperature on the cooling when I will be out or away for a while.*

OFFICIAL COPY
Mar 04 2015

- *I've reduced air conditioning use. I'm pulling the shades more in order to keep the house cool as long as possible during the hottest part of the day.*
- *I keep the thermostat at a constant temperature. I installed outlet gaskets. I am using the blinds to close off daytime sun.*
- *I keep my A/C set at a steady temperature.*
- *We've got a new A/C.*
- *We have a new energy saving A/C.* (N=3)
- *We have a new heat pump and central air system. We installed a programmable thermostat.*
- *Our A/C wasn't keeping the house as cool as it should, so we had someone fix the A/C. It's running a lot less than it used to and keeps the house much cooler.*
- *We are putting up blackout curtains.*
- *We replaced the A/C with a new energy saving A/C.*
- *We routinely change air filters and have an annual HVAC inspection and tune-up.*
- *We turned our thermostat up a few degrees, from 70 to 75. We watch to make sure the A/C isn't on when we're out of home, trying not to cool when nobody is home.*
- *I turned up the thermostat from 74 to 76. Using ceiling fans in the summertime.*
- *I use my ceiling fans and use less A/C.*
- *We are using less air conditioning.*
- *We adjusted the temp up to 72, from 69 or 70.*
- *We are keeping the A/C set a little higher*
- *We are replacing worn out weather stripping around the doors.*
- *We change our filters more frequently now.*
- *We change the filters and have maintenance service done on the A/C unit.*
- *We changed the temperature on the thermostat to be closer to the outdoor temperature.*
- *We discontinued using our inefficient central A/C in favor of three window units. We installed new windows.*
- *We don't use the A/C as much.*
- *We had coolant added to our central A/C unit.*
- *We had maintenance performed on our heat pump.*
- *We had our A/C compressor replaced.*
- *We have a dual system A/C and one of the units broke. We are getting that replaced the first week of June.*
- *We increased our thermostat temperature by two degrees.*
- *We installed a new A/C in the upstairs.*
- *We installed a new storm door. We've been increasing the temperature, so it doesn't cut on as much.*
- *We installed new windows. We added crawlspace and attic insulation.*

OFFICIAL COPY
Mar 04 2015

- *We installed two new high efficiency A/C units, one for upstairs and one for downstairs. We upgraded the efficiency of the units from 80% to 92%.*
- *We moved the location of our thermostat so it would no longer cue unnecessary heating and cooling.*
- *We purchased a new air conditioning unit. I try to keep the window curtains closed in the summer.*
- *We put weather stripping around the doors and I am doing the windows.*
- *We raised our A/C setting by three or four degrees.*
- *We raised the thermostat two degrees higher in the summer.*
- *We raised the thermostat up to 76 from 72 degrees.*
- *We replaced an A/C unit with a higher efficiency one.*
- *We run our A/C less often.*
- *We sealed our windows and doors. I try to keep the thermostat at a higher setting.*
- *We try not to run the A/C as much as we used to.*
- *We turn off the air conditioning and open windows and use fans to help cool the house.*
- *We turned up the thermostat.*
- *We use all of our ceiling fans. We change our filter on the heat pump according to manufacturer's recommendation. We keep our thermostat set at 77 degrees.*
- *We use the ceiling fans more often to aid cooling.*
- *We wait longer to the A/C on than before.*
- *We will open the windows and use fans on days that are not too hot. We insulated the windows by caulking around them.*
- *We've been turning the temperature up to 75. We had 40 new windows installed.*
- *We've raised the temperature for the cooling by three to five degrees.*

23f. Did you do anything that might have <u>increased the energy used to cool your home</u>? An example of something that might increase your energy use is to purchase a larger AC unit, as opposed to a new one of similar size. What have you done? Anything else?

- *Due to house guests, we are using our air conditioners more often and at a lower temperature.*
- *I had to cut some trees, and now more sun beats down on the house.*
- *I lowered the temperature on the thermostat. I work at a place that is very hot and sticky, so when I come home I need to cool off. I am also going through menopause complete with hot flashes, so I turn the temperature down then also.*
- *We added a small portable A/C unit in one room.*
- *We got a new window A/C unit, so now we have three instead of two.*
- *We started setting the thermostat quite low, 68 degrees.*
- *We have a new baby in our home. Every facet of our energy use has increased.*
- *We have a new baby, so we lowered the thermostat setting for summer from 76 to 74.*

OFFICIAL COPY
Mar 04 2015

- *We run the A/C more often due to the increase in the number of people living in the home. Our family grew by two people since November; we adopted a 6 year old and an 8 year old child.*

24. Since receiving your first Home Energy Report did you take any steps to reduce the amount of energy used to heat your house? What have you done? Anything else?

- *I added insulation. We got a new heating/cooling system: a heat pump. We also installed a wood stove.*
- *Again, I adjust the temperature when I leave. I'm now using a space heater where needed, since last fall.*
- *We had a new heat pump installed in August 2012.*
- *I caulked around windows and doors. I'm also using an aftermarket metering system, watching to reduce spikes in use and pinpointing what uses the most energy. I found the blower motor uses a surprising amount of electricity, even with gas heat.*
- *I got a different heater.*
- *I added thermal window coverings.*
- *I adjusted the temperature to be two or three degrees warmer.*
- *I am changing our furnace air filters bi-monthly.*
- *I am in the process of replacing the HVAC.*
- *I began using the propane artificial log to take the chill out of the house in the winter rather than warming up the entire house.*
- *I bought a small space heater to heat the room I'm using at the time.*
- *I bought under-door air blockers.*
- *I caulked around the windows. I turn down the thermostat to 70 or 71 most of the time, sometimes 68.*
- *I change my HVAC filters monthly. I sealed and insulated my doors and windows.*
- *I change the furnace air filter more frequently than I used to.*
- *I close the air vents in rooms we are not using and shut the doors. I close the shades to keep heat in during the winter. I close the air vents in rooms we are not using and shut the doors.*
- *I encourage my wife to close the door so warm air does not escape when she heads outside to sit on the porch. I bought and run a small electrical heating unit to heat smaller areas so I don't need to run the heat as high.*
- *I had new windows installed.* (N=2)
- *I had the heating and cooling ducts checked for breaks, gaps, and seals to make sure there were no places the heating could leak get out.*
- *I have been keeping the heat off as much as possible.*
- *I have been using my fireplace more. Turning down the heater to 67 or 68 degrees.*
- *I installed a new heating and cooling unit.*

OFFICIAL COPY
Mar 04 2015

- *I installed and use a propane fueled wall heater fireplace.*
- *I installed window shades. It helps to have them down in the evenings to keep heat in and cold out.*
- *I keep my thermostat set at 68 degrees and try not to change it.*
- *I keep the thermostat at a constant temperature.*
- *I lowered the thermostat.*
- *I now have a programmable thermostat and use it according to my lifestyle.*
- *I open the window shades to allow warming sunlight into the house. The upper level of the house has a separate heating unit which is only on when needed.*
- *I purchased a new super-efficient air conditioning and heating unit combo.*
- *I replaced my furnace.*
- *I replaced the furnace, the heat is now natural gas. We've zoned an area of the house which is only used when our kids are home from college. That area of the home is only heated or cooled when they are here.*
- *I replaced windows.*
- *I set my thermostat at more consistent temperatures.*
- *I try to just keep the thermostat set to one constant temperature. If I do adjust the temperature, it is by only one or two degrees.*
- *I turn the heat down at night. I also zone the heating in the house by turning it down in rooms I don't use as often.*
- *I upgraded the heating unit, a gas furnace, to higher efficiency one.*
- *I use three ceiling fans to circulate the air from the air conditioner and heater.*
- *I use a low voltage space heater rather than turning up the heat in the winter.*
- *I use the programmable thermostat to adjust the temperature in the house according to my work schedule. I use fans to circulate the heat in the house.*
- *I weather stripped doors and windows.*
- *I'm using the wood fireplace insert with a blower and with a temperature shut off. I shut off rooms I'm not using.*
- *I'm wrapping up in a blanket and I'm not turning up the temperature as high.*
- *I installed outlet gaskets and keep the house at a constant temperature.*
- *I installed a new heat pump.*
- *We installed a new heat pump in September or October 2012.*
- *I've been keeping the house a little cooler than I used to, by about two to six degrees, depending on the outside temperature.*
- *I've had the cooling unit serviced to make sure it is running efficiently.*
- *I've lowered the temperature on the heating when I will be out or away for a while.*
- *I've reduced the heat by two or three degrees.*
- *I've reduced use of some of my portable heaters. I've been turning the temperature down on my portable heaters.*

OFFICIAL COPY
Mar 04 2015

- *I've scheduled regular maintenance for the cooling unit and change the filters regularly. I've adjusted the highest temperature by two degrees, making it slightly colder in my home.*
- *I keep my heat set at a steady temperature.*
- *Most of the time, I'm only heating the rooms we are using. I close the vents off to the other rooms. The heat is not working right; the thermostat can't be set right.*
- *We had a new furnace installed in February 2013.*
- *We have a new heat pump and a programmable thermostat.*
- *We reduced the thermostat from 70 or 72 to 68 for winter.*
- *We reduced the thermostat from 74 to 72, and use gas logs for heat.*
- *We reduced the thermostat setting from 77 to 74 or 75, and are using gas logs more for heating.*
- *We replaced door threshold gaskets and did sealing around windows to reduce drafts.*
- *We replaced most of the doors last Christmas.*
- *We replaced the roof about 6 months ago.*
- *We replaced windows in the kitchen, and added insulation to an outside wall. Also blew in insulation under floor and in walls.*
- *We sealed the crawlspace and added more insulation in May 2013.*
- *Someone had connected the thermostat incorrectly to the heat pump so I had that fixed, which lowered my bill.*
- *We stopped using the fireplace. I signed up with a Piedmont Natural Gas program; part of their plan is to come out four times per year to monitor gas usage and suggest changes that can be adopted in the same season. I am changing furnace filters every 30 - 35 days instead of every three months.*
- *The gas pack broke on our heat pump last December.*
- *There was a drafty room, so I sealed it up tight.*
- *We added a propane gas fireplace insert last November or December.*
- *We added energy-efficient heating stoves in October 2012.*
- *We adjusted the temperature down from 76 or 77 to 72.*
- *We adjusted the thermostat so it would not turn on as early as we had it. We sealed windows and keep doors closed.*
- *We are replacing worn out weather stripping around the doors.*
- *We are using space heaters instead of using the gas heater. We put weather stripping around the doors and I doing the windows.*
- *We change the filters more frequently.*
- *We discontinued using our inefficient oil furnace in favor of space heaters. We installed new windows.*
- *We don't heat upstairs as much and use more blankets instead.*
- *We don't run the heat as much as we used to.*

OFFICIAL COPY
Mar 04 2015

- *We don't use as much heat.*
- *We had maintenance performed on our heat pump.*
- *We have a heat pump for both floors, and I shut it off the upstairs unit in December 2012 or January 2013.*
- *We installed 40 new windows.*
- *We installed a heat pump.*
- *We installed a new storm door.*
- *We installed electric fireplaces in all rooms to heat the home.*
- *We installed liners behind outlets to stop air from getting in or out. I turn the temperature down to 67 or 68.*
- *We installed new windows. We added crawlspace and attic insulation.*
- *We installed two new high-efficiency heating units, one for upstairs and one for downstairs. We upgraded the efficiency of the units from 80% to 92%.*
- *We insulated the windows by caulking around them. I unplugged the space heaters; I have three or four space heaters. We added blankets to the bed.*
- *We keep the heat really low in the winter, we keep it as cold as we can stand it, sometimes around 50 degrees.*
- *We moved the location of our thermostat so it would no longer cue unnecessary heating and cooling.*
- *We reduced our heat setting by three or four degrees.*
- *We sealed our windows and doors. We use space heaters instead of turning the heat up on the thermostat.*
- *We set our thermostat at a consistent temperature.*
- *We switched to infrared electric heaters.*
- *We turned the thermostat down.* (N=2)
- *We use Amish heaters; we have been doing this for a few years. They use about nine cents-worth of power per hour. We turned down the thermostat by a few degrees.*
- *We weather stripped the windows and used plastic sheeting in winter.*
- *We've reduced the temperature on the thermostat and now use an infrared space heater in the spaces we occupy more often.*

24f. Did you do anything that might have <u>increased the energy used to heat your home</u>? An example of a change that would increase the energy used is if you purchased a larger heat pump. What have you done? Anything else?

- *I began using a space heater due to health concerns.*
- *I did not change my air filters as often as recommended.*
- *I had three extra fans running last June, but I stopped using them in September.*
- *I kept the heat higher than normal.*

OFFICIAL COPY
Mar 04 2015

- *I opened up areas of the house to be heated. A bedroom that was closed off before to save energy is now in use.*
- *Our heat pump had a Freon leak which made it run inefficiently.*
- *We have a new baby in our home. Every facet of our energy use has increased.*
- *We switched to electric heaters after our furnace broke down. We have three.*
- *We use a space heater in addition to the heat pump.*
- *With the new baby, we increased the winter temperature from 66 to 68.*

25. Since receiving your first Home Energy Report did you take any steps to reduce the amount of energy used to light your home? What have you done? Anything else?

- Install CFLs (in general) (N=77)
- Install CFLs (in general) AND turn lights off (N=19)
- Install CFLs received from Duke Energy (N=13)
- Install CFLs received from Duke Energy AND turn lights off (N=8)
- Turn lights off / use less light (N=12)
- Replacing incandescent bulbs with CFLs only as they burn out (N=4)

- *I had received the free CFLs from Duke over a year ago and didn't install them, but then I read about them in the Energy Report so I switched most of the lights. Though I didn't do the candelabra lights in the ceiling fan because those curls would be too ugly.*
- *We changed as many bulbs as we could to CFLs when we received bulbs from Duke Energy last August. We've been turning off a lot more lights when we're not in the room. We no longer use the overhead lighting; they use different bulbs than the CFLs.*
- *We began using the CFLs that were sent to us by Duke. We started using lamps instead of using the ceiling lights which use one bulb instead of two.*
- *I purchased a few energy efficient lamps. We replaced standard bulbs with the CFLs that Duke supplied. We open the window shades to let the light in instead of turning on lights.*
- *I use a timer on my lamps. I use the CFLs that Duke sent to me.*
- *We are more attentive to turning off lights. We reduced the wattage of incandescent bulbs, from 100 to 75, from 75 to 60, and from 60 to 40.*
- *We started using CFLs, but then stopped after learning about the mercury content and the dangers involved if they broke. We turn off lights when not needed. We open our blinds to make use of natural light rather than turning on a light. We also cleaned the windows.*
- *I bought three CFLs which I installed in fixtures where the bulb was not visible. I don't like the way the CFLs look or that they have mercury in them. Also, I want to buy USA-made bulbs.*

OFFICIAL COPY
Mar 04 2015

- *We continue to replace standard bulbs with CFLs. We installed motion detection outdoor lights replacing standard lighting that was left on at night. We removed our landscape lighting and switched our outside Christmas lights to LEDs.*
- *We have installed CFL and LED light bulbs.*
- *We installed two LED bulbs in two motion detector flood lights outside.*
- *We're switching to LEDs.*
- *We're using both CFLs and LEDs - about 70% CFLs, 20% LEDs, and 10% incandescent or halogen bulbs.*
- *We are adding CFLs and LEDs.*
- *I purchased a pack of LED bulbs.*
- *I'm using about five LEDs in my home now.*
- *I installed CFLs in five rooms, or 11 or 12 bulbs total. I am asking wife to turn off lights that aren't in use. Using LEDs for night lights.*
- *Most all of my lights are now LEDs.*
- *I continue to replace standard bulb with CFLs and plan on using LEDs.*
- *I installed more CFLs in the house; we went from 40% to 80% usage in fixtures. The remaining fixtures are on dimmer switches or lit by LED bulbs. I put the outside lighting on a motion detector, rather than switching them on and forgetting to turn them off.*
- *I utilize ten "d.light" brand solar lights.*
- *I went to the newer, low-energy light bulbs.*
- *When I buy light bulbs I make sure to compare the amount of energy used.*
- *I follow the kids through house to tell them to turn off lights.*
- *I encourage my wife to turn the lights off when she leaves the room.*
- *I've been making the kids turn off the lights when they're just watching TV.*
- *I began using an auto-timer for my lighting. I began to use CFLs.*
- *I keep the lights by the pool and down by the lake off and I have the front lights on a timer so they're only on two hours a day.*
- *I now have the exterior lights on a timer to shut off at midnight so they are not burning electricity all night long.*
- *I replaced most of my standard bulbs with CFLs, though I still use fluorescent in some of my fixtures. I use natural light from the windows to light my home during the day.*
- *I use lamps instead of overhead lighting. I switched to CFLs in all fixtures.*
- *Installed CFLs in ten fixtures and have a lot of halogens. Three-quarters of my screw-in fixtures are now CFLs.*
- *I am installing CFLs. I have installed a sensor so that my porch light will turn on only if there is motion.*
- *I've been using energy-efficient light bulbs. I turn off more lights and don't have all kind of lights running for no reason. I installed motion detectors on the outdoor lights.*
- *I turn off lights when not needed and use small light instead of overhead light.*

OFFICIAL COPY
Mar 04 2015

- *We are using night lights in bathroom and kitchen.*
- *We changed out many more light bulbs to CFLs, including outside. We changed to a lower watt bulbs, as well.*
- *We continue to use CFLs. We installed fluorescent bulbs in our kitchen.*
- *We installed additional CFLs. We reduced the number of light fixtures.*
- *We turn lights off when they're not needed. We have reduced the number of bulbs installed in our light fixtures.*

25f. Did you do anything that may have increased the amount of energy used to light your home? An example of increasing energy used to light your home would be adding new inside light fixtures or outdoor flood lights. What have you done? Anything else?

- *Due to house guests our lights are being used more often. Our house guests live upstairs, which is a part of the house that is only used when we have house guests.*
- *Due to macular degeneration, I now use higher wattage light bulbs. I used to use 40 watt bulbs but now I use 100 watt bulbs in the kitchen and bedroom. I am unable to reach the other fixtures so they still have 40 watt bulbs in them.*
- *I had the basement wired for lighting; it is almost finished with a basement rec room and home theater.*
- *I added outdoor flood lights that have motion detectors.*
- *I installed new floodlights, but hardly ever use them.*
- *I installed two motion sensor flood lights in September 2012.*
- *I keep my outside light on at night.*
- *I put lights in one of my restrooms.*
- *We have more people in the home, so use more lighting.*
- *Our family grew by two people since November. We adopted a 6 year old and an 8 year old child.*
- *I am using brighter lights for reading newspapers.*
- *We have a new baby in our home. Every facet of our energy use has increased.*

26. Since receiving your first Home Energy Report did you take any steps to reduce the amount of energy used by home computers or electronics? What have you done? Anything else?

- Turn electronics off when not in use (units not specified) (N=16)
- Turn computers off when not in use (N=20)
- Turn TVs off when not in use (N=3)
- Unplug chargers when not in use (N=3)
- Unplug items that use standby power (N=9)
- Turn electronics off using power strips (N=8)

OFFICIAL COPY
Mar 04 2015

- *Everything is charged once, and I use a car charger for some things.*
- *We got an energy-saving flat screen TV for Christmas.*
- *We got an energy-saving TV.*
- *We got newer computers.*
- *I began using the sleep mode on my computer.*
- *I got a "K-bar" unit to cut down on energy use.*
- *I got a new cell phone that is more energy efficient than the last one.*
- *I got a new plasma TV that is energy efficient which replaced an older TV.*
- *I make sure that everything is turned off when not in use. I cut back on how much TV I watch.*
- *I make sure the vents on the hard drive are free of dust to stop the computer from continually running the fan. We started to shut down my husband's computer completely when he's not home.*
- *I purchased a new laptop that is more energy efficient than my last computer.*
- *I purchased a new flatscreen TV. I watch TV less than I used to.*
- *I replaced an old TV with a flat screen one.*
- *I replaced my desktop computer with a laptop.*
- *I shut off my old desktop and laptop computers which used to run constantly. I turned my television off at night which used to run constantly.*
- *I things when they are not in use, like the toaster, microwave, and phone chargers.*
- *I turn my computer off at night. I won't run the TV and radio at the time.*
- *I turn off the cable box when not needed. We shut our computers down over the weekend.*
- *I unplug some electronic items when they're not being used. I bought a more efficient laptop computer.*
- *I use a power strip which I turn off at night. I got rid of an old TV. We don't leave peripherals, such as cell phones, plugged in.*
- *I use the "Power Saver" option on my computer.*
- *We have a new TV which is supposed to be energy efficient.*
- *Our computers are Energy Star and we turn them off when not in use. We turn all electronics off completely when not in use.*
- *I rebuilt two home computers with newer parts.*
- *I stopped using my desktop machine which had been running all the time as a server. I've now gone with a cloud-based system and a laptop. Also changed from CRT to LED television; our new unit is an Energy Star.*
- *The computers and gadgetry gets used less often since my kids aren't home as much.*
- *We upgraded the living room TV, from an older big screen to a newer flat screen. We also stopped using a 30-gallon fish tank and equipment.*

OFFICIAL COPY
Mar 04 2015

- *I am using a timer on the TV to turn it off if I fall asleep while watching. I replaced two TVs with energy-saving flat screen TVs. We got rid of control boxes from the cable company which the new TVs did not need; those boxes also use energy.*
- *We are not using the Internet anymore. We are not watching as much TV as we used to.*
- *We changed out two old TVs for two energy efficient TVs.*
- *We changed the power setting to energy saving mode on our computer and TV.*
- *We cut down on using the computer.*
- *We got an energy efficient TV.*
- *We got an LED flat screen TV eight or nine months ago.*
- *We got rid of a desktop computer that had stayed on 24/7.*
- *We have reduced our television and internet usage.*
- *We have reduced the amount of electronic gadgetry.*
- *We now have fewer people living in the house and are therefore using less electricity.*
- *We reduced our television and computer use.*
- *We replaced all of our previous TVs with flat screen TVs, which use less power.*
- *We replaced our old TV with an energy-efficient one.*
- *We replaced three TVs with more energy efficient models.*
- *We started using the sleep mode on our computers. We unplugged the chargers on our cell phones when we are not charging them.*
- *We turn off computers all the way now. We unplug our cable box at night now.*
- *When not in use, I turn the computer completely off. I'm using the timer on my TV.*

26f. Did you do anything that may have <u>increased the amount of energy used to power your home computer or electronics</u>? An example would be if you purchased another TV or computer. What have you done? Anything else?

- *I added a server and other computer equipment.*
- *We added an extra TV.*
- *We have an additional stereo, computer, TV, etc.*
- *We now have four more people and two game systems.*
- *I got a new cell phone for my stepson.*
- *I added three TVs, but am not sure if it was before or after we started receiving Energy Reports. I also added another computer, but am also not sure if it was before or after the first report.*
- *I added a wi-fi box.*
- *I bought a plasma television.*
- *I have added a small TV, but this probably saves energy because it's in my bedroom and I'm not up burning all the lights in the living room.*
- *I have increased my electronics usage because I'm home more often.*

OFFICIAL COPY
Mar 04 2015

- *I installed a larger TV.*
- *I purchased a laptop computer.*
- *I started using a space heater.*
- *I installed two TVs with a surround sound system in the basement den.*
- *My son bought a new television. We now have two large herpetariums.*
- *We are using more electronic gadgetry such as laptops, phones, etc.*
- *We bought three tablet computers.*
- *We bought a larger television.*
- *We bought a Wii to watch Netflix on. My brother was living with us for a while, and he watched a lot of television.*
- *We bought an additional laptop.*
- *We bought an iPad.*
- *We got a new computer, but we don't use it that much.*
- *We have added a new computer that stays on more often.*
- *With the increase in family size the TV is used more often. Our family grew by two people since November.*
- *We have a new baby in our home. Every facet of our energy use has increased.*

27. Since receiving your first Home Energy Report did you take any steps to reduce the amount of energy used to heat the hot water in your home? What have you done? Anything else?

- New efficient water heater (N=13)
- Reduced temperature of water heater (details not specified) (N=8)

- *I decreased my shower time and don't use the dishwasher as often.*
- *Our water heater has a smart box on top of it.*
- *I am trying to reduce my hot water usage.*
- *I have reduced the amount of hot water I use to wash clothes.*
- *I installed a timer on the water heater in 2012.*
- *I now have a tankless 'on demand' water heater.*
- *I reduced the temperature I use when taking showers.*
- *I replaced the water heater with an energy saving on-demand water heater.*
- *I take fewer showers and more baths.*
- *I try to conserve hot water more now.*
- *I turn the water off while I am soaping up in the shower and brushing my teeth.*
- *I turned down the thermostat on our hot water heater. I use warm water in place of hot water to do the laundry.*
- *I turned the thermostat down a notch. I used to have it set at 220 [sic] degrees.*

OFFICIAL COPY
Mar 04 2015

- *I use less hot water when I do wash.*
- *I wash clothes using cold water.*
- *I wrapped the hot water heater pipes. We take more hot showers at the gym using less hot water.*
- *I'm encouraging my family to use less shower time.*
- *I'm using cold water in the washing machine.*
- *Installed two low-flow shower heads; one from the Duke kit and one store-bought that uses a squeeze trigger. Also have faucet aerator for the kitchen sink.*
- *I joined the Piedmont hot water heater service program; it lets them monitor use and then gives you a notice if you are using too much. I installed a hot water cut-off valve to stop continuously heating hot water and improve performance. We are doing only large wash loads, and I am combining loads with my daughter. We only wash twice a week, late at night or in early in the morning.*
- *We got a new water heater about nine months ago, and have the temperature set between 130 and 140.*
- *We installed a tankless water heater in May 2012.*
- *We are planning to replace the water heater. We turn off the hot water heater at the breaker when we go out of town for a few days.*
- *We changed the temperature setting to 120 for the water heater, which is lower than the previous temperature.*
- *We converted our hot water heater from electricity to gas.*
- *We decreased the temperature. We take shorter showers.*
- *We do laundry less often. We run the dishwasher less often.*
- *We installed low flow showerheads.*
- *We now have fewer people living in the house and are therefore using less hot water.*
- *We replaced our 30 year-old water heater with an Energy Star water heater. We insulated the water pipes all the way to the faucets.*
- *We started using less hot water to wash clothes.*
- *We try to use less hot water.*
- *We turned the temperature down on the hot water heater by like two to five degrees.*
- *We use less hot water now since someone moved out. We bought a new dishwasher.*
- *We wash all the laundry in cold water.*
- *We wrapped our water heater with insulation in November 2012.*
- *When we are going away for any length of time we turn the hot water temperature. And we plan to purchase a tank-less hot water heater in the next couple of years.*
- *Wrapped the hot water heater with insulation.*
- *Wrapped the water heater in a blanket and insulated the pipes.*

OFFICIAL COPY
Mar 04 2015

27f. Did you do anything that may have increased the amount of energy used to heat the hot water in your home? An example of something that would increase the amount of energy used is to turn up your hot water tank's temperature. What have you done? Anything else?

- *I take longer showers. I wash dishes too frequently.*
- *We are doing more laundry now.*
- *I am washing more laundry and taking longer showers now that we are on city water.*
- *We have increased our use of the hot tub. Our high mineral content water caused a flow issue which greatly reduced the efficiency of our water.*
- *Due to house guests, more people are using the hot water to shower.*
- *We have an additional person living with us.*
- *We have more grandchildren living with us now.*
- *We use cloth fiber diapers; they get washed daily. One extra bath per day (for the baby)*
- *We have four more people in household.*
- *We use more water since our family grew. Our family grew by two people since November.*
- *We have a new baby in our home.* (N=4)

Table 48. Do you have a pool?

Count *Percent*	Read MyHER (N=292)	Throw it away (N=10)	North Carolina (N=151)	South Carolina (N=151)	Total (N=302)
Yes, have a pool	22 7.5%	1 10.0%	8 5.3%	15 9.9%	23 7.6%
No, do not have a pool	270 92.5%	9 90.0%	143 94.7%	136 90.1%	279 92.4%

28a. Did you make any changes to your pool's heating or filtering systems to make it more efficient? What have you done? Anything else?

- *Our pool cleaning system installed May 2013 is supposed to be more efficient.*
- *I changed the filter last month (April 2013). I set the pool's timer to come on only one time per day and once at night. It used to run almost constantly.*
- *I changed the filter. Now the filtering system runs 12 hours a day instead of 24.*
- *I replaced the filters.*
- *We got rid of the hot tub in March 2013.*
- *We have an energy efficient pump, and now we don't run the pump as often.*
- *We have the heater run only six to eight hours, according to how hot the outside temperature is. We used to have the heater run constantly, now we don't have it on all the time. We make sure to have the filter changed and replaced as needed; we monitor it more closely.*
- *We keep the pool clean so everything is working efficiently.*

OFFICIAL COPY
Mar 04 2015

Appendix L: Improving Aspects of the Program

Customers were asked to rate their satisfaction with various aspects of the MyHER program, and if they gave ratings of "7" or less on a 10-point scale, they were asked how these aspects of the program could be improved. These verbatim suggestions are listed below.

29. The reports are easy to understand: how could this be improved?

21 respondents rated this aspect of the program a "7" or less, and 12 of them gave suggestions for improving this aspect.

- *I really only understand the graphs. I don't understand the reading part.*
- *There should be more clarity and explanation regarding the home comparisons.*
- *Duke should provide more education and instruction about how to understand the reports.*
- *Maybe make the terms easier to understand.*
- *I think they need to break it down into simpler parts.*
- *Duke should send the reports monthly and also simplify the terms and wording used.*
- *I don't understand why the reports say that my energy usage goes up and down.*
- *Present greater detail so it would easier to understand. I find it too vague.*
- *Provide more info on how they gathered the information on the report. I'd like to see more than square footage and age. Maybe the report should include the home's building materials on the roof, windows, insulation, or brick, stone, or vinyl siding.*
- *Perhaps change the layout or design of the report. Have it sectioned or squared off. Have different sections for categories.*
- *There's too much information in them. By the time I get home from work, I'm too tired to read something that long*
- *My eyesight is going so I have a hard time reading the reports.*

30. The energy saving tips in the report provided new ideas that I was not previously considering: how could this be improved?

97 respondents rated this aspect of the program a "7" or less, and 54 of them gave suggestions for improving this aspect.

- *Newer tips* (N=3)
- *Newer tips that I haven't read about.*
- *Different tips that aren't so well known.*
- *Different tips that I haven't already read about somewhere else.*
- *Different tips that I haven't read somewhere.*
- *Provide different tips that I haven't heard of before, and tips that I can actually afford to implement.*
- *I knew or was doing many of the tips before we started getting the energy reports.*

OFFICIAL COPY
Mar 04 2015

- *I knew quite a few of the tips listed.*
- *I knew the tips listed in the one I read, so newer tips would be better.*
- *More current tips that I haven't already been doing.*
- *I don't remember the tips.*
- *Make the tips more memorable.*
- *I knew, or was already doing, at least half of the tips given. I guess Duke Energy could provide other tips that I don't know or haven't done.*
- *I don't have much room for improvement, I'm already doing those things and conserving as much as I can.*
- *I was already doing those tips before I read them on the report. I like the tips though. The tips help by keeping us informed and reminding us to do these things.*
- *Have more cutting edge tips. I always try to follow the latest energy saving tips, so I knew pretty much all of the tips given in the reports.*
- *Provide more tips and newer ones. It seems like the tips are always the same and I've done almost all of them before I started receiving the reports.*
- *We were already doing all of those things.*
- *I was already doing them.*
- *I want more tips, more variety in the kinds of tips.*
- *More cutting edge tips and ideas for energy conservation.*
- *More new, up-to-date tips.*
- *We already knew them, we just weren't doing them*
- *The tips were all things that I do anyhow; they are common sense to me and I knew about them already. I can see how the tips are valuable to others who may not know about doing those things.*
- *The tips are too common, they were all things that I was already doing before I read any of those reports. I think the tips could be more specialized.*
- *The tips are too generic. I want to see some more specific and detailed tips. Show me something I don't already know.*
- *The tips need to be more memorable or impressive. I can't remember any of the tips because I'm pretty sure they were things that I was already doing, so I did not give them my attention.*
- *The tips seemed too general and we had done many of the recommended things already or, in the case of the tankless water heater, the recommendations didn't apply.*
- *I knew many of the tips, so newer tips would help. Also, many of the tips don't seem to apply to our home, which was built in the 1870s.*
- *I was already energy literate; the tips are too general for me.*
- *I have a job as a remodeling contractor; every tip was something I knew already.*
- *I don't think that you can improve the tips for me because I'm a retired contractor; but, newer tips that I haven't heard of or read about might do it.*

OFFICIAL COPY
Mar 04 2015

- *Have newer tips. I worked in HVAC sales and installation, so I keep current with the new innovations in the field.*
- *I don't think that you can improve the tips for me. My husband works in HVAC and he's always coming home with new information.*
- *I have knowledge and experience as a science teacher; so the ideas weren't new, just reminders.*
- *The tips are too common, the small things that were suggested, like using CFLs, were things I was already aware of. The bigger tips, like installing insulation, are difficult because most people won't have the finances to execute those tips.*
- *Because we rent, there are some things we cannot do compared to home owners.*
- *Include more current tips, and tips that people in rentals can do.*
- *The information is valid and well presented, but some things I cannot do. I have budget concerns.*
- *I really don't understand the reading parts of the report.*
- *Provide information that is not easily available elsewhere, such as what a smart meter is and how to use it.*
- *Much of the information is readily available from other sources.*
- *Offer information which is not so easily available.*
- *I feel like I am already bombarded by so many other sources giving the same information. There are only so many tips you can give to a person. If there are truly new tips to be known, then yes, I'd like to see them.*
- *Provide more detailed information.*
- *Provide more information about kilowatt hours.*
- *The reports should provide payback time estimates for various efficiency upgrades.*
- *The reports should include more information about programmable thermostats and LED lighting.*
- *I think it would be helpful to have improvements grouped and priced: easy and inexpensive things; middle of road steps; and then the large budget items. Also, I would like to have discussion of things to look for, such as ratings, when going for large budget items. I have done more low-dollar, easy-fix, common sense items up to this point. Eventually, I will need to replace the air conditioner and would like to learn more about the Seasonal Energy Efficiency Ratio and expectations for going from one rating to another, especially the cost savings over the equipment's lifetime.*
- *The tips should be specifically tailored for the homes they're sent to.*
- *These tips should probably be included in an email or a twice-a-month mailing.*
- *I scan through the tips, but I don't really read them. I don't really know anything about them. I mainly look at the reports for the comparisons and our energy usage.*

31. I find the reports useful: how could this be improved?

53 respondents rated this aspect of the program a "7" or less, and 27 of them gave suggestions for improving this aspect.

OFFICIAL COPY
Mar 04 2015

- *Duke Energy should provide monetary incentives to get people to save energy.*
- *The reports should include valuable coupons and more information about possible tax incentives.*
- *The tips section needs to stand out from the rest of the report.*
- *Have more cutting edge tips. I always try to follow the latest energy saving tips, so I knew pretty much all of the tips given in the reports.*
- *Provide an at-a-glance summary section on the report.*
- *Provide newer, up-to-date tips.*
- *I'm confused as to why or where all of my power is being consumed from. I'd like to know where or what I am drawing the most energy from.*
- *I don't see how they can group a bunch of different houses.*
- *It would be more useful if the comparisons took into account the number of people in a household and how much time is spent at home. For example, retired people will be spending more time at home than working people.*
- *Compare our home to homes with electric only. We don't use a heat pump, we use electric fireplaces instead.*
- *The reports should be more specifically tailored per-home and have accurate home characteristics.*
- *Our home is 500 to 600 square feet and we're being compared to a much larger place. Also, we're renting, so we can't do anything to the home.*
- *I can't make any changes as a renter.*
- *I don't think that you can improve this because my home is up to par and I don't really need to do anything. But, I think the reports can really help other people.*
- *I don't think that you can improve this. I use the reports to make sure nothing's going wrong with the home, but it's an efficient home, so I'm not worried about increasing energy efficiency at all.*
- *I don't think you can improve the report because we know so many of the tips, but the comparison is nice to see.*
- *I don't know how they could be more useful to me. I like reading them because I like to see the comparison, but they don't give me any new information about things that I can do to my home.*
- *The reports are good for a general population, but how useful they are depends on your experience. I used to teach these things. For me, the reports' value is just as a refresher, not something new.*
- *My bill is already low because the home was built very efficiently.*
- *I like looking at the reports, but my home is already well below the average home, so there's really nothing that I'd be interested in doing.*
- *Newer tips might make them more useful, but since the reports say we use less energy than the average home, we're not looking to do much.*

OFFICIAL COPY
Mar 04 2015

- *They're nice to read, but I really don't use them for anything. I don't think that we will use them for anything because we don't have the money to make a lot of changes.*
- *Everything is too expensive for us to change. I can't even pay for my heart medication.*
- *I don't pay attention to the reports. At 76, I'm not going to make any changes to my home.*
- *I don't think that there is anything that you can do because our house is already efficient, so I don't read the reports thoroughly.*
- *I haven't been reading them. I only look at the graphs.*
- *There's too much information in them, so I don't read them.*

32. I enjoy receiving and reading the reports: how could this be improved?

58 respondents rated this aspect of the program a "7" or less, and 35 of them gave suggestions for improving this aspect.

- *Make me look forward to the receiving and reading the report by providing an incentive, such as a discount on my bill, free light bulbs, free filters, or coupons. Perhaps the report can direct a customer to the website to register to receive the perk.*
- *There should be a reward program for people that consume less energy.*
- *The reports should show year-to-year comparisons including kilowatt usage.*
- *Make them larger print because I can't read the tips.*
- *The reports should be made more graphically interesting in order to catch my eye.*
- *Maybe have bolder colors and colored charts.*
- *More up-to-date tips would make them more worth reading.*
- *Strategically place tips targeting the energy spikes in the graph section.*
- *I'd like to receive them less often.* (N=2)
- *Send them less often. Y'all stop wasting all these trees!*
- *I'd rather get them less often. I enjoy seeing that my home is so efficient, but they don't really do anything for me. I'd rather have lower rates.*
- *I'm not much of a reader, neither is my husband. Also, the reports come too often. I might pay more attention to the report if it came less often.*
- *If I could get my bill lower, I might like reading the reports more. I'm always using more than the other houses.*
- *If our rating was lower, I would enjoy them much more. Our family makes a lot of effort to be energy conscious, however it is not reflected in the report.*
- *The reports tell me that the home we built seven years ago with energy efficiency as a high priority isn't energy-efficient and that we are using more than the average home.*
- *Nobody likes to read that they could be more energy-efficient.*
- *When it comes, I just think to myself oh, I'm dreading this. I don't know how this comparison can be right, I mean, we're not dumb.*
- *The reports should be as accurate as possible, especially the home characteristics.*

OFFICIAL COPY
Mar 04 2015

- *It just frustrates me to know what I can't do.*
- *I can't do what the reports say I need to do right now, maybe later this year.*
- *I don't care about the reports because we're renting and we can't really change anything about the home.*
- *I'm pretty neutral. I will say the report is a good reminder and I appreciate it. But, most of the things we try to do need to fit into our budget. Some of the big appliances or changing windows are beyond our means all at once. We try to do all we can.*
- *I find them annoyingly redundant. The tips that are given have been in newspapers and other publications numerous times before.*
- *I was already energy literate and the tips are too general for me.*
- *I would like more detailed or obscure information that I could not easily learn elsewhere.*
- *The reports are good for a general population, but how useful they are depends on your experience. I used to teach these things. For me, the reports' value is just as a refresher, not something new. I wonder how many people really know what the reports are talking about, those with a lack of scientific literacy.*
- *I don't think that there is anything that you can do because our house is already efficient, so I don't read the reports thoroughly.*
- *I don't really read them thoroughly. I like to look at the comparison graph to see how we're doing, but I don't really take the time to read the rest.*
- *I only look at the graphs. I've never taken the time to read the reports all the way through.*
- *There's too much information in them, so I don't read them.*
- *I've set them aside and haven't taken time to read the in-depth. I need to not just glance at them, but read them cover-to-cover.*
- *I like reading them fine, but I don't really enjoy them. I'd rather read my library book.*
- *I don't enjoy getting them, but I don't mind getting them.*
- *They're nice to get, but I can't say I get a ton of enjoyment out of them.*

33. I find the graphics helpful in understanding how my energy usage compares to others like me: how could this be improved?

35 respondents rated this aspect of the program a "7" or less, and 25 of them gave suggestions for improving this aspect.

- *There is already a lot of information in the report. I don't feel that the graphics are necessary. I feel that some of the information is redundant.*
- *I would like to see more information about the average home, like a graph of how much energy they're using for lights and appliances.*
- *Include information about the number of people in the home.*
- *Compare our home to homes with electric only. We don't use a heat pump, we use electric fireplaces instead. I just don't believe that the comparison is accurate.*

OFFICIAL COPY
Mar 04 2015

- *Compared to our monthly bill, and what we keep our thermostat set on, our house is barely efficient according to the reports. We added 15 inches of insulation and we're still very off from the average. I think my house is more efficient and I don't know how it could be so off on the reports.*
- *I built the home 12 years ago with energy efficiency in mind. While most of our appliances are 12 years old, they were the most energy-efficient available at the time. We used thermopane windows and efficient doors. The attic, walls, and crawl spaces are insulated and all the duct work is wrapped. We used efficient light fixtures and use mainly CFLs. The only extravagance we have is a fountain in the backyard. I don't think that the comparison to these other homes is accurate because of how efficient my home is.*
- *I don't think that these other homes that my home is being compared to are equal. When we moved in in 2006, we had the whole house completely re-wired and new insulation added to the attic and walls, replaced the windows, and got Energy Star appliances. We also added two large rooms to the house at the same time.*
- *I don't think the comparison is accurate. We have such a small home, we use wood heat, and rarely use the A/C. There's no reason that the reports should say that we're using more energy than the average home.*
- *The report says that we have 1,800 square feet when we actually have 3,000.*
- *Our home has 500 to 600 square feet and we are being compared to a much larger place.*
- *I've got such a large house and there aren't any other large homes in the neighborhood.*
- *My home is not like others in that we have five refrigerators due to my volunteer food collection program for needy people.*
- *The reports should have more types of comparisons.*
- *I like the comparison, but I don't think that all the information that you're using is completely accurate. I'm retired, so I'm home a lot, so that uses more energy than some other homes. Then, you can't really compare all these homes because you don't know what appliances they're using.*
- *I doubt that I'm that much more efficient than comparable customers, so I don't trust the numbers.*
- *I don't think that the comparison is accurate because there's no information about how the energy is being used in the home.*
- *I don't know about the house that's being compared to mine; perhaps the report could be more specific.*
- *I don't know how Duke comes up with the comparison. The graphs are easy to figure out, but I can't read the print that goes with them.*
- *I don't understand why the reports say that my energy usage goes up and down.*
- *I really don't care about how other people are doing.*
- *The graphics should be made to look less childish.*
- *I've always found graphs complicated, so I just didn't grasp what you're trying to tell me.*
- *I don't really look at the graphics.*

OFFICIAL COPY
Mar 04 2015

- *The graphics are not important to me.*
- *I don't read this section thoroughly.*

34. I find the graphics helpful in understanding how my energy usage changes over the seasons: how could this be improved?

27 respondents rated this aspect of the program a "7" or less, and 12 of them gave suggestions for improving this aspect.

- *The reports should include natural gas heating information.*
- *The graphics should include rainfall data as it relates to water consumption.*
- *Their graphs look like the same ones all the time.*
- *I would like better explanations of the graphs.*
- *I doubt that I'm that much more efficient than comparable customers, so I don't trust the numbers.*
- *I don't need a graph to understand how my energy usage changes over the seasons because I can see the changes on my bills.*
- *The charts I received only began in October, which is when I began receiving the reports.*
- *There is already a lot of information in the report. I don't feel that the graphics are necessary.*
- *There's too much information in them, so I don't read them.*
- *I don't pay any attention to the graphics.*
- *I don't read this section.*
- *Honestly, it isn't helpful.*

35. Overall I am satisfied with the reports: how could this be improved?

26 respondents rated their satisfaction with the program overall a "7" or less, and 19 of them gave suggestions for improvement.

- *If our rating was lower, I would enjoy them much more. Our family makes a lot of effort to be energy conscious, however it is not reflected in the report.*
- *The reports tell me that the home that we built seven years ago with energy efficiency as a high priority isn't energy-efficient and that we are using more than the average home.*
- *My bill being lower would be good. Right now, the reports are bad.*
- *The report needs to be more accurate when it comes to the statistics of my home. I'd like to see some information on the reports that is new and more complex. All of the information on the report is way too generic and common.*
- *The reports should be more specifically tailored per-home and have accurate home characteristics.*
- *I find them annoyingly redundant. The tips that are given have been in newspapers and other publications numerous times before. I also don't believe that the comparison*

OFFICIAL COPY
Mar 04 2015

between our home and other homes is accurate because our home was built in the 1870s and we use electric fireplaces to heat the home.

- *I'd be more satisfied with better tips and perhaps a more personalized report.*
- *Provide more new, up-to-date tips.*
- *Send them less often.*
- *The reports should be sent quarterly.*
- *The reports I receive should be specifically targeted towards mobile home owners and offer helpful encouragement rather than negative reinforcement.*
- *Our home is 500 to 600 square feet and we are being compared to a much larger place. I don't care about the reports because we're renting.*
- *The reports are good for a general population, but how useful they are depends on your experience. I used to teach these things. For me, the reports' value is just as a refresher, not something new. I wonder how many people really know what the reports are talking about, those with a lack of scientific literacy.*
- *The reports aren't useful to me, even though I always read them. The reports are job security for someone, so I don't hate getting them. But, if my rates would go down without this program, then I'd rather not get the reports at all.*
- *They're good and simple for the people who need to learn these things.*
- *These are not helpful.*
- *I could take it or leave it.*
- *It is just a waste a paper.*
- *Spend less on the materials used for the report.*

37. Overall satisfaction with Duke Energy: how could this be improved?

83 respondents rated their satisfaction with Duke Energy overall a "7" or less, and 77 of them gave suggestions for improvement.

- Lower the rates / stop increasing rates (N=27)
- *I think their rates are entirely too high. However, I do appreciate that they are making these reports available, so we can lower our bills. I appreciate the CFLs and would like more of them. Perhaps they could do a contest or provide a reward for getting involved in saving energy and telling friends about their programs. I suggest to give people a month free, so they could catch up on their bills.*
- *They should just have an option for different power companies. The area we live in is a monopoly. Rates tend to be a lot higher here.*
- *I am from Pennsylvania; they have stricter laws about monopolies there and my electric bills were considerably lower due to the competition between the power companies at $60 a month with my highest bill being almost $80. Duke Energy doesn't offer any energy assistance programs for the elderly, but the power companies in Pennsylvania did.*

OFFICIAL COPY
Mar 04 2015

- *Places that accept Duke Energy payments should not charge a service fee of 75 cents per transaction. Duke should merge with another energy provider and stop the rate increases.*
- *Stop the rate increases. The one you are planning is the third increase in the last four years. Duke mergered with the other company and they said that there wouldn't be any need for increases and yet, here you are raising the rates again when many people are having financial difficulties due to the economy. If the company would have had the sense to invest in green power supplies over 40 years before the government demanded it, then we won't have to face another rate increase next year.*
- *One, keep your rates lower. Two, I work in real estate and I once had to call about getting power turned on at an address so many times. I was finally told that the home needed a repair before the power could be turned on. It would have been better if someone could have told me sooner instead having to call at least 10 times about it. Three, Duke Energy should be preparing for industry by having the power grid set before a company wants to move into the area; other power companies are doing it in other areas and I think that it would be a good way to encourage industries to move into our area.*
- *Duke Energy suppresses all technologies that they can't make money off of. If it weren't for Duke, we'd all have solar power, which is ridiculous because I'm sure there's some way for them to profit off green technologies.*
- *Keep the rates low. We can't afford to pay our bill and I tried to get assistance through the government and they didn't have any more money; they had already run out of money to help people for the year.*
- *Avoid rate increases. We're older and about half of our combined Social Security goes to paying our electric bill.*
- *Duke Energy has always provided good service, but the rates are just too high. The latest rate increase that they are planning is only $7, but my only source of income is Social Security, so for me to find that $7 is going to be a burden.*
- *Duke Energy keeps raising rates even when they report large profits and they should invest in renewable energy.*
- *I am concerned with the rates increase that Duke is thinking about. I'm having great difficulty with paying my bills as it is and, if the rates go up more, I'm worried that I won't be able to afford it.*
- *I am not pleased that there is going to be another rate increase. I am on a fixed income. I feel that I have been making a lot of effort to cut back on the energy I use, however I have to pay more.*
- *I am dissatisfied that we are getting a 16 percent rate increase at all once. It's difficult to fit that large of an increase into our budget. I would have preferred smaller, spaced out increases.*
- *I am not real happy with how my bill sky rockets in the winter. My gas bill creeps up even before I turn the furnace on. The bill creeps up around $100 a month from December through March. We keep our thermostat set constant. There are only two people living in the house. Although we have two furnaces, we only use the one for the downstairs; the*

OFFICIAL COPY
Mar 04 2015

upstairs is only used during the summer when we have house guests. I don't understand why the bill goes up so much.

- *The rates need to stop going up and energy prices, especially in the wintertime, really hurt us people on a fixed income. At least 25% of my income goes to Duke.*
- *I can't afford to pay my winter bills; the summer ones are doable, but the winter ones are horrible.*
- *Duke is having an eight percent rate increase for the second year in a row totaling approximately fifteen percent; I am not happy with this increase. Also, there is very long response time to repair power outages. And, Duke has been cutting many trees on my property with no impact on my power outages.*
- *They're raising rates to build plants. I think that sometimes companies get too greedy and shareholders also need to chip in.*
- *Duke needs to stop raising the rates every year. Duke needs to stop killing all the plants on my property with the poison they use around their power poles, they always over spray the perimeter where they are applying poison and it kills plants on my property. Duke never calls or notifies me when they will be applying the pesticides or herbicides and I expect that they should do at least that. Duke Energy also needs to do more towards burying the power lines.*
- *Lower rates or offer solar power to people who can't afford their power. Help people out.*
- *Lower the rates and use less nuclear energy.*
- *Duke Energy needs to have better water management on the Catawba River; the improper management of the water level is causing huge damage to property. Duke's floodwater control is very poor, it needs to be improved greatly.*
- *Duke needs to better address environmental issues. Unfortunately, Duke is a monopoly in North Carolina. There should be long-term, forward thinking about finite resources. Duke's mindset needs to change towards long-term sustainability.*
- *One, bury more power lines in the ground. Two, Duke needs to speak up about Belews Creek Steam Station in Stoke County; this plant is very efficient and clean and uses SCR devices, which reduce emissions 80%, and scrubbers, which reduces emissions 95%. The government is trying to shut down coal-burning plants. Duke needs to educate the government and prevent them from shutting down this plant. The government, meanwhile, is allowing China to drill in the Gulf, but trying to shut down U.S. companies.*
- *I'm on a fixed income and my check comes the fourth Wednesday of each month; this caused a billing issue and I explained to Duke I would like to change my billing schedule.*
- *I signed up for receiving my bill by email quite some time ago. The email address I used as part of my log-in is one I am no longer using. I have not been able to update the email in order to discontinue receiving my bills by email. I wish to go back to receiving my bills in the mail, but I can't.*
- *Duke should correct my misspelled name on the bill.*
- *Duke should offer more tips on how to save energy. Duke should be on Google+.*
- *Duke should show more appreciation for long-time energy customers.*

OFFICIAL COPY
Mar 04 2015

- *Duke needs to update the CFL pricing on their website. Duke should also make better efforts to bury residential power lines and keep energy rates competitive.*
- *I filled out the form for free CFLs and I didn't receive them.*
- *I think that Duke should consider why someone has a spike in their bill.*
- *Let people use solar energy and sell back excess power to Duke Energy.*
- *They cut my power off for no reason once.*
- *Make it easier to pay off high bills and avoid power shut-offs.*
- *I have to pay a deposit for power because I was late for a bill or two.*
- *There was a large charge for a security deposit on my bill that I received this week; it's an additional charge of $430. I don't understand the charge and think there is a mistake. After 12 to 15 years of service with Duke Energy, I don't know why I'm getting this charge now. I still have not been able to alleviate the issue and customer service has been of no help to me.*
- *Decrease the number of power outages. I live in an area where there are a lot of outages.*
- *I have had a couple of power failures and voltage hiccups. I think reliability could be improved, especially in thunderstorms. I ended up purchasing an uninterruptable power supply for my computer.*
- *It takes too long to restore power after an outage; a few days ago, it took 10 hours. Last week, there was an outage and it took three or four hours to restore power and there wasn't even a major storm.*
- *We have lost electric in this house two times in the last week for 10 hours or more; it was just our street. When you have a house like this, and you pay $5,000 a year in taxes, you shouldn't be losing electric like that. I've heard Dominion Energy is pretty good and I wish we could get them instead of Duke.*
- *We have quite a few power outages and I worry about how the surges and outages are affecting the electricity in my old home.*
- *Duke should make better efforts to keep trees trimmed, bury power lines, and generally maintain their infrastructure.*
- *I would like Duke to do a better job of trimming trees, so we won't have as many power outages.*
- *I'd like to see more underground utility lines and less interruption of service.*
- *At least come out and do an inspection of the meter to see if it's functioning properly.*
- *I don't like the new meters. Since the new meter was installed, I've had higher rates and higher consumption and my bill has nearly doubled since the new meter was installed; that just does not seem right to me.*
- *They were very nasty to me. That hurt.*
- *I don't like that when I call customer services there's never a human to talk to; there's always some robot that doesn't understand what I'm trying to say.*
- *The customer service is absolutely horrible! Normally, when you call a company, they are more than willing to make sure you're happy. One specific example of how horrible Duke's customer service is this, which happened a year ago: my husband was being*

OFFICIAL COPY
Mar 04 2015

transferred for work and I called to set up a payment plan for our energy bill. Now, I've NEVER had to set up anything like this before. I ALWAYS paid our bills on time and everything. I set up a date to make our first payment and was told I had until 5:00 p.m. that day to make it. When I got home that day at 3:30 or so, my power was off. I called to find out why and was told I'd missed the deadline. The customer service supervisor said they would go back and listen to the recording of the first call to find out what the date and time was. They got back to me and said I'd missed the date by a day and wouldn't let me listening to the recording. They pulled my payment plan and I had to pay it all that day, plus a reconnection fee. I've never been late before and I had to go on their word that I got the wrong date for my first payment. They would not let me listen to the recording. They had me over a barrel. They didn't care; they weren't without power. If it had been my fault, fine. But, here I was doing what I was supposed to and we set it up, but they had me over a barrel. I couldn't not pay my bill. If it was my fault, I accept that, but they didn't give me a chance to listen to the earlier conversation and that's what's made me so upset.

OFFICIAL COPY
Mar 04 2015

Appendix M: Estimated Statistical Model

Variables:

- 201102 – 201308: Binary indicator variables for that YYYYMM
- temp: temperature
- humid: humidity
- wins: windspeed
- Indicator variables for participation in other Duke Energy programs:
    - cfl_promo: Residential Energy Efficiency: CFLs
    - free cf: : Residential Energy Efficiency: CFLs
    - hehc: Home Energy House Call
    - k12: Energy Education for Schools (NTC)
    - lowinc_weath: Low Income Weatherization
    - per-ohec: Personalized Energy Report
    - cfl_special: Residential Energy Efficiency: Specialty Bulbs
    - smsvr_hvac: Residential Smart $aver: HVAC
    - hvac_tune: Residential Smart $aver: Additional Measures
    - appl_recycle: Appliance Recycling Program
- partpilot: indicator variable for participation in MyHER pilot program
- Treat: indicator variable for participation in MyHER

OFFICIAL COPY
Mar 04 2015

```
Fixed-effects (within) regression               Number of obs      =  33888620
Group variable: id                              Number of groups   =   1144071

R-sq:  within  = 0.2098                         Obs per group: min =         1
       between = 0.0012                                        avg =      29.6
       overall = 0.0616                                        max =        32

                                                F(46,32744503)     = 189048.29
corr(u_i, Xb)  = -0.0385                        Prob > F           =    0.0000
```

kwhd	Coef.	Std. Err.	t	P>|t|	[95% Conf.	Interval]
xdate						
201102	-14.78495	.036695	-402.91	0.000	-14.85687	-14.71303
201103	-23.6922	.0527177	-449.62	0.000	-23.59552	-23.38887
201104	-28.73476	.089918	-319.57	0.000	-28.91099	-28.55852
201105	-18.67737	.1147174	-162.81	0.000	-18.90221	-18.45253
201106	-9.960805	.1443215	-69.16	0.000	-10.26367	-9.69794
201107	-4.306629	.1571501	-27.40	0.000	-4.614638	-3.99862
201108	-9.165645	.1486072	-61.68	0.000	-9.456909	-8.87438
201109	-20.50542	.125495	-163.40	0.000	-20.75138	-20.25945
201110	-26.02354	.0771956	-337.11	0.000	-26.17484	-25.87223
201111	-19.79658	.058262	-339.79	0.000	-19.91077	-19.68239
201112	-13.13489	.0433049	-303.31	0.000	-13.21977	-13.05001
201201	-12.69365	.0312897	-405.69	0.000	-12.75516	-12.6325
201202	-16.08896	.0381011	-422.27	0.000	-16.16364	-16.01428
201203	-25.62193	.082443	-310.78	0.000	-25.78352	-25.46035
201204	-27.39705	.0831699	-329.41	0.000	-27.56006	-27.23404
201205	-21.96216	.1217103	-180.45	0.000	-22.2007	-21.72361
201206	-13.41366	.1294531	-103.62	0.000	-13.66739	-13.15994
201207	-6.94197	.1570174	-44.21	0.000	-7.249718	-6.634221
201208	-11.79442	.1440124	-81.90	0.000	-12.07666	-11.51216
201209	-20.92092	.123403	-169.53	0.000	-21.16279	-20.67906
201210	-24.50205	.0839397	-291.90	0.000	-24.66657	-24.33754
201211	-17.73075	.0412326	-430.02	0.000	-17.81156	-17.64993
201212	-13.23617	.044691	-296.17	0.000	-13.32376	-13.14858
201301	-9.488124	.0361203	-262.68	0.000	-9.558918	-9.417329
201302	-10.78169	.0261483	-412.33	0.000	-10.83294	-10.73044
201303	-17.57914	.0330122	-532.50	0.000	-17.64384	-17.51443
201304	-25.88954	.0805806	-321.29	0.000	-26.04748	-25.7316
201305	-23.96238	.1035104	-231.50	0.000	-24.16526	-23.7595
201306	-16.50796	.13974	-118.13	0.000	-16.78184	-16.23407
201307	-11.61436	.1495991	-77.64	0.000	-11.90757	-11.32115
201308	-13.27284	.1419556	-93.50	0.000	-13.55107	-12.99462
temp	.1218335	.0034765	35.04	0.000	.1150197	.1286473
humid	-.064362	.0011315	-56.88	0.000	-.0665797	-.0621442
wins	1.09087	.005668	192.46	0.000	1.079761	1.101979
cfl_promo	-4.998192	1.959089	-2.55	0.011	-8.835977	-1.160408
free_cf	-.2060289	.0091598	-22.71	0.000	-.2259617	-.190076
behc	-2.306814	.0537345	-42.93	0.000	-2.412232	-2.201496
k12	.4221564	.0290386	14.54	0.000	.3652417	.4790711
lowinc_weath	-.0578045	.2646395	-0.22	0.827	-.5764883	.4608793
per_ohec	-1.908495	.0283667	-67.28	0.000	-1.964092	-1.852897
cfl_special	.8479179	.3214789	2.64	0.008	.2178308	1.478005
smsvr_hvac	-4.787584	.0499097	-95.93	0.000	-4.885405	-4.689763
hvac_tuneup	-.8169563	1.661548	-0.49	0.623	-4.112731	2.478818
appl_recycle	-2.028312	1.0662	-1.90	0.057	-4.118026	.0614026
partpilot	.1575164	.0567558	2.78	0.006	.0462771	.2687557
treat	-.503229	.0092151	-54.61	0.000	-.5212903	-.4851678
_cons	50.89793	.1776885	286.44	0.000	50.54967	51.2462

OFFICIAL COPY
Mar 04 2015

Appendix N: Number of Total Participants / Control Members by Month

monthID	Num. of Participant in Control	Num. of Participants in Test
201206	365406	85250
201207	365100	159367
201208	364817	215230
201209	362452	216003
201210	363965	333468
201211	362263	525203
201212	357764	701270
201301	356166	713243
201302	353479	716981
201303	350767	713379
201304	347992	726669
201305	345023	724317
201306	339488	706612
201307	338211	716931
201308	334781	714587
201309	279080	468208
201310	499	982

OFFICIAL COPY
Mar 04 2015

Appendix O: DSMore Table

Per Measure Impacts Summary for MyHER Carolina Duke Energy Customers

Impacts / Technology	Product code	State	EM&V gross savings (kWh/unit)	EM&V gross kW (coincident peak/unit)	EM&V gross kW (non-coincident peak/unit)	Unit of measure	Combined spillover less freeridership adjustment	EM&V net savings (kWh/unit)	EM&V net kW (coincident peak/unit)	EM&V net kW (non-coincident peak/unit)	EM&V load shape (yes/no)	EUL (whole number)
MyHER		Carolinas	183.7	0.0496	0.0572	home	0.00%	183.7	0.0496	0.0572	no	1
Program wide			183.7	0.0496	0.0572		0.00%	183.7	0.0496	0.0572		1

Notes:
1. Technology names should match the DSMore naming convention.
2. Energy impacts are average per installed unit for each DSMore technology and unit description (measure/ton/sq.ft., etc.)
3. Any analysis using a control group (such as billing analysis with a control group) does not need a freeridership adjustment (it is already in the analysis via the control group adjustment)
4. EM&V load shape: "no" if using standard DSMore load shape for technology units, "yes" if an evaluation-provided load shape should be used for DSMore.

I/H

Ham Exhibt B

OFFICIAL COPY

Mar 04 2015

Final Report

Impact Evaluation of the Smart Energy Now Program (NC) (Pilot)

Prepared for
Duke Energy
139 East Fourth Street
Cincinnati, OH 45201

February 21, 2014

Subcontractors:
Pete Jacobs
BuildingMetrics, Inc.

Michael Ozog
Integral Analytics, Inc.

Stuart Waterbury
Architectural Energy, Inc.

Carol Yin
Yinsight, Inc.

Submitted by:

Nick Hall and Johna Roth
TecMarket Works

165 West Netherwood Road
Oregon WI 53575
(608) 835-8855

TECMARKET Works

OFFICIAL COPY
Mar 04 2015

TABLE OF CONTENTS

EXECUTIVE SUMMARY **2**
KEY FINDINGS 3
PROGRAM DESCRIPTION **4**
OCCUPANTS OF THE PARTICIPATING BUILDINGS 4
BUILDING OWNERS AND MANAGERS 5
THE TARGETED AREA 6
METHODOLOGY **7**
COMPANY REPRESENTATIVE SURVEY 7
FACILITY MANAGER AND PROPERTY MANAGER SURVEY 8
BILLING ANALYSIS 9
ENGINEERING ANALYSIS 10
EVALUATION DATES 12
IMPACT ANALYSIS RESULTS **13**
NET SAVINGS ANALYSIS **21**
APPENDIX A: MEMO ON IMPACT EVALUATION SCHEDULE **26**
APPENDIX B: COMPANY REPRESENTATIVE SURVEY **28**
APPENDIX C: PROPERTY/FACILITY MANAGER SURVEY **41**
APPENDIX D: SITE REPORTS **90**
SITE 1: [redacted] (SEN-67) 90
SITE 2: [redacted] (SEN-07) 105
SITE 3: [redacted] (SEN-08) 116
SITE 4: [redacted] (SEN-22) 133
SITE 5: [redacted] (SEN-19) 149
SITE 6: [redacted] (SEN-41) 158
APPENDIX E: ENGINEERING ESTIMATES OF UNIT ENERGY SAVINGS **167**
APPENDIX F: DSMORE TABLE **169**

OFFICIAL COPY
Mar 04 2015

Executive Summary

The report presents the impact evaluation of Smart Energy Now (SEN), a pilot program offered by Duke Energy that also supports the "energy pillar" of Envision Charlotte. The study provides an estimate of the gross and net energy and peak demand savings associated with Smart Energy Now. The evaluation is focused on the energy savings achieved by SEN participants, with the evaluation objective to determine energy savings at the pilot program level. At the launch of the program, key building stakeholders (owners, whole building managers, and building occupants that are Duke Energy account holders) of the targeted buildings signed pilot program agreements with Duke Energy to be included in the pilot program. While a single building can have multiple tenants or occupants taking actions that support SEN, the analysis conducted for this study focused on energy consumed and saved at the sampled building level for the purpose of projecting savings for the pilot program.[1]

This evaluation is designed to assess the program's impacts as noted in the Commission decision approving the pilot for cost recovery and evaluation recommendations (Docket No. E-7 Sub 961). The evaluation effort also included a separate process evaluation[2] that developed recommendations for program design and operational changes to be considered for future commercial building information programs. The process evaluation also addressed the relationship between SEN and Envision Charlotte and the degree of overlap between those separate but coordinated activities. The conclusion of the process evaluation is that the Envision Charlotte energy savings initiatives were those associated with SEN. Envision Charlotte had no other energy savings initiatives that were associated with SEN, however the gross savings documented in this report include savings caused by non-SEN initiatives. The net savings documented in this report are those that are directly attributable to the influence of SEN, which removes savings attributable to the Duke Energy commercial Smart $aver efficiency program, and adjusts for free-ridership. The net energy savings are estimated based on information provided by owners, occupants, and tenants concerning those actions that were caused by SEN rather than those caused by or taken as a result of non-SEN reasons. The Commission decision (referenced above) instructs Duke Energy to evaluate the savings of the Envision Charlotte effort. The impact evaluation addresses the savings from the SEN program and, combined with the process evaluation (provided in a separate document) fulfills the evaluation requirements of the Commission's decision.

[1] The original evaluation plan included an assessment of the spillover energy impacts achieved within the homes of the building owners, managers, and operators as a result of SEN, and an assessment of the SEN program's reach outside of the SEN participants to non-participating SEN buildings and homes as a function of the program's spillover effects, but this component was dropped from the study at Duke Energy's request.

[2] TecMarket Works. "Process Evaluation of the Smart Energy Now Pilot Program Implemented in Charlotte, NC as a component of Envision Charlotte Sustainability Initiative," Prepared for Duke Energy, July 2013.

OFFICIAL COPY
Mar 04 2015

Key Findings

Table 1. Gross and Net Savings by Building Size

Building Size[3]	Gross Savings	Savings Less Smart $aver Program Participation	SEN Net Savings
Overall	8.4%	7.6%	6.2%
>= 100,000 Square Feet	8.7%	7.8%	6.4%
< 100,000 Square Feet	2.2%	1.3%	1.1%

The energy savings in terms of total kWh are shown in the tables below.

All Buildings	kWh/yr	% of Total
Total Consumption	511,563,334	
Gross Savings	43,129,055	8.4%
Savings Less Smart $aver rebates	38,872,425	7.6%
Net Savings after Smart $aver rebates and free riders	31,875,388	6.2%

Buildings >= 100,000 Square Feet		
Total Consumption	494,269,008	
Gross Savings	42,755,090	8.7%
Savings Less Smart $aver rebates	38,644,460	7.8%
Net Savings after Smart $aver rebates and free riders	31,688,457	6.4%

Buildings < 100,000 Square Feet		
Total Consumption	17,294,326	
Gross Savings	373,965	2.2%
Savings Less Smart $aver rebates	227,965	1.3%
Net Savings after Smart $aver rebates and free riders	186,931	1.1%

[3] Please note that all building sizes are self-reported in the Compass Tool as conditioned space in square feet.

OFFICIAL COPY
Mar 04 2015

Program Description

Smart Energy Now (SEN) is a program offered by Duke Energy dedicated to helping reduce energy consumption in Charlotte's Uptown office buildings through behavior change. SEN focuses significant efforts in helping building owners and operators reduce energy consumption and in educating and motivating building tenants and occupants to use energy wisely within their workspace. The program accomplishes this by focusing educational efforts and motivational campaigns on office workers within the participating businesses and by working with building owners and operators to identify ways in which the buildings' energy systems can be made to operate more efficiently.

Through the Envision Charlotte initiative, the goal is to reduce energy usage in Uptown Charlotte by 20% overall in five years. The specific goals of SEN are to reduce total energy consumption by 5% in buildings greater than 100,000 square feet (SF) in size, and reduce electricity consumption by 3% in buildings less than 100,000 square feet as a result of the pilot program's initiatives.

SEN is the first commercial energy efficiency behavior-change program launched in the United States and employs a first-of-its-kind wireless digital display in the participating buildings that shows real-time energy consumption levels of the population of participating buildings.

The SEN program is projected to impact the energy use of two distinct groups of people. These are:

1. **The tenants and occupants of the participating buildings** who have some control over the use of energy within their individual office and their leased common areas. These individuals may take action as a part of the motivational pushes of the SEN program by lowering their energy usage associated primarily with the operations of the lighting systems and office equipment within their office spaces.

2. **The building owners and managers** who operate the buildings and who are responsible for the performance of the capital equipment of the buildings. These individuals directly control the building's energy systems and purchasing decisions and have a good deal of control over the building equipment and energy management systems and approaches. This group includes personnel that operate and maintain the building HVAC and lighting systems, generally through a central building automation system.

Specific program activities targeted at these two groups are described below.

Occupants of the Participating Buildings

Kiosks

Real-time building energy consumption information is provided to building occupants via large real-time active public-area displays that provide detailed information on the Community's energy usage. This data includes information about real-time usage, historical trends, and information about what those numbers actually mean. SEN refers to these displays as "kiosks."

OFFICIAL COPY
Mar 04 2015

Campaigns

Smart Energy Now's campaigns were designed to promote behaviors that reduced energy use. These campaigns could be self-designed and implemented by a participating company, or the company could choose from several campaigns that had been developed by Duke Energy. Often, these campaigns took the form of games or challenges, sometimes with small incentives (such as a restaurant dining gift card) or recognition as a reward for participating. In other instances, the campaigns took the form of messaging to company employees.

The SEN program managers took a laissez-faire approach to the campaigns developed by tenants and occupants in order to minimize barriers to implementing campaigns. The theory behind this decision was the belief that campaigns developed and implemented by participants have the potential to be more effective than campaigns developed by others. In addition, this approach allowed for a host of new campaigns to be developed through or in coordination with SEN that could be assessed by Duke Energy for future replication or alteration. As a result, SEN did not always have complete descriptive details about the campaigns, or their associated implementation rates or more generic general progress reporting metrics from the campaigns. This also meant that other campaigns may have been implemented without SEN's knowledge. The campaigns developed and implemented are described in the process report.

Energy Champions

The Energy Champions are a group of approximately 1,000 individuals from the participating buildings who have volunteered to be the key energy efficiency expediters for their offices. Duke Energy supported the development of the SEN Energy Champions by providing training and materials. These Energy Champions were often the central focus point for the campaigns implemented in the participating buildings that resulted in occupant energy savings.

Website

A website dedicated to Smart Energy Now (www.smartenergycharlotte.com) provides the online channel with which SEN engages the Uptown Charlotte community. Some of the features it offers visitors include: access to the same live energy usage data that is available on the kiosks, information about SEN's activities including campaigns that are currently being conducted by the participating companies, ideas for new campaigns, and suggestions on how they can support SEN as an individual and as a company.

Building Owners and Managers

Participating building owners and managers also served as key program contact points. SEN worked with these stakeholders to help identify and capture savings from the central HVAC systems within the participating buildings. SEN provided these stakeholders with additional diagnostic and energy management tools and interactions beyond those provided to the building occupants. These are described below.

Compass Tool

The program targeted owners and managers of commercial buildings by providing them with real-time, web-based information directly to their office computers via their links to the Compass tool. The Compass tool allows users to go into their individual accounts and see how their building is performing, in real-time, at a high level of accuracy. At any 15-minute interval, the building owner or facility manager can see what their energy use is against an adjusted baseline

OFFICIAL COPY
Mar 04 2015

representing the pre-program consumption. The tool also has a self-reporting feature to allow users to log changes to the way their building is operated. These logs can be useful for tracking building-specific accomplishments and updating the baseline energy use associated with that building.

Town Hall Meetings

Owners and managers were invited to "Town Hall" meetings, where professional energy experts helped them understand what kinds of actions can be taken to control energy use and understand what types of energy savings equipment and equipment use approaches can provide savings. A series of three Town Hall meetings were held from March through November 2012.

Channeling to Duke Energy Non-Residential Incentive Programs

To support the behavior change savings, building owners and managers have full access to Duke Energy's Smart $aver® Non-Residential Custom and Prescriptive programs. These and other relevant incentive programs were shared by appropriate Program Managers in conjunction with the Town Hall meetings. Building managers were also educated about the different types of audits they could conduct, and how to build the business case to upper management for carrying out those audit recommendations that include retrofits and upgrades. Savings for these other programs were tracked using the respective program tracking[4] databases, and the savings resulting from participation in the Smart $aver® Non-Residential Custom and Prescriptive programs were subtracted from the gross SEN program impacts.

The Targeted Area

This program targeted commercial office buildings in Uptown Charlotte. Participating buildings must have at least 10,000 square feet of commercial operations. A total of 59 participating buildings representing 74 businesses or operational organizations are included in this evaluation. Within this Community, there are 70 unique Duke Energy accounts engaged with Smart Energy Now. Buildings owned by Duke Energy have been excluded from the population of participating buildings analyzed for energy impacts.

[4] Savings from the program tracking databases are expressed as ex-ante gross savings estimates.

OFFICIAL COPY
Mar 04 2015

Methodology

The impact evaluation used a combination of pre/post billing data analysis and engineering analysis linked to occupant and building operator surveys about what actions were taken and the motivation for those actions. This approach guided the estimate of the SEN induced savings and savings that are not associated with SEN. The billing analysis was conducted across all participating buildings. The engineering analysis and DOE-2.2 calibration was informed by a combination of survey data and on-site measurement and verification data collection (M&V) on a sample of participating buildings. These activities are described below.

Company Representative Survey

The evaluation conducted a combination of phone and web-based surveys with Company Representatives. The Company Representatives were surveyed for their interaction with SEN and their office's efforts to save energy as part of SEN. The results of the survey were compiled to identify the actions taken and the number of occupants associated with each action. Company Representative surveys were sent out to individuals expected to know what actions were taken within their companies and the extent of those actions. The interviews also asked the respondent about what, if any, of the changes made would have been implemented without the efforts associated with the SEN program. Company Representatives were identified largely from the list of Energy Champions developed by SEN program staff. A total of 40 responses across 25 buildings were received.

Sampling Frame

The sampling frame for the Company Representative survey included the tenant companies that were participants in the Smart Energy Now program. These were all companies that had signed the Declaration of Change as an indication of their commitment. Because of concerns that an open solicitation for survey participants would yield uneven representation across the 59 participating buildings in the Uptown Charlotte region, this survey targeted the most knowledgeable person within each company to ask for their overall assessment as to the extent of energy efficiency behaviors in the company.

In this sampling frame there were 78 offices across 40 different buildings[5], with some individuals listed as the Company Representative for more than one office location. The data used in this study came from representatives from companies located across 24 different buildings.

The Company Representative survey instrument can be found in *Appendix B: Company Representative Survey* and consisted of two major sections. The first section focused on campaign-related behaviors that were left up to the respondent to specify, and the second section asked about behaviors around specific end-use measures.

For the campaign-related behaviors, respondents were asked to select from 8 options:

1. Computer-related
2. Plug load-related

[5] We formed a sample frame from contact lists within the SEN program buildings. Generally, there was more than one contact person per building due to multiple tenants within the buildings. At the time of the survey, we had contact information for 78 company representatives across 40 of the 59 buildings.

OFFICIAL COPY
Mar 04 2015

3. Lighting-related
4. HVAC-related
5. Double-sided printing
6. Turning off the coffee maker
7. Use of stairs
8. Use of revolving Doors

Several questions were included that gauged the overall influence of SEN on their behavior. These questions were used to determine an overall attribution score.

For the second section on specific behaviors, the evaluation team selected office behaviors with the largest energy savings potential. These behaviors were around:

- Computer and Monitor Use
- Lighting Use
- HVAC
- Equipment upgrades
- Actions in common/shared spaces

The responses to the Company Representative survey are summarized in Table 2.

Table 2. Company Representative Survey Disposition

Stratum	N Buildings with Responses	N Responses	N Buildings per Stratum	Sum SF of Responding Buildings	Sum SF in Stratum	Percent of Stratum Responding
1	5	11	6	4,740,319	5,676,290	84%
2	6	11	13	3,618,750	7,928,228	46%
3	14	18	40	2,873,812	6,797,474	42%

Facility Manager and Property Manager Survey

In-depth phone surveys were conducted with the building managers and operators of the participating buildings. The surveys were conducted in two waves. The purpose of the first wave was to gather baseline information about building systems and control strategies, and any energy management practices currently in place. The second wave of surveys was conducted near the end of the SEN pilot to inform the impact analysis by identifying changes in building operations and energy management practices, and assessing the role of SEN in motivating those changes.

The sampling frame for the Facility Manager and Property Manager survey is the same frame as used for the baseline survey. The survey instrument also was based upon the items in the baseline survey, with the addition of two types of questions. The original baseline survey asked about current operating conditions of equipment throughout the building. Responses to that survey were pre-filled in the second survey, and the facility manager was asked whether the operating conditions had changed. If there was a change to either the operation or to the equipment, the Facility Manager was asked to what extent SEN was responsible for the change. The survey instrument can be found in *Appendix C: Property/Facility Manager Survey.*

OFFICIAL COPY
Mar 04 2015

The facility/property manager survey disposition is shown in Table 3.

Table 3. Facility/Property Manager Survey Disposition

Wave	Survey	Responses	Percent of Floor Space Represented
1	Baseline	45 responses representing 46 buildings	69%
2	Impact	25 responses representing 25 buildings	50%

The second wave of Facility Manager and Property Manager surveys were conducted soon after an extensive survey activity was completed for the process evaluation. The lower survey response rate in the second wave is attributed to "survey fatigue" resulting from repetitive coordination and activity assessment communications with SEN, a set of surveys and interviews conducted by an academic institution that was allowed access to many of these same individuals, and the effects of two rounds of evaluation surveys and interviews.

Billing Analysis

The assessment approach consisted of a commercial building weather-normalized analysis of participant billing data, comparing the pre-program consumption with post-program consumption, adjusted for naturally occurring consumption changes through the use of control variables within a regression analysis to factor out other non-program impacts. To assess program impacts, billing data between the months of January 2010 and August 2013 were obtained for all participants of the program, allowing for pre and post participation billing data to be utilized in the billing analysis. The demarcation between the pre and post periods for each building was based upon the kiosk installation date.

Since each building had multiple accounts, the first step in the analysis was to aggregate all accounts associated with a given building on a monthly basis. This allowed the evaluation to focus its impact assessment at the building level. Accounts were identified by premise ID in order to capture all relevant accounts. Accounts that closed during the evaluation period due to ownership changes were paired with new accounts to establish a complete billing record. Since most of the buildings were multi-use buildings, small businesses such as restaurants and retail were associated with the premise. Small businesses that did not meet the SEN program qualifications were eliminated from the analysis. In order to account for differences in billing cycles, the usage for each sub-account was converted from billing cycle to calendar months based on each bills start and end date.

While data were available both across buildings (i.e., cross-sectional) and over time (i.e., time-series), it was determined that pooling the data into a panel dataset was not appropriate as the variability across was too great. Therefore, a single time-series model was estimated for each building, and the total program effect was found by averaging these individual results.

Algebraically, the regression model used in for each building is described as follows:

$$y_t = \beta_0 + \beta x_t + \gamma P_t + \varepsilon_t$$

where:

OFFICIAL COPY
Mar 04 2015

y_t = energy consumption for the building during month t
β_0 = constant term for the building
β = vector of coefficients
x_t = vector of variables that represent factors causing changes in energy consumption for the building during month t (i.e., weather, time)
γ = the estimated savings for the building
P_t = the binary program participation variable
ε_t = error term for month t.

With this specification, the only information necessary for estimation are those factors that vary month to month for each customer, and that will affect energy use, which effectively are weather conditions. Other non-measurable factors can be captured through the use of monthly indicator variables (e.g., to capture the effect of potentially seasonal energy loads and major changes to building occupancy or operations not attributed to the SEN program).

The effect of the program was captured by including a variable which is equal to one for all months after the SEN kiosk was installed at the building. The coefficient associated with this variable is the savings associated with the program.

Engineering Analysis

The billing analysis described above is the primary method used to compute energy savings for the SEN program. The billing data analysis allowed the team to estimate savings for a census of SEN program participants, thus eliminating sampling error. The engineering analysis described below was used to partition the billing analysis results into a set of specific actions. The engineering analysis used a combination of approaches.

Engineering Calculation Approach. Simple engineering estimates using onsite survey data and secondary research were used to estimate energy savings. This method of performing these analyses was similar to those used in deemed savings approaches embodied in various Technical Reference Manuals (TRM).

Prototypical Building Energy Model. A typical building model was created of representative buildings to generate impacts for various actions across typical building and HVAC system designs.

Datalogging of Selected Mechanical and/or Electrical Systems. Metering equipment was installed and building automation system (BAS) trend logs were established on equipment affected by the behavior changes. Monitoring occurred over a three week time period near the end of the summer in 2013.

The specific steps in the engineering analysis are described below:

1. On-site familiarization visit

The engineering analysis efforts began in December 2010 with an on-site familiarization visit to each of buildings participating or expecting to participate in the program. The purpose of the on-

OFFICIAL COPY
Mar 04 2015

site visit was to begin to classify the types of buildings into building categories by the size and type of the building (square footage, stories, age, construction type, etc.) as well as the operations occurring within the buildings (office, retail, educational, medical, etc.). The general layout of the lobby areas of each building and potential kiosk locations were also assessed.

2. Preparation of sample selection criteria

The sample selection criteria to apply to the participant population were developed with the primary criterion being the "level of engagement." The intention was to pick buildings with a deep level of engagement so that representative levels of energy change could be identified within those buildings based on the actions that they had taken. The impacts quantified at the sampled buildings were used to develop unit energy savings estimates for a variety of energy savings actions. These unit savings estimates were applied to survey data on actions reported by Facility Managers, Property Managers, and Building Operators.

Additional criteria used to select buildings included building type, building size, and HVAC system type. The population was divided into 3 size-based strata. Each stratum represented approximately one third of the total conditioned floor space. Stratum 3 was further split into 3a and 3b to include smaller buildings under 100,000 SF.

Stratum	Size	Number of Buildings	Percent Total Floor Space
1	> 824,000 SF	6	27.8%
2	465,000 – 824,000 SF	13	38.9%
3	< 465,000 SF	40	33.3%
Total		59	100%
3a	100,000 – 465,000 SF	22	29.5 %
3b	< 100,000 SF	18	3.8%
Stratum 3 subtotal		40	33.3%

3. Preliminary selection of representative buildings

Seven buildings were selected across the three size strata. Two buildings were selected from Stratum 1, three buildings were selected from Stratum 2, and two buildings were selected from Stratum 3, as shown below.

Stratum	Building Selected
1	SEN-03
1	SEN-67[6]
2	SEN-07
2	SEN-19
2	SEN-41
3	SEN-22
3	SEN-08

[6] SEN-67 was reassigned to stratum 2 for billing analysis based on on-site verification of conditioned floor area.

OFFICIAL COPY
Mar 04 2015

4. On-site visit of preliminary sample of buildings
In this task we visited the preliminary sample of buildings and conducted more detailed examinations of the buildings' design, configuration, equipment profiles, and use conditions. This effort allowed a more complete understanding of the type and operational conditions and status of the building and its occupants. Interviews with building managers and operators were conducted to better understand the operations of the building and associated lighting and HVAC systems. The layout of the electrical room switchgear and trend logging capabilities of the building automation systems were assessed to help prepare site-specific M&V plans. A total of seven buildings were included in the initial site visits.

5. Final selection of buildings
Following the on-site visit and the interviews, a final selection of six buildings was made by the evaluation team. Site SEN-03 was dropped from the engineering analysis due to lower than expected level of SEN program engagement.

6. Site specific M&V plans
Site-specific measurement and verification (M&V) plans were developed for each building to guide the field evaluation work. The M&V plans and results are shown in *Appendix D: Site Reports*.

7. Analysis of energy impacts
An engineering estimate of the energy and peak demand savings associated with a variety of potential actions was developed based on the results of the M&V activities. A combination of simple engineering equations, DOE-2.2 modeling and metered data analysis was used, as described in *Appendix D: Site Reports*. The savings were normalized per square foot and per person and were expanded based on the Company Representative and Facility/Property Manager surveys conducted over a larger group of buildings. Since the billing analysis focused on kWh savings only, the engineering analysis was also used to calculate a set of demand savings factors, in terms of peak kW saved per kWh saved. The demand savings factors derived from the engineering analysis were applied to the kWh savings estimates from the billing analysis to estimate the customer and coincident peak demand savings reported in *Appendix F: DSMore Table*.

8. Coordination with Smart $aver Custom and Prescriptive programs for rebated savings
A search of the program tracking databases for the Non-Residential Smart $aver Prescriptive and Custom programs was conducted for each SEN participant. Savings associated with the SEN participants was identified.

Evaluation Dates

Evaluation Component	Dates of Analysis
Online Surveys with Occupants of SEN Buildings	April, 2013
Online and Telephone Surveys with Property Managers and Facility Managers	April 25, 2013 – May 10, 2013
First and last billing data dates used	January 1, 2010 – September 30, 2013
First and last dates of monitoring for engineering analysis	September 17, 2013 – October 3, 2013

OFFICIAL COPY
Mar 04 2015

Impact Analysis Results

The results of the billing analysis for each participating building are shown below. The results are shown by stratum, with Stratum 3 subdivided into Stratum 3a (100,000 SF to 465,000 SF) and Stratum 3b (less than 100,000 SF). Stratum 3b was created to separately investigate the savings from smaller buildings; buildings in Stratum 3b have a savings goal of 3%, while all other buildings have a savings goal of 5%. The t-values indicate the change in consumption during the pre/post period is statistically significant for most of the buildings. Note: a negative value in the columns of Table 4 through Table 7 indicate an increase in energy consumption.

Table 4. SEN Billing Analysis Results for Stratum 1

TMW ID	Building Address	Gross Energy Savings (kWh/day)	t-value	Consumption (kWh/day)	Gross Energy Savings (% of total)	Gross Annual Savings (MWh)
SEN-44	[redacted]	5,850	3.44	81,653	7.2%	2,135
SEN-31	[redacted]	-6,283	-2.58	66,258	-9.5%	-2,293
SEN-34	[redacted]	3,249	3.65	48,029	6.8%	1,186
SEN-43	[redacted]	4,127	3.73	36,141	11.4%	1,506
SEN-54	[redacted]	12,754	4.56	86,693	14.7%	4,655
SEN-03	[redacted]	-2,508	-1.60	50,891	-4.9%	-915

Stratum 1 represents 27.8% of the square footage in the pilot program and 14.5% of gross annual savings achieved (6,274 MWh). In all, four buildings met the 5% savings goal, and two did not. The average unweighted building savings was 4.3% and the savings for the stratum taken as a whole was 4.7%.

Table 5. SEN Billing Analysis Results for Stratum 2

TMW ID	Building Address	Gross Energy Savings (kWh/day)	t-value	Consumption (kWh/day)	Gross Energy Savings (% of total)	Gross Annual Savings (MWh)
SEN-68	[redacted]	39,502	6.25	135,282	29.2%	14,418
SEN-67	[redacted]	6,060	2.76	63,663	9.5%	2,212
SEN-91	[redacted]	2,494	4.57	37,388	6.7%	910
SEN-04	[redacted]	3,220	1.36	32,511	9.9%	1,175
SEN-19	[redacted]	3,070	4.17	87,391	3.5%	1,120
SEN-64	[redacted]	2,288	1.49	30,306	7.6%	835
SEN-07	[redacted]	589	0.47	38,961	1.5%	215
SEN-24	[redacted]	2,742	2.84	26,686	10.3%	1,001
SEN-26	[redacted]	3,427	3.97	35,872	9.6%	1,251
SEN-13	[redacted]	6,829	2.65	49,857	13.7%	2,493
SEN-10	[redacted]	-1,997	-2.73	34,441	-5.8%	-729
SEN-02	[redacted]	2,860	4.29	28,274	10.1%	1,044
SEN-41	[redacted]	7,812	11.50	32,890	23.8%	2,851

Stratum 2 represents 38.9% of the square footage in the pilot program and 66.8% of gross annual savings achieved (28,796 MWh). In all, ten buildings met the 5% savings goal, and three did not.

OFFICIAL COPY
Mar 04 2015

The average unweighted building savings was 10.0% and the savings for the stratum taken as a whole was 12.5%.

Table 6. SEN Billing Analysis Results for Stratum 3a

TMW ID	Building Address	Gross Energy Savings (kWh/day)	t-value	Consumption (kWh/day)	Gross Energy Savings (% of total)	Gross Annual Savings (MWh)
SEN-32		2,401	5.97	25,469	9.4%	876
SEN-01		1,908	3.37	23,761	8.0%	696
SEN-53		1,610	4.93	23,405	6.9%	588
SEN-45		-2,076	-2.86	19,984	-10.4%	-758
SEN-56		-588	-0.79	23,888	-2.5%	-215
SEN-06		3,097	7.23	22,093	14.0%	1,130
SEN-25		-545	-1.18	10,569	-5.2%	-199
SEN-22		1,382	3.73	19,207	7.2%	504
SEN-21		1,989	3.65	46,806	4.2%	726
SEN-15		3,639	4.37	21,489	16.9%	1,328
SEN-57		413	2.23	15,460	2.7%	151
SEN-66		3,145	7.39	14,703	21.4%	1,148
SEN-37		1,188	3.43	10,629	11.2%	434
SEN-42		579	1.81	6,014	9.6%	211
SEN-46		1,170	3.47	11,198	10.4%	427
SEN-62		-369	-3.60	5,761	-6.4%	-135
SEN-47		202	1.09	12,376	1.6%	74
SEN-20		373	2.04	9,015	4.1%	136
SEN-49		115	0.40	14,411	0.8%	42
SEN-14		353	1.24	5,384	6.6%	129
SEN-61		474	8.02	4,658	10.2%	173
SEN-12		591	3.75	4,692	12.6%	216

Stratum 3a represents 29.6% of the square footage in the pilot program and 17.8% of gross annual savings achieved (7,682 MWh). In all, 13 buildings met the 5% savings goal, and nine did not. The average unweighted building savings was 6.1% and the savings for the stratum taken as a whole was 6.0%.

Table 7. SEN Billing Analysis Results for Stratum 3b

TMW ID	Building Address	Gross Energy Savings (kWh/day)	t-value	Consumption (kWh/day)	Gross Energy Savings (% of total)	Gross Annual Savings (MWh)
SEN-16		-341	-1.29	6,239	-5.5%	-124
SEN-63		-287	-1.25	5,207	-5.5%	-105
SEN-08		184	1.10	3,852	4.8%	67
SEN-60		266	0.87	3,834	6.9%	97
SEN-05		624	12.57	2,111	29.6%	228
SEN-29		-326	-0.83	7,013	-4.7%	-119
SEN-36		482	2.92	2,314	20.8%	176
SEN-90		442	5.55	2,541	17.4%	161
SEN-51		153	1.48	2,061	7.4%	56

OFFICIAL COPY
Mar 04 2015

SEN-35	8	0.31	368	2.3%	3
SEN-69	-2	-0.02	2,534	-0.1%	-1
SEN-09	67	2.01	1,315	5.1%	24
SEN-23	60	1.88	637	9.5%	22
SEN-50	185	3.95	970	19.1%	68
SEN-30	-15	-0.66	583	-2.6%	-5
SEN-11	45	1.00	631	7.1%	16
SEN-28	86	3.14	545	15.8%	31
SEN-39	-607	-7.59	4,627	-13.1%	-222

Strata 3b represents just 3.7% of the square footage in the pilot program and 1% of gross annual savings achieved (373 MWh). The savings goal for buildings less than 100,000 SF was 3%. In all, 11 buildings met the 3% savings goal, and seven did not. The average unweighted building savings was 6.1% and the savings for the stratum taken as a whole was 2.2%.

The stratum contribution of the overall gross electricity savings is shown in Figure 1 below.



Figure 1. Stratum Contribution to Gross Program Savings

Stratum 2 has the highest contribution to program savings. Although there is more total conditioned floor area in Stratum 2, the fraction of the total savings exceeds the floor area fraction. The number of buildings meeting the percent savings goals by stratum is shown in Figure 2 below.

OFFICIAL COPY
Mar 04 2015



Figure 2. Number of Buildings Meeting Savings Goals by Stratum

Buildings in the higher size strata were more likely to meet the savings goals. Only about 60% of the buildings in the small stratum met the savings goals. The total savings and high/low range of savings as a percent of total consumption by stratum is shown in Figure 3 below.

OFFICIAL COPY
Mar 04 2015



Figure 3. Total Gross Energy Savings and Percent Savings Range by Stratum

A few of the buildings showed an increase in consumption between the pre and post SEN program periods. The increase in consumption may be caused by differences in the building occupancy or operations that were not reported. The billing analysis incorporated variables to account for non-SEN related actions that can affect building energy consumption, such as changes in occupancy rates, tenants, and operating hours, and additions or removals of major equipment or process loads. The analysis relied on survey data to identify those changes. Given the relatively low response rate to the Facility/Property Manager survey, it is expected that some of the non-SEN related changes went unreported. Adjusting the analysis to account for non-SEN related changes will likely reduce the magnitude of the consumption difference at these sites and thereby increase the overall program savings. Thus the billing analysis represents a conservative estimate of overall program savings.

The contribution to total program savings, number of buildings meeting savings goals, savings range and number of buildings across the strata are shown in Figure 4.

OFFICIAL COPY
Mar 04 2015



Figure 4. Energy Savings Metrics Across Strata

The dependency of energy savings energy use intensity (kWh/SF) across the strata was investigated. The results are presented in Figure 5 below.

OFFICIAL COPY
Mar 04 2015



Figure 5. Energy Savings as a Function of Building Size Stratum and EUI

There is no strong trend in energy savings as a function of energy use intensity. Most buildings tend to cluster around an EUI of 20 kWh/SF, and the energy savings vary strongly across buildings with similar EUIs.

The engineering analysis was used to partition the energy savings into specific components. The components were defined from the survey data, and were grouped into the following categories:

- Turn off lighting in personal workspace
- Turn off lighting in common areas
- Turn off computers when not in use
- Replace desk lamp with energy efficient model
- Update computer monitor
- Replace desktop computer with laptop

The Facility/Property Manager surveys were also used to partition the savings into specific actions taken by facility and/or property managers. Actions reported included:

- Implement a Supply Air Reset strategy
- Reduce air handler fan run time

OFFICIAL COPY
Mar 04 2015

- Implement additional thermostat setback and setup strategies
- Install VFDs on cooling tower fans

Unit energy savings estimates for each of these actions is shown in *Appendix E: Engineering Estimates of Unit Energy Savings*.

The unit energy savings estimates are projected into the survey results[7] to estimate the relative fraction of energy savings resulting from these actions. The results are shown below.



Figure 6. Energy Savings Fraction by Action from Engineering Analysis

[7] The number of survey responses to questions about specific behaviors was low, ranging from 1 to 10 responses. Because it is likely that this low response rate would not be representative of the larger SEN population, we recommend that further studies be conducted before the program design is changed, and that the program not be changed on the basis of Figure 6 alone. In particular, the low response rate to the Facility/Property Manager survey may be responsible for the low overall impact of actions taken by this group (about 2.6% overall).

OFFICIAL COPY
Mar 04 2015

Net Savings Analysis

The Company Representative and Facility/Property Manager surveys contained questions regarding the relative influence of SEN on their decisions to take an energy saving action. Because the SEN program was launched in coordination with Envision Charlotte, there was some concern that some energy savings perhaps should be attributed to Envision Charlotte. This may be due to reports from the program staff that building occupants sometimes used the names SEN and EC interchangeably. The findings from the process evaluation's Company Representative survey also showed some confusion around the two names. Smart Energy Now was clearly defined at the start of all surveys, and the survey concluded with a question about awareness around Envision Charlotte. Responses indicated there was a limited degree of confusion around the two names. When asked, "*Can you please tell us some of the things that Envision Charlotte is trying to accomplish*," responses included, "*I never understood the difference between Envision Charlotte and Smart Energy Now*," and "*Same as Smart Energy Now*", in addition to many correct answers. Despite this, there are several reasons the concern about incorrect attribution of energy savings is unfounded, even if some of the participants may have confused the names.

The first reason is a chronological one. Other than SEN, there were no behavior change activities, campaigns, or programs that had been launched in any of the other pillars. Envision Charlotte's other pillars remained in the planning stages. This was confirmed in the process evaluation interviews with the Envision Charlotte stakeholders, who acknowledge that the energy pillar campaigns were funded entirely by Duke Energy's Smart Energy Now. At the time of the process evaluation interviews, the Envision Charlotte stakeholders reported that no other source of funding had yet been identified for funding non-Duke Energy campaigns, though the Envision Charlotte board did have enough funding to hire an Executive Director to coordinate future fundraising and planning efforts. The Executive Director confirmed: "*Smart Energy Now was well underway when I came on board. With Vincent's leadership and Duke's support, that really had been going well. It was well established and had forward momentum... Really, most of the work with Envision Charlotte was Smart Energy Now. When I came on board a year ago, there were some plans underway for waste, some preliminary plans for an air program. Water was a concept but not well established. So my charge was, 'Let's flesh out the plans for all of these other pillar areas so we can start moving forward on an operational basis, so we can say we are something other than just SEN'.*"

Second, the survey questions acknowledged the possibility of many influences, and took pains to clarify that the question only addressed SEN-specific issues. For example, the Company Representative survey asked, "*Please rate the extent to which this campaign influenced your company to take those actions, compared with all other influences. Please rate on a scale of 0 to 10, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence.*" Similarly, in the facility manager impact survey, every attribution question made clear that they were being asked to only rate the influence of Smart Energy Now, using the following language, "*There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influenced your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?"*

OFFICIAL COPY
Mar 04 2015

Attribution to SEN over other influences was scored using a preponderance of evidence approach based upon the responses to the survey questions on campaign-related behaviors[8]. This approach queried the people who are most knowledgeable about the action being taken on the degree of attribution of those actions taken. The evaluation team developed a rubric for the scoring process. This process relies on responses from experts most knowledgeable about their company's energy efficiency activities. In most cases, as in this study, respondents provide consistence allocation of attribution across the battery of multiple questions. However, because the attribution questions are asked independently, one question at a time, there were occasions in which respondents can provide more than one reason for why an action is taken, or in some cases can provide reasons that appear inconsistent, such as in the example provided below to show this potential relationship.

There were four questions asked of surveyed representatives or managers that were relevant to SEN attribution scoring.

A) How did you first learn about this campaign?

( ) It was suggested by a SEN staff member
( ) We learned about it on the SEN website
( ) I designed it myself
( ) Someone in my company designed it
( ) I don't know
( ) Other: _____

B) Since this Smart Energy Now campaign started promoting certain activities and actions in the workplace, did your company:

( ) Start doing the activity/action for the first time,
( ) Increase the frequency of the activity/action that your company had already been doing,
( ) Not change any actions at all,
( ) Decrease the frequency of the activity/action that your company had already been doing, or
( ) Stop doing the activity/action?

C) Please rate the extent to which this campaign influenced your company to take those actions, compared with all other influences. Please rate on a scale of 0 to 10, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence."

D) Of the other sources that influenced your company to change their actions in response to this campaign, what were the biggest influences? Please provide up to three of the most important ones.

[8] Unfortunately, the response rate to the individual behaviors in the second section were too low to yield usable data, with a range of 1 to 10 responses per behavior.

OFFICIAL COPY
Mar 04 2015

The score was determined by looking at the first two questions and starting with a score of 10 if either, 1) the respondent reported that they first learned about the campaign from a SEN staff member or on the SEN website, or 2) the respondent reported that their company started taking an action since SEN started promoting that action. If only one of these conditions were met, the initial score started at 9 and if neither was met, the score started with 8. From that score, we reviewed the numerical rating given by the respondent to question C, subtracting 1 point if

- the rating was less than 10 and another influence was cited in question D,
- the rating was low (less than 7)

This rubric covered all but two responses where there seemed to be an inconsistency among a respondent's answers: One respondent reported that at least a part of their campaign was already in place prior to SEN but still rated SEN's influence on the actions taken by the company as a 7; thus, we scored this respondent's attribution as 7. Another respondent reported that while someone in their company came up with the idea of the campaign, it was SEN that caused them to start taking the action for the first time. In this similar case the respondent rated SEN's attribution with a score of 3, thus we scored this respondent's attribution at 3 for the purposes of the allocation of savings. As noted in these two cases, the respondent's attribution prevailed in the evaluation scoring process. That is, only the action attribution score provided by these two respondents were used, even when circumstances suggested that it might have been a somewhat higher or a somewhat lower score than what was provided. Because these possible inconsistences only occurred in two cases and did not significantly impact estimated savings, the evaluation team is confident in allocating net attribution results based on these scores.

Across the 25 valid responses, the mean attribution score was 8.2 with a standard deviation of 1.7. Based upon this, we used 0.82 as the Net to Gross (NTG) for attribution of energy saving behaviors to SEN.

In addition to adjusting for the net to gross ratio, savings resulting from participation in the Duke Energy Smart $aver Non-Residential Prescriptive and Smart $aver Custom programs was removed from the gross savings estimated from the billing analysis. The program tracking databases for these programs were queried, and SEN buildings that also participated in these programs were identified. A total of 14 buildings were identified as participants in the Duke Energy Smart $aver programs. The energy savings associated with the rebates provided by these programs as recorded in the program tracking system were subtracted from the gross savings for each building.

The net savings, accounting for Smart $aver program participation, is shown in Table 8 below. Consistent with the filing approving the SEN program, the savings are shown separately for buildings 100,000 SF and higher, and buildings less than 100,000 SF.

Table 8. Gross and Net Savings by Size Category

Size Category	Gross Savings	Savings Less Smart $aver Program Participation	SEN Net Savings
Overall	8.4%	7.6%	6.2%
>= 100,000 SF	8.7%	7.8%	6.4%
< 100,000 SF	2.2%	1.3%	1.1%

OFFICIAL COPY
Mar 04 2015

The energy savings in terms of total kWh are shown in the Tables below.

All Buildings	kWh/yr	Percent of Total
Total Consumption	511,563,334	
Gross Savings	43,129,055	8.4%
Savings Less Smart $aver rebates	38,872,425	7.6%
Net Savings after Smart $aver rebates and free riders	31,875,388	6.2%

Buildings >= 100,000 SF		
Total Consumption	494,269,008	
Gross Savings	42,755,090	8.7%
Savings Less Smart $aver rebates	38,644,460	7.8%
Net Savings after Smart $aver rebates and free riders	31,688,457	6.4%

Buildings < 100,000 SF		
Total Consumption	17,294,326	
Gross Savings	373,965	2.2%
Savings Less Smart $aver rebates	227,965	1.3%
Net Savings after Smart $aver rebates and free riders	186,931	1.1%

Gross and net energy savings across all size strata are shown in Figure 7 below.

OFFICIAL COPY
Mar 04 2015



Figure 7. Gross and Net Savings by Stratum

Stratum 2 provided the largest average per building savings percentage across all categories. Smart $aver rebates accounted for 7.5% of the Stratum 1 savings, 7.6% of the Stratum 2 savings, 19.0% of the Stratum 3a savings, and 39.0% of the Stratum 3b savings. Although the influence of the rebate programs overall was small, the savings in Strata 3a and 3b were most influenced by rebate program participation.

OFFICIAL COPY
Mar 04 2015

Appendix A: Memo on Impact Evaluation Schedule

TecMarket Business Center
165 Netherwood Road
2nd Floor, Suite A
Oregon, WI 53575

Memorandum

To: Ashlie Ossege, Duke Energy
From: Nick Hall, TecMarket Works
Date: January 18, 2012
Subject: Changes to the Impact Evaluation Schedule for "Smart Energy Now"

Description of Smart Energy Now Program

Smart Energy Now is a pilot program aimed at approximately 170 commercial customers in roughly 65 office buildings (buildings with a minimum of 10,000 sq. ft.) within the Charlotte city center as defined by the I-277 loop. The program is designed to create energy and capacity reductions through behavioral modifications and community commitment to create an environmentally sustainable urban core, called Envision Charlotte.

The Smart Energy Now program provides new information to customers (owners, facility managers, and occupants of commercial office buildings), giving them increased insights into their own energy use by providing them with more detailed information on the building's energy usage and allowing them to make comparisons between their building's energy performance and others within their community, as well as actionable recommendations to improve their energy performance.

The goal is for participants (owners, managers, and occupants) to act on this new knowledge by changing their behaviors, thus creating energy savings. These savings likely will not have occurred without Smart Energy Now.

The pilot consists of two main components: Providing customers with detailed, near real-time information on their energy consumption, and providing analytic tools to allow reductions of total energy use, energy intensity, and load shapes. While customers only receive specific information related to their accounts, they are also provided with near real-time data on aggregate community-level energy performance. This occurs through digital displays placed in the main lobby of participating buildings and in public areas. This pilot also tests various forms of building owner and tenant engagement and education.

Brief Summary of Evaluation Plan

The evaluation plan submitted by TecMarket Works and dated December 28, 2011 includes a process and impact evaluation of Smart Energy Now. The plan presented a broad-scope

OFFICIAL COPY
Mar 04 2015

evaluation effort designed to document the energy impacts associated with Smart Energy Now and to assess the design and operational components of the program through a series of process evaluation efforts.

Changes to the Impact Evaluation Timeline

The original timeline as filed indicated that the full report presenting both the process and impact evaluation results would be final in June of 2013. However, in response to the pilot being approved through the end of 2013, the timing for SEN displays to be two full years of summer and winter, and newly designed energy reduction campaigns discovered during the program management process evaluation interviews that focus on tenant behaviors that are expected to impact the 2013 air conditioning load, the evaluation team recommends moving the completion date for the impact evaluation report to January of 2014. This will allow the evaluation team to include the savings achieved via the developing campaign that focuses on the 2013 air conditioning load reductions. The inclusion of the 2013 assessment will allow more complete and more reliable impact savings estimates achieved via the Smart Energy Now pilot program. If the impact report due date remains June 2013, the savings from the 2013 air conditioning load reduction will not be included in the impact analysis report, and will substantially under-count the full three year pilot program effects. The due date for the process evaluation can remain as planned because a significant amount of customer and program management feedback can be collected and reported prior to the end of 2013. The following table provides the current report due dates and the recommended changes to these dates.

Evaluation Component	Report Date Indicated in Evaluation Plan Dated December 28, 2011	Recommended Report Due Date
Final Process Evaluation Report	June 28, 2013	Unchanged
Final Impact Evaluation Report	June 28, 2013	January 31, 2014

OFFICIAL COPY
Mar 04 2015

Appendix B: Company Representative Survey

Hello,
My name is _____ and I am with TecMarket Works. Duke Energy's Smart Energy Now program manager gave us your name and suggested we contact you as the person who may have the most knowledge about any company-wide efforts to reduce energy use at your workplace.

We are the independent evaluation team that is responsible for evaluating any changes in energy use at your office. Would you be willing to help us with this evaluation study? Or, is there someone else at your company who might have more knowledge about any efforts at your company to reduce energy use?

We would like to have you complete a questionnaire on behalf of your company about actions that you and your colleagues may, or may not, be taking. The questionnaire will take about half an hour by phone at any time convenient for you or I could give you a link to the online version of this questionnaire for you to fill out no later than *<insert deadline here>*.

( ) Via phone, now
( ) Via phone, at (date & time) _____
( ) Online (*read or email them the tiny URL*)

Intro/Background

1. **What is the name of the company for which you work?** _____

2. **What is your title at your company?** _____

3. **What is the name or street address of the building you work in?** _____

3a. **Please rate on a scale of 0 to 10 your familiarity with how successful efforts have been to reduce energy use in your office, where 0 means "zero familiarity" and 10 means "complete familiarity".**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

4. **Approximately how many people in your company work in this building?**
( ) Approximately _____
( ) Don't Know

4a. **Does your company have offices in other buildings in Uptown Charlotte?**
( ) Yes
( ) No

4b. **Please give me the names of those buildings and rate on a scale of 0 to 10 your familiarity with how successful efforts have been to reduce energy use in those offices,**

OFFICIAL COPY
Mar 04 2015

where 0 means "zero familiarity" and 10 means "complete familiarity".

	Building Name or address	Familiarity Rating	Alternate Contact
1			
2			
3			
4			
5			

(If building rating is either >= rating for their own building (3a) or ≥7, please include that building in the survey, with a maximum of two additional buildings with the highest rankings)

For these next questions, I'd like you to respond as they apply to the building in which you work.

5. **Are you familiar with a program called Smart Energy Now or Envision Charlotte?**
( ) Yes
( ) No
( ) Don't Know

If no or DK:
Smart Energy Now is a program from Duke Energy dedicated to helping reduce electric energy consumption in Charlotte's Uptown office buildings.

5a. **Do you recall hearing about this program?**
( ) Yes
( ) No
( ) Don't Know

6. **Have you been working at this office for more than one year?**
( ) Yes
( ) No

7. **Has your company conducted any kind of workplace energy audit to see where energy use could be reduced?**
( ) Yes
( ) No
( ) Don't Know

If Yes, 7a. **Would you have a copy of the recommendations from that audit, or would you happen to remember some of the recommendations?**
( ) Don't remember
( ) recommendations _____

If Yes, 7b. **Which recommendations did your company use?**
( ) Don't remember
( ) recommendations _____

OFFICIAL COPY
Mar 04 2015

8. **Has your office participated in or adopted specific activities that are part of the Smart Energy Now Campaigns?**

( ) Yes
( ) No
( ) Don't Know

If no or don't know: 8a. **Some examples of Smart Energy Now Campaigns are "Crab You're It" and "Adopt A Light", which are games that co-workers play to motivate each other to turn off unused lights. Do either of those campaigns sound familiar?**

( ) Yes
( ) No
( ) Don't Know

If yes, 8b. **How many total campaigns have been launched at your workplace?**

( ) 0
( ) 1
( ) 2
( ) 3 or more
( ) Don't know

9. **Including Crab You're It and Adopt a Light, please tell us about each of the campaigns that has been launched at your company and describe what activity or action it was promoting. If you do not recall either the name of the campaign or what it asked you to do, please indicate that as well.**

( ) Name _____
( ) I don't remember the name

9a. **Action/Activity being promoted**

( ) Computer-related
( ) Plug load-related
( ) Lighting-related
( ) HVAC-related
( ) Double-sided printing
( ) Turn off coffee maker
( ) Use stairs
( ) Use revolving Doors
( ) I don't remember the activity
( ) Other _____

9b. **How did you first learn about this campaign?**

( ) It was suggested by a SEN staff member
( ) We learned about it on the SEN website
( ) I designed it myself
( ) Someone in my company designed it
( ) I don't know

OFFICIAL COPY
Mar 04 2015

( ) Other _____

9c. **Since this Smart Energy Now campaign started promoting certain activities and actions in the workplace, did your company…**

( ) Start doing the activity/action for the first time,
( ) Increase the frequency of the activity/action that your company had already been doing,
( ) Not change any actions at all,
( ) Decrease the frequency of the activity/action that your company had already been doing, or
( ) Stop doing the activity/action?
( ) Don't Know

If response indicates that the company changed their actions associated with a campaign

9d. **Please rate the extent to which this campaign influenced your company to take those actions, compared with all other influences.. Please rate on a scale of 0 to 10, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence."**

( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

9e. **Of the total number of people in your company at this office, how many people would you estimate took this action?**

( ) # _____
( ) Don't know

9f. **Of the other sources that influenced your company to change their actions in response to this campaign, what were the biggest influences? Please provide up to three of the most important ones.**

a _____
b _____
c _____

10. **Is there one more 'Smart Energy Now' campaign launched at your office that you can tell us about?**

( ) Yes
( ) No

Second SEN Campaign

11. **Name of Campaign**

( ) Name _____
( ) I don't remember the name

11a. **Action/Activity being promoted**

( ) Computer-related
( ) Plug load-related

OFFICIAL COPY
Mar 04 2015

( ) Lighting-related
( ) HVAC-related
( ) Double-sided printing
( ) Turn off coffee maker
( ) Use stairs
( ) Use revolving Doors
( ) I don't remember the activity

11b. **How did you first learn about this campaign?**
( ) It was suggested by a SEN staff member
( ) We learned about it on the SEN website
( ) I designed it myself
( ) Someone in my company designed it
( ) I don't know
( ) Other _____

11c. **Since this Smart Energy Now campaign started promoting certain activities and actions in the workplace, did your company…**
( ) Start doing the activity/action for the first time,
( ) Increase the frequency of the activity/action that your company had already been doing,
( ) Not change any actions at all,
( ) Decrease the frequency of the activity/action that your company had already been doing, or
( ) Stop doing the activity/action?
( ) Don't Know

If response indicates that the company changed their actions associated with a campaign
11d. Please rate the extent to which this campaign influenced your company to take those actions, compared with all other influences.. Please rate on a scale of 0 to 10, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence."
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

11e. **Of the total number of people in your company at this office, how many people would you estimate took this action?**
( ) # _____
( ) Don't know

11f. **Of the other sources that influenced your company to change their actions in response to this campaign, what were the biggest influences? Please provide up to three of the most important ones.**
a _____
b _____
c _____

OFFICIAL COPY
Mar 04 2015

Non-SEN Programs

12. **Since October of 2011, has your office been a participant of any other program or company effort to reduce energy use, other than Smart Energy Now?**

( ) Yes
( ) No
( ) Don't know

If yes, 12a. **Please provide the program name (if possible) and describe the action that you were requested to take.**

Name _____
Action Requested _____

12b. **Of the total number of people in your company at this office, how many people participated or took an action as a result of this other program or company effort?**

( ) # _____
( ) Don't know

In this next section, we will show a list of actions that might be taken in your office. For each item, we will ask you to indicate three things for each item: the number of people doing this, when they began, and why.

It's okay if you don't know, but we would appreciate it if you could give us your best estimate. Please take as much time as you need. Or, if you can't give an estimate, please move on to the next one.

13. **Of the total number of people in your office, how many would you say set their computer to energy-saving mode (e.g. display and/or computer will automatically sleep after a period of inactivity)?**

( ) # _____
( ) Don't know

13a. **Please estimate when the majority of these people started doing this.**

( ) On *(date)* _____
( ) Other _____
( ) I don't know

13b. **Why do you think they started taking this action?**

[ ] Due to one of SEN's campaigns or communications
[ ] Due to another campaign or communication unrelated to SEN
[ ] Due to a request or initiative from management or the IT department, outside of any program or campaign
[ ] Due to each person's own interest in reducing energy use
[ ] Other
[ ] I don't know

OFFICIAL COPY
Mar 04 2015

14. **If there is no energy-saving setting, and people must manually turn off their monitor and/or computer, we would like to know their actions for the monitor and computer separately. First, how many would you say manually turn off their monitor when not in use?**

( ) # _____
( ) Don't know

14a. **Please estimate when the majority of these people started doing this.**

( ) On *(date)* _____
( ) Other _____
( ) I don't know

14b. **Why do you think they started taking this action?**

[ ] Due to one of SEN's campaigns or communications
[ ] Due to another campaign or communication unrelated to SEN
[ ] Due to a request or initiative from management or the IT department, outside of any program or campaign
[ ] Due to each person's own interest in reducing energy use
[ ] Other _____
[ ] I don't know

15. **Second, how many people in your office would you say manually turn off their computer when not in use?**

( ) # _____
( ) Don't know

15a. **Please estimate when the majority of these people started doing this.**

( ) On *(date)* _____
( ) Other _____
( ) I don't know

15b. **Why do you think they started taking this action?**

[ ] Due to one of SEN's campaigns or communications
[ ] Due to another campaign or communication unrelated to SEN
[ ] Due to a request or initiative from management or the IT department, outside of any program or campaign
[ ] Due to each person's own interest in reducing energy use
[ ] Other _____
[ ] I don't know

16. **Of the total number of people in your office how many would you say use desk lamp or task lighting instead of lighting entire workspace with overhead lights?**

( ) # _____
( ) Don't know

16a. **Please estimate when the majority of these people started doing this.**

OFFICIAL COPY
Mar 04 2015

( ) On *(date)* _____
( ) Other _____
( ) I don't know

16b. **Why do you think they started taking this action?**
[ ] Due to one of SEN's campaigns or communications
[ ] Due to another campaign or communication unrelated to SEN
[ ] Due to a request or initiative from management or the IT department, outside of any program or campaign
[ ] Due to each person's own interest in reducing energy use
[ ] Other _____
[ ] I don't know

17. **How many would you say manually turn off desk lamp or task lighting when leaving the room?**
( ) # _____
( ) Don't know

17a. **Please estimate when the majority of these people started doing this.**
( ) On *(date)* _____
( ) Other _____
( ) I don't know

17b. **Why do you think they started taking this action?**
[ ] Due to one of SEN's campaigns or communications
[ ] Due to another campaign or communication unrelated to SEN
[ ] Due to a request or initiative from management or the IT department, outside of any program or campaign
[ ] Due to each person's own interest in reducing energy use
[ ] Other _____
[ ] I don't know

18. **How many would you say manually turn off desk lamp or task lighting and use natural daylight?**
( ) # _____
( ) Don't know
( ) NA

18a. **Please estimate when the majority of these people started doing this.**
( ) On *(date)* _____
( ) Other _____
( ) I don't know
( ) NA

18b. **Why do you think they started taking this action?**
[ ] Due to one of SEN's campaigns or communications

OFFICIAL COPY
Mar 04 2015

[ ] Due to another campaign or communication unrelated to SEN
[ ] Due to a request or initiative from management or the IT department, outside of any program or campaign
[ ] Due to each person's own interest in reducing energy use
[ ] Other _____
[ ] I don't know
[ ] NA

19. **How many would you say manually turn off overhead light <u>when leaving the room</u>?**
( ) # _____
( ) Don't know

19a. **Please estimate when the majority of these people started doing this.**
( ) On *(date)* _____
( ) Other _____
( ) I don't know

19b. **Why do you think they started taking this action?**
[ ] Due to one of SEN's campaigns or communications
[ ] Due to another campaign or communication unrelated to SEN
[ ] Due to a request or initiative from management or the IT department, outside of any program or campaign
[ ] Due to each person's own interest in reducing energy use
[ ] Other _____
[ ] I don't know

20. **How many would you say manually turn off overhead light and <u>use natural daylight?</u>**
( ) # _____
( ) Don't know
( ) NA

20a. **Please estimate when the majority of these people started doing this.**
( ) On *(date)* _____
( ) Other _____
( ) I don't know
( ) NA

20b. **Why do you think they started taking this action?**
[ ] Due to one of SEN's campaigns or communications
[ ] Due to another campaign or communication unrelated to SEN
[ ] Due to a request or initiative from management or the IT department, outside of any program or campaign
[ ] Due to each person's own interest in reducing energy use
[ ] Other _____
[ ] I don't know
[ ] NA

OFFICIAL COPY
Mar 04 2015

21. **Of the total number of people in your office, how many would you say set a thermostat to decrease energy consumption (e.g. slightly less cool in the summer and slightly less warm in the winter).**

( ) # _____
( ) Don't know
( ) NA

21a. **Please estimate when the majority of these people started doing this.**

( ) On *(date)* _____
( ) Other _____
( ) I don't know
( ) NA

21b. **Why do you think they started taking this action?**

[ ] Due to one of SEN's campaigns or communications
[ ] Due to another campaign or communication unrelated to SEN
[ ] Due to a request or initiative from management or the IT department, outside of any program or campaign
[ ] Due to each person's own interest in reducing energy use
[ ] Other _____
[ ] I don't know
[ ] NA

22. **How many would you say removed a personal space heater?**

( ) # _____
( ) Don't know
( ) NA

22a. **Please estimate when the majority of these people started doing this.**

( ) On *(date)* _____
( ) Other _____
( ) I don't know
( ) NA

22b. **Why do you think they started taking this action?**

[ ] Due to one of SEN's campaigns or communications
[ ] Due to another campaign or communication unrelated to SEN
[ ] Due to a request or initiative from management or the IT department, outside of any program or campaign
[ ] Due to each person's own interest in reducing energy use
[ ] Other _____
[ ] I don't know
[ ] NA

OFFICIAL COPY
Mar 04 2015

23. **Of the total number of people in your office how many would you say replaced a standard desk lamp with an efficient (Energy Star) desk lamp?**

( ) # _____
( ) Don't know

23a. **Please estimate when the majority of these people started doing this.**

( ) On *(date)* _____
( ) Other _____
( ) I don't know

23b. **Why do you think they started taking this action?**

[ ] Due to one of SEN's campaigns or communications
[ ] Due to another campaign or communication unrelated to SEN
[ ] Due to a request or initiative from management or the IT department, outside of any program or campaign
[ ] Due to each person's own interest in reducing energy use
[ ] Other _____
[ ] I don't know

24. **How many replaced a standard computer monitor with an efficient (Energy Star) monitor**

( ) # _____
( ) Don't know

24a. **Please estimate when the majority of these people started doing this.**

( ) On *(date)* _____
( ) Other _____
( ) I don't know

24b. **Why do you think they started taking this action?**

[ ] Due to one of SEN's campaigns or communications
[ ] Due to another campaign or communication unrelated to SEN
[ ] Due to a request or initiative from management or the IT department, outside of any program or campaign
[ ] Due to each person's own interest in reducing energy use
[ ] Other _____
[ ] I don't know

25. **How many replaced a standard desktop computer with a laptop computer?**

( ) # _____
( ) Don't know

25a. **Please estimate when the majority of these people started doing this.**

( ) On *(date)* _____
( ) Other _____
( ) I don't know

OFFICIAL COPY
Mar 04 2015

25b. **Why do you think they started taking this action?**

[ ] Due to one of SEN's campaigns or communications
[ ] Due to another campaign or communication unrelated to SEN
[ ] Due to a request or initiative from management or the IT department, outside of any program or campaign
[ ] Due to each person's own interest in reducing energy use
[ ] Other _____
[ ] I don't know

26. **For each of these common or shared spaces please indicate how frequently the following actions are taken. Please indicate which types of common spaces (rooms) are affected (list).** *Please enter a percentage of time these actions are taken (such as '50' when done half of the time) or NA (for Not Applicable)*

	Manually turn off light when leaving the room	Manually turn off light to use natural daylight
Conference rooms		
Lunchrooms		
Storage rooms		
Copy and/or printer rooms		
Break room		
Library		
Other (list)		

27. **For the common spaces, why do you think they started taking this action?**

[ ] Due to one of SEN's campaigns or communications
[ ] Due to another campaign or communication unrelated to SEN
[ ] Due to a request or initiative from management or the IT department, outside of any program or campaign
[ ] Due to each person's own interest in reducing energy use
[ ] Other _____
[ ] I don't know

Thank you so much for answering these questions about the building in which you work. We don't have many people on our call list who have knowledge about offices in other buildings, you are one of the few.

Would you be willing to tell us about efforts to reduce energy use in another one of these offices, the one in _____ *(pick building with 2nd highest familiarity rating, if more than one, ask* **"Which of these offices contains the most office workers?").**

28. **Can we continue now or would you like me to call you another time?**

( ) Yes *conduct "CoRep 2nd Survey"*
( ) No
( ) Another time

OFFICIAL COPY
Mar 04 2015

Schedule another time. At that time, remind them of the building, and conduct "CoRep 2nd Survey" _____

Thank you very much for your company's support of Smart Energy Now and for your help with this survey!

OFFICIAL COPY
Mar 04 2015

Appendix C: Property/Facility Manager Survey

TMW Info

Surveyor Name _____
TMW ID _____

Property Info

Customer Name _____
Email address _____
Building address _____

List of Space Types

(e.g. Office - Data Center, Office - 1st Floor, etc.)

1 _____
2 _____
3 _____
4 _____
5 _____
6 _____
7 _____
8 _____
9 _____
10 _____
11 _____
12 _____
13 _____
14 _____
15 _____

*Instructions are in italics. Read only that which is in **Bold**.*

Hello, my name is _____. I am calling on behalf of Duke Energy to obtain some information about your facility. May I speak with _____ please?
If person is talking, proceed. If person is called to the phone, reintroduce. If not free to talk, ask when would be a good time to call and schedule the call-back.

We need your help. Duke Energy has given us your name as someone who might be able provide some information about your building's operation practices so that we can help improve some of Duke Energy's energy efficiency programs for commercial customers, including the Smart Energy Now program. We are especially interested in speaking with someone who has knowledge of control of the building HVAC system. We would like to conduct a short interview that will take about 45 minutes. Would you be able to help us?

ES-0. **Would you please tell me what facility you manage?** _____
(If they manage more than one facility)

OFFICIAL COPY
Mar 04 2015

... square footage of each facility that you manage? _____

Would you please answer the following questions as it pertains to the building with the largest square footage?
(At the end of the survey, ask if they have time to answer the same questions about the buildings with the second largest square footage, etc....

ES-1. **Our records indicate that you and your building are currently participating in the Smart Energy Now program that is offered by Duke Energy. Do you recall participating in this program?**

( ) Yes
( ) No
( ) DK/NS

If No or DK/NS: ask ES-2:

ES-2 **Smart Energy Now is a program from Duke Energy dedicated to helping reduce energy consumption in Charlotte's Uptown office buildings by 5% overall in five years. Smart Energy Now uses a digital grid infrastructure to help building managers and tenants see the energy usage for all participating buildings. This data includes information about real-time usage, load factors and historical trends.**

Do you remember participating in this program?

( ) Yes
( ) No
( ) DK/NS

Conduct the survey whether or not they recall participating in the program.

I will be asking you to provide information on changes you may have made to your building's occupancy, operations or equipment. If you have already provided this information to Duke Energy, the purpose of these questions is to confirm and/or update information we have obtained from Duke Energy.
(Please read each question and the multiple choice options to the interviewee.)

Repeat questions Occ-1 to Occ-4 for each of the "Space Type - Space Name"s listed above.

Occ-1. **For the [***Space Type - Space Name***] Space in your building, please tell me in the past year and a half (since October of 2011),**
Have there been any changes in the occupancy rate ? _____
What was the original occupancy rate? _____
What were the occupancy rate change(s)? _____
What were the date of the(se) change(s)? _____
Can you give me some details about why this change occurred?
(e.g. name of tenant that moved in/out; name of tenant that took more or less SF etc.)

_____

OFFICIAL COPY
Mar 04 2015

Have there been any changes in the Operating Hours? _____
What were the original operating hours? _____
What were the changes to the operating hour? _____
What were the date of these change(s)? _____
Can you give me some details about why the(se) change(s) occurred?
(e.g. name of tenant that changed their hours of operation.) _____
Have there been any changes in space utilization? _____
What was the original floor area devoted to the space? _____
What was the change in space utilization? _____
old use _____
new use _____
Was the change in utilization accompanied by a change in floor space? _____
New floor area devoted to space(s) _____
Floor area removed from space(s) _____
Please give me details on why the change in space utilization occurred. _____

Occ-2. **Were any major energy uses added to or removed from the building** (*e.g. data centers or process loads*)**? Please describe the equipment or process** (*e.g. data center, printing press, etc.*)

_____

Occ-3. **How much additional equipment was added or removed?**
(e.g. number of servers, number of presses, SF of data center operation etc.)

_____

Occ-4. **Notes**

_____

The next set of questions are about your building's Central HVAC System.
(For each item, remind them) **According to our records your most common strategy for _____ was _____.**

1. **According to our records your most common strategy for <u>Chilled water temperature</u> control was _____.**

(If different interviewee ask)
1a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

1a.2 If no, ask: **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options
( ) **Constant**
( ) **Reset with outdoor air temperature**
( ) **Reset based on call for cooling**

OFFICIAL COPY
Mar 04 2015

( ) N/A
( ) Unknown
( ) Other _____

1b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)

[ ] No Change
[ ] Constant
[ ] Reset with outdoor air temperature
[ ] Reset based on call for cooling
[ ] Equipment changed to _____
[ ] Unknown
[ ] N/A
[ ] Other _____

1c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**

( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

Please make sure the question below is read in full at least once, when the influence question is asked the first time, for the first change they report.
(If either strategy or equipment had been changed.)

1d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influenced your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**

( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask
1e. **What was the primary influence on your decision to make this change?**

_____

2. **According to our records your most common strategy for <u>Chiller availability schedule</u> control was _____.**

(If different interviewee ask)
2a.1 **To your knowledge, was this accurate as of last Dec/Jan?**

( ) Yes
( ) No

2a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options

OFFICIAL COPY
Mar 04 2015

( ) **Available year-round**
( ) **Seasonal lock-out** *(indicate when available)* _____
( ) N/A
( ) Unknown
( ) Other _____

2b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] **Available year-round**
[ ] **Seasonal lock-out** *(indicate when available)* _____
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

2c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
2d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
2e. **What was the primary influence on your decision to make this change?** _____

3. **According to our records your most common strategy for Condenser water temperature control strategy control was _____.**

(If different interviewee ask)
3a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

3a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options
( ) **Constant**
( ) **Reset on outdoor wetbulb temperature**

OFFICIAL COPY
Mar 04 2015

( ) N/A
( ) Unknown
( ) Other _____

3b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] **Constant**
[ ] **Reset on outdoor wetbulb temperature**
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

3c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
3d. There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
3e. **What was the primary influence on your decision to make this change?** _____

4. **According to our records your most common strategy for <u>Hot water temperature control strategy</u> control was _____.**

(If different interviewee ask)
4a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

4a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options
( ) **Constant**
( ) **Reset with outdoor air temperature**
( ) **Reset based on call for heating**
( ) N/A
( ) Unknown

OFFICIAL COPY
Mar 04 2015

( ) Other _____

4b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)

[ ] No Change
[ ] **Constant**
[ ] **Reset with outdoor air temperature**
[ ] **Reset based on call for heating**
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

4c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**

( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
4d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**

( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
4e. **What was the primary influence on your decision to make this change?** _____

4f. **Have you Installed new energy efficient chiller?**

( ) Yes
( ) No
( ) Don't know
( ) Not Applicable (NA)

4g. *If yes:*

( ) Water cooled
( ) Air cooled
( ) reciprocating compressor
( ) screw/scroll compressor
( ) centrifugal compressor
( ) VFD compressor capacity control
( ) Other _____

4h. *if yes, ask both:*

OFFICIAL COPY
Mar 04 2015

Please provide the chiller size (tons) _____
full-load efficiency (kW/ton) _____

(If yes)
4i. **There may be several influences on your decision to make this change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influenced your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
4j. **What was the primary influence on your decision to make this change? _____**

5. **According to our records your most common strategy for <u>Boiler availability schedule</u> control was _____.**

(If different interviewee ask)
5a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

5a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
( ) **Available year-round**
( ) **Seasonal lock-out** *(indicate when available)* _____
( ) N/A
( ) Unknown
( ) Other _____

5b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] **Available year-round**
[ ] **Seasonal lock-out** *(indicate when available)* _____
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

5c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

OFFICIAL COPY
Mar 04 2015

(If either strategy or equipment had been changed)
5d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
5e. **What was the primary influence on your decision to make this change?** _____

5f. **Have you Installed new energy efficient boiler?**
( ) Yes
( ) No
( ) Don't Know
( ) NA

5g. *if yes, read boiler types:*
( ) hot water
( ) steam
( ) modular
( ) condensing
( ) other _____

5h. *if yes, ask both:*
Please provide the boiler size (hp or Million Btu/hr) _____
efficiency (%) _____

If yes, 5i. **There may be several influences on your decision to make this change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influenced your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
5j. **What was the primary influence on your decision to make this change?** _____

6. **According to our records your most common strategy for <u>Hot water flow control</u> was _____.**

(If different interviewee ask)
6a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

OFFICIAL COPY
Mar 04 2015

6a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.

( ) **Constant flow**
( ) **Variable flow, constant speed (ride pump curve)**
( ) **Variable flow, variable speed (VFD)**
( ) N/A
( ) Unknown
( ) Other _____

6b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)

[ ] No Change
[ ] **Constant flow**
[ ] Variable flow, constant speed (ride pump curve)
[ ] Variable flow, variable speed (VFD)
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

6c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
6d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
6e. **What was the primary influence on your decision to make this change?** _____

7. **According to our records your most common strategy for <u>Chilled water flow control</u> was _____.**

(If different interviewee ask)
7a.1 **To your knowledge, was this accurate as of last Dec/Jan?**

( ) Yes
( ) No

7a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**

OFFICIAL COPY
Mar 04 2015

and read the multiple choice options.

( ) **Constant flow**
( ) **Variable flow, constant speed (ride pump curve)**
( ) **Variable flow, variable speed (VFD)**
( ) N/A
( ) Unknown
( ) Other _____

7b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)

[ ] No Change
[ ] **Constant flow**
[ ] **Variable flow, constant speed (ride pump curve)**
[ ] **Variable flow, variable speed (VFD)**
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

7c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**

( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
7d.**There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**

( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
7e. **What was the primary influence on your decision to make this change?** _____

8. **According to our records your most common strategy for <u>Condenser water flow control</u> was _____.**

(If different interviewee ask)
8a.1 **To your knowledge, was this accurate as of last Dec/Jan?**

( ) Yes
( ) No

8a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.

OFFICIAL COPY
Mar 04 2015

( ) **Constant flow**
( ) **Variable flow, constant speed (ride pump curve)**
( ) **Variable flow, variable speed (VFD)**
( ) N/A
( ) Unknown
( ) Other _____

8b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] **Constant flow**
[ ] **Variable flow, constant speed (ride pump curve)**
[ ] **Variable flow, variable speed (VFD)**
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

8c.1 **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
8d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
8e. **What was the primary influence on your decision to make this change?** _____

9. **According to our records your most common strategy for <u>Cooling Tower fan control strategy</u> was _____.**

(If different interviewee ask)
9a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

9a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
( ) **Single speed fan**

OFFICIAL COPY
Mar 04 2015

( ) **Two speed fan**
( ) **Pony motor**
( ) **VFD fan**
( ) N/A
( ) Unknown
( ) Other _____

9b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] **Single speed fan**
[ ] **Two speed fan**
[ ] **Pony motor**
[ ] **VFD fan**
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

9c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
9d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
9e. **What was the primary influence on your decision to make this change?** _____

10. **According to our records your most common strategy for <u>Waterside economizer</u> was _____.**

(If different interviewee ask)
10a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

10a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.

OFFICIAL COPY
Mar 04 2015

( ) No
( ) Yes (indicate typical months of operation) _____
( ) N/A
( ) Unknown
( ) Other _____

10b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] Yes (indicate typical months of operation)
[ ] Equipment changed to _____
[ ] Unknown
[ ] N/A
[ ] Other _____

10c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
10d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
10e. **What was the primary influence on your decision to make this change?** _____

11. **According to our records your most common strategy for Air Handler operating schedule was _____.**

(If different interviewee ask)
11a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

11a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options
( ) **On at all times**
( ) **Turn on/off within one hour of occupancy schedule**
( ) **Turn on/off within two hours of occupancy schedule**
( ) **Turn on/off with four hours of occupancy schedule**

OFFICIAL COPY
Mar 04 2015

( ) Other (*describe*) _____
( ) N/A
( ) Unknown

11b. **Have you changed to a different strategy or type of equipment? If so, what**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] **On at all times**
[ ] **Turn on/off within one hour of occupancy schedule**
[ ] **Turn on/off within two hours of occupancy schedule**
[ ] **Turn on/off with four hours of occupancy schedule**
[ ] Equipment changed to _____
[ ] Other (*describe*) _____
[ ] N/A
[ ] Unknown

11c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
11d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
11e. **What was the primary influence on your decision to make this change?** _____

12. **According to our records your most common strategy for <u>Air handler types</u> was** _____.

(If different interviewee ask)
12a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

12a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
(check all that apply)
[ ] **Single duct**
[ ] **Dual duct**

OFFICIAL COPY
Mar 04 2015

[ ] **Multizone**
[ ] Other (*describe*) _____
[ ] N/A
[ ] Unknown

12b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] **Single duct**
[ ] Dual duct
[ ] Multizone
[ ] Equipment changed to _____
[ ] Unknown
[ ] N/A
[ ] Other (*describe*) _____

12c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If equipment had been changed)
12d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
12e. **What was the primary influence on your decision to make this change?** _____

13. **According to our records your most common strategy for <u>Air Handler Flow Control</u> was _____.**

(If different interviewee ask)
13a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

13a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
( ) **Constant Volume**
( ) **Variable Volume with variable inlet vane**
( ) **Variable Volume with variable pitch fan**

OFFICIAL COPY
Mar 04 2015

( ) **Variable Volume with variable speed drive**
( ) N/A
( ) Unknown
( ) Other _____

13b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] **Constant Volume**
[ ] Variable Volume with variable inlet vane
[ ] Variable Volume with variable pitch fan
[ ] Variable Volume with variable speed drive
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

13c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
13d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
13e. **What was the primary influence on your decision to make this change?** _____

14. **According to our records your most common strategy for <u>Air Flow control strategy</u> was _____.**

(If different interviewee ask)
14a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

14a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
( ) **Duct static pressure**

OFFICIAL COPY
Mar 04 2015

( ) VAV box position
( ) N/A
( ) Unknown
( ) Other _____

14b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] **Duct static pressure**
[ ] VAV box position
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

14c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
14d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
14e. **What was the primary influence on your decision to make this change?** _____

15. **According to our records your most common strategy for <u>Supply air temperature control strategy</u> was _____.**

(If different interviewee ask)
15a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

15a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
( ) Constant
( ) Reset with outdoor air temperature
( ) Reset based on load
( ) N/A

OFFICIAL COPY
Mar 04 2015

( ) Unknown
( ) Other _____

15b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] **Constant**
[ ] Reset with outdoor air temperature
[ ] Reset based on load
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

15c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
15d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
15e. **What was the primary influence on your decision to make this change?** _____

16. **According to our records your most common strategy for <u>Static pressure control strategy</u> was _____.**

(If different interviewee ask)
16a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

16a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
( ) **Constant**
( ) Reset with cooling load
( ) N/A
( ) Unknown
( ) Other _____

OFFICIAL COPY
Mar 04 2015

16b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)

[ ] No Change
[ ] **Constant**
[ ] Reset with cooling load
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

16c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**

( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
16d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**

( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
16e. **What was the primary influence on your decision to make this change?** _____

17. **According to our records your most common strategy for <u>Outdoor Air Economizer</u> was _____.**

(If different interviewee ask)
17a.1 **To your knowledge, was this accurate as of last Dec/Jan?**

( ) Yes
( ) No

17a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.

( ) None
( ) **Temperature**
( ) Enthalpy
( ) CO2 (Demand Controlled Ventilation)
( ) N/A
( ) Unknown
( ) Other _____

OFFICIAL COPY
Mar 04 2015

17b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)

[ ] No Change
[ ] **None**
[ ] Temperature
[ ] Enthalpy
[ ] CO2 (Demand Controlled Ventilation)
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

17c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**

( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
17d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
17e. **What was the primary influence on your decision to make this change?** _____

18. **According to our records your most common strategy for <u>Zone Level Reheat source</u> was _____.**

(If different interviewee ask)
18a.1 **To your knowledge, was this accurate as of last Dec/Jan?**

( ) Yes
( ) No

18a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.

( ) **Hot Water**
( ) Electric resistance
( ) N/A
( ) Unknown
( ) Other _____

18b. **Have you changed to a different strategy or type of equipment? If so, what?**

OFFICIAL COPY
Mar 04 2015

(read the multiple-choice options for this item if changed)

[ ] No Change
[ ] **Hot Water**
[ ] Electric resistance
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

18c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**

( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)

18d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**

( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask

18e. **What was the primary influence on your decision to make this change?** _____

The next set of questions are about your building's <u>Packaged HVAC Systems.</u>

19. **According to our records your most common type of <u>Packaged system</u> was _____.**

(If different interviewee ask)

19a.1 **To your knowledge, was this accurate as of last Dec/Jan?**

( ) Yes
( ) No

19a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.

[ ] Packaged or split air conditioner with gas heat
[ ] Packaged or split air conditioner with electric heat
[ ] Packaged or split heat pump
[ ] Water loop heat pump
[ ] N/A
[ ] Unknown
[ ] Other _____

OFFICIAL COPY
Mar 04 2015

19b. **Have you changed to a different type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)

[ ] No Change
[ ] **Packaged or split air conditioner with gas heat**
[ ] Packaged or split air conditioner with electric heat
[ ] Packaged or split heat pump
[ ] Water loop heat pump
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

19c. **If you are using the same type, did you change the frequency with which it was used, or the number of places in the building in which it was used?**

( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If equipment had been changed)
19d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
19e. **What was the primary influence on your decision to make this change?** _____

20. **According to our records your most common strategy for <u>Unit operating schedule</u> was _____.**

(If different interviewee ask)
20a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

20a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.

( ) **On at all times**
( ) Turn on/off within one hour of occupancy schedule
( ) Turn on/off within two hours of occupancy schedule
( ) Turn on/off with four hours of occupancy schedule
( ) Other (*describe*) _____
( ) N/A
( ) Unknown

OFFICIAL COPY
Mar 04 2015

20b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)

[ ] No Change
[ ] **On at all times**
[ ] Turn on/off within one hour of occupancy schedule
[ ] Turn on/off within two hours of occupancy schedule
[ ] Turn on/off with four hours of occupancy schedule
[ ] Equipment changed to _____
[ ] Other (*describe*) _____
[ ] N/A
[ ] Unknown

20c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**

( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
20d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**

( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
20e. **What was the primary influence on your decision to make this change?**

_____

21. **According to our records your most common strategy for <u>Air Flow Control</u> was _____.**

(If different interviewee ask)
21a.1 **To your knowledge, was this accurate as of last Dec/Jan?**

( ) Yes
( ) No

21a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.

( ) **Constant Volume**
( ) Variable Volume with variable inlet vane
( ) Variable Volume with variable speed drive
( ) N/A
( ) Unknown

OFFICIAL COPY
Mar 04 2015

( ) Other _____

21b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)

[ ] No Change
[ ] **Constant Volume**
[ ] Variable Volume with variable inlet vane
[ ] Variable Volume with variable speed drive
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

21c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**

( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
21d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
21e. **What was the primary influence on your decision to make this change?** _____

22. **According to our records your most common strategy for <u>Outdoor Air Economizer</u> was _____.**

(If different interviewee ask)
22a.1 **To your knowledge, was this accurate as of last Dec/Jan?**

( ) Yes
( ) No

22a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.

( ) None
( ) Temperature
( ) Enthalpy
( ) CO2 (Demand Controlled Ventilation)
( ) N/A
( ) Unknown

OFFICIAL COPY
Mar 04 2015

( ) Other _____

22b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)

[ ] No Change
[ ] **None**
[ ] Temperature
[ ] Enthalpy
[ ] CO2 (Demand Controlled Ventilation)
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

22c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**

( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
22d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**

( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
22e. **What was the primary influence on your decision to make this change?** _____

22f. **Have you installed a New Energy Efficiency Packaged HVAC System?**

( ) Yes
( ) No
( ) Don't Know
( ) NA

22g. *if yes*

[ ] Packaged or split air conditioner with gas heat
[ ] Packaged or split air conditioner with electric heat
[ ] Packaged or split heat pump
[ ] Water loop heat pump
[ ] Other _____

22h. *if yes, ask both:*

Please provide total installed tons _____

OFFICIAL COPY
Mar 04 2015

efficiency _____ EER _____

If yes

22i. **If yes, there may be several influences on your decision to make this change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influenced your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**

( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:

22j. **What was the primary influence on your decision to make this change? _____**

The next set of questions are about your building's Space temperature controls.

23. **According to our records your most common strategy for Space temperature control type was _____.**

(If different interviewee ask)

23a.1 **To your knowledge, was this accurate as of last Dec/Jan?**

( ) Yes
( ) No

23a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.

( ) **Local manual thermostat**
( ) Local programmable thermostat
( ) Building Automation System
( ) N/A
( ) Unknown
( ) Other _____

23b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)

[ ] No Change
[ ] **Local manual thermostat**
[ ] Local programmable thermostat
[ ] Building Automation System
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

23c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**

( ) No change
( ) Decreased frequency or number

OFFICIAL COPY
Mar 04 2015

( ) Increased frequency or number

(If either strategy or equipment had been changed)
23d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
23e. **What was the primary influence on your decision to make this change?** _____

24. **According to our records your most common strategy for <u>Typical room temperature setpoints</u> was _____.**

(If different interviewee ask)
24a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

24a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
Include both heating and cooling if applicable
[ ] **Heating: degrees F** _____
[ ] **Cooling: degrees F** _____
[ ] N/A
[ ] Unknown
[ ] Other _____

24b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] **Heating: degrees F** _____
[ ] **Cooling: degrees F** _____
[ ] Equipment changed to _____
[ ] Unknown
[ ] N/A
[ ] Other _____

24c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

OFFICIAL COPY
Mar 04 2015

(If either strategy or equipment had been changed)
24d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
24e. **What was the primary influence on your decision to make this change?** _____

25. **According to our records your most common strategy for <u>Unoccupied period setback</u> was _____.**

(If different interviewee ask)
25a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

25a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
( ) **None**
( ) less than 3 degrees F
( ) 3-5 degrees F
( ) More than 5 degrees F
( ) N/A
( ) Unknown
( ) Other _____

25b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] **None**
[ ] less than 3 degrees F
[ ] 3-5 degrees F
[ ] More than 5 degrees F
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

25c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

OFFICIAL COPY
Mar 04 2015

(If either strategy or equipment had been changed)
25d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
25e. **What was the primary influence on your decision to make this change?** _____

The next set of questions are about your building's Common Area Lighting.
26. **According to our records your most common strategy for Lighting on/off schedule in Common Areas was _____.**

(If different interviewee ask)
26a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

26a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
( ) **Follows business occupancy**
( ) **Runs extra hours for cleaning crew**
( ) **Always on**
( ) N/A
( ) Unknown
( ) Other _____

26b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] **Follows business occupancy**
[ ] **Runs extra hours for cleaning crew**
[ ] **Always on**
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

25c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number

OFFICIAL COPY
Mar 04 2015

( ) Increased frequency or number

(If either strategy or equipment had been changed)
26d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
26e. **What was the primary influence on your decision to make this change?** _____

27. **According to our records your most common Lighting type in Common Areas was** _____.

(If different interviewee ask)
27a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

27a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
( ) Linear fluorescent (T-12, T-8, T-5)
( ) Incandescent or halogen
( ) Metal Halide
( ) LED lamps or fixtures
( ) Other (*list*) _____
( ) N/A
( ) Unknown

27b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] Linear fluorescent (T-12, T-8, T-5)
[ ] Incandescent or halogen
[ ] Metal Halide
[ ] LED lamps or fixtures
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other (*list*) _____

27c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change

OFFICIAL COPY
Mar 04 2015

( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
27d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
27e. **What was the primary influence on your decision to make this change?** _____

If answered "Linear Fluorescents", ask
27f. **Please indicate approximate percent of each lamp type**
T-12 _____
T-8 _____
T-5 _____

28. **According to our records your most common strategy for <u>Lighting controls in Common Areas</u> was _____.**

(If different interviewee ask)
28a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

28a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
[ ] **Local manual control**
[ ] **Automated lighting control system**
[ ] **Occupancy sensors (indicate where)** _____
[ ] **Daylight dimming controls (indicate where)** _____
[ ] N/A
[ ] Unknown
[ ] Other _____

28b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] **Local manual control**
[ ] **Automated lighting control system**
[ ] **Occupancy sensors (indicate where)** _____
[ ] **Daylight dimming controls (indicate where)** _____
[ ] Equipment changed to _____

OFFICIAL COPY
Mar 04 2015

[ ] Unknown
[ ] N/A
[ ] Other _____

28c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
28d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
28e. **What was the primary influence on your decision to make this change?** _____

The next set of questions are about your building's Lighting in leased or occupied spaces.

29. **According to our records your most common strategy for Lighting on/off schedule in leased or occupied spaces was _____.**

(If different interviewee ask)
29a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

29a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
( ) Follows business occupancy
( ) Runs extra hours for cleaning crew
( ) Always on
( ) N/A
( ) Unknown
( ) Other _____

29b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] Follows business occupancy
[ ] Runs extra hours for cleaning crew
[ ] Always on

OFFICIAL COPY
Mar 04 2015

[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

29c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

29d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
(If either strategy or equipment had been changed)
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
29e. **What was the primary influence on your decision to make this change?** _____

30. **According to our records your most common strategy for <u>Most common lighting type in leased or occupied spaces</u> was _____.**

(If different interviewee ask)
30a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

30a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
( ) Linear fluorescent (T-12, T-8, T-5)
( ) Incandescent or halogen
( ) Metal Halide
( ) LED lamps or fixtures
( ) Energy Star task lighting
( ) Other *(list)* _____
( ) N/A
( ) Unknown

30b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] Linear fluorescent (T-12, T-8, T-5)
[ ] Incandescent or halogen

OFFICIAL COPY
Mar 04 2015

[ ] Metal Halide
[ ] LED lamps or fixtures
[ ] Energy Star task lighting
[ ] Equipment changed to _____
[ ] Other *(list)* _____
[ ] N/A
[ ] Unknown

If answered "Linear Fluorescents", ask
30f. **Please indicate approximate percent of each lamp type**
T-12 _____
T-8 _____
T-5 _____

30c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
30d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
30e. **What was the primary influence on your decision to make this change?** _____

31. **According to our records your most common strategy for <u>Lighting controls in leased or occupied spaces</u> was _____.**

(If different interviewee ask)
31a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

31a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
[ ] Local manual control
[ ] Automated lighting control system
[ ] Occupancy sensors (*indicate where***)** _____
[ ] Daylight dimming controls (*indicate where***)** _____

OFFICIAL COPY
Mar 04 2015

[ ] N/A
[ ] Unknown
[ ] Other _____

31b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] **Local manual control**
[ ] **Automated lighting control system**
[ ] **Occupancy sensors** (*indicate where*) _____
[ ] **Daylight dimming controls** (*indicate where*) _____
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

31c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
31d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
31e. **What was the primary influence on your decision to make this change?** _____

The next set of questions are about your building's <u>Lighting in non-rented non-leased non-common areas (parking, mechanical, maintenance spaces, etc.).</u>

32. **According to our records your most common strategy for <u>Lighting on/off schedule</u> was _____.**

(If different interviewee ask)
32a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

32a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.

OFFICIAL COPY
Mar 04 2015

( ) **Typically off**
( ) Typically follows business occupancy
( ) Runs extra hours for cleaning crew
( ) Typically on 24/7
( ) N/A
( ) Unknown
( ) Other _____

32b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] **Typically off**
[ ] Typically follows business occupancy
[ ] Runs extra hours for cleaning crew
[ ] Typically on 24/7
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

32c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
32d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
32e. **What was the primary influence on your decision to make this change?** _____

33. **According to our records your most common strategy for <u>Most common lighting type in non-rented non-leased non-common areas (parking, mechanical, maintenance spaces, etc.).</u> was _____.**

(If different interviewee ask)
33a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

OFFICIAL COPY
Mar 04 2015

33a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.

( ) **Linear fluorescent (T-12, T-8, T-5)**
( ) Incandescent or halogen
( ) Metal Halide
( ) LED lamps or fixtures
( ) High or low pressure sodium
( ) Other *(list)* _____
( ) N/A
( ) Unknown

33b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)

[ ] No Change
[ ] **Linear fluorescent (T-12, T-8, T-5)**
[ ] Incandescent or halogen
[ ] Metal Halide
[ ] LED lamps or fixtures
[ ] High or low pressure sodium
[ ] Equipment changed to _____
[ ] Other *(list)* _____
[ ] N/A
[ ] Unknown

If answered "Linear Fluorescents", ask
33f. **Please indicate approximate percent of each lamp type**

T-12 _____
T-8 _____
T-5 _____

33c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**

( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

33d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
(If either strategy or equipment had been changed)
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
33e. **What was the primary influence on your decision to make this change?** _____

OFFICIAL COPY
Mar 04 2015

34. **According to our records your most common strategy for <u>Lighting controls in non-rented non-leased non-common areas (parking, mechanical, maintenance spaces, etc.).</u> was** _____.

(If different interviewee ask)

34a.1 **To your knowledge, was this accurate as of last Dec/Jan?**

( ) Yes
( ) No

34a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?** *and read the multiple choice options.*

[ ] Local manual control
[ ] Automated lighting control system
[ ] Occupancy sensors (*indicate where***)** _____
[ ] Daylight dimming controls (*indicate where***)** _____
[ ] N/A
[ ] Unknown
[ ] Other _____

34b. **Have you changed to a different strategy or type of equipment? If so, what?** *(read the multiple-choice options for this item if changed)*

[ ] No Change
[ ] Local manual control
[ ] Automated lighting control system
[ ] Occupancy sensors (*indicate where***)** _____
[ ] Daylight dimming controls (*indicate where***)** _____
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

34c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**

( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)

34d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**

( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

OFFICIAL COPY
Mar 04 2015

If rating is less than 8, please ask:
What was the primary influence on your decision to make this change? _____

The next set of questions are about your building's Outdoor and building façade lighting.

35. **According to our records your most common strategy for Lighting on/off schedule for Outdoor and building façade lighting was _____.**

(If different interviewee ask)
35a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

35a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
( ) Always on during night time hours
( ) Turns off after a set time (*enter time***)** _____
( ) N/A
( ) Unknown
( ) Other _____

35b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] Always on during night time hours
[ ] Turns off after a set time *(enter time)* _____
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

35c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

35d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
(If either strategy or equipment had been changed)
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:

OFFICIAL COPY
Mar 04 2015

35e. **What was the primary influence on your decision to make this change?** _____

36. **According to our records your most common strategy for Most common lighting type for Outdoor and building façade lighting was** _____.

(If different interviewee ask)
36a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

36a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
( ) Incandescent
( ) Metal Halide
( ) High or low pressure sodium
( ) LED lamps or fixtures
( ) Other *(list)* _____
( ) N/A
( ) Unknown

36b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] Incandescent
[ ] Metal Halide
[ ] High or low pressure sodium
[ ] LED lamps or fixtures
[ ] Equipment changed to _____
[ ] Other *(list)* _____
[ ] N/A
[ ] Unknown

36c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

36d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
(If either strategy or equipment had been changed)
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

OFFICIAL COPY
Mar 04 2015

If rating is less than 8, please ask:
36e. **What was the primary influence on your decision to make this change?** _____

37. **According to our records your most common strategy for Lighting controls for Outdoor and building façade lighting was _____.**

(If different interviewee ask)
37a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

37a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
( ) Automated lighting control system
( ) Photocell control
( ) N/A
( ) Unknown
( ) Other _____

37b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] Automated lighting control system
[ ] Photocell control
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

37c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

37d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
(If either strategy or equipment had been changed)
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
37e. **What was the primary influence on your decision to make this change?** _____

OFFICIAL COPY
Mar 04 2015

38. **According to our records your most common strategy for Local plug-in space heaters was _____.**

(If different interviewee ask)
38a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

38a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
( ) Not commonly used
( ) Allowed at tenant discretion
( ) Tolerated but discouraged
( ) Not allowed
( ) N/A
( ) Unknown
( ) Other _____

38b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] Not commonly used
[ ] Allowed at tenant discretion
[ ] Tolerated but discouraged
[ ] Not allowed
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

38c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
38d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
38e. **What was the primary influence on your decision to make this change? _____**

OFFICIAL COPY
Mar 04 2015

39. **According to our records your most common strategy for <u>Building Cleaning Services - Cleaning Schedule</u> was _____.**

(If different interviewee ask)
39a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

39a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
Get both Cleaning Time (a or b) and Frequency (c)
[ ] Normal business hour cleaning
[ ] After hour cleaning (*indicate finish time including am/pm***)** _____
[ ] Cleaning frequency (*times per week***)** _____
[ ] N/A
[ ] Unknown
[ ] Other _____

39b. **Have you changed to a different strategy or type of equipment? If so, what?**
(read the multiple-choice options for this item if changed)
[ ] No Change
[ ] Normal business hour cleaning
[ ] After hour cleaning (*indicate finish time including am/pm***)** _____
[ ] Cleaning frequency (*times per week***)** _____
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

39c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
39d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
39e. **What was the primary influence on your decision to make this change?** _____

OFFICIAL COPY
Mar 04 2015

40. **According to our records your most common strategy for Building Cleaning Services - Lighting operation during cleaning was _____.**

(If different interviewee ask)
40a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

40a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?** *and read the multiple choice options.*
( ) Left on in all spaces during cleaning
( ) Switched on/off as spaces are cleaned
( ) N/A
( ) Unknown
( ) Other _____

40b. **Have you changed to a different strategy or type of equipment? If so, what?**
[ ] No Change
[ ] Left on in all spaces during cleaning
[ ] Switched on/off as spaces are cleaned
[ ] Equipment changed to _____
[ ] Unknown
[ ] N/A
[ ] Other _____

40c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
40d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
40e. **What was the primary influence on your decision to make this change? _____**

41. **According to our records your most common strategy for Desktop Computer Description was _____.**

OFFICIAL COPY
Mar 04 2015

(If different interviewee ask)
41a.1 **To your knowledge, was this accurate as of last Dec/Jan?**
( ) Yes
( ) No

41a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?**
and read the multiple choice options.
( ) CRT monitor
( ) LED or LCD (flat screen) monitor
( ) Energy Star compliant
( ) N/A
( ) Unknown
( ) Other _____

41b. **Have you changed to a different strategy or type of equipment? If so, what?**
[ ] No Change
[ ] CRT monitor
[ ] LED or LCD (flat screen) monitor
[ ] Energy Star compliant
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

41c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**
( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)
41d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**
( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:
41e. **What was the primary influence on your decision to make this change? _____**

42. **According to our records your most common strategy for Desktop Computer Operation was _____.**

(If different interviewee ask)
42a.1 **To your knowledge, was this accurate as of last Dec/Jan?**

OFFICIAL COPY
Mar 04 2015

( ) Yes
( ) No

42a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?** *and read the multiple choice options.*

( ) Left on all hours
( ) Turned off during unoccupied hours
( ) Energy Star features enabled
( ) N/A
( ) Unknown
( ) Other _____

42b. **Have you changed to a different strategy or type of equipment? If so, what?**

[ ] No Change
[ ] Left on all hours
[ ] Turned off during unoccupied hours
[ ] Energy Star features enabled
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

42c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**

( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

42d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**

(If either strategy or equipment had been changed)

( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:

42e. **What was the primary influence on your decision to make this change?** _____

43. **According to our records your most common strategy for Office Equipment Operation was** _____.

(If different interviewee ask)

43a.1 **To your knowledge, was this accurate as of last Dec/Jan?**

( ) Yes
( ) No

OFFICIAL COPY
Mar 04 2015

43a.2 *If no, ask:* **What was your most common strategy as of last Dec/Jan.?** *and read the multiple choice options.*

( ) Left on all hours
( ) Turned off during unoccupied hours
( ) Energy Star features enabled
( ) N/A
( ) Unknown
( ) Other _____

43b. **Have you changed to a different strategy or type of equipment? If so, what?**

[ ] No Change
[ ] Left on all hours
[ ] Turned off during unoccupied hours
[ ] Energy Star features enabled
[ ] Equipment changed to _____
[ ] N/A
[ ] Unknown
[ ] Other _____

42c. **If you are using the same strategy, did you change the frequency with which it was used, or the number of places in the building in which it was used?**

( ) No change
( ) Decreased frequency or number
( ) Increased frequency or number

(If either strategy or equipment had been changed)

43d. **There may be several influences on your decision to make the change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influence your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**

( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:

43e. **What was the primary influence on your decision to make this change?** _____

43f. **Next, I would like to know if you replaced any existing office equipment, or if you added any new office equipment. Did you replace existing non-Energy Star Office Equipment or Appliance with Energy Star equipment?**

[ ] Energy Star Printer
[ ] Energy Star Copier
[ ] Energy Star Refrigerator
[ ] Energy Star Water Cooler
[ ] Other _____
[ ] Don't Know

OFFICIAL COPY
Mar 04 2015

[ ] NA

If yes

43g. **There may be several influences on your decision to make this change, and we just want to know how much influence SEN actually had on your decision. Please rate on a scale of 0 to 10 the extent to which Smart Energy Now influenced your decision, where 0 indicates "Smart Energy Now had no influence at all" and 10 indicates "Smart Energy Now was the only influence?**

( ) 0 ( ) 1 ( ) 2 ( ) 3 ( ) 4 ( ) 5 ( ) 6 ( ) 7 ( ) 8 ( ) 9 ( ) 10 ( ) DK/NS

If rating is less than 8, please ask:

43h. **What was the primary influence on your decision to make this change?** _____

43i. **Did you add new Office Equipment or Appliances?**

read all

[ ] Energy Star Printer
[ ] Non-Energy Star Printer
[ ] Energy Star Copier
[ ] Non-Energy Star Copier
[ ] Energy Star Refrigerator
[ ] Non-Energy Star Refrigerator
[ ] Energy Star Water Cooler
[ ] Non-Energy Star Water Cooler
[ ] Other
[ ] Don't know
[ ] NA

44. **Thank you for taking this survey. Please provide any additional comments below:**

_____

OFFICIAL COPY
Mar 04 2015

Appendix D: Site Reports

Site 1: [redacted] (SEN-67)

Prepared for:

Smart Energy Now
Duke Energy
North Carolina

Prepared by:

Architectural Energy Corporation
2540 Frontier Avenue, Suite 100
Boulder, Colorado 80301

Prepared In:

October 2013
v1.0

OFFICIAL COPY
Mar 04 2015

Introduction

This plan addresses M&V activities that were conducted for the Envision Charlotte Smart Energy Now (SEN) program.

These M&V activities were used to characterize savings for a variety of behavior-based measures that could have been implemented in this building. These savings estimates will be used, along with other impact evaluation data, to extrapolate savings for the entire population of buildings involved in the Envision Charlotte Smart Energy Now program.

Goals and Objectives

- Verify annual gross kWh/person savings
- Verify annual gross kWh/conditioned sqft savings
- Verify summer peak kW/person savings
- Verify summer peak kW/sqft savings

Project Contacts

Duke Energy Project Coordinator	[redacted]	[redacted]
AEC Contact	[redacted]	[redacted]
Customer Contacts	[redacted]	[redacted]

Site Locations/ECM's

Address	Conditioned Area
[redacted]	[redacted]

Data Products and Project Output

- Peak demand per person savings
- Utility coincident peak demand per person savings
- Annual Energy per person Savings

M&V Option

IPMVP Option A, D

M&V Implementation Schedule

- Collected on-site data during normal operating hours.
- Obtained and verified the current sequence of operations and/or operating schedule for HVAC, lighting, and other controlled equipment.
- Confirmed hours of operation, days per week, and holiday schedule.
- Deployed post-retrofit loggers to record amperage of plug receptacle panels, and [redacted] AHUs.
- Collected trend logs for the HVAC system in [redacted] portion of facility.

OFFICIAL COPY
Mar 04 2015

Field Data Points

During our initial visit and the installation visit we interviewed the facility staff and conducted a walkthrough of the facility. From the interview and our observations we found that the following ECMs were being followed by some of the occupants.

1. Actions in personal office space
    a. Computers
        i. Observed that computer monitors were off in workstations where employee was not at desk. Manually turn off computer when not in use
        ii. Manually turn off monitor when not in use

    b. Lighting
        i. In this facility the majority of each floor is open office space with cubicles, there are some private office spaces, and private meeting spaces.
        ii. WE found that the occupants had very little control of the lighting. We found that many private offices as well as conference spaces did not have local control of the lighting.
        iii. The Impact Survey indicates that occupancy sensors are being installed in the facility. However, we did not observe any sensors during our visits.

    c. HVAC
        i. The Baseline and Impact Survey indicate that the chiller plan that serves the [redacted] portion of the facility has a constant chilled water set point.
        ii. The surveys indicate that the AHUs [redacted] utilize supply air reset.
        iii. The [redacted] portion of the facility does not utilize a chiller plant.
        iv. The surveys indicate that the condenser water cooling temperature is reset based on outdoor temperature in both the [redacted] portions of the facility.
        v. The primary hot water loop in the [redacted] is set to a constant temperature. The secondary loops rest based on outdoor air temperature. Hot water is not utilized for heating in the [redacted] portion.
        vi. We did not observe personal space heaters during our visit.

    d. Equipment upgrade
        i. The computer monitors that we observed onsite were flat screen monitors.

Data Logging, Trending, and Modeling

To verify our findings from the site visits, Baseline Survey, and Impact Survey we collected supply and return air temperature trend data from the [redacted] portion of the facility. Installed current data loggers on a sample of plug receptacle panels in the [redacted] portions of the facility. We also installed current data loggers on the VFDs serving two AHUs in the [redacted].

Logger Type	Location Notes	Quantity Installed Within Facility
Current	[redacted] AHU VFDs	2
Current	[redacted] Plug Receptacle Panels	4

OFFICIAL COPY
Mar 04 2015

OS/ Lighting	Conference Rooms	3

Data Accuracy

Measurement	Sensor	Accuracy	Notes
Current	Magnelab CT	±1%	> 10% of rating

Verification and Quality Control

- Compared logger data and spot measurements to nameplate values; identify out of range data
- Visually inspected logger data for consistent operation. Sort by day type and remove invalid data.
- Verified electrical voltage of equipment circuits.

Recording and Data Exchange Format

- Hobo logger binary files
- Excel spreadsheets
- Trend logs

Data Analysis

For the plug receptacle savings analysis we used the following approach:

- Use the standard calculation template for estimating pre and post demand and energy consumption that incorporates the methodology described below.
- From survey data calculate the actual pre and post fixture kW.
- Weight the time-series data according to connected load per control point. Methodology included in analysis worksheet.
- From time-series data determine the actual schedule of post operation.

$$LF(t) = \frac{\sum_{i=1}^{N_{Logged}} (Current_{ControlPoint_i} * ScaleFactor_i)}{\sum_{i=1}^{N_{Logged}} kWControlPoint_i}$$

$$kW_{Lighting}(t) = LF(t) * \sum_{i=1}^{N_{ControlPoints}} kWControlPoint_i$$

Where

$LF(t)$ = Lighting Load factor at time = t
$kWControlPoint_i$ = connected load of control point *i*
$Current_{ControlPoint i}$ = logged current at control point *i* from time series data
$ScaleFactor_i$ = Convert logged current to kW
N_{Logged} = population of logged control points
$N_{ControlPoints}$ = population of all control points

- Create separate schedules for weekdays and weekends using LF(t).

OFFICIAL COPY
Mar 04 2015

- Tabulate average operating hours by daytype (e.g. weekday and weekend).
- Extrapolate annual operating hours from the recorded hours of use by daytype.
- Generate the post load shape by plotting surveyed fixture kW against the actual schedule of post operation for each daytype.
- Calculate pre annual operating hours using the adjusted schedules by daytype and extrapolating to the full year.

$$kWh_{savings} = (kW_{Fixture} * OpHrs)_{PRE} - (N_{Fixtures} * kW_{Fixture} * OpHrs)_{Post}$$

Results

Table 9 below shows the building parameters that were used to determine savings presented in this section.

A prototypical simulation model was used to estimate the impact of a set of potential HVAC measures. The intention was to develop a simulation model that reasonably reflected the building. The model assumptions are listed below in Table 9. No attempt was made to model individual tenant spaces or detailed floor-by-floor zoning or differences in HVAC configurations. Rather, the model was designed to provide an overall indication of the savings potential of a select set of HVAC system energy savings measures.

OFFICIAL COPY
Mar 04 2015

Table 9. Simulation model assumptions

Characteristic	Value
Vintage	[redacted]
Size	[redacted] square feet
Number of floors	[redacted]
Wall construction and R-value	8in Concrete, R-10
Roof construction and R-value	Built-up roof, R-18
Glazing type	Double pane clear; Shading-coefficient = 0.81 U-value = 0.48
Lighting power density	Offices: 1.37 W/SF Dining: 1.0 W/SF Lobby: 1.52 W/SF
Plug load density	Offices: 0.7 W/SF Dining: 0.1 W/SF Lobby: 0.25 W/SF
Operating hours	Mon-Fri: 7am – 6pm Sat, Sun: unoccupied
HVAC system types	Four large VAV AHUs. One constant volume Multizone AHU, hot water reheat. Supply air reset base on OA temperature.
HVAC system size	Based on ASHRAE design day conditions, 10% oversizing assumed.
Chiller type	3 [redacted] Chillers (variable speed)
Chilled water system type	Variable volume 2-way control valves,
Chilled water system control	CHW Temp reset, 44-54 deg F setpoint
Boiler type	Electric
Hot water system type	Variable volume with 2 way control valves,
Hot water system control	HW Temp reset based on OA temp, 150-180 deg F setpoint
Thermostat setpoints	Occupied hours: 74 cooling, 71 heating Unoccupied hours: 76 cooling, 69 heating

Representatives of the companies occupying this building were requested to fill out surveys describing the range of energy saving activities that the company employees performed. At [redacted], a single company survey was received, representing [redacted] out of [redacted] building occupants, or about 37% of the total building occupancy. Table 10 summarizes the activities in this building.

The M&V field team, while visiting the building, found very few opportunities for the occupants to control overhead lighting, as it was controlled almost entirely by a central control system, as discussed in a later section of this report. The survey summary shown in Table 10 is in conflict with these findings, however, as the survey response shows very high occupant control of lighting. Since only one survey response was received for this building, and the respondent also reported for another building, with almost identical responses, it is more likely that the M&V findings are correct, and that the survey results below are not representative of this building.

OFFICIAL COPY
Mar 04 2015

Table 10. Occupant Survey Energy Savings Actions Summary (Respondent may have duplicated responses from another building)

Action	Participating Employees	% of Employees	% of Building Population
Participated in SEN program	[redacted]	10.0%	4.0%
Participated in any energy program	[redacted]	100.0%	39.8%
Use natural daylight	[redacted]	10.0%	4.0%
Use desk lamp or task lighting instead of overhead lighting	[redacted]	25.0%	10.0%
Manually turn off task lighting when leaving room	[redacted]	7.5%	3.0%
Manually turn off overhead lighting when leaving room	[redacted]	50.0%	19.9%
Manually turn off conference room lights when leaving room	[redacted]	5.0%	2.0%
Manually turn off lights to use natural daylight in conference rooms	[redacted]	2.5%	1.0%
Manually turn off lunch room lights when leaving room	[redacted]	2.5%	1.0%
Manually turn off lights to use natural daylight in lunchrooms	[redacted]	1.0%	0.4%
Manually turn off storage room lights when leaving room	[redacted]	7.5%	3.0%
Manually turn off break room lights when leaving room	[redacted]	2.5%	1.0%
Manually turn off lights to use natural daylight in break rooms	[redacted]	1.0%	0.4%
Replace standard monitor with Energy Star monitor	[redacted]	100.0%	39.8%
Energy Saving mode for computer	[redacted]	75.0%	29.9%
Manually turn off computer when not in use	[redacted]	5.0%	2.0%
Replace standard computer with laptop computer	[redacted]	50.0%	19.9%

Lighting and Plug Receptacle Potential Savings

The majority of the lighting in [redacted] is controlled by the BAS. We found very few instances where occupants had control of the fixtures. This included in office space as well as conference areas. The Baseline and Impact Surveys as well as our onsite interviews indicate that no significant changes had taken place regarding the lighting system. For this reason we did not meter the lighting panels at this location and we are not reporting lighting measure savings.

Since pre-program monitoring was not performed, it is not possible to report the actual program savings. To estimate the maximum potential savings that could have been realized under the SEN program, a baseline load shape was developed that assumed minimal occupant control of

OFFICIAL COPY
Mar 04 2015

the plug load profile that roughly follows the same strategy. The tables below show the maximum potential energy and demand savings for plug measures.

Table 11. Total Potential Plug Energy Savings

End Use / Measure	Annual Savings (kWh)	Savings / SF (kWh/yr)	Savings / Person (kWh/yr)	% Savings of Annual Compass Consumption
Plugs (includes HVAC interaction)	776,898	1.03	288.8	3.70%

Table 12. Potential Plug Coincident Peak Demand Savings

End Use / Measure	Coincident Peak Demand Savings (kW)	Coincident Peak Demand Savings (W/SF)	Coincident Peak Demand Savings (W/Person)	% Savings of Compass Coincident Peak Demand
Plugs (includes HVAC interaction)	13.7	0.02	5.09	0.5%

Table 13. Potential Plug Peak Demand Savings

End Use / Measure	Peak Demand Savings (kW)	Peak Demand Savings (W/SF)	Peak Demand Savings / Person (W/Person)	% Savings of Compass Peak Demand
Plugs (includes HVAC interaction)	130.93	0.17	48.67	2%

Figure 8 below shows the existing average plug loadshapes, the estimated maximum pre-program loadshape, and the maximum potential savings loadshape.

OFFICIAL COPY
Mar 04 2015

Figure 8. Plug Loadshape

Occupancy Sensor Potential Savings

As part of our metering effort we installed lighting and occupancy sensors. We used this data to estimate potential savings that could be realized if occupancy sensors were installed in conference rooms. The baseline lighting load shape was developed based off of the percent of time that the metered light fixtures were on. The potential lighting loadshape was developed based on the metered occupancy of the shared spaces. The potential savings loadshape is the difference between the two loadshapes. In the common spaces that were metered there was no weekend usage or occupancy.

To develop savings that could be achieved by installing occupancy sensors we observed the fixtures types and quantities in the metered conference rooms and estimated the connected load. Using the estimated connected load and the savings loadshapes we determined the potential savings for the metered spaces. Based on our site visit we estimated the area of the metered spaces, and the total area of conference spaces per floor and used those estimations to determine the amount of conference spaces in the building as a whole. From there we extrapolated our calculated savings for the metered spaces to estimate the potential energy and demand savings for the building as a whole.

OFFICIAL COPY
Mar 04 2015

Table 14. Potential Occupancy Sensor Energy Savings

End Use / Measure	Annual Savings (kWh)	Savings / SF (kWh/yr)	Savings / Person (kWh/yr)	% Savings of Annual Compass Consumption
Occupancy Sensor (includes HVAC interaction)	56,242	0.07	20.9	0.27%

Table 15. Potential Occupancy Sensor Coincident Peak Demand Savings

End Use / Measure	Coincident Peak Demand Savings (kW)	Coincident Peak Demand Savings (W/SF)	Coincident Peak Demand Savings (W/Person)	% Savings of Compass Coincident Peak Demand
Occupancy Sensor (includes HVAC interaction)	19.8	0.03	7.37	0.7%

Table 16. Potential Occupancy Sensor Peak Demand Savings

End Use / Measure	Peak Demand Savings (kW)	Peak Demand Savings (W/SF)	Peak Demand Savings (W/Person)	% Savings of Compass Peak Demand
Occupancy Sensor (includes HVAC interaction)	26.13	0.03	9.72	0.5%

Figure 9 and Figure 10 below show the average lighting and occupancy loadshapes as well as the potential savings loadshape.

OFFICIAL COPY
Mar 04 2015



Figure 9. Weekday Occupancy Sensor Potential Savings

OFFICIAL COPY
Mar 04 2015



Figure 10. Weekend Occupancy Sensor Potential Savings

HVAC Savings

The [redacted] had the following HVAC ECM's implemented:

- Hot Water Reset – on secondary loops
- Supply Air Reset

To estimate the impacts of each of these ECMs as well as chilled water reset for buildings of similar size in the population, a simulation model was used to calculate the impacts of each of the HVAC ECMs in this building. The following tables list the impact of each ECM.

Table 17. Modeled Energy Savings For HVAC Measures

HVAC Measures	Annual Savings (kWh)	Savings / SF (kWh/yr)	Savings / Person (kWh/yr)	% Savings of Annual Compass Consumption	% Savings of Model Results
CHW Reset	190,000	0.3	70.6	0.91%	1.46%
HW Reset	10,000	0.01	3.7	0.05%	0.08%
Supply Air Reset	2,300,000	3.0	847.6	10.87%	17.50%

OFFICIAL COPY
Mar 04 2015

Table 18. Modeled Coincident Peak Demand Savings For HVAC Measures

End Use / Measure	Coincident Peak Demand Savings (kW)	Coincident Peak Demand Savings (W/SF)	Coincident Peak Demand Savings (W/Person)	% Savings of Compass Coincident Peak Demand	% Savings of Model Results
CHW Reset	0.0	0.000	0.0	0.0%	0.00%
HW Reset	0	0.000	0.0	0.0%	0.00%
Supply Air Reset	-24	-0.032	-8.9	-0.9%	-0.74%

Table 19. Modeled Peak Demand Savings For HVAC Measures

End Use / Measure	Peak Demand Savings (kW)	Peak Demand Savings (W/SF)	Peak Demand Savings / Person (W/Person)	% Savings of Compass Peak Demand	% Savings of Model Results
CHW Reset	40.7	0.05	15.0	0.007	1%
HW Reset	-6.9	-0.01	-2.6	-0.001	0%
Supply Air Reset	1217.4	1.60	448.4	0.21	16%

Figure 11 and Figure 12 below show the schedule and loadshapes for the two primary AHUs located in the [redacted]. These AHUs have been equipped with VFDs prior to the SEN program.

OFFICIAL COPY
Mar 04 2015



Figure 11. [redacted] AHU Loadshape

OFFICIAL COPY
Mar 04 2015



Figure 12. [redacted] AHU Loadshape

OFFICIAL COPY
Mar 04 2015

Site 2: [redacted] (SEN-07)

Prepared for:

Smart Energy Now
Duke Energy
North Carolina

Prepared by:

Architectural Energy Corporation
2540 Frontier Avenue, Suite 100
Boulder, Colorado 80301

Prepared In:

November 2013
v1.1

OFFICIAL COPY
Mar 04 2015

Introduction

This report addresses M&V activities for the Envision Charlotte Smart Energy Now (SEN) program.

These M&V activities were used to characterize savings for a variety of behavior-based measures that may have been implemented in this building. These savings estimates have been used to estimate the savings that were achieved in this building, and also, along with other impact evaluation data, to extrapolate savings for the entire population of buildings involved in the Envision Charlotte Smart Energy Now program.

Goals and Objectives

- Verify annual gross kWh/person savings
- Verify annual gross kWh/conditioned sqft savings
- Verify summer peak kW/person savings
- Verify summer peak kW/sqft savings

Project Contacts

Duke Energy Project Coordinator	[redacted]	[redacted]
AEC Contact	[redacted]	[redacted]
Customer Contact	[redacted]	[redacted]

Site Locations/ECM's

Address	Conditioned Area
[redacted]	[redacted]

Data Products and Project Output

- Peak demand per person savings
- Utility coincident peak demand per person savings
- Annual Energy per person Savings

M&V Option

IPMVP Option A, D

M&V Implementation Schedule

- Collected on-site data during normal operating hours.
- Obtained and verified the post-retrofit sequence of operations and/or operating schedule for HVAC, lighting, and other controlled equipment. Confirmed hours of operation, days per week, and holiday schedule. Determined if there is systematic variability on certain days of the week.

OFFICIAL COPY
Mar 04 2015

- Deployed post-retrofit loggers and trend logs to record amperage/status on the lighting and plug panels post-retrofit load shapes and energy consumption, and variables associated with HVAC equipment such as setpoint schedules, AHU temperatures, and so forth.
- Evaluated the energy savings of the retrofit measures.

Field Data Points

Survey data –

- Determined if any of the following ECM's are being followed:

1. Possible actions in personal office space
    a. Computer
        i. Set computer to energy saving mode (e.g. display and/or computer will automatically sleep after a period of inactivity)
        ii. Manually turn off computer when not in use
        iii. Manually turn off monitor when not in use

    These were evaluated through one or more of the following methods:
    - Panel-level monitoring of 115V panels.
    - Interviews with IT representatives to discuss global computer settings
    - Walkthroughs to observe computer / monitor status.

    b. Lighting
        i. Use desk lamp or task lighting instead of lighting entire workspace with overhead lights.
        ii. Manually turn off desk lamp or task lighting when leaving the room
        iii. Manually turn off desk lamp or task lighting and use natural daylight
        iv. Manually turn off overhead light when leaving the room
        v. Manually turn off overhead light and use natural daylight

    These were evaluated through one or more of the following methods:
    - Panel-level monitoring of 277V panels.
    - Walkthroughs to observe lighting / occupancy status.
    - Combination occupancy / light loggers in common spaces, i.e., conference rooms, and offices, as appropriate.

    c. HVAC
        i. Set a thermostat to decrease energy-consumption (e.g. slightly less cool in the summer and slightly less warm in the winter).
        ii. Remove a personal space heater

    These were evaluated through the following methods:
    - Trend logging
    - Recording the zone setpoint schedules
    - Walkthroughs to look for space heaters, etc.

OFFICIAL COPY
Mar 04 2015

d. Equipment upgrade
    i. Replace a standard desk lamp with an efficient (Energy Star) desk lamp
    ii. Replace a standard computer monitor with an efficient (Energy Star) monitor
    iii. Replace a standard desktop computer with a laptop computer

These were evaluated through one or more of the following methods:
- Walkthroughs to survey / observe existing equipment
- Interview IT staff
- Interview facilities staff

2. Possible actions in office common or shared spaces, such as conference rooms, lunchrooms, storage rooms, copy rooms, and so on.
    a. Lighting
        i. Manually turn off light when leaving the room
        ii. Manually turn off light to use natural daylight

These were evaluated through one or more of the following methods:
- Panel-level monitoring of 277V panels. (see lighting section above)
- Walkthroughs to survey lighting / occupancy status.
- Combination occupancy / light loggers in common spaces, i.e., conference rooms.

Data Logging/Trending

Installed data loggers on the following panels:
- Installed data loggers on [redacted] floor lighting panels
- Installed data loggers on [redacted] floor plug panels

Installed occupancy/lighting data loggers in the following areas:
- [redacted] Floor Open Office
- [redacted] Floor [redacted] Lobby
- [redacted] Floor [redacted] Room
- [redacted] Floor Back Office
- [redacted] Floor Lobby
- [redacted] Floor Copy Room
- [redacted] Floor Break Room
- [redacted] Floor [redacted]

One-time measurements:

Simultaneously measured the following variables on logged panels:
- kW, amps, volts, power factor

OFFICIAL COPY
Mar 04 2015

Logger Table

Energy Logger Pro	TRMS	20A CT	100A CT	150A CT	200A CT	Occupancy Sensors
6-7	16	2	7	10	4-5	10

Verification and Quality Control

- Compared logger data and spot measurements to nameplate values; identified out of range data
- Visually inspected logger data for consistent operation. Sorted by day type and removed invalid data.
- Verified electrical voltage of equipment circuits.

Recording and Data Exchange Format

- Hobo logger binary files
- Excel spreadsheets
- Trend logs

Data Analysis

Multiple analysis techniques were utilized to determine the data products and project output including:

- Excel Spreadsheets
- Whole Building Simulation Modeling
- Visual verification during survey

Lighting & plug load measures were evaluated through the use of post-measure (as monitored) load shapes, and estimated pre-program load shapes. Simulation models were used appropriate to the measure being evaluated.

Results

Lighting and plug load panels were monitored to determine the current consumption for these end uses. Since pre-program monitoring was not performed, it is not possible to report the actual savings. To estimate the maximum potential savings that could have been realized under the SEN program, a baseline load shape was developed that assumed minimal occupant control of lighting, and a plug load profile that roughly follows the same strategy.

There are no ECM's currently being implemented at this building. Lighting control is manual.

To estimate the impacts of HVAC ECMs for buildings of similar size in the population, a simulation model of this building was used to calculate the impacts of each of the HVAC ECMs listed below. The following tables list the impact of each ECM, normalized to conditioned area and to building population, as well as to the annual energy consumption as reported in the Compass website, and to the model baseline energy consumption, where the model baseline energy consumption is defined as the simulation model annual consumption with no HVAC measures.

OFFICIAL COPY
Mar 04 2015

Table 20. Building Characteristics

Building	Conditioned SF	Building Population	Annual Consumption (Compass) (kWh)
[redacted]	[redacted]	[redacted]	11,400,000

Table 21. [redacted] simulation model assumptions

Characteristic	Value
Vintage	[redacted]
Size	[redacted] square feet
Number of floors	[redacted]
Wall construction and R-value	6in concrete, R-10
Roof construction and R-value	Built-up roof, R-18
Glazing type	Single pane clear; Shading-coefficient = 1.00 U-value = 1.11
Lighting power density	Offices: 1.42 W/SF
Plug load density	Offices: 0.75 W/SF
Operating hours	Mon-Fri: 5am – 7pm Sat, Sun: 9am-5pm
HVAC system types	Four VAV AHUs. Hot water reheat. Constant Supply air temp.
HVAC system size	Based on ASHRAE design day conditions, 10% oversizing assumed.
Chiller type	Screw type chiller
Chilled water system type	Variable volume, 2-way control valves
Chilled water system control	Constant chilled water temp, 44 deg F setpoint
Boiler type	Electric
Hot water system type	Constant volume, 3-way control valves
Hot water system control	Constant HW temp, 180 deg F setpoint
Thermostat setpoints	Occupied hours: 76 cooling, 70 heating Unoccupied hours: 82 cooling, 64 heating

Representatives of the companies occupying this building were requested to fill out surveys describing the range of energy saving activities that the company employees performed. At [redacted], a single company survey was received, representing [redacted] out of [redacted] building occupants, or about 5.6% of the total building occupancy. Table 22 summarizes the activities in this building. Although this company represents a small fraction of the total building population, a relatively large percentage of the company occupants did participate in these measures.

Table 22. Occupant Survey Energy Savings Actions Summary

Action	Participating Employees	% of Employees
Shutting shades	[redacted]	50%
Use natural daylight	[redacted]	19%
Manually turn off conference room lights when leaving room	[redacted]	31%
Manually turn off lights to use natural daylight in conference rooms	[redacted]	38%

OFFICIAL COPY
Mar 04 2015

Manually turn off lights to use natural daylight in lunchrooms	■	63%
Manually turn off storage room lights when leaving room	■	100%
Manually turn off lights to use natural daylight in break rooms	■	63%
Energy Saving mode for computer	■	100%
Manually turn off computer when not in use	■	100%
Replace standard computer with laptop computer	■	94%

Table 23. Energy Savings Results

End Use / Measure	Annual Savings (kWh)	Savings / SF (kWh/yr)	Savings / Person (kWh/yr)	% Savings of Annual Compass Consumption	% Savings of Model Results
Lighting (includes HVAC interaction)	642,975	1.0900	450.578	5.64%	
Plugs (includes HVAC interaction)	871,241	1.4770	610.540	7.64%	
HVAC					
CHW Reset	90,000	0.1526	63.069	0.79%	0.64%
HW Reset	0	0.0000	0.000	0.00%	0.00%
Supply Air Reset	2,198,600	3.7273	1,540.715	19.29%	15.57%

Table 24. Peak Demand Savings Results

End Use / Measure	Annual Savings (kW)	Savings / SF (W)	Savings / Person (W)	% Savings of Annual Compass Consumption	% Savings of Model Results
Lighting (includes HVAC interaction)	385	0.6523	269.639	12.49%	
Plugs (includes HVAC interaction)	162	0.2745	113.465	5.26%	
HVAC					
CHW Reset	1,459	2.4735	1,022.425	47.37%	27.50%
HW Reset	0	0.0000	0.000	0.00%	0.00%
Supply Air Reset	1,459	2.4735	1,022.425	47.37%	27.50%

OFFICIAL COPY
Mar 04 2015

Table 25. Coincident Peak Demand Savings Results

End Use / Measure	Annual Savings (kW)	Savings / SF (W)	Savings / Person (W)	% Savings of Annual Compass Consumption	% Savings of Model Results
Lighting (includes HVAC interaction)	46	0.0781	32.268	2.71%	
Plugs (includes HVAC interaction)	33	0.0561	23.189	1.95%	
HVAC					
CHW Reset	0	0.0000	0.000	0.00%	0.00%
HW Reset	0	0.0000	0.000	0.00%	0.00%
Supply Air Reset	-83	-0.1407	-58.164	-4.88%	-3.50%

A pre-program lighting load shape was developed to estimate how lighting may have been controlled prior to the program implementation. This pre-program lighting shape has been used to estimate the maximum savings that could be achieved by the program. Since the survey results indicate that for this company, most of the employees turned off lights when unneeded, these savings results may be representative.

Figure 13 below shows the average lighting load shapes during the monitoring period. The maximum achievable savings for this building is represented by the area between the pre/post weekday load shapes as well as the pre/post weekend load shapes. These savings are also represented by the savings load shapes located at the bottom of the figure.

OFFICIAL COPY
Mar 04 2015



Figure 13. Lighting Load Shapes

Figure 14 below shows the average plug load shapes for during the monitoring period. Similar to Figure 13, the maximum achievable savings for this building is represented by the area between the pre/post weekday load shapes as well as the pre/post weekend load shapes. These savings are also represented by the savings load shapes located at the bottom of the figure.

Since all employees had, or converted to laptop computers during the program period, and that employees tended to turn off computers when they were not in use, these savings may also be representative.

OFFICIAL COPY
Mar 04 2015



Figure 14. Plug Load Shapes

Combined lighting / motion sensor loggers were deployed in a variety of space types within the building. Figure 15 below shows the average occupancy and light level load shapes for several swing spaces including storage, conference, copy and break rooms during the monitoring period. The results from this logging show the potential lighting savings if occupancy sensor controls were installed. If occupancy sensors were installed in these areas, the light levels could be reduced to match the occupancy levels. On average, light levels could be reduced by 30% on the weekdays and 11% on weekends, as seen in Table 26. As with the lighting and plug load analyses above, this value is an estimate of the maximum savings potential that could result from occupancy sensor lighting control in common areas.

Table 26. Potential Lighting Reduction Savings

	Weekday	Weekend
Lighting Reduction	30%	11%

OFFICIAL COPY
Mar 04 2015



Figure 15. Occupancy & Light Level Sensor Load Shapes (Storage, Conference, Copy, and Break Rooms)

OFFICIAL COPY
Mar 04 2015

Site 3: [redacted] (SEN-08)

Prepared for:

Smart Energy Now
Duke Energy
North Carolina

Prepared by:

Architectural Energy Corporation
2540 Frontier Avenue, Suite 100
Boulder, Colorado 80301

Prepared In:

November 2013
v1.1

OFFICIAL COPY
Mar 04 2015

Introduction

This plan addresses M&V activities for the Envision Charlotte Smart Energy Now (SEN) program.

These M&V activities were used to characterize savings for a variety of behavior-based measures that may have been implemented in this building. These savings estimates will be used, along with other impact evaluation data, to extrapolate savings for the entire population of buildings involved in the Envision Charlotte Smart Energy Now program.

Goals and Objectives

- Verified annual gross kWh/person savings
- Verified summer peak kW/person savings

Project Contacts

Duke Energy Project Coordinator	[redacted]	[redacted]
AEC Contact	[redacted]	[redacted]
Customer Contact	[redacted]	[redacted]

Site Locations/ECM's

Address	Conditioned Area
[redacted]	[redacted]

Data Products and Project Output

- Peak demand per person savings
- Utility coincident peak demand per person savings
- Annual Energy per person savings.

M&V Option

IPMVP Option A, D

M&V Implementation Schedule

- Collected on-site data during normal operating hours.
- Obtained and verified the post-retrofit sequence of operations and/or operating schedule for HVAC, lighting, and other controlled equipment. Confirmed hours of operation, days per week, and holiday schedule. Determined if there is systematic variability on certain days of the week.
- Deployed post-retrofit loggers and trend logs to record amperage/status on the lighting and plug panels post-retrofit load shapes and energy consumption, and variables associated with HVAC equipment such as setpoint schedules and AHU temperatures.
- Evaluated the energy savings of the retrofit measures.

OFFICIAL COPY
Mar 04 2015

Field Data Points

Survey data

- Since measures are being normalized by the number of people affected by the measure, determined the number of occupants in affected zones.
- Determined if any of the following ECM's are being followed:

1. Possible actions in personal office space
   a. Computer
      i. Set computer to energy saving mode (e.g. display and/or computer will automatically sleep after a period of inactivity)
      ii. Manually turn off computer when not in use
      iii. Manually turn off monitor when not in use

      These were evaluated through one or more of the following methods:
      - Panel-level monitoring of 115V panels.
      - Interviews with IT representatives to discuss global computer settings
      - Walkthroughs to observe computer / monitor status.

   b. Lighting
      i. Use desk lamp or task lighting instead of lighting entire workspace with overhead lights.
      ii. Manually turn off desk lamp or task lighting when leaving the room
      iii. Manually turn off desk lamp or task lighting and use natural daylight
      iv. Manually turn off overhead light when leaving the room
      v. Manually turn off overhead light and use natural daylight

      These were evaluated through one or more of the following methods:
      - Panel-level monitoring of 115V panels.
      - Walkthroughs to observe lighting / occupancy status.
      - Combination occupancy / light loggers in common spaces, i.e., conference rooms, and offices, as appropriate.

   c. HVAC
      i. Set a thermostat to decrease energy-consumption (e.g. slightly less cool in the summer and slightly less warm in the winter).
      ii. Remove a personal space heater

      These were evaluated through one or more of the following methods:
      - Trend logging
      - Recording the zone setpoint schedules
      - Temperature loggers in the zones, i.e., near thermostats
      - Walkthroughs to look for space heaters, etc.

   d. Equipment upgrade

OFFICIAL COPY
Mar 04 2015

i. Replace a standard desk lamp with an efficient (Energy Star) desk lamp
ii. Replace a standard computer monitor with an efficient (Energy Star) monitor
iii. Replace a standard desktop computer with a laptop computer

These were evaluated through one or more of the following methods:

- Walkthroughs to survey / observe existing equipment
- Interview IT staff
- Interview facilities staff

2. Possible actions in office common or shared spaces, such as conference rooms, lunchrooms, storage rooms, copy rooms, and so on.
   a. Please indicate which types of common spaces (rooms) are affected (list).
   b. Lighting
      i. Manually turn off light when leaving the room
      ii. Manually turn off light to use natural daylight

   These were evaluated through one or more of the following methods:

   - Panel-level monitoring of 115V panels. (see lighting section above)
   - Walkthroughs to survey lighting / occupancy status.
   - Combination occupancy / light loggers in common spaces, i.e., conference rooms.

Data Logging/Trending

Trend HVAC points on the BAS was not possible as the BAS was off-line. Therefore, data loggers were installed on the following panels:

- Installed data loggers on lighting panels 4H, 4P2 and XX.
- Installed data loggers on plug panels 2L, 2P2 and 4L.
- Panel 4L also served a 40-ton AHU serving the main [redacted] floor.
- Panel 4P2 also served a 15-ton AHU serving the [redacted] floor mezzanine.
- Selected space temperatures.

Data loggers were configured for 5 minute instantaneous readings and were deployed for two weeks.

Logger Table

The following table indicates the quantities of data loggers and other instrumentation used.

Energy Logger Pro	TRMS Modules	CT's (20-400 A)	Space Temp / RH loggers	Lighting / Occupancy Sensors
5	11	16	2	8

Verification and Quality Control

- Compared logger data and spot measurements to nameplate values; identified out of range data

OFFICIAL COPY
Mar 04 2015

- Visually inspected logger data for consistent operation. Sorted by day type and removed invalid data.
- Verified electrical voltage of equipment circuits.

Recording and Data Exchange Format

- Hobo logger binary files
- Excel spreadsheets
- Trend logs

Data Analysis

A combination of analysis techniques will be utilized to determine the data products and project output including:

- Excel spreadsheets
- Whole building simulation modeling
- Billing analysis
- Visual verification during survey
- Occupant surveys

Lighting measures were evaluated through the use of estimated pre- and monitored post-measure load shapes. Other spreadsheet analyses or simulation models were used appropriate to the measure being evaluated.

Results

A prototypical simulation model was used to estimate the impact of a set of potential HVAC measures. The intention was to develop a simulation model that reasonably reflected the building. The model assumptions are listed below in Table 27. No attempt was made to model individual tenant spaces or detailed floor-by-floor zoning or differences in HVAC configurations. Rather, the model was designed to provide an overall indication of the savings potential of a select set of HVAC system energy savings measures.

OFFICIAL COPY
Mar 04 2015

Table 27. Simulation model assumptions

Characteristic	Value
Vintage	[redacted]
Size	[redacted] square feet
Number of floors	[redacted]
Wall construction and R-value	8in Concrete, R-10
Roof construction and R-value	Built-up roof, R-18
Glazing type	Double pane clear; Shading-coefficient = 0.81 U-value = 0.48
Lighting power density	Core Offices: 1.43 W/SF Perimeter Offices: 1.0 W/SF Lobby: 1.48 W/SF
Plug load density	Core Offices: 0.5 W/SF Perimeter Offices: 0.75 W/SF Lobby: 0.0 W/SF
Operating hours	Mon-Fri: 5am – 6pm Sat, Sun: 11am-1pm
HVAC system types	Eight AHUs. Variable Air Volume, hot water reheat.(5th floor has electric reheat) OA reset supply air temperature.
HVAC system size	Based on ASHRAE design day conditions, 10% oversizing assumed.
Chiller type	Water cooled screw chiller (constant speed)
Chilled water system type	Variable volume 2-way control valves,
Chilled water system control	Constant CHW Temp, 44 deg F setpoint
Boiler type	Hot water, 80% efficiency
Hot water system type	Constant volume with 3 way control valves,
Hot water system control	Constant HW Temp, 180 deg F setpoint
Thermostat setpoints	Occupied hours: 76 cooling, 70 heating Unoccupied hours: 82 cooling, 64 heating

Representatives of the companies occupying this building were requested to fill out surveys describing the range of energy saving activities that the company employees performed. In this building, a single survey was received, representing [redacted] building occupants. Table 28 summarizes the activities in this building.

The building population, as reported at the Compass website, is [redacted] occupants. This number is outdated, and for purposes of calculating the participation rate in this building, the building population will be assumed to be [redacted]. The building is being remodeled and is not at full occupancy.

The only reported energy savings activity for this building was to turn off storage room lights when it is unoccupied.

Table 28. Occupant Survey Energy Savings Actions Summary

Action	Participating Employees	% of Employees	% of Building Population
Manually turn off storage room lights when leaving room	[redacted]	100%	100%

OFFICIAL COPY
Mar 04 2015

Lighting and Plug Loads

Lighting and plug load panels were monitored to determine the current consumption for these end uses. Since pre-program monitoring was not performed, it is not possible to report the actual savings. To estimate the maximum potential savings that could have been realized under the SEN program, a baseline load shape was developed that assumed minimal occupant control of lighting, and a plug load profile that roughly follows the same strategy.

Figure 16 below shows the average lighting load shapes for [redacted] during the monitoring period. The maximum achievable savings for this building is represented by the area between the pre/post weekday load shapes as well as the pre/post weekend load shapes. These savings are also represented by the savings load shapes located at the bottom of the figure.



Figure 16. Lighting Load Shapes

Figure 17 below shows the average plug load shapes for [redacted] during the monitoring period. Like Figure 16, the maximum achievable savings for this building is represented by the area between the pre/post weekday load shapes as well as the pre/post weekend load shapes. These savings are also represented by the savings load shapes located at the bottom of the figure.

OFFICIAL COPY
Mar 04 2015



Figure 17. Plug Load Shapes

Figure 18 below shows the average occupancy and light level load shapes for the building. The chart is a composite of monitoring period data from office space, hallways and conference rooms. If occupancy sensors were installed in these areas, the light levels could be reduced to match the occupancy levels, especially overnight and on weekends.

OFFICIAL COPY
Mar 04 2015



Figure 18. Occupancy & Light Level Sensor Load Shapes

HVAC

Each "Main" floor is served by a 40-ton air handling unit (AHU) and each mezzanine floor is served by a 15-ton AHU. All the AHU's are provided with chilled water for cooling from a central reciprocating 120-ton chiller. Heating is provided from a central boiler.

One main AHU fan and one mezzanine AHU fan were monitored to determine their schedules and for VFD behavior. Figure 19 below shows that the Main AHU ran all the time, even at night and on weekends when the building is unoccupied.

OFFICIAL COPY
Mar 04 2015



Figure 19. Main Floor AHU Fan Operation

OFFICIAL COPY
Mar 04 2015

The average HVAC load shapes for the Main AHU are presented in the next figure.



Figure 20. Main Floor AHU Fan Load Profiles

OFFICIAL COPY
Mar 04 2015

Figure 21 below shows that the Mezzanine AHU cycles off at night, but still operates on the weekends, even when the building is unoccupied.



Figure 21. Mezzanine Floor AHU Fan Operation

OFFICIAL COPY
Mar 04 2015

The average HVAC load shapes for the Mezzanine AHU are presented in the next figure.



Figure 22. Mezzanine Floor AHU Fan Load Profiles

Because of the limited time period for this investigation, the weather was fairly consistent and no variation of fan energy with outside air temperature was observed.

Sample space temperatures and relative humidities are presented in the next two figures. The temperatures vary only about +/- 2 degrees from average in each case (with a one-day exception on the fourth floor), indicating little evidence of night or weekend setback.

OFFICIAL COPY
Mar 04 2015



Figure 23. Typical Space Temperature History – [redacted] Floor

OFFICIAL COPY
Mar 04 2015



Figure 24. Typical Space Temperature History – [redacted] Floor

Savings Summary

[redacted] had the following HVAC ECM's already implemented:

- Supply air temperature reset based on load

The following HVAC ECM's are *not* implemented:

- Chilled water temperature reset with OA temperature
- Heating water temperature reset with OA temperature

To estimate the impacts of each of these ECMs for buildings of similar size in the population, a simulation model was used to calculate the impacts of each of the HVAC ECMs in this building. The following tables list the savings impact of each ECM, normalized to conditioned area and to building population, as well as to the annual energy consumption as reported in the Compass website, and to the model baseline energy consumption. The model baseline energy consumption is defined as the simulation model annual consumption with no HVAC measures.

OFFICIAL COPY
Mar 04 2015

The building population, as reported at the Compass website, is [redacted] occupants. That number may be accurate for the building in its present condition. The building is being remodeled and is only about half occupied. So as to not overstate the savings per occupant, the population has been increased to [redacted] occupants for the tables below.

Table 29. Building Information

Building	Conditioned SF	Building Population	Annual Consumption (Compass) (kWh)	Peak Demand (Compass) (kW)
[redacted]	[redacted]	[redacted]	1,344,300	177

Table 30. Energy Savings

End Use / Measure	Annual Savings (kWh)	Savings / SF (kWh/yr)	Savings / Person (kWh/yr)	% Savings of Annual Compass Consumption	% Savings of Model Results
Lighting (includes HVAC interaction)	10,988	0.12	55	0.85%	
Plugs (includes HVAC interaction)	87,187	0.98	436	6.78%	
HVAC					
CHW Reset	40,000	0.45	200	3.1%	3.0%
HW Reset	0	0	0	0%	0%
Supply Air Reset	100,300	1.13	502	7.8%	7.5%

Table 31. Coincident Peak Demand Savings (kW)

End Use / Measure	Annual Savings (kW)	Savings / SF (W)	Savings / Person (W)	% Savings of Annual Compass Peak Demand	% Savings of Model Results
Lighting (includes HVAC interaction)	0.51	0.006	2.6	0.29%	
Plugs (includes HVAC interaction)	2.00	0.022	10.0	1.13%	
HVAC					
CHW Reset	0	0	0	0%	0%
HW Reset	0	0	0	0%	0%
Supply Air Reset	0	0	0	0%	0%

OFFICIAL COPY
Mar 04 2015

Table 32. Annual Peak Demand Savings (kW)

End Use / Measure	Annual Savings (kW)	Savings / SF (W)	Savings / Person (W)	% Savings of Annual Compass Peak Demand	% Savings of Model Results
Lighting (includes HVAC interaction)	3.28	0.037	32.8	0.59%	
Plugs (includes HVAC interaction)	5.24	0.059	52.4	0.95%	
HVAC					
CHW Reset	0	0	0	0%	0%
HW Reset	0	0	0	0%	0%
Supply Air Reset	0	0	0	0%	0%

Several other measures were reported as already implemented, but not as a result of the SEN program. These are:

- Heating water lockout above 52°F.
- New cooling towers
- Cooling tower fan VFD's were installed, but not operational yet.
- Intent is to turn off AHUs within two hours of occupancy schedule (but at least one AHU operates 24/7).
- Variable speed AHU fans
- Some new VAV terminals
- Converting to 277 volt T-8 linear fluorescent lighting throughout (in progress)
- Limited use of occupancy sensors (1st and 2nd mezzanine restrooms)
- Desktop computers are Energy Star compliant.
- New rooftop solar photovoltaic array serves electric water heater

The building might possibly benefit from the following additional measure, which is not presently installed:

- Outdoor air economizers

OFFICIAL COPY
Mar 04 2015

Site 4: [redacted] (SEN-22)

Prepared for:

Smart Energy Now
Duke Energy
North Carolina

Prepared by:

Architectural Energy Corporation
2540 Frontier Avenue, Suite 100
Boulder, Colorado 80301

Prepared In:

November 2013

OFFICIAL COPY
Mar 04 2015

Introduction

This plan addresses M&V activities that were conducted for the Envision Charlotte Smart Energy Now (SEN) program.

These M&V activities were used to characterize savings for a variety of behavior-based measures that could have been implemented in this building. These savings estimates will be used, along with other impact evaluation data, to extrapolate savings for the entire population of buildings involved in the Envision Charlotte Smart Energy Now program.

Goals and Objectives

- Verify annual gross kWh/person savings
- Verify annual gross kWh/conditioned sqft savings
- Verify summer peak kW/person savings
- Verify summer peak kW/sqft savings

Project Contacts

Duke Energy Project Coordinator	[redacted]	[redacted]
AEC Contact	[redacted]	[redacted]
Customer Contact	[redacted]	[redacted]

Site Locations/ECM's

Address	Conditioned Area
[redacted]	[redacted] sqft

Data Products and Project Output

- Peak demand per person savings
- Utility coincident peak demand per person savings
- Annual Energy per person Savings

M&V Option

IPMVP Option A, D

M&V Implementation Schedule

- Collected on-site data during normal operating hours. Obtained and verified the current sequence of operations and operating schedules for HVAC, lighting, and plug loads.
- Confirmed hours of operation, days per week, and holiday schedule.
- Deployed post-retrofit loggers record amperage/status on the lighting and plug panels Collected trend logs for the HVAC system, lighting panels, and receptacle panels.

OFFICIAL COPY
Mar 04 2015

Field Data Points

During our initial visit and the installation visit we interviewed the facility staff and conducted a walkthrough of the facility. From the interview and our observations we found that the following ECMs were being followed by some of the occupants.

1. Actions in personal office space
    a. Computers
        i. Observed that computer monitors were off in workstations when employee was not at desk.
        ii. Baseline and Impact Survey indicated that Energy Star features are enabled on computers.
    b. Lighting
        i. In this facility each floor has an open office area with cubicles, private office spaces, and private meeting spaces.
        ii. We observed that all of the lights were on in the open office area and occupants did not have control of these fixtures.
        iii. In the private office spaces we found some occupants using the overhead lights and some occupants using task lighting. We observed that some occupant's task lighting was not illuminated while they were not at their work station as well as other occupants leaving task lighting on when they were not at their work station.
        iv. We observed several private offices that were occupied where the lights were tuned off and the occupant was utilizing ambient light.
        v. We also observed offices where the lights were on but the occupant was not present at the moment.
        vi. Facility staff interview indicated that the exterior lighting that was MH was retrofitted to LED fixtures, making all exterior fixtures LED.
    c. HVAC
        i. The facility staff and Baseline and Impact Survey indicated that the supply air temperature is reset based on outdoor air temperature and that temperature set point setback were in place for heating and cooling.
        ii. The Baseline and Impact Survey indicate that personal space heaters are not allowed in this facility. We did not observe any space heaters during our visits. To verify the indicated HVAC usage and behaviors we collected trend data for the supply, mixed, and return air handler temperatures for two AHUs. We also collected space temperatures at various VAVs throughout the facility.
    d. Equipment upgrade
        i. The computer monitors that we observed onsite were flat screen monitors. We did not see any CRT monitors onsite.
        ii. We observed both laptop and desktop computers onsite.

Data Logging/Trending

To verify our findings from the site visits, the Baseline Survey, and the Impact Survey, we collected trend data from the lighting and receptacle panels, the AHUs, and VAV boxes. We also installed occupancy and lighting loggers in office and shared spaces.

OFFICIAL COPY
Mar 04 2015

The below table details the loggers that were installed and the type of location.

Logger Type	Location Notes	Quantity Installed Within Facility
OS/ Lighting	Corridor	2
OS/ Lighting	Private office	3
OS/ Lighting	Conference Room	1

The next table details the trend data that was collected.

AHUs	Supply, return, and mixed air temperatures.
VAV	Space temperatures.
Lighting Panels	Energy consumption
Receptacle Panels	Energy consumption

Data Accuracy

Measurement	Sensor	Accuracy	Notes
Current	Magnelab CT	±1%	> 10% of rating

Verification and Quality Control

- Compare logger data and spot measurements to nameplate values; identify out of range data
- Visually inspect logger data for consistent operation. Sort by day type and remove invalid data.
- Verify electrical voltage of equipment circuits.

Recording and Data Exchange Format

- Hobo logger binary files
- Excel spreadsheets
- Trend logs

Data Analysis

From time-series data determine the actual schedule of post operation.

$$LF(t) = \frac{\sum_{i=1}^{N_{Logged}} (kWTrend_i)}{\sum_{i=1}^{N_{Logged}} kWControlPoint_i}$$

$$kW_{Lighting}(t) = LF(t) * \sum_{i=1}^{N_{ControlPoints}} kWControlPoint_i$$

Where

LF(t) = Lighting Load factor at time = t

$kWControlPoint_i$ = connected load of control point i

OFFICIAL COPY
Mar 04 2015

$kWTrend_i$ = logged kW at control point i from trend data
N_{Logged} = population of logged control points
$N_{ControlPoints}$ = population of all control points

- Create separate schedules for weekdays and weekends using LF(t).
- Tabulate average operating hours by daytype (e.g. weekday and weekend).
- Extrapolate annual operating hours from the recorded hours of use by daytype.
- Generate the post load shape by plotting surveyed fixture kW against the actual schedule of post operation for each daytype.
- Calculate pre annual operating hours using the adjusted schedules by daytype and extrapolating to the full year.
- Calculate energy savings and compare to project application:

$$kWh_{savings} = (N_{Fixtures} * kW_{Fixture} * OpHrs)_{PRE} - (N_{Fixtures} * kW_{Fixture} * OpHrs)_{Post}$$

Results

Table 33 below shows the building parameters that were used to determine savings presented in this section.

Table 33. Building Parameters

Building	Conditioned SF	Building Population	Annual Compass Consumption (kWh)
[redacted]	[redacted]	[redacted]	6,298,955

A prototypical simulation model was used to estimate the impact of a set of potential HVAC measures. The intention was to develop a simulation model that reasonably reflected the building. The model assumptions are listed below in Table 34. No attempt was made to model individual tenant spaces or detailed floor-by-floor zoning or differences in HVAC configurations. Rather, the model was designed to provide an overall indication of the savings potential of a select set of HVAC system energy savings measures.

OFFICIAL COPY
Mar 04 2015

Table 34. Simulation model assumptions

Characteristic	Value
Vintage	[redacted]
Size	[redacted] square feet
Number of floors	[redacted]
Wall construction and R-value	6in Concrete, R-10
Roof construction and R-value	Built-up roof, R-18
Glazing type	Double pane clear; Shading-coefficient = 0.81 U-value = 0.48
Lighting power density	Offices: 1.1 W/SF Lobby: 1.1 W/SF Kitchen/Food: 1.27 W/SF Dining: 1.5 W/SF Mechanical: 1.5 W/SF
Plug load density	Offices: 0.5 W/SF Lobby: 0.5 W/SF Kitchen/Food: 0.77 W/SF Dining: 0.1 W/SF Mechanical: 0.1 W/SF
Operating hours	Mon-Fri: 5am – 11pm Sat, Sun: Unoccupied
HVAC system types	Four main AHUs. Dual Duct, constant volume. Constant supply air temperature.
HVAC system size	Based on ASHRAE design day conditions, 10% oversizing assumed.
Chiller type	Three water cooled 300 ton constant speed chillers
Chilled water system type	Variable volume 2-way control valves,
Chilled water system control	Constant CHW Temp, 44 deg F setpoint
Boiler type	Hot water, 80% efficiency
Hot water system type	Constant volume with 3 way control valves,
Hot water system control	Constant HW Temp, 180 deg F setpoint
Thermostat setpoints	Occupied hours: 76 cooling, 70 heating Unoccupied hours: 82 cooling, 64 heating

Representatives of the companies occupying this building were requested to fill out surveys describing the range of energy saving activities that the company employees performed. In this building, a single survey was received, representing [redacted] out of [redacted] building occupants, or about 27% of the total building occupancy. Table 35 summarizes the activities in this building.

Table 35. Occupant Survey Energy Savings Actions Summary

Action	Participating Employees	% of Employees	% of Building Population
Crab You're It	[redacted]	66.7%	14.0%
Adopt a light	[redacted]	66.7%	14.0%
Manually turn off conference room lights when leaving room	[redacted]	31.7%	6.7%
Manually turn off lunch room lights when leaving room	[redacted]	30.0%	6.3%
Manually turn off storage room lights when leaving room	[redacted]	33.0%	6.9%

OFFICIAL COPY
Mar 04 2015

Manually turn off copy / printer room lights when leaving room	[redacted]	30.0%	6.3%
Manually turn off break room lights when leaving room	[redacted]	31.7%	6.7%
Replace standard monitor with Energy Star monitor	[redacted]	100.0%	21.0%

Lighting and Plug Receptacle Potential Savings

The [redacted] has recently installed a metering system to meter the energy consumption of the lighting and receptacle panels. We were able to capture one month of trend data for the majority of the metered panels for analysis.

Since pre-program monitoring was not performed, it is not possible to report the actual program savings. To estimate the maximum potential savings that could have been realized under the SEN program, a baseline load shape was developed that assumed minimal occupant control of lighting, and a plug load profile that roughly follows the same strategy. The tables below show the maximum potential energy and demand savings for plug and light measures.

Table 36. Potential Lighting and Plug Energy Savings

End Use / Measure	Annual Energy Savings (kWh)	Energy Savings / SF (kWh/yr)	Energy Savings / Person (kWh/yr)	% Savings of Annual Compass Consumption
Lighting (includes HVAC interaction)	287,625	0.73	261.5	4.57%
Plugs (includes HVAC interaction)	374,019	0.95	340.0	5.94%

Table 37. Potential Lighting and Plug Coincident Peak Demand Savings

End Use / Measure	Coincident Peak Demand Savings (kW)	Coincident Peak Demand Savings (W/SF)	Coincident Peak Demand Savings (W/Person)	% Savings of Compass Coincident Peak Demand
Lighting (includes HVAC interaction)	17	0.04	15.65	2%
Plugs (includes HVAC interaction)	54	0.14	49.51	5%

Table 38. Potential Lighting and Plug Peak Demand Savings

End Use / Measure	Peak Demand Savings (kW)	Peak Demand Savings (W/SF)	Peak Demand Savings (W/Person)	% Savings of Compass Peak Demand
Lighting (includes HVAC interaction)	136	0.35	123.4	8%
Plugs (includes HVAC interaction)	47	0.12	43.1	3%

OFFICIAL COPY
Mar 04 2015

Figure 25, Figure 26, and Figure 27 below show the existing average lighting loadshapes, the estimated maximum pre-program loadshape, and the maximum potential savings loadshape.



Figure 25. Weekday Lighting Loadshapes

OFFICIAL COPY
Mar 04 2015



Figure 26. Weekend Lighting Loadshapes

OFFICIAL COPY
Mar 04 2015



Figure 27. Holiday Lighting Loadshapes

Figure 28, Figure 29, and Figure 30 below show the current average plug receptacle loadshapes, the estimated maximum pre-program loadshape, and the maximum potential savings loadshape.

OFFICIAL COPY
Mar 04 2015



Figure 28. Weekday Plugload Loadshapes

OFFICIAL COPY
Mar 04 2015



Figure 29. Weekend Plugload Loadshapes

OFFICIAL COPY
Mar 04 2015



Figure 30. Holiday Plugload Loadshapes

Occupancy Sensor Potential Savings

As part of our metering effort we installed lighting and occupancy sensors. We used this data to estimate potential savings that could be realized if occupancy sensors were installed in conference rooms. The baseline lighting load shape was developed based off of the percent of time that the metered light fixtures were on. The potential lighting loadshape was developed based on the metered occupancy of the shared spaces. The potential savings loadshape is the difference between the two loadshapes. In the common spaces that were metered there was no weekend usage or occupancy. Figure 31 below shows the average lighting and occupancy loadshapes for the metered spaces.

To develop savings that could be achieved by installing occupancy sensors we observed the fixtures types and quantities in the metered conference rooms and estimated the connected load. Using the estimated connected load and the savings loadshapes we determined the potential savings for the metered spaces. Based on our site visit we estimated the area of the metered spaces, and the total area of conference spaces per floor and used those estimations to determine the amount of conference spaces in the building as a whole. From there we extrapolated our calculated savings for the metered spaces to estimate the potential energy and demand savings for the building as a whole.

OFFICIAL COPY
Mar 04 2015

Table 39. Potential Occupancy Sensor Energy Savings

End Use / Measure	Annual Energy Savings (kWh)	Energy Savings / SF (kWh/yr)	Energy Savings / Person (kWh/yr)	% Savings of Annual Compass Consumption
Occupancy Sensors (includes HVAC interaction)	33,107	0.08	30.1	0.53%

Table 40. Potential Occupancy Sensor Coincident Peak Demand Savings

End Use / Measure	Coincident Peak Demand Savings (kW)	Coincident Peak Demand Savings (W/SF)	Coincident Peak Demand Savings (W/Person)	% Savings of Compass Coincident Peak Demand
Occupancy Sensors (includes HVAC interaction)	14.4	0.04	13.13	1.4%

Table 41. Potential Occupancy Sensor Peak Demand Savings

End Use / Measure	Peak Demand Savings (kW)	Peak Demand Savings (W/SF)	Peak Demand Savings (W/Person)	% Savings of Compass Peak Demand
Occupancy Sensors (includes HVAC interaction)	24	0.06	21.5	1.3%

OFFICIAL COPY
Mar 04 2015



Figure 31. Occupancy Sensor Potential Savings

HVAC Savings

The [redacted] had the following HVAC ECM's implemented:

- Chilled Water Reset
- Hot Water Reset
- Supply Air Reset

To estimate the impacts of each of these ECMs for buildings of similar size in the population, a simulation model was used to calculate the impacts of each of the HVAC ECMs in this building. The following table lists the impact of each ECM. This facility uses gas boilers therefore there were no associated electric energy savings for the HW reset measure.

Table 42. Modeled Energy Savings for HVAC Measures

HVAC Measures	Annual Savings (kWh)	Savings / SF (kWh/yr)	Savings / Person (kWh/yr)	% Savings of Annual Compass Consumption	% Savings of Model Results
CHW Reset	121,000	0.3	110	1.92%	1.09%

OFFICIAL COPY
Mar 04 2015

HW Reset	0	0.0	0	0.00%	0.00%
Supply Air Reset	1,045,000	2.7	950	16.59%	9.40%

HVAC Measures	Coincident Peak Demand Savings (kW)	Coincident Peak Demand Savings (W/SF)	Coincident Peak Demand Savings (W/Person)	% Savings of Compass Coincident Peak Demand	% Savings of Model Results
CHW Reset	0	0.0	0	0.00%	0.00%
HW Reset	0	0.0	0	0.00%	0.00%
Supply Air Reset	212	0.5	0	20.32%	8.43%

HVAC Measures	Peak Demand Savings (kW)	Peak Demand Savings (W/SF)	Peak Demand Savings / Person (W/Person)	% Savings of Compass Peak Demand	% Savings of Model Results
CHW Reset	0	0.0	0	0.00%	0.00%
HW Reset	0	0.0	0	0.00%	0.00%
Supply Air Reset	165	0.4	0	9.34%	6.33%

OFFICIAL COPY
Mar 04 2015

Site 5: [redacted] (SEN-19)

Prepared for:

Smart Energy Now
Duke Energy
North Carolina

Prepared by:

Architectural Energy Corporation
2540 Frontier Avenue, Suite 100
Boulder, Colorado 80301

Prepared In:

November 2013
v1.2

OFFICIAL COPY
Mar 04 2015

Introduction

This report addresses M&V activities for the Envision Charlotte Smart Energy Now (SEN) program.

These M&V activities were used to characterize savings for a variety of behavior-based measures that may have been implemented in this building. These savings estimates will be used, along with other impact evaluation data, to extrapolate savings for the entire population of buildings involved in the Envision Charlotte Smart Energy Now program.

Goals and Objectives

- Verify annual gross kWh/person savings
- Verify annual gross kWh/conditioned sqft savings
- Verify summer peak kW/person savings
- Verify summer peak kW/sqft savings

Project Contacts

Duke Energy Project Coordinator	[redacted]	[redacted]
AEC Contact	[redacted]	[redacted]
Customer Contact	[redacted]	[redacted]

Site Locations/ECM's

Address	Conditioned Area
[redacted]	[redacted]

Data Products and Project Output

- Peak demand per person savings
- Utility coincident peak demand per person savings
- Annual Energy per person Savings

M&V Option

IPMVP Option A, D

M&V Implementation Schedule

- Collected on-site data during normal operating hours.
- Obtained and verified the post-retrofit sequence of operations and/or operating schedule for HVAC, lighting, and other controlled equipment. Confirmed hours of operation, days per week, and holiday schedule. Determined if there is systematic variability on certain days of the week.
- Deployed post-retrofit loggers and trend logs to record amperage/status on the lighting and plug panels post-retrofit load shapes and energy consumption, and variables

OFFICIAL COPY
Mar 04 2015

associated with HVAC equipment such as setpoint schedules, AHU temperatures, and so forth.

- Evaluated the energy savings of the retrofit measures.

Field Data Points

Survey data –

- Determined if any of the following ECM's are being followed:

1. Possible actions in personal office space
    a. Computer
        i. Set computer to energy saving mode (e.g. display and/or computer will automatically sleep after a period of inactivity)
        ii. Manually turn off computer when not in use
        iii. Manually turn off monitor when not in use

    These were evaluated through one or more of the following methods:
    - Panel-level monitoring of 115V panels.
    - Interviews with IT representatives to discuss global computer settings
    - Walkthroughs to observe computer / monitor status.

    b. Lighting
        i. Use desk lamp or task lighting instead of lighting entire workspace with overhead lights.
        ii. Manually turn off desk lamp or task lighting when leaving the room
        iii. Manually turn off desk lamp or task lighting and use natural daylight
        iv. Manually turn off overhead light when leaving the room
        v. Manually turn off overhead light and use natural daylight

    These were evaluated through one or more of the following methods:
    - Panel-level monitoring of 277V panels.
    - Walkthroughs to observe lighting / occupancy status.
    - Combination occupancy / light loggers in common spaces, i.e., conference rooms, and offices, as appropriate.

    c. HVAC
        i. Set a thermostat to decrease energy-consumption (e.g. slightly less cool in the summer and slightly less warm in the winter).
        ii. Remove a personal space heater

    These were evaluated through the following methods:
    - Trend logging
    - Recording the zone setpoint schedules
    - Walkthroughs to look for space heaters, etc.

    d. Equipment upgrade
        i. Replace a standard desk lamp with an efficient (Energy Star) desk lamp

OFFICIAL COPY
Mar 04 2015

ii. Replace a standard computer monitor with an efficient (Energy Star) monitor
iii. Replace a standard desktop computer with a laptop computer

These were evaluated through one or more of the following methods:

- Walkthroughs to survey / observe existing equipment
- Interview IT staff
- Interview facilities staff

2. Possible actions in office common or shared spaces, such as conference rooms, lunchrooms, storage rooms, copy rooms, and so on.
   a. Lighting
      i. Manually turn off light when leaving the room
      ii. Manually turn off light to use natural daylight

These were evaluated through one or more of the following methods:

- Panel-level monitoring of 277V panels. (see lighting section above)
- Walkthroughs to survey lighting / occupancy status.
- Combination occupancy / light loggers in common spaces, i.e., conference rooms.

Data Logging/Trending

Installed data loggers on the following panels:

- Installed data loggers on 2D, 3B, 4&5D, 6B & 7D lighting panels
- Installed data loggers on 2D, 3B, 4&5D, 6B & 7D plug panels

One-time measurements:

Simultaneously measure the following variables on any loggers/trends that are deployed:

- kW, amps, volts, power factor

Logger Table

Energy Logger Pro	TRMS	20A CT	100A CT	150A CT	200A CT	Occupancy Sensors
6-7	16	2	7	10	4-5	10

Data Accuracy

Measurement	Sensor	Accuracy	Notes
Current	Magnelab CT	±1%	> 10% of rating

Verification and Quality Control

- Compared logger data and spot measurements to nameplate values; identified out of range data
- Visually inspected logger data for consistent operation. Sorted by day type and removed invalid data.
- Verified electrical voltage of equipment circuits.

OFFICIAL COPY
Mar 04 2015

Recording and Data Exchange Format

- Hobo logger binary files
- Excel spreadsheets
- Trend logs

Data Analysis

A combination of analysis techniques were utilized to determine the data products and project output including:

- Excel Spreadsheets
- Whole Building Simulation Modeling
- Visual verification during survey

Lighting measures were evaluated through the use of estimated pre and monitored post-measure load shapes. Other spreadsheet models, or simulation models, will be used appropriate to the measure being evaluated.

Results

Lighting and plug load panels were monitored to determine the current consumption for these end uses. Since pre-program monitoring was not performed, it is not possible to report the actual savings. To estimate the maximum potential savings that could have been realized under the SEN program, a baseline load shape was developed that assumed minimal occupant control of lighting, and a plug load profile that roughly follows the same strategy.

[redacted] had the following HVAC ECM's already implemented prior to the SEN program:

- Supply Air Temperature Reset

To estimate the impacts of each of these ECMs for buildings of similar size in the population, a simulation model was used to calculate the impacts of each of the HVAC ECMs in this building. The following tables list the impact of each ECM, normalized to conditioned area and to building population, as well as to the annual energy consumption as reported in the Compass website, and to the model baseline energy consumption, where the model baseline energy consumption is defined as the simulation model annual consumption with no HVAC measures. This building used DX cooling and electric heat, and so evaluating the impacts of HW and CHW reset are not applicable.

Table 43. Building Characteristics

Building	Conditioned SF	Building Population	Annual Consumption (Compass) (kWh)
[redacted]	[redacted]	[redacted]	7,421,800

OFFICIAL COPY
Mar 04 2015

A prototypical simulation model was used to estimate the impact of a set of potential HVAC measures. The intention was to develop a simulation model that reasonably reflected the building. The model assumptions are listed below in Table 44. No attempt was made to model individual tenant spaces or detailed floor-by-floor zoning or differences in HVAC configurations. Rather, the model was designed to provide an overall indication of the savings potential of a select set of HVAC system energy savings measures.

Table 44. Simulation model assumptions

Characteristic	Value
Vintage	[redacted]
Size	[redacted]
Number of floors	[redacted]
Wall construction and R-value	Brick exterior, R-10
Roof construction and R-value	Built-up roof, R-18
Glazing type	Double pane clear; Shading-coefficient = 0.81 U-value = 0.48
Lighting power density	Offices: 1.47 W/SF Mechanical: 1.0 W/SF Lobby: 1.52 W/SF
Plug load density	Offices: 0.75 W/SF Mechanical: 0.4 W/SF Lobby: 0.25 W/SF
Operating hours	Mon-Fri: 7am – 6pm Sat, Sun: unoccupied
HVAC system types	One VAV AHU.per floor. Fan powered boxes with electric reheat. Water cooled condensers. Supply air reset base on OA temperature.
HVAC system size	Based on ASHRAE design day conditions, 10% oversizing assumed.
Chiller type	N/A
Chilled water system type	N/A
Chilled water system control	N/A
Boiler type	N/A
Hot water system type	N/A
Hot water system control	N/A
Thermostat setpoints	Occupied hours: 76 cooling, 70 heating Unoccupied hours: 82 cooling, 64 heating

Table 45. Energy Savings Results

End Use / Measure	Annual Savings (kWh)	Savings / SF (kWh/yr)	Savings / Person (kWh/yr)	% Savings of Annual Compass Consumption	% Savings of Model Results
Lighting (includes HVAC interaction)	232,133	0.3712	86.135	3.13%	
Plugs (includes HVAC interaction)	316,767	0.5066	117.539	4.27%	

OFFICIAL COPY
Mar 04 2015

HVAC					
Supply Air Reset	2,058,200	3.2914	763.711	27.73%	6.74%

Table 46. Peak kW Savings Results

End Use / Measure	Annual Savings (kW)	Savings / SF (W)	Savings / Person (W)	% Savings of Annual Compass Consumption	% Savings of Model Results
Lighting (includes HVAC interaction)	195	0.3111	72.183	3.98%	
Plugs (includes HVAC interaction)	115	0.1842	42.736	2.36%	
HVAC					
Supply Air Reset	878	1.4041	325.788	17.98%	16.95%

Table 47. Coincident Peak kW Savings Results

End Use / Measure	Annual Savings (kW)	Savings / SF (W)	Savings / Person (W)	% Savings of Annual Compass Consumption	% Savings of Model Results
Lighting (includes HVAC interaction)	2	0.0039	0.902	0.06%	
Plugs (includes HVAC interaction)	23	0.0363	8.433	0.58%	
HVAC					
Supply Air Reset	45	0.0720	16.698	1.14%	1.56%

A pre-program lighting load shape was developed to estimate how lighting may have been controlled prior to the program implementation. This pre-program lighting shape has been used to estimate the maximum savings that may have been achieved by the program.

Figure 32 below shows the average lighting load shapes during the monitoring period. The maximum achievable savings for this building is represented by the area between the pre/post weekday load shapes as well as the pre/post weekend load shapes. These savings are also represented by the savings load shapes located at the bottom of the figure.

OFFICIAL COPY
Mar 04 2015



Figure 32. Lighting Load Shapes

Figure 33 below shows the average plug load shapes during the monitoring period. Similar to Figure 32, the maximum achievable savings for this building is represented by the area between the pre/post weekday load shapes as well as the pre/post weekend loadshapes. These savings are also represented by the savings load shapes located at the bottom of the figure.

Occupancy sensor loggers were installed in open office spaces for this building, but did not indicate that any savings could be achieved through occupancy sensor lighting control. Occupancy sensor lighting control in open office spaces is generally not feasible.

OFFICIAL COPY
Mar 04 2015



Figure 33. Plug Load Shapes

OFFICIAL COPY
Mar 04 2015

Site 6: [redacted] (SEN-41)

Prepared for:

Smart Energy Now
Duke Energy
North Carolina

Prepared by:

Architectural Energy Corporation
2540 Frontier Avenue, Suite 100
Boulder, Colorado 80301

Prepared In:

November 2013
v1.2

OFFICIAL COPY
Mar 04 2015

Introduction

This report addresses M&V activities for the Envision Charlotte Smart Energy Now (SEN) program.

These M&V activities were used to characterize savings for a variety of behavior-based measures that may have been implemented in this building. These savings estimates will be used, along with other impact evaluation data, to extrapolate savings for the entire population of buildings involved in the Envision Charlotte Smart Energy Now program.

Goals and Objectives

- Verify annual gross kWh/person savings
- Verify annual gross kWh/conditioned sqft savings
- Verify summer peak kW/person savings
- Verify summer peak kW/sqft savings

Project Contacts

Duke Energy Project Coordinator	[redacted]	[redacted]
AEC Contact	[redacted]	[redacted]
Customer Contact	[redacted]	[redacted]

Site Locations/ECM's

Address	Conditioned Area
[redacted]	[redacted]

Data Products and Project Output

- Peak demand per person savings
- Utility coincident peak demand per person savings
- Annual Energy per person Savings

M&V Option

IPMVP Option A, D

M&V Implementation Schedule

- Collected on-site data during normal operating hours.
- Obtained and verified the post-retrofit sequence of operations and/or operating schedule for HVAC, lighting, and other controlled equipment. Confirmed hours of operation, days per week, and holiday schedule. Determined if there is systematic variability on certain days of the week.
- Deployed post-retrofit loggers and trend logs to record amperage/status on the lighting and plug panels post-retrofit load shapes and energy consumption, and variables

OFFICIAL COPY
Mar 04 2015

associated with HVAC equipment such as setpoint schedules, AHU temperatures, and so forth.

- Evaluated the energy savings of the retrofit measures.

Field Data Points

Survey data –

- Determined if any of the following ECM's are being followed:

1. Possible actions in personal office space
    a. Computer
        i. Set computer to energy saving mode (e.g. display and/or computer will automatically sleep after a period of inactivity)
        ii. Manually turn off computer when not in use
        iii. Manually turn off monitor when not in use

    These were evaluated through one or more of the following methods:
    - Panel-level monitoring of 115V panels.
    - Interviews with IT representatives to discuss global computer settings
    - Walkthroughs to observe computer / monitor status.

    b. Lighting
        i. Use desk lamp or task lighting instead of lighting entire workspace with overhead lights.
        ii. Manually turn off desk lamp or task lighting when leaving the room
        iii. Manually turn off desk lamp or task lighting and use natural daylight
        iv. Manually turn off overhead light when leaving the room
        v. Manually turn off overhead light and use natural daylight

    These were evaluated through one or more of the following methods:
    - Panel-level monitoring of 277V panels.
    - Walkthroughs to observe lighting / occupancy status.
    - Combination occupancy / light loggers in common spaces, i.e., conference rooms, and offices, as appropriate.

    c. HVAC
        i. Set a thermostat to decrease energy-consumption (e.g. slightly less cool in the summer and slightly less warm in the winter).
        ii. Remove a personal space heater

    These were evaluated through the following methods:
    - Trend logging
    - Recording the zone setpoint schedules
    - Walkthroughs to look for space heaters, etc.

    d. Equipment upgrade
        i. Replace a standard desk lamp with an efficient (Energy Star) desk lamp

OFFICIAL COPY
Mar 04 2015

ii. Replace a standard computer monitor with an efficient (Energy Star) monitor
iii. Replace a standard desktop computer with a laptop computer

These were evaluated through one or more of the following methods:
- Walkthroughs to survey / observe existing equipment
- Interview IT staff
- Interview facilities staff

2. Possible actions in office common or shared spaces, such as conference rooms, lunchrooms, storage rooms, copy rooms, and so on.
   a. Lighting
      i. Manually turn off light when leaving the room
      ii. Manually turn off light to use natural daylight

These were evaluated through one or more of the following methods:
- Panel-level monitoring of 277V panels. (see lighting section above)
- Walkthroughs to survey lighting / occupancy status.
- Combination occupancy / light loggers in common spaces, i.e., conference rooms.

Data Logging/Trending

The following data points were trended on the BAS:

- AHU-4, 5, 6, 7, & 8 (N &S) Supply Fan Speed
- AHU-4, 5, 6, 7, & 8 (N &S) Discharge Air Temperature
- AHU-4, 5, 6, 7, & 8 (N &S) Space Temperature Setpoint and selected space temperatures
- Light status on floors [redacted] & [redacted]

Installed data loggers on the following panels:
- Installed data loggers on 4N, 5S, 6N, 7S & 8N lighting panels
- Installed data loggers on 4N, 5S, 6N, 7S & 8N plug panels

One-time measurements:

The following variables were simultaneously measured on all loggers/trends that are deployed:
- kW, amps, volts, power factor

Logger Table

Energy Logger Pro	TRMS	20A CT	100A CT	150A CT	200A CT	Occupancy Sensors
6-7	16	2	7	10	4-5	10

Data Accuracy

Measurement	Sensor	Accuracy	Notes
Current	Magnelab CT	±1%	> 10% of rating

OFFICIAL COPY
Mar 04 2015

Verification and Quality Control

- Compared logger data and spot measurements to nameplate values; identified out of range data
- Visually inspected logger data for consistent operation. Sorted by day type and removed invalid data.
- Verified electrical voltage of equipment circuits.

Recording and Data Exchange Format

- Hobo logger binary files
- Excel spreadsheets
- Trend logs

Data Analysis

A combination of analysis techniques were utilized to determine the data products and project output including:

- Excel Spreadsheets
- Whole Building Simulation Modeling
- Visual verification during survey

Lighting measures will likely be evaluated through the use of pre and post-measure load shapes. Other spreadsheet models, or simulation models, will be used appropriate to the measure being evaluated.

Results

Lighting and plug load panels were monitored to determine the current consumption for these end uses. Since pre-program monitoring was not performed, it is not possible to report the actual savings. To estimate the maximum potential savings that could have been realized under the SEN program, a baseline load shape was developed that assumed minimal occupant control of lighting, and a plug load profile that roughly follows the same strategy.

[redacted] had the following HVAC ECM's already implemented:

- Supply Air Temperature Reset

To estimate the impacts of each of these ECMs for buildings of similar size in the population, a simulation model was used to calculate the impacts of each of the HVAC ECMs in this building. The following tables list the impact of each ECM, normalized to conditioned area and to building population, as well as to the annual energy consumption as reported in the Compass website, and to the model baseline energy consumption, where the model baseline energy consumption is defined as the simulation model annual consumption with no HVAC measures. This building used electric heat, and so evaluating the impacts of HW reset is not applicable.

OFFICIAL COPY
Mar 04 2015

Table 48. Building Characteristics

Building	Conditioned SF	Building Population	Annual Consumption (Compass) (kWh)
[redacted]	[redacted]	[redacted]	8,768,315

A prototypical simulation model was used to estimate the impact of a set of potential HVAC measures. The intention was to develop a simulation model that reasonably reflected the building. The model assumptions are listed below in Table 49. No attempt was made to model individual tenant spaces or detailed floor-by-floor zoning or differences in HVAC configurations. Rather, the model was designed to provide an overall indication of the savings potential of a select set of HVAC system energy savings measures.

Table 49. Simulation model assumptions

Characteristic	Value
Vintage	[redacted]
Size	[redacted]
Number of floors	[redacted]
Wall construction and R-value	6in concrete, R-10
Roof construction and R-value	Built-up roof, R-18
Glazing type	Double pane clear; Shading-coefficient = 0.81 U-value = 0.48
Lighting power density	Offices: 1.45 W/SF Lobby: 1.52 W/SF Mechanical: 0.92 W/SF
Plug load density	Offices: 0.75 W/SF Lobby: 0.75 W/SF Mechanical: 0.27 W/SF
Operating hours	Mon-Fri: 7am – 6pm Sat, Sun: unoccupied
HVAC system types	Two VAV AHUs per floor. Fan powered boxes with electric reheat. Supply air temp reset based on OAT.
HVAC system size	Based on ASHRAE design day conditions, 10% oversizing assumed.
Chiller type	Centrifugal chiller
Chilled water system type	Variable volume, 2-way control valves
Chilled water system control	Constant chilled water temp, 44deg F setpoint
Boiler type	N/A
Hot water system type	N/A
Hot water system control	N/A
Thermostat setpoints	Occupied hours: 76 cooling, 70 heating Unoccupied hours: 82 cooling, 64 heating

OFFICIAL COPY
Mar 04 2015

Table 50. kWh Savings Results

End Use / Measure	Annual Savings (kWh)	Savings / SF (kWh/yr)	Savings / Person (kWh/yr)	% Savings of Annual Compass Consumption	% Savings of Model Results
Lighting (includes HVAC interaction)	629,485	1.3340	332.709	7.18%	
Plugs (includes HVAC interaction)	82,848	0.1756	43.788	0.94%	
HVAC					
CHW Reset	111,600	0.2365	58.985	1.27%	1.52%
Supply Air Reset	1,875,600	3.9748	991.332	21.39%	25.57%

Table 51. Peak kW Savings Results

End Use / Measure	Annual Savings (kW)	Savings / SF (W)	Savings / Person (W)	% Savings of Annual Compass Demand	% Savings of Model Results
Lighting (includes HVAC interaction)	320	0.6787	169.275	15.16%	
Plugs (includes HVAC interaction)	70	0.1493	37.228	3.34%	
HVAC					
CHW Reset	11	0.0233	5.814	0.52%	0.30%
Supply Air Reset	579	1.2270	306.025	27.41%	15.96%

Table 52. Coincident Peak kW Savings Results

End Use / Measure	Annual Savings (kW)	Savings / SF (W)	Savings / Person (W)	% Savings of Annual Compass Demand	% Savings of Model Results
Lighting (includes HVAC interaction)	56	0.1179	29.408	3.45%	
Plugs (includes HVAC interaction)	10	0.0214	5.347	0.63%	
HVAC					
CHW Reset	-6	-0.0127	-3.171	-0.37%	-0.36%
Supply Air Reset	-4	-0.0085	-2.114	-0.25%	-0.24%

A pre-program lighting load shape was developed to estimate how lighting may have been controlled prior to the program implementation. This pre-program lighting shape has been used to estimate the maximum savings that may have been achieved by the program.

Figure 34 below shows the average lighting loadshapes during the monitoring period. The maximum achievable savings for this building is represented by the area between the pre/post weekday load shapes as well as the pre/post weekend loadshapes. These savings are also represented by the savings load shapes located at the bottom of the figure.

OFFICIAL COPY
Mar 04 2015



Figure 34. Lighting Load Shapes

Figure 35 below shows the average plug load shapes during the monitoring period. Similar to Figure 34, the maximum achievable savings for this building is represented by the area between the pre/post weekday load shapes as well as the pre/post weekend loadshapes. These savings are also represented by the savings load shapes located at the bottom of the figure.

OFFICIAL COPY
Mar 04 2015



Figure 35. Plug Load Shapes

OFFICIAL COPY
Mar 04 2015

Appendix E: Engineering Estimates of Unit Energy Savings

Table 53. Engineering Estimates of Unit Energy Savings

Measure	Stratum	(kWh/SF-yr)	(kWh/ person-yr)
Replace Desk Lamp	1		60.00
	2		60.00
	3		60.00
	All		60.00
Change to Laptop	1		200.00
	2		200.00
	3		200.00
	All		200.00
Turn off Lighting in Workspace	1		263.04
	2		263.04
	3		277.87
	All		267.90
Replace Monitor	1		66.00
	2		66.00
	3		66.00
	All		66.00
Turn off lighting in Common areas	1		20.90
	2		20.90
	3		20.90
	All		20.90
Turn off Computers	1		288.80
	2		356.85
	3		198.88
	All		281.82
Supply Air Reset	1	3.00	
	2	3.50	
	3	3.20	
	All	3.23	
Setback/Setup	1	6.84	
	2	5.25	
	3	3.24	
	All	5.35	
Run fan 1 hour less	1	0.06	
	2	0.11	
	3	0.90	
	All	0.22	
VFD Cooling Tower fans	1	0.01	

OFFICIAL COPY
Mar 04 2015

Measure	Stratum	(kWh/SF-yr)	(kWh/ person-yr)
	2	0.24	
	3	0.70	
	All	0.25	

OFFICIAL COPY
Mar 04 2015

Appendix F: DSMore Table

Per Measure Impacts Summary for Smart Energy Now

Impacts ⇨ / Technology ⇩	Product code	State	EM&V gross savings (kWh/unit)	EM&V gross kW (customer peak/unit)	EM&V gross kW (coincident peak/unit)	Unit of measure	EM&V gross savings less Smart$aver Participation (kWh/unit)	EM&V gross savings less Smart$aver Participation (Customer peak/unit)	EM&V gross savings less Smart$aver Participation (Coincident peak/unit)	Combined spillover less freeridership adjustment	EM&V net savings (kWh/unit)	EM&V net kW (customer peak/unit)	EM&V net kW (coincident peak/unit)	EM&V load shape (yes/no)	EUL (whole number)
SEN Greater than 100,000 sqft		NC	909,683	443.5	30.5	account	822,223	407.0	25.8	18%	674,222	333.7	21.2	no	3
SEN Less than 100,000 sqft		NC	16,259	2.6	2.1	account	9,912	1.6	1.3	18%	8,127	1.3	1.0	no	3
Program wide		**NC**	**616,129**	**298.6**	**21.2**	account	**555,320**	**273.8**	**17.8**	18%	**455,363**	**224.5**	**14.6**	**no**	**3**
SEN Greater than 100,000 sqft		NC	2.18	0.001062	0.000073	SF	1.97	0.000974	0.000062	18%	1.61	0.000799	0.000051	no	3
SEN Less than 100,000 sqft		NC	0.49	0.000078	0.000062	SF	0.30	0.000048	0.000038	18%	0.24	0.000039	0.000031	no	3
Program wide		**NC**	**2.11**	**0.001025**	**0.000073**	**SF**	**1.91**	**0.000939**	**0.000061**	18%	**1.56**	**0.000770**	**0.000050**	**no**	**3**

Notes: 1. Technology names should match the DSMore naming convention.
2. Energy impacts are average per installed unit for each DSMore technology and unit description (measure/ton/sq.ft., etc.)
3. Any analysis using a control group (such as billing analysis with a control group) does not need a freeridership adjustment (it is already in the analysis via the control group adjustment)
4. EM&V load shape: "no" if using standard DSMore load shape for technology units, "yes" if an evaluation-provided load shape should be used for DSMore.

I/A

Ham Exhibit C

OFFICIAL COPY

Mar 04 2015

Final Report

Process and Impact Evaluation of Duke Energy's Residential Appliance Recycling Program (ARP) in the Carolina System

Prepared for
Duke Energy
139 East Fourth Street
Cincinnati, OH 45201

April 25, 2014

Subcontractors:

Pete Jacobs
BuildingMetrics, Inc.

Michael Ozog and May Wu
Integral Analytics, Inc.

Matthew Joyce

Submitted by:

Nick Hall, Brian Evans,
David Ladd, and Johna Roth

TecMarket Works
165 West Netherwood Road
Oregon WI 53575
608-835-8855



OFFICIAL COPY
Mar 04 2015

TABLE OF CONTENTS

EXECUTIVE SUMMARY **4**
KEY FINDINGS 4
SIGNIFICANT IMPACT EVALUATION FINDINGS: BILLING ANALYSIS 4
SIGNIFICANT IMPACT EVALUATION FINDINGS: ENGINEERING ANALYSIS 5
SIGNIFICANT PROCESS EVALUATION FINDINGS 5
From the Management Interviews 5
From the New and Used Appliance Dealer Interviews 8
From the Customer Surveys 9
Recommendations 12
INTRODUCTION **14**
SUMMARY OVERVIEW 14
Summary of the Process Evaluation 14
Summary of the Impact Evaluation 14
Evaluation Objectives 15
DESCRIPTION AND PURPOSE OF PROGRAM **16**
PROGRAM GOALS AND PARTICIPATION 16
METHODOLOGY **18**
Overview of the Evaluation Approach 18
Study Methodology 18
Data collection methods, sample sizes, and sampling methodology 19
Number of completes and sample disposition for each data collection effort 20
BILLING ANALYSIS **22**
ENGINEERING ANALYSIS **25**
Power Meter Results 25
Weather Normalized Savings 25
In-Service Rate 27
Sixteen Path Direct Net Analysis Approach 28
Metered Unit Characteristics 34
REMAINING USEFUL LIFE **35**
NET TO GROSS ANALYSIS **36**
Reconciliation 37
MANAGEMENT INTERVIEW RESULTS **39**
Brief Overview of Refrigerator Recycling 39
Program Operations and Oversight 40
Eligibility 40
Marketing 41
Duke Energy Website 42
Marketing Effectiveness 44
Scheduling and Customer Inquiries 45
Call Center 46
Scheduling via the Program Website 47
Cancellation Rates 48
Appliance Collection 50

OFFICIAL COPY
Mar 04 2015

Collection Practices 50
Crew Training and Quality Assurance 52
Dismantling and Recycling 52
Incentive Payments 53
Quality Assurance 55
Data Tracking and Reporting 55
Management Coordination and Communication 56
Program Changes Interviewees Would Like to See 56
EVALUATION AND RECOMMENDATIONS 57
Evaluation 57
Recommendations 58
APPLIANCE DEALER INTERVIEW RESULTS 60
SURVEY OVERVIEW 60
How National Market Actors Effect Local Used Refrigerator Markets 60
How Local Dealers Obtain Used Appliances for Resale 61
How Dealer Business Models Influence Perceived Effect of the Program 62
STATE SPECIFIC DEALER COMMENTS 63
Effect on Dealer Businesses 63
Appliance Dealer Business Practices 65
EVALUATION AND RECOMMENDATIONS 67
Evaluation 67
Recommendations 67
PARTICIPANT SURVEY RESULTS 69
CHARACTERISTICS OF RECYCLED UNITS: REFRIGERATORS 69
CHARACTERISTICS OF RECYCLED UNITS: FREEZERS 72
PROGRAM AWARENESS AND PARTICIPATION 74
Customers' Reasons for Recycling Refrigerators 76
Customers' Reasons for Recycling Appliances through the Duke Energy Program 79
PARTICIPATION IN THE PROGRAM 82
Incentive Payments 84
REPLACING RECYCLED UNITS 86
Characteristics of Replacement Units 88
INTENTIONS IN THE ABSENCE OF THE RECYCLING PROGRAM 91
PROGRAM SATISFACTION 95
Effect of the Program on Customers' Perception of Duke Energy 102
Favorite and Least Favorite Aspects of the Program 102
Customers Noticing a Reduction in Their Electric Bill after Removing Appliances 105
ADDITIONAL ENERGY EFFICIENCY ACTIONS SINCE THE PROGRAM 106
Participation in Other Duke Energy Programs 108
APPENDIX A: COUNTS OF PARTICIPANT FOR BILLING ANALYSIS 110
APPENDIX B: ESTIMATED MODEL - OVERALL 111
APPENDIX C: ESTIMATED MODEL – REFRIGERATOR 115
APPENDIX D: ESTIMATED MODEL – FREEZER 119
APPENDIX E: REGRESSION TABLE 123
APPENDIX F: MANAGEMENT INTERVIEW INSTRUMENT 125
APPENDIX G: VENDOR INTERVIEW INSTRUMENT 128

OFFICIAL COPY
Mar 04 2015

APPENDIX H: USED APPLIANCE DEALER SURVEY INSTRUMENT 131
APPENDIX I: NEW APPLIANCE DEALER SURVEY INSTRUMENT 135
APPENDIX J: MARKETING SAMPLES 137
APPENDIX K: EARNED MEDIA EXAMPLES 140
APPENDIX L: ONLINE SCHEDULING MODULE 143
APPENDIX M: PARTICIPANT SURVEY INSTRUMENT 148
APPENDIX N: HOUSEHOLD CHARACTERISTICS AND DEMOGRAPHICS 180
APPENDIX O: DSMORE TABLE 198

OFFICIAL COPY
Mar 04 2015

Executive Summary

Key Findings

This section presents the key findings and recommendations identified through the evaluation of the Carolina System Residential Appliance Recycling Program. Table 1 presents the estimated overall ex post energy impacts from the engineering analysis. A billing analysis[1] was also performed, however official program savings is derived from the engineering analysis as this is the industry standard approach. The USDOE Uniform Evaluation Protocols (UMP) recommends against using a billing analysis, or any other whole-house approach, for appliance recycling program savings estimation because the magnitude of expected savings – given total household energy consumption and changes in consumption unrelated to the program – could result in a less certain estimate than could be obtained from an end-use specific approach.

Table 1. Estimated Overall Impacts

Net Savings	Refrigerators	Freezers
Annual Savings Per Participant Per Year		
kWh	512	410
kW	0.0731	0.0489

All official impact results are net savings and are based on the outcome of the engineering analysis and the net assessment approach as described in the *Sixteen Path Direct Net Analysis Approach* section. This 16-path approach is consistent with the newly released USDOE UMP because it provides a direct-net assessment approach by assessing the way in which the program impacts energy use in the homes of participants and non-participants. As USDOE points out in their UMP, these programs change the way the appliance market operates and provides savings beyond the home of the participant that are typically missed in evaluations that only focus on the participant's home. The 16-path analysis approach developed by TecMarket Works expands on the USDOE UMP approach by allowing the consumers of evaluation results to see the program's effects or lack of effects on all of the market operations channels that can be impacted by these types of programs.

Significant Impact Evaluation Findings: Billing Analysis

A gross energy impact billing analysis was conducted to estimate the energy savings from the Appliance Recycling Program (ARP). The billing analysis relies upon a statistical analysis of actual customer-billed electricity consumption before and after participation in ARP. The use of a billing analysis approach allows the evaluation to use the energy consumption records of all participants, rather than only those associated with a limited sample logger study.

The estimated gross impacts are presented in the "Billing Analysis" section of the report. A summary of the results is shown in Table 2.

Table 2. Billing Analysis Estimated Gross Impacts

	95% Confidence Interval

[1] The billing analysis was performed per North Carolina Utilities Commission Order E-7, Sub 1005

OFFICIAL COPY
Mar 04 2015

	Lower Bound	Estimate	Upper Bound
Per Participant Annual kWh Savings: Overall	562	742	923
Per Participant Annual kWh Savings: Refrigerator	451	658	864
Per Participant Annual kWh Savings: Freezer	526	894	1,262

Significant Impact Evaluation Findings: Engineering Analysis

The estimated net impacts are presented in the "Engineering Analysis" section of the report. A summary of the results is shown in Table 3.

Table 3. Engineering Analysis Estimated Impacts

Estimate	Gross Savings		Net Savings	
	kWh	kW	kWh	kW
Per Participant Annual kWh Savings: Overall	930	0.1275	485	0.0664
Per Participant Annual kWh Savings: Refrigerator	952	0.1359	512	0.0731
Per Participant Annual kWh Savings: Freezer	869	0.1035	410	0.0489

- The average secondary refrigerator has an in-service rate of 81.4% (9.77 months out of 12). The weighted average in-service rate for all refrigerators is 88.8%. The average freezer has an in-service rate of 89.6%.
  - See Table 13 on page 27.
- The average annual kWh consumption of a replacement refrigerator or a replacement freezer is 503 kWh.
  - See Table 16 on page 31.
- Five (15.6%) out of the 32 units recycled through the program that, in the absence of the program, would have been picked up by a dealer or donated were reported to be in saleable condition and would likely have ended up on the secondary market.
  - See paragraph under Table 16 on page 31.
- Net to gross ratios for refrigerators and freezers are 53.8% and 47.2% respectively.
  - See *Net to Gross Analysis* on page 36.

Significant Process Evaluation Findings

From the Management Interviews

- The program employs a multi-pronged marketing strategy that combines Duke Energy customer communications (bill inserts, emails, website and OLS promotions), with paid advertising (print, broadcast, and digital), and creative public relations events staged for the public and the news media.
  - See section titled "Marketing" on page 41.

OFFICIAL COPY
Mar 04 2015

- Each marketing activity is tracked and measured for effectiveness. Every caller to the call center is asked how they heard about the program, while digital marketing uses unique URLs and Google Analytics to track web traffic. Bill inserts represent the most popular source for both calls and website visits.
    - See section titled "Scheduling and Customer Inquiries" on starting on page 45.
- Customers can make an appointment for collection via phone or internet. Appointments placed via the call center outnumber web appointments by approximately three to one. No operational challenges were reported with either method. A Duke Energy-JACO review of cancellations showed that customers sometimes enrolled by internet and then placed a phone call to enroll as well.
    - See section titled "Scheduling and Customer Inquiries" on starting on page 45.
- The program had an overall cancellation rate of 23.0% in North Carolina and 22.8% in South Carolina during 2012 and 22.8% in North Carolina and an 18.9% rate in South Carolina during 2013. TecMarket Works identifies these cancellation rates as an area for additional investigation to determine reasons for them and to categorize them into those for corrective action and those that are not truly cancellations, such as the deletions of duplicate customer enrollments. This may help to improve program performance since the marketing and scheduling teams have already effectively executed their assigned roles and obtained the customers' commitment to program participation.
    - See section titled "Scheduling and Customer Inquiries" on starting on page 45.
- No challenges or issues with refrigerator or freezer collection were reported.
    - See section titled "Appliance Collection" on page 50.
- Duke Energy never comes into legal possession of the units. All dismantling and recycling activities are specific to JACO and meet or exceed state and federal laws, as well as the more stringent RAD program guidelines.
    - See section titled "Dismantling and Recycling" on page 52.
- The financial incentive levels for the program are currently set at $30 per unit for Carolina System customers. JACO processes and mails most checks within two to four weeks, which is less than the contracted six week time frame. No challenges or issues were reported with incentive processing or accounting.
    - See section titled "Incentive Payments" on page 53.
- All parties report clear and regular communication, smooth functioning, and collaborative teamwork in the accomplishment of shared goals.
    - See section titled "Management Coordination and Communication" on page 56.
- The program did not meet its goal for 2012. In its first months of operation in North Carolina the program recycled 950 refrigerators and 356 freezers for a total of 1,306 units, toward an initial goal of 3,000 units. This represents 44% of goal. In that same time

OFFICIAL COPY
Mar 04 2015

period in South Carolina, the program collected 724 refrigerators and 165 freezers for a total of 544 units, toward an initial goal of 872 units. This represents 62% of goal.

  - See section titled "Program Goals and Participation" on page 16.

- Between January 1 and November 22, 2013, performance in North Carolina stood at 5,019 refrigerators and 1,826 freezers for a total of 6,845 units or 49% of goal. In South Carolina, 2013 year to date performance was 1,254 refrigerators and 518 freezers for a total of 1,772 units or 43% of goal.
  - See section titled "Program Goals and Participation" on page 16.
- Overall since inception the program has collected 8,151 units in North Carolina and 2,316 units in South Carolina, for a total of 10,467 units throughout the Carolina System.
  - See section titled "Program Goals and Participation" on page 16.
- While noting the opportunity for incremental improvements in call center processing, the availability of appointments, and cancellation rates, TecMarket Works considers low performance against goals to be largely attributable to the current incentive level of $30 per unit and the initial harvest rate projections upon which the program's annual goals are based.
  - See section titled "Incentive Payments" on page 53.
- A Market Potential Study (MPS) conducted in 2006 was used as the basis for projections regarding annual collections and establishing the incentive level for the program. The targets based on this older MPS may not have been as appropriate as those of a newer study, by the time of the actual launch.
  - See section titled "Program Goals and Participation" on page 16.
- Raising incentive amounts from $30 to $40 or $50 per unit has been shown to increase participation and help the program to reach its targeted goals. A controlled test of incentive amounts among 240,000 Duke Energy customers in North Carolina and South Carolina conducted during September of 2013 demonstrated that higher incentive levels of $40 and $50 result in increased participation levels and greater energy savings associated with the additional units collected. These findings should be considered and compared with the costs of increasing the marketing spend per unit in order to reach goals. However, as refrigerators become more efficient and savings levels erode, it will be important to set levels that keep a careful eye on cost effectiveness.
  - See section titled "Incentive Payments" on page 53.
- Although collection numbers lag behind projected goals, overall program administration and daily operations appear to be strategically well-considered, carefully timed and coordinated, and effectively executed.
  - See section titled "Evaluation" on page 57.

OFFICIAL COPY
Mar 04 2015

From the New and Used Appliance Dealer Interviews

For more details on the findings below see section titled "Appliance Dealer Interview Results" beginning on page 60.

- New and used appliance dealers are generally reluctant to discuss their sales volume and business practices, thereby making it difficult to quantify for this evaluation the number of used units sold annually.
- Knowledge of the program among new and used appliance dealers is modest, with more used dealers indicating awareness than new dealers.
- Market volume of used units is down markedly from years past. Duke Energy's Appliance Recycling Program is contributing to this decline, but the dealers we spoke with cited other factors as being more significant, including business decisions by major retailers, the federal government's Cash-for-Clunkers appliance recycling effort, and the price of scrap metal.
- The paucity of used units is adversely affecting smaller dealers who rely on individual people with spare units to obtain stock they can resell. Dealers who sell units that are less than five years old and dealers who purchase used appliances in bulk from wholesalers and auctions appear to better able to withstand market changes.
- Demand for used refrigerators and freezers remains strong. The dealers we spoke with reported that while some customers will opt to purchase new units when used ones are unavailable, most of their customers are financially unwilling or unable to purchase new units due to price sensitivity or other factors such as creditworthiness. This ensures that the demand for used units remains high.
- With strong demand and low inventories, the market for used refrigerators is supply constrained, meaning there are not enough used units to meet demand. All appliance dealers we surveyed agreed that they are able to sell every used unit that they obtain, and those who only sell used units indicated that they could sell more units if they could obtain them.
- With used unit supplies down and costs for replacement parts high, sales prices for used units are rising. But the price increases are not proportionate to the differential between supply and demand, since many dealers do not feel their customers will tolerate the higher sticker prices. As a result used dealer profit margins are being squeezed.
- The perceived effect of the program on appliance dealer businesses appears to be correlated with their business model. The more reliant the dealers are upon obtaining older units from individual people, the more adversely the program is thought to be impacting their businesses. Regardless of business model, no used appliance dealers felt the program was good for their business.
- According to the used appliance dealers we spoke with, landlords may account for up to half of their annual sales of used refrigerators and freezers. While in years past a single appliance dealer used to be able to supply one landlord with all or most of the units desired, landlords now need to visit several dealers in order to obtain enough used units to meet their needs.

OFFICIAL COPY
Mar 04 2015

- Overall the program appears to be having little to no effect on new unit sales. One retailer indicated that its salespeople sometimes mention the program as a way for customers to lower the final purchase price of a new unit.

From the Customer Surveys

- TecMarket Works surveyed 160 customers in the Carolinas system (99 in North Carolina and 61 in South Carolina) who recycled 82 refrigerators and 91 freezers (including thirteen customers who recycled two units apiece). Thirty-seven (45.1% of 82) of the recycled refrigerators were being used as the main refrigerator in the household, while 45 (54.9% of 82) of the recycled refrigerators were secondary or "spare" units.
- The largest number of recycled freezers (30.8% or 28 out of 91) and spare refrigerators (40.0% or 18 out of 45) were kept in the garage, closely followed by units stored in the basement (26.4% or 24 out of 91 freezers and 28.9% or 13 out of 45 spare refrigerators). Including main refrigerators (kept in or near the kitchen), only 61.0% (50 out of 82) of recycled refrigerators are kept in a room that is heated in winter, and only 58.5% (48 out of 82) are kept in a room that is cooled in the summer. Only 42.9% (39 out of 91) of the recycled freezers were kept in a room that was heated in winter or cooled in summer.
- The average age of recycled freezers was 26.7 years, older than the average age of recycled primary refrigerators (18.0 years) or secondary refrigerators (22.7 years). The majority of recycled units were kept plugged in and running year-round (100% of 37 primary refrigerators, 77.8% of 45 secondary refrigerators, and 90.1% of 91 freezers). While 69.2% (63 out of 91) of recycled freezers were described as being in good physical condition, only 50.0% (41 out of 82) of recycled refrigerators were described as being in good physical condition.
- Most participants learned about Duke Energy's Appliance Recycling program from inserts with their monthly bills (68.8% or 110 out of 160 respondents), with another 24.2% (24 out of 99) of North Carolina customers and 34.4% (21 out of 61) of South Carolina customers mentioning mass media advertising.
- The most-mentioned main reason for customers getting rid of a refrigerator was that it was not working properly (23.8% or 19 out of 80), followed by it being a spare unit that was not used much (22.5% or 18 out of 80) and wanting a unit with more modern features (21.3% or 17 out of 80). For freezers, the top reason was that the unit was a spare that was not used much (41.4% or 36 out of 87) and the next most-mentioned main reasons were that the unit was not working properly (13.8% or 12 out of 87) and wanting to save energy (10.3% or 9 out of 87).
- When asked why they chose to dispose of their old units through the Appliance Recycling program from Duke Energy, the main reason given by customers was the convenience of home pick-up (40.0% or 64 out of 160), followed by the cash incentive (24.4% or 39 out of 160) and disposing of the unit in a way that was good for the environment (13.8% or 22 out of 160). Customers who recycled multiple units were even more likely to cite the convenience of home pick-up as their main reason for participating (61.5% or 8 out of 13).

OFFICIAL COPY
Mar 04 2015

- Surveyed customers were asked if the incentive and the program information had any influence on their decision to participate in this program; 74.4% (119 out of 160) indicated that the incentive was an influence for them, and 66.9% (107 out of 160) indicated that the program information was an influence.
- Two-thirds of surveyed customers (65.6% 105 out of 160) signed up for the program by telephone, and 15.6% (25 out of 160) signed up online. Most of the remaining customers either did not sign up themselves (someone else in the household did), or else cannot recall how they signed up. Among those who signed up by telephone, only 3.8% (4 out of 105) had to place more than one call. Among all surveyed participants, only one (0.6% of 160) said they were not able to schedule a convenient pick-up time, only five (3.1% of 160) said they did not receive a confirmation call prior to pick-up, and only three (1.9% of 160) reported that the collection team did not arrive on time.
- More than three-quarters of customers surveyed (79.4% or 127 out of 160) correctly recalled that the incentive for the program is $30 per unit recycled. All but ten (6.3% of 160) of the remaining customers guessed an amount within $10 of the correct amount, and 4.4% (7 out of 160) could not recall. Only four surveyed customers (2.5% of 160) donated their incentive to the Duke Energy winter heating assistance program, while the vast majority (96.9% or 155 out of 160) kept the cash. The median length of time between appliance pick-up and receipt of the incentive payment was between two and three weeks; only two participants (1.3% of 160) waited for 6 weeks or longer, although eight (5.0% of 160) reported that they had not yet received payment (four of these eight customers had been waiting for three weeks or less at the time of this survey).
- All primary refrigerators recycled by surveyed customers (100% of 37 units) were replaced (since almost every home has at least one refrigerator, this is expected). Fewer than half of recycled freezers (37.4% or 34 out of 91) have been replaced, and only 26.7% (12 out of 45) of secondary refrigerators were replaced. Another seven customers (4.4% of 160) still intend to purchase replacement units in the next 12 months (for four secondary refrigerators and three freezers). Most replacements (81.9% or 68 out of 83 replacement units) were purchased new, with 14.5% (12 out of 83) being purchased used and 3.6% (3 out of 83) being replaced with another unit moved from somewhere else in the home.
- Most replacement freezers (67.6% or 23 out of 34) were acquired before the old unit was recycled, as were most primary refrigerators (73.0% or 27 out of 37) and secondary refrigerators (58.3% or 7 out of 12).
- More replacement freezers were smaller (38.2% or 13 out of 34) or the same size (38.2% or 13 out of 34) rather than larger (23.5% or 8 out of 34) than the recycled units that they replaced. A plurality of refrigerators were replaced with units that are larger than the recycled units (48.6% or 18 out of 37 primary refrigerators, and 41.7% or 5 out of 12 secondary fridges), and only a few were replaced with units smaller than those that were recycled (13.5% or 5 out of 37 primary refrigerators and 25.0% or 3 out of 12 secondary refrigerators). However, most respondents were unable to state the exact cubic footage of their new units.

OFFICIAL COPY
Mar 04 2015

- If the Duke Energy Appliance Recycling program had not been available, the most likely outcomes for recycled refrigerators would be taking them to the dump (20.0% or 16 out of 80 customers recycling refrigerators), keeping them (18.8% or 15 out of 80), or giving them away for free (17.5% or 14 out of 80). The most likely outcomes for freezers in the absence of the program would be taking them to the dump (27.6% or 24 out of 87 customers who recycled freezers), giving them away (24.1% or 21 out of 87) or keeping them (12.6% or 11 out of 87). In total, only 30.0% (24 out of 80) of refrigerator recyclers and 34.5% (30 out of 87) of freezer recyclers would have disposed of the units in a way that would ensure they are not used again in the future (taken it to a dump, paid someone else to take it to a dump, or left it on the curb for garbage pick-up).
- About a third of customers would have had their units removed at a later time (or not at all) in the absence of the recycling program (35.0% or 28 out of 80 who recycled refrigerators, 35.6% or 31 out of 87 for those who recycled freezers). Fewer than one in ten would have done it sooner without the program (5.0% or 4 out of 80 for refrigerators, 8.0% or 7 out of 87 for freezers).
- Most customers who replaced or did not replace their recycled units would have done the same thing in the absence of the program. Among refrigerator recyclers, 3.8% (3 out of 80) did not replace their unit but say they would have without the program, and an equal number (3.8% or 3 out of 80) say they did replace their unit but would not have without the program. For freezers, one customer (1.1% of 87) did not replace but would have without the program, while two (2.3% of 87) did replace but would not have without the program.
- This program gets very high satisfaction ratings from participants: on a 10-point scale, the average rating for the program overall is 9.63, with the ratings for specific aspects of the program ranging from 9.25 up to 9.78. Overall satisfaction with Duke Energy is somewhat lower (but still high) at 8.84 using the same scale. Overall, 59.4% (95 out of 160) of surveyed customers said that participating in this program made them feel more favorable toward Duke Energy, while none (0% of 166) said it made them feel less favorable.
- Surveyed participants' favorite aspects of this program are the convenience of home pick-up (mentioned by 35.0% or 56 out of 160), the incentive payment (27.5% or 44 out of 160), getting rid of unwanted old units (20.6% or 33 out of 160) and environmentally responsible disposal (16.3% or 26 out of 160). Two-thirds of survey participants (68.1% or 109 out of 160) could not name a least favorite aspect of the program.
- Only 31.9% (51 out of 160) of surveyed program participants report that they have seen a reduction in their electric bills since they recycled their old appliances. There are no significant differences between customers who recycled a refrigerator, a freezer, or multiple units, or between customers in North and South Carolina.
- About a quarter of customers surveyed (26.9% or 43 out of 160) report having taken additional energy efficiency actions since participating in the Appliance Recycling program, and the average influence rating of the program on these actions is a moderate 5.8 on a 10-point scale. The most common action reported is switching to efficient light bulbs (7.5% or 12 out of 160).

OFFICIAL COPY
Mar 04 2015

Recommendations

- It seems logical that cancellation rates will diminish with a greater number of appointment time slots and with shorter time intervals between customer calls and pick up dates. However, that will remain an indirect effect until more customers begin making appointments. Therefore, Duke Energy and JACO should also take multiple actions to increase program enrollments and direct steps to reduce cancellations wherever possible.
- Raising incentive amounts from $30 to $40 or $50 per unit will likely increase participation and help the program to reach its targeted goals. Duke Energy and JACO conducted an incentive level effectiveness study in North Carolina and South Carolina with 240,000 Duke Energy customers during September and October 2013 to assess participation levels at higher inventive levels. The study found a 230% increase in customer enrollments when the incentive was raise to a $50 over the current $30. These findings should be considered for their cost effectiveness as means of increasing program participation compared with the costs of increasing marketing spend per unit to make more people aware of the program and its benefits at lower incentive levels.
- Because landlords represent the largest group of appliance purchasers, consider developing an aspect of the program that targets property management companies to encourage their participation either with collections of individual refrigerators that require replacement or via large scale replacements at one time. Such a move could increase the energy savings of the program, while providing landlords with cash offsets to replace inefficient refrigerators, making their rental units more attractive to tenants.
- To better reach its goals the program team may also consider expanding eligibility beyond residential customers to other types of buildings, including schools, offices, and industrial locations.
- Duke Energy may be able to generate leads for the program by adding a question about secondary refrigerators and freezers to future customer surveys, such as the Home Energy House Call survey.
- Consider taking advantage of Duke Energy's internal customer satisfaction and net promoter scores to develop an initiative that encourages program participants to refer their families and friends.
- Arranging joint promotions with municipal and private recycling firms to promote environmentally appropriate recycling may be a way to increase awareness at fairly low cost.
- Stay abreast of market factors that may affect the cost effectiveness the program, including new and use appliance dealer practices, supply and demand for used units, price of materials recovered, changing appliance efficiency standards, Energy Star program changes, technology improvements, and environmental regulations. This would allow the program to better understand the program's total net impact and be able to assess when to change or terminate the program as recycled units become more and more efficient over time.
- Duke Energy's plan to launch a retailer-utility partnership with Sears in Indianapolis in the fourth quarter of 2013 may be effective in increasing collections. If demonstrated to

OFFICIAL COPY
Mar 04 2015

be effective in that service territory, a similar effort may be worthwhile in the Carolina System as well. Such a partnership will need to address the potential for reducing Duke Energy's net to gross ratio through the collection of non-working units.

In theory, the potential for such an arrangement exists among all new appliance dealers who collect older units, with the greatest opportunity lying in those companies that sell the largest number of units. Retailers who are already participating in the EPA's RAD program, such as Home Depot and Best Buy, may be ready partners for joint promotions and coordinated collections. While midsize companies that collect older units as a service to their customers may also represent possible partners. The program may be a more challenging "sell" at firms, such as Lowes, HH Gregg and others, which generate revenue from the used units that they collect.

- Duke Energy may also be able to increase its collection numbers by new appliance dealers with point of sale promotion materials to encourage them to mention the program to customers shopping for new units.
- As permitted under filing requirements, consider accepting units from and paying incentives to used appliance dealers who are willing to recycle working units via the program instead of reselling them.
- The market for used appliances is influenced by a wide number of factors and continues to change with time. Thus it may be helpful to plan a follow up study of the marketplace within a few years in order to understand and appreciate those changes are influencing customer expectations, willingness to participate, and satisfaction with the program.

OFFICIAL COPY
Mar 04 2015

Introduction

Summary Overview

This document presents the process and impact evaluation report for Duke Energy's Residential Appliance Recycling Program as it was administered in the Carolina System. The evaluation was conducted by TecMarket Works, BuildingMetrics, Integral Analytics, and Matthew Joyce, subcontractors to TecMarket Works.

Summary of the Process Evaluation

TecMarket Works performed a process evaluation comprised of management interviews, new and used appliance dealer interviews, and a survey of residential program participants to identify program implementation issues, assess customer responses and satisfaction levels, and examine the effects of the program on the sale of used and new refrigerators and freezers, as well as to look at appliance dealer policies for deliveries and removal.

Between May and November of 2013, TecMarket Works conducted interviews with managers and staff members at the leading firms involved in the implementation of this program, including Duke Energy, JACO Environmental, and Runyon, Saltzman and Einhorn.

TecMarket Works also spoke with used and new appliance dealers operating within the Duke Energy services territories in the Carolina System. Their businesses were found via an internet search and were interviewed by phone between July 28 and August 22, 2013.

TecMarket Works conducted a phone survey with a random sample of 160 participants from the Carolina System between September 5 and September 25, 2013 (who collectively recycled 82 refrigerators and 91 freezers, including thirteen participants who recycled multiple units).

Table 4. Process Evaluation Date Ranges

Evaluation Component	Sample Pull: Start Date of Participation	Sample Pull: End Date of EMV Sample	Dates of Data Collection
Management Interviews	N/A	N/A	Interviews conducted from 5/28/13 to 11/20/13
Dealer Interviews	N/A	N/A	Interviews conducted from 7/28/13 to 8/22/13
Participant Surveys	9/26/12	8/24/13	Surveys conducted from 9/5/13 to 9/25/13

Summary of the Impact Evaluation

The impact findings presented in this report were calculated using monthly billing data. A billing analysis was conducted within which a panel model specification was used that analyzed the monthly billed energy use across time and participants. The model included terms to control for the effect of weather on usage, the effect of impact from other Duke Energy offers, the effect of normal non-program induced energy use changes, as well as a complete set of monthly indicator variables to capture the effects of non-measureable factors that vary over time (such as economic conditions and season loads). This billing data was supplemented by an engineering analysis of

OFFICIAL COPY
Mar 04 2015

impacts fed by appliance metering data and participant survey data as presented in Table 5 below.

Table 5. Impact Evaluation Date Ranges

Evaluation Component	Sample Pull: Start Date of Participation	Sample Pull: End Date of EMV Sample	Dates of Data Collection
Logger Study	3/22/13	8/20/13	September through November 2013
Engineering Estimates	9/10/12	2/12/13	September through November 2013
Billing Analysis	9/26/12	6/5/13	September through November 2013

Evaluation Objectives

This evaluation of Duke Energy's residential Appliance Recycling Program was conducted in an effort to determine the estimates of energy and demand savings from refrigerators and freezers removed and recycled by the program, operational effectiveness, market effect, and customer satisfaction. This evaluation pertains to the program as it was administered in the Carolina System.

OFFICIAL COPY
Mar 04 2015

Description and Purpose of Program

The purpose of Duke Energy's Appliance Recycling Program (ARP) is to target residential customers in order to preempt the continued use of still-cooling refrigerators and freezers. Working primary and secondary units are picked up for free from customer homes and taken to a central location where they are dismantled and recycled in an environmentally appropriate manner. To quality, units must be between 10-30 cubic feet. To encourage participation, the program offers customers a financial incentive of $30 per unit that is paid by check after dismantling of the unit has been confirmed. Customers are allowed to recycle up to two units per year.

Depending upon their model, age, and condition, older refrigerators and freezers can consume several times as much energy as newer, more efficient units. Thus the primary goal of the program is to remove working refrigerators and freezers from customer homes and keep them out of the secondary market to ensure they do not continue to draw upon the power grid. This reduces base load demand upon the electric system and thereby also helps in lowering peak load requirements. Secondary objectives of the program include educating customers about the energy saving and environmental benefits of recycling older units.

Program Goals and Participation

Program goals were set in conjunction with advice from an external consultancy that helped to determine an annual harvest rate for collecting used refrigerators and freezers. This was calculated based upon the number of active residential accounts, estimates of homeownership, demographics, and other factors within the Carolina System service territory. Harvest rate projections ramp up during the first three years of the program as shown in the table below.

Table 6. Appliance Recycling Harvest Rates

State		North Carolina	South Carolina
Total Residential Electric Service Accounts		1,831,410	451,076
2012	# of Units	5,259	1,577
	Harvest Rate	0.3%	0.3%
2013	# of Units	13,885	4,163
	Harvest Rate	0.8%	0.9%
2014	# of Units	15,900	4,769
	Harvest Rate	0.9%	1.1%

Because the program started in August of 2012, its initial year-end goals were prorated and used for calibration purposes for the first full year of the program. The program began with an initial goal of 3,000 units to be collected in North Carolina and 872 units in South Carolina by the end of 2012. Those projected goals were not reached by year end. Actual collections totaled 1,306 units (44% of goal) in North Carolina and 544 units (62% of goal) in South Carolina. The 2013 program goals are 13,875 units in North Carolina and 4,163 units in South Carolina. Between January 1 and November 22, 2013 the program had collected 6,845 units in North Carolina (49% of annual goal), and 1,772 units in South Carolina (43% of annual goal). When both time periods are combined, the first 12 months of program operations resulted in 48% of combined goal for

OFFICIAL COPY
Mar 04 2015

North Carolina and 46% of combined goal for South Carolina. Table 7 summarizes the program's performance to date.

Table 7. Program Performance Sept 1, 2012 - Nov 22, 2013

		Refrigerators			Freezers			Combined Units		
State	Collection Period	Goal	Actual	% Goal	Goal	Actual	% Goal	Goal	Actual	% Goal
NC	Sept 1 – Dec 31, 2012	2,400	950	40%	600	356	59%	3,000	1,306	44%
	Jan 1 – Nov 22, 2013	11,100	5,019	45%	2,775	1,826	66%	13,875	6,845	49%
	Combined	13,500	5,969	44%	3,375	2,182	65%	16,875	8,151	48%
SC	Sept 1 – Dec 31, 2012	724	379	52%	148	165	111%	872	544	62%
	Jan 1 – Nov 22, 2013	3,330	1,254	38%	833	518	62%	4,163	1,772	43%
	Combined	4,054	1,633	40%	981	683	70%	5,035	2,316	46%
Carolina System	YTD 2012	3,124	1,329	43%	748	521	70%	3,872	1,850	48%
	2013 YTD	14,430	6,273	43%	3,608	2,344	65%	18,038	8,617	48%
	Combined	17,554	7,602	43%	4,356	2,865	66%	21,910	10,467	48%

While this level of collections falls below the program's designated goals, TecMarket Works finds that the performance gap has reasonably less to do with marketing, call center practices, or collection handling—all of which appear to be generally strong—and more to do with the initially projected harvest rates, which were calculated by an external consultant in 2006 based upon an incentive level of $30 per unit. Despite the fact that the program did not begin collecting units until six years after that study was conducted, the harvest rates and incentive levels remained the same while the marketplace and economy continued to change. This appears to be one factor in the difference between projected and actual collection numbers. Other factors are discussed in more detail in the following management section.

OFFICIAL COPY
Mar 04 2015

Methodology

Overview of the Evaluation Approach

The process evaluation consists of three primary components: management interviews, interviews with new and used appliance dealers, and participant surveys.

The impact evaluation utilizes both a billing analysis and engineering estimates to estimate program energy savings.

Study Methodology

Engineering Estimates

For this analysis, field technicians installed meters in situ at each of 48 selected sites to monitor energy consumption, room temperature, and door openings. Daily average outdoor temperatures were gathered from a web-based historical weather database (weatherunderground.com), using weather data for the monitoring dates and city of residence for each participant. Annual energy usage was determined by multiplying the average hourly kWh from the power meter data by 8,760. To account for differences in temperature throughout the year, data from the temperature loggers was used to plot a regression line for each unit correlating average kWh with the average room and average outdoor temperature. The equation of the regression line was then applied to a typical meteorological year (TMY3 data) outdoor temperature data for each of six different weather stations: Charlotte, NC; Hickory, NC; Greensboro, NC; Raleigh, NC; Asheville, NC; Greenville, SC to provide weather normalized annual consumption. Units were then mapped to one of the sixteen paths based on participant survey responses to calculate average net savings per unit recycled (see Table 14 on page 29).

Billing Analysis

For this analysis, billing data was obtained for all participants in the program between October, 2012 and May, 2013. There were a total of 4,153 usable accounts after processing. A panel model specification was used that analyzed the monthly billed energy use across time and participants. The model included terms to control for the effect of weather on usage, the effect of impact from other Duke Energy offers, the effect of normal non-program induced energy use changes, as well as a complete set of monthly indicator variables to capture the effects of non-measureable factors that vary over time (such as economic conditions and season loads).

Management Interviews

TecMarket Works conducted interviews with the Duke Energy's product manager and with its customer marketing campaign manager. We also spoke with JACO's program manager, with its call center coordination manager, and with the account manager with Runyon, Saltzman, and Einhorn (RSE), the JACO subcontractor responsible for program marketing.

The interviews considered program design, execution, operations, staff and customer interactions, data tracking and transfer methods, and personal experiences in order to identify any implementation issues and discuss opportunities for improvement. Interview guides were used to ensure a full and complete battery of questions were addressed to the interview subjects.

OFFICIAL COPY
Mar 04 2015

Sample guides are shown in "Appendix F: Management Interview Instrument" and "Appendix G: Vendor Interview Instrument."

Appliance Dealer Interviews

TecMarket Works conducted phone interviews with new and used appliance dealers to assess for refrigerators and freezers, their opinions of the program, and its effect on their businesses. Dealers included national retailers, regional chains, and local businesses. Conversations ranged from five minutes to more than 30 minutes. Interview guides are shown in Appendix H: Used Appliance Dealer Survey Instrument and Appendix I: New Appliance Dealer Survey Instrument.

Participant Surveys

This survey focused on customers who, according to program tracking records, recycled refrigerators and/or freezers through the Appliance Recycling program from Duke Energy. The survey was conducted by phone by TecMarket Works staff from a sample from a list[2] of 3,809 customers in North Carolina and 1,118 customers in South Carolina who recycled freezers and/or refrigerators, and 160 survey respondents (99 from North Carolina and 61 from South Carolina) completed the survey by telephone. The survey instrument can be found in "Appendix M: Participant Survey Instrument."

Data collection methods, sample sizes, and sampling methodology

Engineering Estimates

This analysis uses a combination of in situ metering data and participant survey data. The survey was conducted by phone by TecMarket Works staff from a random sample from a list of 4,927 customers in the Carolinas who recycled freezers and/or refrigerators, and 160 survey respondents completed the survey by telephone. Metering participants were recruited over the phone, independent of the phone survey, from a list of upcoming scheduled appliance pickups. From a list of 740 customers, there were 48 sites recruited.

Billing Analysis

The billing analysis used consumption data from all complete data provided for ARP participants in the Carolinas (4,153 customers[3]) that participated between October 2012 and May, 2013.

Management Interviews

Interviews and follow up exchanges were conducted by phone with five staff members from Duke Energy, JACO, and RSE. Conversations ranged from half an hour to two and half hours. The interview instruments can be seen in "Appendix F: Management Interview Instrument" and "Appendix G: Vendor Interview Instrument."

Appliance Dealer Interviews

Phone interviews were conducted with 22 new and used appliance dealers found via an internet search for businesses operating within Duke Energy's designated service areas of the Carolina

[2] Duke Energy provided a list of 5,990 customer records for the Carolinas System (4,563 for North Carolina and 1,427 for South Carolina), of which 4,927 were contactable after removing missing phone numbers, "do not call" list customers and customers who had recently been surveyed about other Duke Energy programs.

[3] The number of customers for the billing analysis is different than the number of customers in the process evaluation. The data for the process analysis covers a longer time period as shown in Table 4 and Table 5.

OFFICIAL COPY
Mar 04 2015

System. Sample interview guides are provided in Appendix H: Used Appliance Dealer Survey Instrument and Appendix I: New Appliance Dealer Survey Instrument.

Participant Surveys

The survey was conducted by phone by TecMarket Works staff from a random sample from a list of 4,563 customers in North Carolina and 1,427 customers in South Carolina who recycled freezers and/or refrigerators, and 160 survey respondents completed the survey by telephone.

Number of completes and sample disposition for each data collection effort

Engineering Estimates

For the participant survey, from the sample list of 4,927 customers, 662 participants were called and 160 responded yielding a response rate of 24.2% (160 out of 662). For the in situ metering, from the sample list of 740 customers, all were called and 48 were recruited yielding a recruitment rate of 6.5% (48 out of 740).

Management Interviews

From May 28 to November 2013, TecMarket Works interviewed five program managers and vendors for this evaluation. This represents a completion rate of 100%.

Appliance Dealer Interviews

Between July 28 and August 22, 2013, TecMarket Works completed 22 Carolina System appliance dealer phone interviews. Appliance dealers were contacted a maximum of four times or until the contact resulted in a completed interview or a refusal to participate.

Participant Surveys

From the sample list of 4,927 customers, 662 participants were called between September 5 and 25, and a total of 160 telephone surveys were conducted yielding a response rate of 24.2% (160 out of 662).

Table 8. Summary of Data Collection Efforts

Data Collection Effort	State	# Available Contacts	# of Successful Contacts	Sample Rate
Management Interviews	NC, SC	5	5	100%
Dealer Interviews	NC	31	11	36%
	SC	27	11	41%
Participant Survey	NC, SC	4,927	160	3.2%

Description of baseline assumptions, methods and data sources

Savings are calculated by comparing the results of the in situ metering to the average annual usage of a replacement unit. The percentage of units being replaced, and the age of the replacement, was determined though the participant survey. The average annual consumption of both new and used units was calculated using the Energy Star Refrigerator Retirement Savings Calculator. The final average annual usage of a replacement unit for the program is the weighted average of these two values.

OFFICIAL COPY
Mar 04 2015

Description of measures and selection of methods by measure(s) or market(s)

To qualify for the ARP, a refrigerator or freezer must be between 10-30 cubic feet and in working condition. Both primary and secondary units were eligible.

Expected and achieved precision

Engineering Estimates

The expected precision of the engineering analysis was +/- 10% at 90% confidence. The achieved precision was +/-13.7% at 90% confidence. This is based on the mean energy savings and the standard deviation of the individual estimates compared to the mean. Achieved precision is less than planned as a result of a low sample size caused by recruiting difficulties and records being dropped from the sample due to bad data. Additionally, a wide range of unit consumption was observed in the metering study, resulting in a higher than expected coefficient of variation.

Billing Analysis

All savings estimates from the billing analysis were statistically significant at the 95% confidence level.

Participant Surveys

The survey sample methodology for the telephone survey had an expected precision of 90% +/- 6.4% and an achieved precision of 90% +/- 6.4%.

Threats to validity, sources of bias and how those were addressed

Engineering Estimates

This analysis relies on a short term metering study with a sample size of 43. All savings estimates are a product of the conditions observed in the sample. The sample was drawn at random and is assumed to be representative of all participating customers, but the response rate was very low, indicating the potential for self-selection bias. The monitoring occurred over a short-term period and was extrapolated to annual consumption using a regression model based on outdoor temperature. The potential for extrapolation error associated with the regression model exists for outdoor temperatures outside the range of the monitored data. A longer metering period and a larger sample size would better represent the full spectrum of variation in characteristics and circumstances and therefore provide a more accurate estimation of savings. Gross savings are based on broad market assumptions of the kWh consumption of the replacement unit, where survey data indicated the recycled unit was replaced by another unit. Customer specific data on replacement units was not available.

Billing Analysis

The specification of the model used in the billing analysis was designed specifically to avoid the potential of omitted variable bias by including monthly variables that capture any non-program effects that affect energy usage, as well as other Duke Energy offers. The model did not correct for self-selection bias because there is no reason to as long as the program remains voluntary.

OFFICIAL COPY
Mar 04 2015

Billing Analysis

This section of the report presents the results of a billing analysis conducted over the participants in the Carolinas ARP. For this analysis, billing data was obtained for all participants in the program between October 2012 and May, 2013. For ARP, there were a total of 4,153 usable accounts after processing. A panel model was used to determine program impacts, where the dependent variable was daily electricity consumption[4] from January, 2010 and May, 2013.

The estimated ARP savings obtained from the billing data analysis are presented below.

Table 9. Estimated Gross Impacts: Billing Analysis

	95% Confidence Interval		
	Lower Bound	Estimate	Upper Bound
Per Participant Annual kWh Savings: Overall	562	742	923
Per Participant Annual kWh Savings: Refrigerator	451	658	864
Per Participant Annual kWh Savings: Freezer	526	894	1,263

This table shows that ARP produced statistically significant savings for participants in the Carolina System.

Note that the billing data analysis includes variables to capture effect of participation in other Duke Programs after participation in ARP. This is to explicitly control for any impact from other program participation. Specifically, the model contains variables that indicate the months since the customer participated in the CFL program (Free_CFL), Home Energy House Call (HEHC), Energy Efficiency for Schools (K12), Low-Income Weatherization (LowInc_Weath), Smart $aver (SmSvr_hvac), My Home Energy Report (MyHER), and Property Manager CFLs (Property_Mgr)[5].

For this analysis, data are available both across households (i.e., cross-sectional) and over time (i.e., time-series). With this type of data, known as "panel" data, it becomes possible to control, simultaneously, for differences across households as well as differences across periods in time through the use of a "fixed-effects" panel model specification. The approach does not include the program induced savings that are associated with short and longer term non-participant spillover or market effects. As a result, these savings should be considered conservative for an estimate actual achieved savings, but it also avoids inappropriately attributing energy savings from other actions to the ARP. The fixed-effect refers to the model specification aspect that differences across homes that do not vary over the estimation period (such as square footage, heating system, etc.) can be explained, in large part, by customer-specific intercept terms that capture the net change in consumption due to the program, controlling for other factors that do change with time (e.g., the weather). The model does control for what would have been done without the program within the participants' homes.

[4] Daily electricity consumption was calculated based on the monthly billed kWh divided by number of days in each billing cycle.

[5] Beginning in 2014, these programs are known as Energy Efficient Appliances and Devices; Residential Energy Assessments; Energy Education Program for Schools; Income-Qualified EE Products & Services, HVAC EE Products and Services, and Multi Family Energy Efficiency.

OFFICIAL COPY
Mar 04 2015

Because the consumption data in the panel model includes months before and after the removal of units picked up through the program, the period of program participation (or the participation window) may be defined specifically for each customer. This feature of the panel model allows for the trends associated with the pre-removal months of consumption to effectively act as the comparison group for post-participation months. In addition, this model specification, unlike annual pre/post-participation models such as annual change models, does not require a full year of post-participation data. Effectively, the participant becomes their own comparison group, thus eliminating the need for a non-participant comparison or control group. We know the exact month of participation in the program for each participant, and are able to construct customer specific models that measure the change in usage consumption immediately before and after the date of program participation, controlling for weather and customer characteristics.

The fixed effects model can be viewed as a type of differencing model in which all characteristics of the home, which (1) are independent of time and (2) determine the level of energy consumption, are captured within the customer-specific constant terms. In other words, differences in customer characteristics that cause variation in the level of energy consumption, such as building size and structure, are captured by constant terms representing each unique household.

Algebraically, the fixed-effect panel data model is described as follows:

$$y_{it} = \alpha_i + \beta x_{it} + \varepsilon_{it},$$

where:

y_{it} = energy consumption for home i during month t
α_I = constant term for site i
β = vector of coefficients
x = vector of variables that represent factors causing changes in energy consumption for home i during month t (i.e., weather, time, and participation)
ε = error term for home i during month t.

With this specification, the only information necessary for estimation is those factors that vary month to month for each customer, and that will affect energy use, which effectively are weather conditions and program participation. Other non-measurable factors can be captured through the use of monthly indicator variables (e.g., to capture the effect of potentially seasonal energy loads).

The effects of ARP are captured by including a variable which is equal to one for all months after the household participated in the program. The coefficient on this variable is the savings associated with the program. In order to account for differences in billing days, the usage was normalized by days in the billing cycle. The estimated electric model for ARP is presented in Table 10.

OFFICIAL COPY
Mar 04 2015

Table 10. Estimated Gross Savings Model – dependent variable is daily kWh usage, January 2010 through May 2013 (savings are negative).

Independent Variable	Coefficient (Daily kWh Savings)	t-value
AR participation	-2.03	-8.05
Sample Size	153,381 observations (4,135 homes)	
R-Squared	72%	

The complete estimate model, showing the weather and time factors, is presented in Appendix B: Estimated Model. The other two estimate models on refrigerator and freezer can be found in *Appendix C: Estimated Model – Refrigerator* and *Appendix D: Estimated Model – Freezer.*

These gross impact estimates were converted to net impacts using the approach as described in the "Sixteen Path Direct Net Analysis Approach". The net-to-gross ratio for refrigerators was 53.8% and 47.2% for freezers (see the "Net to Gross Analysis" section below).

These net to gross ratios are applied to the gross savings from the billing analysis to determine net savings as shown in Table 11. It is necessary to apply a net to gross adjustment to the results of a billing analysis when the effective useful lives of the technologies in question are sufficiently long so as their replacement would not be observed in the consumption data for the panel model. This data includes months before and after program participation, which, if a technology's Effective Useful Life (EUL) is short enough, will incorporate and account for behavioral trends associated with the pre-participation months of consumption.

Table 11. Billing Analysis Gross and Net Savings

	Gross Savings		Net Savings	
	Refrigerators	Freezers	Refrigerators	Freezers
kWh	658	894	365	416
kW	0.0940	0.1066	0.0505	0.0503

The billing analysis gives the estimated overall gross kWh savings per participant but is incapable of estimating coincident kW reduction. As a result, kW was calculated based upon the kWh savings and the kW/kWh ratio from the engineering analysis.

OFFICIAL COPY
Mar 04 2015

Engineering Analysis

This section presents the results of the refrigerator and freezer in-situ metering study of Duke Energy's Appliance Recycling Program in the Carolinas.

The metering study was conducted by TecMarket Works and included metering at 48 sites metered from March 22 to August 20, 2013. After data processing, there were a total of 43 units with usable data sets (32 refrigerators and 11 freezers). All units were evaluated in the participants' homes using: a "Watts up?" power meter installed directly to the refrigerator; two "Onset HOBO" temperature meters, one inside the refrigerator compartment (for refrigerator/freezer combinations) or inside the freezer box (for freezers), and one measuring the temperature of the air in the space immediately surrounding the refrigerator or freezer; and a "DENT SMARTlogger" time-of-use monitor to determine door openings. A summary of the results is shown in Table 12 below.

Table 12. Summary of Engineering Savings Estimates

Estimate	Gross Savings		Net Savings	
	kWh	kW	kWh	kW
Per Participant Annual kWh Savings: Overall	930	0.1275	485	0.0664
Per Participant Annual kWh Savings: Refrigerator	952	0.1359	512	0.0731
Per Participant Annual kWh Savings: Freezer	869	0.1035	410	0.0489

Power Meter Results

The average annual raw, unadjusted consumption, as measured by the "Watts up?" power meters, of a unit recycled through ARP, including both refrigerators and freezers, is 1,392 kWh. Refrigerators used more energy than freezers, 1,471 kWh compared to 1,162 kWh. As there were only two primary refrigerators in the metering sample, no meaningful comparison of primary versus secondary refrigerators is available. All freezers are considered secondary by default.

Weather Normalized Savings

The metering results, in their raw, unadjusted form, represent the energy consumption of the sampled units during the monitoring period, not for the entire year. To account for temperature differences throughout the year, the "Onset HOBO" temperature meters were used to establish a relationship between kWh and the temperature in the vicinity of the unit. Outdoor temperatures were researched in a historical weather database and found to have a strong correlation with energy consumption, since outdoor temperature affects indoor temperature in unconditioned spaces. This adjustment takes into account a waste heat factor for units in conditioned spaces.

OFFICIAL COPY
Mar 04 2015



Figure 1. Ambient temperature vs. kWh: strong positive correlation; refrigerator in an unconditioned space

Figure 1 is an example of a unit whose consumption has a strong positive correlation with ambient temperature. That is, as temperature increases, so does kWh consumed. The unit represented in Figure 1 is a 21 year old 24 cubic foot secondary refrigerator located in an unconditioned garage. By contrast, Figure 2 shows the regression line for a unit that has a weak correlation with ambient temperature. The unit represented in Figure 2 is a 13 year old 18 cubic foot secondary refrigerator located in a conditioned basement.

As anticipated, units in unconditioned spaces exhibit a much stronger relationship with ambient temperature than do units in conditioned spaces. Despite large fluctuations in temperature (57 to 77 degrees) in Figure 2, kWh consumption remains level between 2.30 and 2.35 kWh per day. Compare this to the lesser temperature fluctuations (74 to 84 degrees) in Figure 1 and the resultant consumption ranges from 3.92 to 5.26 kWh per day.

The strong predictive nature of this relationship allows for straightforward extrapolation of the monitoring period to a full meteorological year using the equation of the regression line to estimate the average year's kWh consumption based on average daily temperatures from TMY3 data for the typical (long-term average) meteorological year. The average annual weather normalized consumption of a unit recycled through ARP, including both refrigerators and freezers, is 1,315 kWh. Refrigerators used more energy than freezers, 1,373 kWh compared to 1,155 kWh. The slopes and intercepts for each unit's regression line and the accompanying weather normalized annual kWh consumption estimate can be seen in Appendix E: Regression Table.

OFFICIAL COPY
Mar 04 2015



Figure 2. Ambient temperature vs. kWh: weak correlation; refrigerator in a conditioned space

In-Service Rate

The in-service rate is defined as the proportion of the year a given recycled appliance had been in use rather than unplugged. If recycling a secondary refrigerator or a freezer, respondents to the participant survey were asked to add up the time the unit in question was plugged in and running during the last 12 months. The average secondary refrigerator has an in-service rate of 81.4% (9.77 months out of 12). The weighted average in-service rate for all refrigerators is then 88.8%, assuming primary units are always in service and using the ratio of primary to secondary refrigerators from the total population as seen in Table 13. The average freezer has an in-service rate of 89.6%.

Table 13. Refrigerator and Freezer In-Service Rates

In-Service Rate	Refrigerator		Freezer
	Primary	Secondary	
Participation	934	1410	869
In-Service Months	12	9.77	10.75
In-Service Rate	88.8%		89.6%

These in-service rates function as an adjustment to gross savings. The average annual weather normalized consumption of a unit recycled through ARP after adjusting for the in-service rate,

OFFICIAL COPY
Mar 04 2015

including both refrigerators and freezers, is 1,171 kWh. Refrigerators used more energy than freezers, 1,220 kWh compared to 1,035 kWh, likely due to smaller size of the recycled freezers.

Sixteen Path Direct Net Analysis Approach

TecMarket Works has developed a set of sixteen paths as a net energy impact evaluation approach for appliance recycling programs. Each of the paths represents a particular course of action taken by a participant as it relates to a single recycled unit. This approach compares the outcome of the program to what would have happened in the absence of the program, where savings achieved is the delta of the two situations (what would have happened in the market without the program versus what happened in the market as a result of the program). This type of analysis is required for recycling programs because the program affects more than just the energy use of the participating homes. It affects both the new and used appliance stream by changing what is bought and sold in the new and used markets. Not all paths are affected by all appliance recycling programs. The paths that are changed are representative of a program on a specific market located within the geographical area served by that program.

Each of the sixteen paths is explained in detail in Table 14. These sixteen paths can be divided into four major categories according to what the participant would have done in the absence of the Appliance Recycling Program:

- Units that would have been kept in use by the household that recycled them (paths 1-4)
- Units that would have been sold or given to another household to be used (paths 5-8)
- Units that would have been taken off the grid and disposed of anyway without the program (paths 9-12)
- Units that would have gone to dealers or charities that accept used appliances (paths 13-16)

In the first two categories above, without the program the recycled unit would have remained on the grid either in the participant's household (if they kept it) or someone else's household (if they sold it or gave it away). In the third category of paths (disposal), the recycled unit would have been taken off the grid even without the program. The fourth category (dealers and charities) represents a combination of recycled units that would have returned to the grid through the secondary market and units that would have been disposed of anyway. When these types of organizations acquire used appliances, they resell the units that can be resold profitably, while those that cannot be resold are disposed of (through recycling and sometimes dismantling for spare parts) and do not return to the power grid. Since units that would have been taken off the grid without the program do not contribute to program savings, only the proportion of "resalable" recycled units that would have gone to dealers and charities contribute to program savings.

Each of these four categories of action is further subdivided into four paths based on whether the recycled unit was replaced, and the participants' intention to replace the unit (or not) before the program:

- Recycled unit was replaced but would not have been without the program,
- Recycled unit was replaced and would have been replaced anyway without the program
- Recycled unit was not replaced but would have been replaced without the program

OFFICIAL COPY
Mar 04 2015

- Recycled unit was not replaced and would not have been without the program.

The sixteen path analysis is a result of four absence-of-the-program outcomes multiplied by four replacing-the-recycled unit outcomes.

Table 14. Sixteen Paths Scenario Descriptions

Path number	Description of scenario	Energy savings calculation
1	Unit that was picked up by the program would have remained in use and not been replaced. With the program, the unit was recycled and replaced.	Savings from old unit removed less new unit induced by the program
2	Unit that was picked up by the program would have remained in use and also been replaced (the old primary unit would have been "demoted" to use as a secondary unit). With the program, the unit was recycled and replaced.	Savings from old unit removed
3	Unit that was picked up by the program would have remained in use and not been replaced. With the program, the unit was recycled and not replaced.	Savings from old unit removed
4	Unit that was picked up by the program would have remained in use and been replaced (the old primary unit would have been "demoted" to use as a secondary unit). With the program, the unit was recycled and not replaced. *For refrigerator recycling, this scenario only applies to a household that had at least two refrigerators before the program (because primary refrigerators are always replaced).*	Savings from old unit removed plus new unit not purchased
5	Unit that was picked up by the program would have been sold or given to someone else for continued use and not replaced. With the program, the unit was recycled and replaced.	Savings from old unit removed less new unit induced by the program
6	Unit that was picked up by the program would have been sold or given to someone else for continued use and replaced. With the program, the unit was recycled and replaced.	Savings from old unit removed
7	Unit that was picked up by the program would have been sold or given to someone else for continued use and not replaced. With the program, the unit was recycled and not replaced.	Savings from old unit removed
8	Unit that was picked up by the program would have been sold or given to someone else for continued use and replaced. With the program, the unit was recycled and not replaced.	Savings from old unit removed plus new unit not purchased
9	Unit that was picked up by the program would have been recycled anyway and not replaced. With the program, the unit was recycled and replaced.	Program induced a new purchase (negative savings)
10	Unit that was picked up by the program would have been recycled anyway and replaced. With the program, the unit was recycled and replaced.	No savings
11	Unit that was picked up by the program would have been recycled anyway and not replaced. With the program, the unit was recycled and not replaced.	No savings

OFFICIAL COPY
Mar 04 2015

12	Unit that was picked up by the program would have been recycled anyway and replaced. With the program, the unit was recycled and not replaced.	Savings from new unit not purchased
13	A portion* of units picked up by the program would have been sold or given to someone else for continued use and not replaced. With the program, the unit was recycled and replaced.	Portion* of savings from old unit removed less new unit induced by the program
14	A portion* of units picked up by the program would have been sold or given to someone else for continued use and replaced. With the program, the unit was recycled and replaced.	Portion* of savings from old unit removed
15	A portion* of units picked up by the program would have been sold or given to someone else for continued use and not replaced. With the program, the unit was recycled and not replaced.	Portion* of savings from old unit removed
16	A portion* of units picked up by the program would have been sold or given to someone else for continued use and replaced. With the program, the unit was recycled and not replaced.	Portion* of savings from old unit removed plus savings from new unit not purchased

* A portion of units that are picked up by dealers or accepted as donations by charities find their way to the secondary market for resale. Energy savings for these paths is based on the proportion of units that would be resold.

The sixteen paths approach requires, as inputs:

- Average annual kWh consumption of a recycled unit
- Average annual kWh consumption of a replacement unit (new and used)
- Percentage of dealer/donation units that are sold on the secondary market
- Count of units following each path

The average annual kWh consumption of a recycled unit is the value determined by the "Watts up?" power meters adjusted for weather and in-service rate. An estimate for the average annual kWh consumption of a replacement unit was calculated using the Energy Star Refrigerator Retirement Savings Calculator. This assumption is necessary because data on replacement units was not collected for the metering sample and was sparse for the participant survey (59% of respondents did not know cubic footage, but 75% were the same size or larger units). For refrigerators, the estimate is the simple average of the annual kWh for a 19-21.4 cubic foot top freezer model and a 21.5-24.4 cubic foot side by side model. For freezers, the average annual kWh consumption of a replacement unit is estimated as the simple average of the annual kWh for a below 16.5 cubic foot chest model and a 16.5-18.9 cubic foot upright model. These values are shown in Table 15.

Table 15. New and Used Replacement Refrigerators and Freezers kWh

Used Refrigerator	kWh	Used Freezer	kWh
19-21.4 ft^3 top freezer	537	Below 16.5 ft^3 chest	404
21.5-24.4 ft^3 side by side	713	16.5-18.9 ft^3 upright	747
AVERAGE	**625**	**AVERAGE**	**575.5**
New Refrigerator	**kWh**	**New Freezer**	**kWh**
19-21.4 ft^3 top freezer	404	Below 16.5 ft^3 chest	341

OFFICIAL COPY
Mar 04 2015

21.5-24.4 ft^3 side by side	540	16.5-18.9 ft^3 upright	639
AVERAGE	**472**	**AVERAGE**	**490**

In the participant survey, if a respondent indicated that the unit recycled through the program had since been replaced, they were asked if it was replaced with a new or a used unit. Of the 82 refrigerators and 91 freezers recycled, 49 refrigerators and 34 freezers were replaced, replacement rates of 60% and 37% respectively. Of the 49 refrigerators replacements, 39 (80%) were new units and 10 (20%) were used. Of the 34 freezer replacements, 29 (85%) were new and 5 (15%) were used. Table 16 shows how these ratios were used to calculate the weighted average kWh for replacement units.

Table 16. Weighted Average Replacement Refrigerator and Freezer kWh

Refrigerators	Percentage	kWh	Freezers	Percentage	kWh
Used Refrigerator	20%	625	Used Freezer	15%	575.5
New Refrigerator	80%	472	New Freezer	85%	490
WEIGHTED AVERAGE		**503**	**WEIGHTED AVERAGE**		**503**

The percentage of units that are either donated or picked up by new appliance dealers that are resold on the secondary market is assumed to be the percentage of units recycled through the program that are in saleable condition. In the Carolinas, a unit is considered saleable if it is no more than ten years old and in good working condition. This information is taken from the results of the participant survey, where respondents were asked to estimate the age of the unit and also to assess its condition. Only those customers who indicated that, in the absence of the program, their unit would have been either donated or picked up by a dealer were considered. Five (15.6%) out of 32 units were reported to be saleable.[6]

Finally, the weight for each path is determined by the proportion of the participant population following it. Which path a participant follows is determined by their responses to three questions in the participant survey:

1. What would you have done with the unit if ARP was not available?
2. Have you since replaced the unit that was recycled?
3. Would you have replaced the unit if ARP was not available?

Figure 3 and Figure 4 show the sixteen paths diagrams for freezers and refrigerators along with the savings associated with each and the proportion of the participant population following each. Note that although there are sixteen possible logical outcomes with this analysis approach, some of the sixteen paths are unlikely outcomes that may not occur in a survey with a relatively small sample size: for example, in the 2013 participant survey in the Carolina System, there were no

[6] Recycled units in saleable condition are newer than the average recycled unit, thus they consume less energy. When calculating consumption without the program, recycled units in saleable condition that would have been donated or picked up by dealers are assigned the kWh value corresponding to a used replacement unit (625 for refrigerators and 575.5 for freezers in the Carolinas System, as seen in Table 15) rather than the kWh values for "all recycled units".

OFFICIAL COPY
Mar 04 2015

responses corresponding to the paths numbered 4, 5, 8, 9 and 13 among the 80 participants who recycled refrigerators (see Figure 3).



Figure 3. Sixteen Paths Analysis for Refrigerators

OFFICIAL COPY
Mar 04 2015



Figure 4. Sixteen Paths Analysis for Freezers Demand Reduction

The summer coincident peak demand savings is calculated using the regression lines comparing kWh to temperature and plugging in the highest average daily temperature for the corresponding weather station. A load shape adjustment factor[7] is used coincident with the hour beginning 3PM and ending at 4PM (1.029 for refrigerators and 1.026 for freezers).

$$kW = kWh/day(Tmax) / 24 \times LSAF$$

where:

[7] Daily load shape adjustment factor also based on Blasnik, Michael, "Measurement and Verification of Residential Refrigerator Energy Use, Final Report, 2003-2004 Metering Study", July 29, 2004 (p. 48, using a weighted average Existing And New Units Summer Profile for hour beginning 15)

OFFICIAL COPY
Mar 04 2015

Tmax = maximum daily average temperature for each weather city
kWh/day = daily consumption predicted from regression model
LSAF = load shape adjustment factor

ARP achieved gross coincident peak demand reduction of 0.1359 kW for refrigerators and 0.1035 kW for freezers. To compute net peak demand reduction, the net to gross ratios from the "Net to Gross Analysis" section are applied, yielding 0.0731 kW for refrigerators and 0.0489 kW for freezers.

Metered Unit Characteristics

In most cases, field technicians were able to determine the age, size, and location of the metered units. As seen in Table 17, there was a wide range of ages among the sampled units recycled through the program. The youngest unit was just six years old while the oldest was 42 years old. The average age of the sampled units was 23 years for refrigerators, 28 years for freezers, and 24 years overall for refrigerators and freezers combined. The sample matches up well with data from the overall participation database where the average refrigerator is 23.5 years old, the average freezer is 29.2 years old, and the combined average is 25.0 years old.

Table 17. Age of Units in Metering Study

Age	Refrigerator		Freezer	
	Count	Percent	Count	Percent
5 to 10 years	2	7%	1	10%
11 to 15 years	2	7%	1	10%
16 to 20 years	7	25%	1	10%
21 to 25 years	7	25%	1	10%
26 to 30 years	6	21%	0	0%
31 to 35 years	4	14%	3	30%
36 or more years	0	0%	3	30%
Average age	23 years		28 years	
Overall average	24 years			

Table 18 shows that the average size of a sampled unit was 21 cubic feet for refrigerators, 14 cubic feet for freezers, and 19 cubic feet overall for refrigerators and freezers combined. Sizes ranged from eight to 27 cubic feet. Note that eight cubic feet is below the minimum 10 cubic feet required for program eligibility. Nevertheless, since the unit was selected at random to be part of the metering study, it is assumed to be representative of other ineligible units recycled through the program. According to the EIA Residential Energy Consumption Survey (RECS) from 2009, the average refrigerator size was approximately 19 cubic feet and the average freezer size was about 17 cubic feet.

Table 18. Size of Units in Metering Study

Size	Refrigerator		Freezer	
	Count	Percent	Count	Percent
5 to 10 cubic feet	0	0%	2	20%
11 to 15 cubic feet	0	0%	6	60%

OFFICIAL COPY
Mar 04 2015

16 to 20 cubic feet	9	43%	1	10%
21 to 25 cubic feet	9	43%	1	10%
26 to 30 cubic feet	3	14%	0	0%
Average cubic feet	21 ft^3		14 ft^3	
Overall average	19 ft^3			

The majority (56%) of recycled units participating in the metering study were located in a garage. This includes 66% of refrigerators and 27% of freezers as shown in Table 19. The second most common location was in a basement, making up 21% of the total, including 16% of refrigerators and 36% of freezers. Overall, only seven (16%) units were located in a conditioned space. This is consistent with the low representation of primary units in the metering sample (2 out of 43) but skewed compared to the overall participation figures where 35% of units were in conditioned spaces and 36% of refrigerators were primary.

Table 19. Location of Units in Metering Study

Location	Refrigerator		Freezer	
	Count	Percent	Count	Percent
Basement	5	16%	4	36%
Garage	21	66%	3	27%
Kitchen	2	6%	0	0%
Laundry	0	0%	3	27%
Living Room	2	6%	0	0%
Outside	2	6%	0	0%
Pantry	0	0%	1	9%

Remaining Useful Life

The remaining useful life (RUL) of the recycled appliance is the period over which energy savings are realized. The US Department of Energy (DOE) developed a technical support document (TSD) in 2009 to establish a survival probability curve for appliances. Mortality trends for technologies tend to follow a Weibull distribution. This allows for a "time-to-failure" calculation and it provides a distribution for which the failure rate is proportional to a power of time, eliminating the need for estimating RUL as a function of a deemed EUL value.

In this TSD, the DOE fitted mortality data collected through the Residential Energy Consumption Survey (RECS) to a cumulative Weibull distribution of the form:

$$P(x) = e^{-\left(\frac{x-\theta}{\alpha}\right)^{\beta}} \text{ and } P(x) = 1 \text{ for } x \leq \theta$$

Where:

$P(x)$ = probability that the appliance is still in use at age x

OFFICIAL COPY
Mar 04 2015

x = appliance age
α = scale parameter; corresponds to decay length in an exponential distribution
= 13.91
β = shape parameter; determines the way in which the failure rate changes through time
= 1.68
θ = delay parameter; allows for a delay before any failures occur
= 5

The delay parameter (θ) is included to account for equipment failure within the first five years of an appliance purchase. This is assumed to be the warranty period, wherein a unit would be replaced free of charge if it were to fail.

To calculate an RUL schedule from the survival probability curve, the integral values are normalized by the survival probability at each age resulting in the curves in Figure 5.[8] In this study, the average age of a recycled unit is 24 years, as seen in Table 17. This corresponds to a program wide average RUL of 6 years. This value appears in *Appendix O: DSMore Table* and functions as the EUL of program savings for cost effectiveness calculations.



Figure 5. Survival Probability and RUL Curves

Net to Gross Analysis

The engineering analysis used the sixteen path market impact analysis approach to calculating net savings from raw consumption data. This approach is an enhanced (expanded) approach from USDOE's Uniform Practices Protocol for residential programs and allows program designers and managers to see the energy impacts associated with each market path for both new and used

[8] Mohit Singh-Chhabra, Ptarmigan Research and Angie Lee, Navigant Consulting, Inc. "Savings from Appliance Recycling Programs: Think Outside the Grid." 2013 International Energy Program Evaluation Conference, Chicago. Page 3.

OFFICIAL COPY
Mar 04 2015

units that are affected by the program and to more completely understand the energy effects of the program on the individual paths. Calculating gross savings is not necessary for this approach. An appropriate way to calculate gross savings would be to compare the average annual weather normalized and ISR adjusted kWh consumption of a unit recycled through the program (1,220 kWh for refrigerators and 1,035 kWh for freezers) to the average ISR adjusted wattage of a replacement unit (447 kWh for refrigerators and 450 kWh for freezers).

From the participant survey, 60% of refrigerators were replaced. Gross savings and the net to gross ratio for refrigerators can be calculated as follows:

Refrigerator Gross Savings = 1,220 * 0.4 + (1,220 – 447) * 0.6 = 952 kWh
Refrigerator NTGR = 512 / 952 = 53.8%

Where:

1,220 =	consumption of a recycled refrigerator
447 =	consumption of a replacement refrigerator
0.6 =	fraction of refrigerators replaced
0.4 =	fraction of refrigerators not replaced

From the participant survey, 37% of freezers were replaced. Gross savings and the net to gross ratio for freezers can be calculated as follows:

Freezer Gross Savings = 1,035 * 0.63 + (1,035 – 450) * 0.37 = 869 kWh
Freezer NTGR = 410 / 869 = 47.2%

Where:

1,035 =	consumption of a recycled freezer
450 =	consumption of a replacement freezer
0.63 =	fraction of freezers replaced
0.37 =	fraction of freezers not replaced

Reconciliation

Applying the net to gross ratios calculated in the *Net to Gross Analysis* section to the bounds of the confidence intervals from the billing analysis reveals that the net engineering estimate of refrigerator savings (512 kWh) falls just outside the 95% confidence interval for net refrigerator savings (253 to 485 kWh). The engineering estimate of freezer savings (410), however, is well within the 95% confidence interval associated with the net impacts from the billing analysis (253 to 608).

	95% Confidence Interval			
	Gross		Net	
	Lower Bound	Upper Bound	Lower Bound	Upper Bound
Per Participant Annual kWh Savings: Refrigerator	451	864	253	485
Per Participant Annual kWh Savings: Freezer	526	1,263	253	608

OFFICIAL COPY
Mar 04 2015

The difference in refrigerator impact between the engineering and billing analyses can likely be attributed to the underrepresentation of primary units in the metering sample. Primary refrigerators make up approximately 40% of the total number of refrigerators recycled through the program, however, the random sample selected for the metering initiative includes just two (6%). Secondary refrigerators tend to be older and also use more energy than primary units. Further, it is assumed that all primary refrigerators must be replaced while only a portion of secondary units will be. Consequently, engineering impact estimates are skewed upward.

OFFICIAL COPY
Mar 04 2015

Management Interview Results

Brief Overview of Refrigerator Recycling

Utility-sponsored refrigerator recycling programs first arose in the 1970s along with early demand side management programs. In the ensuing decades, numerous utilities and public benefit programs have initiated collection efforts. Although the details of program design vary, the general purpose of the programs has consistently focused on reducing electric energy demand by removing less efficient refrigerators and freezers from residences and businesses.

What happens to the units after removing them from customer homes has changed over time. In some cases, units were simply sent to landfills. In others, working units were resold on the secondary market, dismantled and parted out, or sold for scrap metal. Such activities are now far less common as increasingly stringent environmental regulations have been enacted to ensure that refrigerants and other toxic elements are properly handled.

According to the U.S. Environmental Protection Agency (EPA), a typical refrigerator contains approximately 140 pounds of metal, 20 pounds of plastic, and 3 pounds of glass, most of which can be recycled and reused. Perhaps more importantly, a typical refrigerator may contain half a pound in refrigerants, another pound of CFC-laced foam insulation, PCPs, mercury containing components, and contaminated motor oils, as shown in Figure 6. As a result, measures for safe disposal and procedures for the legal transfer of custody of the units must now be included in program design. Duke Energy and its implementation partner JACO Environmental, exceed these requirements through voluntary participation in the EPA's Responsible Appliance Disposal (RAD) program.



Figure 6. Constituent Elements within a Refrigerator (source US EPA) [9]

[9] US Department of Environmental Protection, Safe Disposal of Refrigerated Household Appliances: Frequently Asked Questions (FAQ), Washington, DC: Accessed on August 5, 2013, source: http://www.epa.gov/spdpublc/title6/608/disposal/household.html

OFFICIAL COPY
Mar 04 2015

Program Operations and Oversight

The Duke Energy Appliance Recycling Program is a turnkey refrigerator and recycling program provided by JACO Environmental of Bothell, WA. Duke Energy provides the overall administration of the program, including strategic guidance, vendor oversight, customer eligibility confirmation, utility-based marketing, website administration, incentive payment auditing, and overall quality assurance.

Meanwhile, day-to-day implementation is contracted to JACO, which handles all operational functions including: call center activities, scheduling, pick up and collection, environmentally appropriate dismantling and recycling, incentive payments, and quality assurance. JACO-provided marketing services for the program are subcontracted to Runyon, Saltzman, and Einhorn of Sacramento, CA.

After completing a successful RFP process, including a thorough review of JACO's operations and environmental protocols, Duke Energy and JACO signed their contract in January of 2012. The agreement calls for operations in North Carolina, South Carolina, Kentucky, Ohio, and Indiana. The Indiana program launched on May 25, 2012, making it the first service territory to begin collecting units. Formal operations in the Carolina system began on August 1, 2012 after regulatory approval in North Carolina and South Carolina. Ohio and Kentucky collections began on October 4, 2012.

Eligibility

While open to all Duke Energy residential customers in the Carolina System who wish to recycle their refrigerators and freezers, the program particularly targets homeowners who are empty-nesters, that is people whose children are grown and who are replacing or have replaced their approximately 20 year old units with new ones. The program attempts to preempt these customers from using their second units as backup coolers. It also seeks to intercept the older primary units from entering the used market or going directly to scrap dealers and landfills. Renters represent a smaller percentage of potential customers since they are less likely to own their refrigerators.

The program's customer eligibility, unit eligibility, and removal stipulations are shown below.

- Customer must have an active residential electric account with Duke Energy at the address where the pickup is to occur.
- The unit must meet the size requirement of 10 - 30 cubic feet.
- There is a limit of two units per customer address within a 12 month period. Any numeric combination of refrigerators or freezers is acceptable.
- An adult, 18 years of age or older, must be present to sign and release the unit at the time of the pickup.
- The unit must be emptied and defrosted.
- The unit must be plugged in and cooling on the day of the pickup.
- The unit must be disconnected from waterlines prior to the pickup crew's arrival.

OFFICIAL COPY
Mar 04 2015

- There must be a clear and safe removal path since crews cannot risk injury, move personal effects, modify the home (e.g.: remove doors or railings) to remove units.

Marketing

The Duke Energy and JACO used the interval between contract agreement and regulatory approval to prepare operational infrastructure, customer handling procedures, geographic maps, reporting tools, data transfer methods and security protocols. Such efforts helped ensure the program was prepared to enter the market as swiftly as possible. Nonetheless, because the program in the Carolina System launched during August of 2012, it started in middle of the high season and was ramping up its marketing efforts as the number of potential units available for collection was dropping from its peak. This meant that the program had relatively little time to build awareness and momentum before the number of potential units began to diminish with the onset of cooler weather. This was accounted for when planning to meet the 2012 collection goals, according to Duke Energy, JACO, and RSE.

Program marketing is coordinated between Duke Energy, JACO and RSE, which also provides marketing services for nearly 200 of JACO's utility clients in 25 states. Representatives from all three firms meet weekly and communicate regularly to plan strategies, coordinate efforts, review results, and make adjustments as necessary.

Once per year, RSE prepares a comprehensive marketing plan for each of Duke Energy's program service territories. The plan has three primary components: 1) utility marketing efforts; 2) paid media buys; and 3) earned media via public relations activities. Each of the three components consists of multiple marketing channels that are scheduled to overlap, reinforce, and sustain the annual marketing plan as it ramps up in the spring for the busy summer season, makes its push toward annual goals in the autumn, and goes into maintenance mode during the slower winter months.

Duke Energy's utility marketing efforts were similar for North Carolina and South Carolina. They consisted of one on-bill message, two email blasts to customers who've agreed to them, and four bill inserts. One of these activities occurred each month, while the program maintained a year round presence via the Duke Energy website and OLS promotions.

Media buys comprised television ads in the Charlotte, Greensboro, Raleigh-Durham, and Greenville designated market areas (DMAs). Newspaper ads ran twice weekly in the *Charlotte Observer, Greensboro News & Record, Winston Salem Journal, Burlington Times News, High Point Enterprise, Greenville News, and the Spartanburg Herald Journal*. Targeted digital ads included Google pay-per-click ads, Yahoo banners, Pandora internet radio ads, and ads on charlotteobserver.com and wsoctv.com. These geo-demographically targeted ads collectively generated approximately half a million impressions per week in high customer count, high participation zip codes.

RSE's creative team works closely with their marketing counterparts at Duke Energy to develop collateral and ads that tout the program's benefits, while also complying with the utility's specific branding requirements. Marketing messages use positive motivations by discussing benefits, and negative consequences by discussing results of non-action. Brief marketing

OFFICIAL COPY
Mar 04 2015

formats, such as web ads and bill inserts, focus on convenience (Free pick up), the incentive (Earn $30), and energy savings (Save $150 a year on energy). Longer marketing formats, such as emails and newspaper ads, also focus on the environmental attributes (Keep harmful materials out of landfills). Samples ads are shown in Appendix J: Marketing Samples.

The RSE team also generates a social media contact calendar and drafts two Twitter tweets and one Facebook message about refrigerator recycling for Duke Energy to send out via its social media accounts each month.

The earned media component of the marketing strategy utilizes press releases and interesting media events. The center piece of JACO's public relations component is a media and public demonstration event called Filet of Fridge at which a JACO spokesperson displays a partially deconstructed refrigerator along with samples of the various materials that are reclaimed during the recycling process, including metal, plastic, glass, foam, oils, and refrigerants. The events make interesting television topics, garnering mentions, brief segments, and even lengthier interviews on local and regional news programs. JACO plans at least one Filet of Fridge event per year in a media market in each of Duke Energy's service territories. For 2103, it was held at the Duke Energy Wenwood Operations Center in Greenville, SC on May 21, 2013. It generated media coverage by WSPA-TV, *Greenville Journal* and *Upstate Business Journal*. A sample of the components displayed is shown in Figure 7.



Figure 7. Filet of Fridge Recycling Samples

Another unique public relations event utilized by JACO is an outdoor "pop up" museum. Staged on June 4, 2013 at Center City's Wells Fargo Atrium, 301 South Tryon Street in Charlotte, the museum presented vintage refrigerators and freezers, equivalency messages, and recycling samples designed to encourage program participation to the news media and the general public. The Charlotte event drew media coverage by the *Charlotte Observer*, Qcitymetro.com, WBTV-TV, WCNC-TV and News 14 Carolina. Photos of the event can be seen in Appendix K: Earned Media Examples.

Duke Energy Website

The program's primary online presence is hosted on the Duke Energy website. The program is regularly promoted on the home page via a rotating ad with a direct link to the program's main

OFFICIAL COPY
Mar 04 2015

web page. It is also reachable within two clicks of the home page via standard website navigation. The program's main page is simple, with graphics and brief messages that replicate those seen in other marketing vehicles. The page offers four links for additional action. The first link takes web visitors to an online scheduling module, which is discussed under Scheduling below. The second link is to an embedded video of a humorous advertisement showing a refrigerator stealing money from a family. The third link leads to frequently asked questions that cover topics including: benefits of the program, how to find out if your appliance qualifies, how to schedule a pickup, what happens to old refrigerators, and incentive questions. The fourth link takes site visitors to an online appliance calculator that people can use to determine how much money and energy they will save by removing or replacing their old refrigerator.

The Duke Energy marketing campaign manager uses Google Analytics to track all website traffic for the program, including the volume of visits, time on page, inbound sources of traffic, and exits to other destinations within the program or elsewhere on the Duke Energy website. Each month, inbound traffic is analyzed by referral source to assess the relative cost effectives of the program's various marketing efforts, including direct access, email links, social media. pay-per click ads, banner ads, Pandora ads, organic search engine sources, etc. Advertising expenditures and other resources are then adjusted as appropriate.

According to the web tracking data, visitors who came directly to the North Carolina website numbered 1,945 during 2012 and spent an average time on page of 1:00 minute. These numbers increased in 2013, with North Carolina customers making 18,384 web page visits for an average of 1:03 minutes on page. During 2012, email drove the largest amount of site visitors, representing nearly 45% of traffic. While in 2013, direct entry of the program URL became the primary driver, accounting for 52% of site traffic. The table below provides a graphic comparison of traffic sources.

South Carolina customers visited the program web page 792 times during 2012 with an average of 1:00 minute on page. In 2013 the site had 7,012 hits and an average time of 1:30 per visit. As with North Carolina, email was the primary source of traffic (46%) in 2012, while direct entry dominated in the second year, accounting for 78% of site visits between January 1 and July 31, 2013.

Table 20. Website Traffic Sources

NC Web Traffic Aug 1 to Dec 31 2012	SC Web Traffic Aug 1 to Dec 31 2012
	

OFFICIAL COPY
Mar 04 2015

NC Web Traffic Jan 1 to July 31, 2013	SC Web Traffic Jan 1 to July 31, 2013
	

Traffic was tracked by visits directly to the individual state's website. Visitors could have also come in from the state landing page where they could choose their state and then enter the website. That data is not included in the above analysis because it was not available at the time of this review. The traffic to the state landing pages would be additive to the above numbers.

Marketing Effectiveness

To track the effectiveness of the many marketing channels used by the program, RSE and Duke Energy use unique URLs for each promotion that refers people to the online program sign up process. In a similar fashion, to measure the effectiveness of each channel in driving participants to the call center, all callers are asked how they heard about the program. According to these measurements, bill inserts are the most effective marketing vehicle by far, drawing approximately two thirds of all program participants (Table 21). Word of mouth via friends and neighbors and television news and commercials are the next most significant sources of recruitment, although their contributions can be measured in single digit percentages as can the other marketing channels. As shown in the table below, television generated greater awareness in North Carolina (9.0%) than in South Carolina (5.8%). Such results correspond with the proportionally greater number of DMAs in North Carolina.

Table 21. How Participants Heard About the Program as of July 31, 2013

Tactic	% How Heard	
	NC	SC
Utility bill insert	61.1%	68.4%
Television advertising/news	9.0%	5.8%
Friend/neighbor	8.2%	8.1%
Utility company web site	5.4%	4.8%
Appliance retailer	4.4%	3.2%
Newspaper advertising	4.4%	3.2%
Web advertisement/search	4.2%	3.2%
Utility newsletter	1.4%	0.8%
Electric utility office	1.0%	1.0%

OFFICIAL COPY
Mar 04 2015

Magnet mailer	0.3%	0.3%
Repeat customer	0.3%	0.2%
Truck sign	0.3%	0.8%
Total	100%	100%

RSE compares these "how heard" metrics with overall weekly program enrollment numbers to better understand the effectiveness of each marketing channel and then adjusts marketing spend and mix as appropriate.

Scheduling and Customer Inquiries

Customers have two ways to make an appointment for collection of their units: via the call center or via a scheduling module on the Duke Energy website. According to JACO records, appointments placed via the call center outnumber web appointments by approximately three to one, as shown in Figure 8. Between program inception in August of 2012 and August 15, 2013, Carolina System customers placed a total of 8,333 pickup requests, of which 6,087 arrived via phone, compared to 2,291 via the web. More specifically, North Carolina customers placed a total of 6,398 orders, with 4,554 arriving by phone and 1,844 via the web. This compared to South Carolina customers who made 1,990 appointments, with 1,543 by phone and 447 via the web. Each ordering method is discussed separately below.



Figure 8. Customer Appointment Methods

OFFICIAL COPY
Mar 04 2015

Call Center

JACO's call center provides telephone support for Duke Energy's ARP operations in North Carolina, South Carolina, Kentucky, Ohio, and Indiana. [10] Customer appointments and questions are all routed through a single toll free phone to JACO's call center, which is staffed Monday through Friday from 7 am to 8 pm, and on Saturdays from 10 am to 5 pm. A brief intercept message welcomes callers to the Duke Energy Appliance Recycling Program and then asks them to press a specific number to specify their state for tracking purposes. Calls are then routed to the call center and answered by JACO's customer service representatives (CSRs) who follow specific scripts to greet the callers, answer questions, verify customer information, and schedule appointments for appliance collection.

The CSRs cross check the information provided by callers with an internet-accessible Duke Energy database to confirm their status as residential customers with open and active accounts. In the rare event the customer cannot be verified, the CSR refers the matter to JACO's verification department, which maintains a confirmation request list that is reviewed by the Duke Energy product manager. Once the customer's account has been verified, the CSRs use JACO's collections database to confirm unit eligibility requirements. They also review customer ownership of the appliance and discuss program guidelines, including Duke Energy's rule that incentive checks can only be made out and mailed to the name and address associated with the account. With all this clarified, scheduling begins based upon the zip code at the collection address.

JACO's service level agreements require that customers be offered at least one collection date within 14 days of the call. In many cases, JACO will have several dates available to provide customers with a choice of day of the week. Although some these additional options may be beyond the two week window. Because of the way that pick up routes are scheduled for cost-effectiveness, fewer dates tend to be possible for customers in outlying areas, while more options are possible for customers who live closer to the collection hubs since they can be a part of a greater number of routes. Nonetheless, JACO strives to offer all customers a number of options, including Saturday pick up, although not necessarily within the two week window. If customers can't make any available date, they can be placed on a waiting list and notified when new options become available. The waiting list is not for any specific day.

When customers select a date, they are initially told that their pick up will occur between 7 am and 7 pm on that day. Then 48 hours prior to the collection day, they will receive an automated phone call and email if provided by customer specifying a four hour time frame for the collection appointment to help them finalize the arrangements they need in order to be home when necessary. The call also reminds customers of size requirements, and that the unit must be plugged in, running, and disconnected from all waterlines. The four hour time slots cannot be provided earlier because JACO needs to know all the collection addresses on the given route and calculate the most efficient travel plan prior to informing customers of the specific time window. Because actual pick up times vary, drivers also call customers 30 minutes prior to arrival as a further courtesy to help ensure they are ready.

[10] Duke Energy Progress customers are served by a separate program not discussed in this evaluation.

OFFICIAL COPY
Mar 04 2015

JACO has a service level agreement to answer 80 percent of calls from Duke Energy customers within 20 seconds. During slow times its initial staffing was adequate to the call volume, but as the 2013 busy season ramped up the call center had challenges with this metric. To ensure it meets standards, the company added employees to the Duke Energy dedicated team. Performance has since improved. JACO now provides 15 CSRs, from among its staff of 60 representatives, plus supervisory staff and managers who can provide additional coverage if necessary. All Duke Energy dedicated CSRs receive additional training beyond JACO's basic requirements in order to ensure that the utility's specific protocols and scripts are followed.

Calls typically take between three and seven minutes to complete. JACO indicates that this is slightly longer than for other utility clients and can be attributed to Duke Energy's more rigorous call handling requirements. Approximately one in three phone calls to the call center end in a new customer appointment, according to the JACO call center spokesperson we interviewed. The purposes for the other calls include: cancelations, time window changes or questions, collection issues, general questions, and wrong numbers. The JACO representative indicated that Duke Energy's 1:3 appointment ratio is better than most other utility clients. She attributed the strong performance to Duke Energy's requirement for strict script adherence, which helps to ensure that important messages are clearly and consistently conveyed.

JACO's quality assurance practices are another factor. CSR calls are monitored regularly, at random, monthly, and quarterly intervals. The Duke Energy product manager also monitors live calls with JACO supervisors on a monthly basis. Calls are evaluated to ensure that CSRs follow scripts, collect all necessary information, answer questions, and provide effective customer service. Any problems are discussed with the employee and rapidly addressed, followed by monitoring to ensure the correction is in place.

Periodic training sessions and updates about program activities also help ensure that the call center remains appropriately informed. Despite these periodic updates, call center representatives indicate that they are still occasionally surprised by spikes in call volume. They request that JACO management, RSE, and Duke Energy strive to communicate more frequently and fully about planned marketing activities so that CSRs can be as fully ready as possible.

Scheduling via the Program Website

Customers can also make appointments for the program via Duke Energy's website. The internet scheduling tool is an embedded JACO web module that appears to the customer to be on the Duke Energy website. Scheduling works similarly to the call center, except that customers must enter all information themselves.

As with the call center, the first page of the scheduling module begins by asking for the customer zip code. This is what helps determine the dates available for collection. The first page also lists the requirements for program participation (see eligibility section above) and reasons why customers may want to participate. Page two presents customers with a choice of collection dates. One of which must be selected to continue. The program requirements are also reiterated on this page and a box must be checked to confirm that the rules are understood. This step helps in preventing future misunderstandings.

OFFICIAL COPY
Mar 04 2015

The third page of the module collects relevant customer data such as account information, service address, and information regarding the refrigerator. The fourth page provides a summary of information and offers an opportunity to return to editing or click to submit the request. The final page confirms the collection date and customer information. It also provides an ATO number, which is unique to the appliance. This ATO number is used for tracking the specific appliance during its presence throughout the collection and recycling process. Screenshots of the online scheduling process are provided in Appendix L: Online Scheduling Module.

One notable difference between the web scheduling module and the call center is that web customers receive a confirmed collection date without being formally validated as Duke Energy residential customers with active and open accounts. That validation happens later behind the scenes through JACO's verification department. If a customer is not eligible, someone from JACO contacts them to explain the situation and to collect additional information as necessary. Typically eligibility issues arise based on typos or confusion about account names and addresses. Although it is possible that someone may think they are a Duke Energy customer when they are not. In those cases, people are redirected to their appropriate utility.

One issue that arose early in the Duke Energy program was that customers would complete the online scheduling form but fail to click the submit button. Without clicking submit, none of the information is saved or sent to JACO. As a result, the customer would not receive a confirmation, but they would erroneously believe that they had made an appointment. Then later they would phone the call center to ask why the collection truck never arrived. To mitigate this problem JACO implemented clear language on the last page of the scheduling form and a pop up message warning customers that they must click the submit button. JACO indicates that these steps greatly reduced the number of such errors. An example of the updated language is shown in Appendix K: Earned Media Examples.

While this technological fix appears to have alleviated the issue regarding unfinished online scheduling, integration between the web scheduling module and appointments made the call center remains imperfect simply due to human nature. A joint Duke Energy-JACO review of cancellation rates indicates that some customers who successfully complete an online enrollment subsequently decide to phone the call center to make an appointment that way as well. This results in a double booking and necessitates a cancellation of the extra pick up request. While not problematic from a customer service or an operational point of view, the extra cancellations are reflected in the cancellation rates discussed below.

Cancellation Rates

According to tracking records provided by JACO, the program had an overall cancellation rate of 23.0% in North Carolina and 22.8% in South Carolina during 2012 and 22.8% in North Carolina and an 18.9% rate in South Carolina during 2013. Both JACO and Duke Energy felt that these rates were higher than desired and expressed a preference for rates in the low teens or less.

To better understand the overall cancellation rate, JACO records seven different reasons for pick up cancellations via its call center. An additional ten types of reasons are tracked for driver-reported cancellations as shown in the table below.

OFFICIAL COPY
Mar 04 2015

Table 22. Reasons for Customer Cancellation

	Code #	Code Name	Definition
DRIVER	40	Non-working unit	Non-working units are not qualified
	41	Non-qualifying size requirement	Unit does not qualify due to being too small or large
	42	Missed appointment, customer not home	Customer missed appointment
	43	Cancel customer request	Driver informed by customer at home or on phone to cancel; no reason
	44	Emergency cancelation	Crew cancels due to illness, personal issue.
	45	Unable to arrive due to road conditions	Crew cancels due to weather, construction or other road blockage
	46	Reschedule appointment with operator	Customer tells driver they want to re-schedule
	48	Crew couldn't locate customer home, called and no answer	Crew could not find & could not reach customer for directions
	50	Cancel no clear path for removal of unit	Unit access blocked by materials or structure.
	51	Cancel due to safety risk	Removal risks injury
CALL CENTER	90	Cancel admin	Order removed from system. This occurs for multiple reasons, although usually when an order is marked incorrect. This typically happens during the QA process when a manager decides to remove the customer for customer service reasons.
	91	Cancel decided to keep	Customer changes mind - decides to keep unit
	92	Cancel reschedule customer to new date	Customer cancels due to schedule conflict.
	93	Cancel unit quit working	Non-working units are not qualified
	94	Cancel sold or gave the unit away	Customer sells or gives away
	95	Customer unable to be rescheduled	Re-schedule dates do not work for customer
	99	Customer found to be ineligible	Customer was found to not have service with the participating utility

The most common reasons for cancellation are because the customer missed the appointment (#42), the customer decided to keep the unit (#91), and the customer sold or gave the unit away (#94). According to JACO, the Duke Energy program's cancellation rates in these areas are higher than they typically see for other utility clients.

JACO attributes these higher cancellation rates to the length of time that customers have between the day they make the appointment and the day the unit is actually collected. Having two or three weeks is enough time to 1) sell the unit on Craigslist for more than the incentive amount, 2) decide to give the unit away, 3) decide to keep it, or 4) have the desire to get rid of it fade in importance. "We're probably not going to keep them from changing their minds directly, but decreasing the time interval would help to improve those numbers," explained one JACO representative. But the time interval is a function of the number of trucks that JACO can cost-effectively roll, and that depends on the number of units available on the collection route. "So,

OFFICIAL COPY
Mar 04 2015

one way to lower the cancellation rate is to make the phone ring with a more attractive incentive. As we schedule more appointments, we roll more trucks, and have closer appointment dates available," he said. Duke Energy and JACO are exploring this and other possibilities as a means of decreasing their cancellation rates.

TecMarket Works identifies these cancellation rates as an important area for improved program performance; not least because the marketing and scheduling teams have already effectively executed their assigned roles and obtained the customers' commitment to program participation.

Appliance Collection

JACO locates its primary collection facilities in the most populous and centrally located areas that it serves. Its collection facilities for the Carolina System are located in Charlotte, NC. Collection routes are optimized for efficiency and are finalized 48 hours in advance so that JACO's automated dialing system can provide customers with their four hour time window.

Trucks typically collect between 20 and 30 units in a day, depending upon the number of stops, missed or cancelled appointments, size of the units, and the distances to be covered. Crews usually have between four and six stops within a four hour time window. They call the next home on the route when they are 30 minutes away in order to provide one final reminder. If they are less than 30 minutes away from the next home on the route, such as when two pick ups are in nearby neighborhoods, they call as soon as possible. If they call ahead and no one answers, they leave a voice mail and proceed to the house. If no one is home when they arrive, they wait 15 minutes and then leave a "Sorry we missed you" door hanger that provides the mobile phone number of the crew and invites the customer to phone them. Depending upon the route, it may or may not be possible to revisit the customer later the same day to complete the collection. The crew also takes a photo of the house to document their visit and calls their supervisor to report the missed appointment.

If crews happen to finish their time window early, they can call the first customer in the next time window to see if they're available early. Otherwise, they need to wait unit the time window opens. Once crews complete their time window, they call to update their location manager. They also inform their managers about delays. The location manager updates the call center twice daily to ensure that CSRs have updated information.

Collection Practices

Upon arrival, crew members introduce themselves and show their Duke Energy photo identification cards. They also confirm they're in the correct location and then ask the customer to lead them to the unit so they can assess the best way to remove it from the home. Once they reach the unit, they visually inspect it to confirm that it is plugged in and cooling, emptied and defrosted, and that any water lines have been disconnected.

Although program requirements specify that collection crews will not move or alter items in customers' homes, crews can remove the doors from refrigerators if necessary to transport the item outside. Normally, however, they prefer to take the unit outside before they begin cataloging and dismantling it.

OFFICIAL COPY
Mar 04 2015

When the unit is loaded on the truck, the crew uses a pocket PC to record the:

- Unique ATO tracking number,
- Refrigerator model number,
- Unit color,
- Unit type (top or bottom freezer, side by side, etc.),
- Unit's amperage (located on model info plate),
- Unit location,
- Whether the unit's location was in air conditioned space,
- Whether unit was used 12 months per year or periodically,
- Whether unit is to be replaced or not.

Next they write the ATO directly onto the unit, along with the date, their personal initials, and the program ID for Duke Energy. Then they attach a sticker with a bar code that is scanned by the pocket PC. Lastly, they take a photograph of the refrigerator. Once everything is entered into the system, they ask the customer to verify the information and sign the pocket PC.

This signature releases the refrigerator into the legal custody of JACO. As filed, the program allows customers 18 years or older to leave a signed note releasing the unit to JACO. This enables JACO crews to retrieve the unit if the customer cannot be home during the collection, but this method is rarely used since leaving the unit unattended outside the customer's home places it a risk of being stolen by roving scrap collectors.

When the paperwork is complete, the crew begins to dismantle the unit while still at the customer's home in order to demonstrate to the customer that it is indeed being rendered inoperative. To do that, the crew knocks a hole in the side of the refrigerator with a hammer, cuts the power cord and the door gasket, and physically breaks the thermostat control switch.

Once everything has been completed at the customer's home, the crew continues on to the next address on the route, gradually working their way back to the central JACO warehouse. In virtually all areas of North Carolina and South Carolina, the collection trucks return to their central location at the end of the day. The one exception is in the Raleigh area where the crew offloads the day's units into a large storage container at a secure facility. Then once every 7 to 14 days, when the larger containers are full, they are transported to the central warehouse in Charlotte for dismantling.

When the trucks arrive at the JACO central dismantling facility the units are offloaded, counted, and checked in to ensure that all are accounted for. First, the bar codes stickers on each unit are scanned. This calls up the digital photo of the unit so the technician can confirm the ATO numbers on the refrigerators and in the JACO computer system. The physical units are also cross checked with 1) the end-of-day reports generated by the pocket PCs and 2) the route update reports to ensure that final counts are accurate. For instance, if a crew sets out to collect 20 units in a day and only returns with 18, the remaining two items will show as customer-cancelled appointments. If discrepancies arise, the units are set aside and the technician goes back through the extensive documentation process to verify the chain of custody to find the error.

OFFICIAL COPY
Mar 04 2015

No challenges or issues with collection were reported by any of the parties we interviewed. Two people did, however, make similar suggestions for process improvement. While JACO makes every effort to pick up all scheduled units, in rural areas some houses may occasionally be difficult or impossible to reach in the collection trucks due to their large size relative to height limitations caused by tree branches, weight restrictions on small bridges, and narrowness of country lanes and driveways. Therefore, those we spoke with requested that additional language be added to the FAQs or program requirements to better manage customer expectations about the accessibility of their properties. While a minor change perhaps, it may nonetheless help to improve customer satisfaction with the program.

In an interesting augmentation to their residential collection practices, Duke Energy and JACO indicated that they were in the process of establishing a retail partnership with Sears stores in the greater Indianapolis area to begin during the fourth quarter of 2013. Under this partnership, when Sears representatives deliver new refrigerators and freezers they will collect qualifying used units from eligible customers and bring the units to a central secure collection point, from which JACO can retrieve the units. All tracking details regarding the units are to be collected as if JACO representatives had originally picked up the units from customers. No units yet had been retrieved by JACO as of the time of this evaluation in November of 2013. Nonetheless, TecMarket Works considers this an innovative addition to the overall program design. We encourage Duke Energy to monitor progress in Indiana and if the effort proves effective there to consider expansion of the Sears partnership into the utility's Carolina System territories.

Crew Training and Quality Assurance

Because program participation in the Appliance Recycling Program waxes with warm weather and wanes with cooler weather, a greater number of employees are needed during the busy season. JACO adjusts its staffing levels accordingly. Its drivers and navigators must pass background and motor vehicle record checks. New staffers receive several days of training with a manager to learn the specific tasks involved and to competently explain the particulars of the Duke Energy program when interacting with customers. New employees are then paired with a more experienced partner to ensure that protocols are clear and followed consistently. Senior JACO managers hold weekly webinars with the location managers for each region to discuss operations, policies, and safety practices. The location managers, in turn, meet with their crews to pass along the information.

As one of the nation's leading appliance recycling firms, JACO holds its collection crews to high standards. To confirm that quality is maintained, every few weeks the location managers secretly shadow their crews, driving behind them to ensure that they are following traffic laws, parking appropriately, wearing designated gear and ID badges, and walking to the door together. After three or four customers, the manager retraces the route to speak with customers about their experiences with the crew. Employees are scored and managers discuss any necessary improvements. Duke Energy maintains the option to participate in the quality control efforts, but has not felt the need to engage in such field inspections.

Dismantling and Recycling

All dismantling and recycling activities are specific to JACO and not the responsibility of Duke Energy. Nonetheless they are briefly documented here to demonstrate Duke Energy's

OFFICIAL COPY
Mar 04 2015

compliance with its voluntary participation in the U.S. Environmental Protection Agency's (EPA) Responsible Appliance Disposal (RAD) program.

Once units have been checked into the warehouse, the dismantling process begins. Doors are disconnected; hardware and glassware is removed; refrigerants are collected; oils are drained; sheet metal is peeled off; and insulating foam is stripped and bagged. In all, JACO's recycling process recovers up to 95% of all refrigerator components for reuse, and it ensures that 100% of hazardous components—including the refrigerants, PCBs, mercury, and other toxic elements—are properly broken down and disposed of. Most of the remaining 5% of elements are also put to good use. For instance, while the fiberglass insulation inside the doors can't be recycled, it is shredded and used as fluff material to provide an air gap between landfill layers to create avenues for methane to escape.

All of JACO's processes are conducted to meet or exceed state and federal laws, as well as the more stringent RAD program guidelines. Furthermore, the program is designed so that while the recycling effort is conducted under the auspices of Duke Energy, the utility actual never comes into legal possession of the units. The units—and more importantly their hazardous elements—remain in JACO's custody from the time the customer signs the release until the constituent components have been broken down, sold, or dispersed to their upstream or downstream destinations. JACO uses revenues received from these sales to reduce program costs for Duke Energy.

When all steps in the dismantling process have been completed, the warehouse technician confirms that the unit has been recycled on a pocket PC. This signals JACO and Duke Energy that all requirements have been met and the incentive check can be processed for the unit associated with that specific ATO number.

Incentive Payments

The financial incentive levels for the program are currently set at $30 per unit for North Carolina and South Carolina customers. JACO is contractually required to send payments to customers within four to six weeks. This is the timeframe mentioned in program's promotional materials, but, in practice, most checks are mailed within two to four weeks. JACO handles payment processing and includes incentive documentation in its monthly billing to Duke Energy, whose product manager reviews the monthly data, reconciles any discrepancies with JACO, and approves the invoice.

No challenges or issues were reported with incentive processing or accounting. However, all parties that we talked to indicated that the incentive amount may need to be raised in order to help the program meet its collection goals. At $30 per unit, Duke Energy's incentive amount is at the low end of the "typical" financial range; the higher end being $50 per unit.

TecMarket Works considers introducing the program with a $30 incentive level to be a fiscally prudent step because it captures "the low hanging fruit" of willing customers and establishes a baseline for customer response levels. Moreover, as the correlation between response rates and marketing effectiveness is clarified, it becomes possible to identify market barriers to

OFFICIAL COPY
Mar 04 2015

participation. However, the lower incentive amount also limits the number of people willing to part with their working refrigerators and freezers.

According to those we interviewed, the two most prevalent barriers to increasing customer participation appear to be financial. The first involves the cost of a customer's time. If a prospective customer is earning $10 per hour and the program requires them to miss four hours of work in order to be home to recycle the unit, then a $30 incentive will not cover the cost of their time. Thus even if they want to recycle the unit, it may not make financial sense to do so.

The second barrier involves a psychological hurdle arising because some prospective customers cannot or do not distinguish between replacement costs and operating costs. Even if they can afford to stay home to recycle the unit, they may be more likely to hold onto it because they reason that it costs them less to keep it than to buy a replacement should they decide they want one; this despite the fact that the program marketing copy tells them that getting rid of the unit could save them up to $150 per year.

For both barriers, the larger the financial incentive, the more enticing the offer will be.

Another advantage of increasing the incentive is the potential reduction of freeridership, since the larger payments shift the ratio away from those who would have recycled their units anyway toward those customers now participating because they will receive the compensation.

As Duke Energy and JACO are aware, successful program participation levels are reached when three factors come into alignment: appropriate customers, effective marketing, and a desirable offer being made (consisting of the incentive amount and other attributes, such as timing, free collection, etc.). As discussed in the earlier sections above, the program management team is currently targeting those customer segments most likely to be interested in recycling their appliances, and the team has implemented a coordinated, multi-pronged marketing effort that is demonstrably generating customer awareness. While these two factors can and should be enhanced, increased program enrollments will also depend upon the amount of the financial incentive. Therefore, as the team considers how to best achieve its annual harvest goals, they may do well to consider the relative cost effectiveness of increasing the marketing spend per unit in order to reach more customers and improve awareness versus increasing the incentive paid per unit to make the offer more attractive to people who are aware of the program.

To assess the effectiveness of increased incentive levels, Duke Energy conducted a controlled test of 240,000 North Carolina and South Carolina customers, who were to be sorted into three groups of 80,000 customers each. The first group received a $50 incentive. The second group received a $40 incentive; while the third group continued to receive the offer for a $30 incentive and thus serve as the control. All other aspects of the program remained consistent for all three groups. The program test applied to all collections for the month of September 2013. Analysis of the results demonstrated that compared to the $30 incentive control group which had 377 participants, the $40 incentive group drew an additional 612 participants with an associated 162% lift in response. The $50 incentive group performed even stronger with 867 more participants than the control group and an associated 230% lift compared to response rates in the control group. Such results demonstrate that with all other aspects of the program remaining

OFFICIAL COPY
Mar 04 2015

consistent, higher incentive levels can lead to greater participation rates and therefore increased energy savings associated with the additional units collected. With this in mind, TecMarket Works encourages Duke Energy to consider the applicability of these results in its Carolina Systems service territories and to take steps to adjust incentive levels there if deemed cost-effective and appropriate. In these decisions, JACO's experience with similar utility programs may provide guidance as well.

Quality Assurance

As discussed previously in this evaluation, the call center representatives and collection crews are subject to random and scheduled reviews for quality assurance. JACO managers provide similar inspections at their recycling facilities to ensure protocols are followed, to assess tracking of captured materials, and to confirm metrics for compliance with all regulations.

Because Duke Energy places considerable stock in the importance of customer experience, JACO collection crews provide each home they visit with a mail-in, 10-question survey to ascertain customer satisfaction. While response rates are low, feedback is positive. According to customer satisfaction figures collected by Duke Energy, 88% of customers rate their overall program satisfaction as equal to or greater than 8 on a scale of 1 to 10. Likewise, the program enjoys a net promoter score of 91 out of 100, with 93% of participants rating the program as 9 or 10, meaning that they would recommend it to their friends and family. Net promoter scores above 50 are considered strong.

When the program was first starting Duke Energy also conducted a call-back survey with the first 10 percent of customers to join the program. After these customers finished the program, JACO made outbound phone calls to ask them to provide feedback about what was working well and what needed improvement. A similar call-back process remains available if the mail-in surveys or other quality assurance measures reveal a volume of complaints or otherwise draw scrutiny.

Data Tracking and Reporting

As noted in the marketing section above, the team uses unique URLs and "how heard questions" to track marketing effectiveness. These metrics are then compared with the numbers of appointments and units collected to provide an overall picture of the program's effectiveness.

Equally important to Duke Energy is the customer's participation in the program. To manage this, JACO tracks all interactions from the date customers first make contact to the day their unit is collected to the day they cash their incentive payment.

Appliance tracking is similarly robust. Once an appointment is scheduled, JACO consistently tracks all activities based upon the associated unique ATO number, so it can report on the unit's status from before it comes into the company's possession until it has been fully dismantled into its constituent parts.

For reporting purposes, JACO's call handling metrics, scheduled appointments, cancellations, and collections are all automatically uploaded to an internet accessible database that can be accessed by Duke Energy managers at any time. This customer experience dashboard provides a

OFFICIAL COPY
Mar 04 2015

multitude of ways for viewing data and reporting metrics, ranging from call handling times and available dates for appointments to reasons for cancellations and uncashed incentive payments.

No problems with data tracking or reporting were identified. However, Duke Energy and JACO indicated their respective IT departments had experienced challenges in aligning their computer systems to ensure fully functional data transfer and displays. Such challenges are to be expected during program start up, and while they caused some delays, they did not result in concerns regarding data integrity.

At the time of this report, the IT teams were focused on improving the reporting system to resolve an issue that was causing cancellation metrics to appear worse than they actually were. Under the original system, each new customer appointment resulted in a unique ATO number. While appropriate for tracking the appliance, this meant that if a customer called to reschedule, then a new ATO would be issued, which in turn made reschedules appear as cancellations if tracked by the ATO number. A system correction was underway at the time of our interviews.

Management Coordination and Communication

Each week the Duke Energy product manager, JACO's program manager, and RSE's account manager meet to discuss marketing performance, operations, strategy, and tactical changes. Specialists and other parties from each firm participate as appropriate. All parties consider their business relationships to be strong and positive with effective communication and a shared sense of teamwork toward a common set of goals.

Duke Energy expressed appreciation for the turnkey nature of JACO's programs. The product manager characterized JACO as "highly knowledgeable, open, fair, professional, and easy to work with." Furthermore, he indicated that JACO was meeting its service level agreements, despite appliance collection levels being lower than targeted.

For its part, JACO and its subcontractors described their Duke Energy counterparts as "able to see the big picture and handle details," "willing to try out and fund promising ideas" and even "they're my golden client." And of Duke Energy's product manager in particular they stated, "He's so dedicated that he even works on resolving issues when he's on his day off."

Program Changes Interviewees Would Like to See

We asked those we interviewed to suggest the changes that they would like to see made to the program. While managers are generally satisfied with the program, they are continually looking for opportunities for improvement. Their suggestions are noted below.

Based upon their experiences with many utilities around the nation, all parties that we spoke with from JACO and RSE expressed that incentive levels will need to be increased in order to meet projected goals. Duke Energy representatives also felt this would probably be necessary, but waited on the outcome of the incentive level testing in the Carolina System prior to making that determination.

OFFICIAL COPY
Mar 04 2015

While no challenges or issues with refrigerator collection were reported, two people suggested that customer expectations may be better managed by adding language about collection trucks being limited by accessibility of their properties.

Although no problems with data tracking or reporting were identified, a methodological approach was causing cancellation metrics to appear worse than they actually were because customers who cancelled their initial appointment were assigned a new ATO number when they rescheduled, thus making the numbers appear to be referring to different customers rather than the same person. A correction was underway at the time of our interviews.

Evaluation and Recommendations

Evaluation

Overall Duke Energy's Appliance Recycling Program is a well-conceived and well- managed energy efficiency program. Its marketing implementation successfully combines Duke Energy customer communications with paid advertising and creative public relations events that are effectively generating customer awareness and sign-ups for the program. Aside from a temporary, minor slip in call center answering times, phone-based customer support and scheduling are operating smoothly. Likewise, unit collections and dismantling operations are also functioning well with no reported issues. Moreover, the program managers and implementation teams communicate regularly and collaborate effectively as they work toward shared goals.

Yet despite this laudable performance, the program lags in its projected pick up rates for the combined Carolina System, bringing in 1,850 units (48%) toward a combined goal of 3,872 in 2012 and a total of 8,617 units (48%) between January and November 22, 2013 toward a goal of 18,038 for the entire 2013 year.

A portion of this may be ascribed to higher than desired cancellation rates of 22.8% in North Carolina and 18.9% in South Carolina since each appointment cancellation diminishes the program's marketing and scheduling effectiveness. But this can account for a few hundred collections at most, and thus does not appear to be a primary driver.

A successful program operates optimally when it targets the most appropriate customers with a carefully design marketing message and a compelling offer. Since the program's targeting and marketing efforts are operating well, the most apparent area for change seems to be the financial incentive offered for each unit collected. At $30 per unit, the offer does not appear be high enough to compel customers to relinquish their still-working refrigerators and freezers. Therefore, the program may need to consider raising the incentive level.

TecMarket Works commends Duke Energy on its testing of different incentive levels with its Carolina System customers in September of 2013 and the promising lift in collection rates arising from the increased incentive amounts. We encourage the utility and JACO to carefully analyze the results of those tests, and weigh the merits of increasing the incentive level versus investing additional program dollars in improved targeting and increased marketing spend per unit.

OFFICIAL COPY
Mar 04 2015

These steps and the suggestions noted below may help to increase program collections. However, we also ask Duke Energy to reconsider its original harvest projections in light of the program's performance during the initial months of operation. It may be that current performance appears to be underperforming because the initial goals were overly optimistic or because they were based on outdated study projections by the time of the launch of the program.

With these thoughts in mind we offer the following recommendations for improvement.

Recommendations

- Based upon the results of the September test, it appears that raising incentive amounts from $30 to $40 or $50 per unit will increase participation and help the program to reach its targeted goals in terms of collections and associated energy savings. This should be studied and compared with the effectiveness of increasing marketing spend per unit to make a wider audience aware of the program and its benefits.
- It seems logical that cancellation rates will diminish with a greater number of appointment time slots and with shorter time intervals between customer calls and pick up dates. However, that will remain an indirect effect until more customers begin making appointments. Therefore, Duke Energy and JACO should also take multiple actions to increase program enrollments and direct steps to reduce cancellations wherever possible.
- One means of decreasing missed appointment could be to collect email addresses from customers when the appointment is scheduled and then send email reminders in addition to the reminder phone calls.
- Because landlords represent the largest group of appliance purchasers, consider developing an aspect of the program that targets property management companies to encourage their participation either with collections of individual refrigerators that require replacement or via large scale replacements at one time. Such a move could increase the energy savings of the program, while providing landlords with cash offsets to replace inefficient refrigerators, making their rental units more attractive to tenants.
- To better reach its goals the program team may also consider expanding eligibility beyond residential customers to other types of buildings, including schools, offices, and industrial locations. Such an expansion would of course need to comply with cost-effectiveness tests and regulatory filing requirements.
- Adding to the HEHC survey a question about secondary refrigerators and freezers may serve as a means for generating leads to the ARP program.
- Consider taking advantage of Duke Energy's internal customer satisfaction and net promoter scores to develop an initiative that encourages program participants to refer their families and friends.
- Arranging joint promotions with municipal and private recycling firms to promote environmentally appropriate recycling may be a way to increase awareness at fairly low cost.

OFFICIAL COPY
Mar 04 2015

- Stay abreast of market factors that may affect the program, including new and use appliance dealer practices, supply and demand for used units, price of materials recovered, changing appliance efficiency standards, Energy Star program changes, technology improvements, and environmental regulations.

OFFICIAL COPY
Mar 04 2015

Appliance Dealer Interview Results

This section presents the results from interviews with new and used appliance dealers in North Carolina and South Carolina. The instruments can be found in "Appendix H: Used Appliance Dealer Survey Instrument" and "Appendix I: New Appliance Dealer Survey Instrument."

Survey Overview

By removing 10,467 refrigerators and freezers from the market in the Carolina System during the first fifteen months since program inception, Duke Energy's Appliance Recycling Program is unquestionably reducing the number of used units that are connected to its power grid. However, the program represents only one of multiple factors that are affecting the number of used units for sale in the marketplace. To better understand the market in which the program is operating, TecMarket Works sought to interview dealers of new and used refrigerators and freezers about the state of the market, the ARP program, and its effect on their businesses. The objective was to contact as wide a survey sample population as possible, including: national or regional retail chains, companies with multiple locations, small dealers operating from storefronts and repair shops, and charitable groups that sell donated items.

Between July 31 and August 22, 2013, TecMarket Works completed telephone interviews with 56 owners or representatives from new and used appliance dealers selling to customers within Duke Energy's service territories in North Carolina, South Carolina, Kentucky, Ohio, and Indiana. Of those, 22 operated in the Carolina System. Conversations ranged from less than five minutes to more than 30 minutes. Interview guides are shown in Appendix H: Used Appliance Dealer Survey Instrument and Appendix I: New Appliance Dealer Survey Instrument.

The sample list for the survey was collected via a geographic-area-specific internet search using Google, Craigslist, Yelp, YellowPages.com, CitySearch.com and other web resources. Using readily identifiable contact information provided on the internet, we contacted approximately 10 new and used dealers operating in each of Duke Energy's service territories. We also contacted representatives from national and regional firms operating in multiple states, such as Home Depot, Lowes, Sears, Best Buy, and HH Gregg.

On the whole, the appliance dealers that we spoke were reluctant to provide numbers regarding their businesses, although they were more forthcoming regarding operations and their perceptions of the supply and demand for used appliances. As a result, the survey sample obtained did not lend itself to reliable quantitative analysis. The interviews do, however, provide an insightful qualitative look at the state of the market from their perspective. Overall remarks from these interviews are combined below to render a big picture view, while state-specific comments are provided to increase understanding about each individual territory. Nonetheless, it is important for the reader to note the relatively the small sample sizes in this study.

How National Market Actors Effect Local Used Refrigerator Markets

Across the United States, the majority of *new* refrigerators are sold via national department stores like Sears, home improvement centers such as Home Depot and Lowes, and mass

OFFICIAL COPY
Mar 04 2015

merchants like Best Buy and Costco. A smaller percentage are sold by regional companies like HH Gregg or by independent retailers who often operate a single location.[11]

Our market research revealed no national firms that are selling *used* refrigerators in retail stores. While these high volume national retailers do not directly sell used appliances, they nonetheless influence the market for used refrigerators and freezers because their delivery drivers (employees or subcontractors) frequently collect used units from customers at the time they drop off new units. In previous years, a sizeable number of these used units were collected and resold at wholesale prices to local used appliance dealers. This practice provided a steady supply to local dealers in order meet market demands for less expensive units.

In recent years the supply of used units for resale in local markets has diminished as the largest market actors have adopted new policies. Some national firms, including Sears, Best Buy, and Home Depot have joined the U.S. Environmental Protection Agency's Responsible Appliance Disposal (RAD) program, and thus follow specific guidelines for the dismantling and recycling of all units they collect. Another national firm, Lowes, has taken a more measured approach, recycling some units, donating some units to charity groups for individual resale, and bundling others for resale to U.S. wholesalers or in foreign markets. Collectively these individual corporate actions have cut the number of used units available for resale in local markets by between 50 to 85 percent, according to estimates among the smaller dealers that we spoke with.

Duke Energy's collection of more than 10,000 units has been a contributing factor to this decline. However, several appliance dealers we spoke with indicated that they had noticed a reduction in supply prior to 2009. This decline was accelerated in 2010 by the federally funded Cash for Clunkers appliance rebate program. Since that time, virtually all parties we spoke with agreed that supplies of used refrigerators and freezers have continually diminished.

How Local Dealers Obtain Used Appliances for Resale

As ready supplies of secondhand refrigerators and freezers have dwindled, used appliance dealers have adopted different business strategies for obtaining and reselling units:

- **Continue to buy used units from retailers who'll sell them, and then mark up the units for resale.** This option appeared to be available via new appliance stores that also sell used units directly to retail customers.
- **Buy from wholesalers.** Lowes and HH Gregg continue to sell the used units that they collect when they drop off new units at customers' homes. But these are only sold to a select few wholesalers. Those wholesalers in turn sell to smaller dealers.
- **Buy from appliance auctions.** These events are held on a periodic basis and offer dealers the opportunity to inspect and bid on a wide array of units, specifically selecting what they want, such as a stainless steel French door unit, or an Amana side-by-side with water dispenser. Some auctions provide a seven day warranty on their units to give

[11] US Department of Energy, New Opportunities Multiply Savings: Energy Star Refrigerator Market Profile, Washington, DC: US Department of Energy, December 2009., source: http://apps1.eere.energy.gov/states/pdfs/ref_market_profile.pdf

OFFICIAL COPY
Mar 04 2015

dealers time to inspect them thoroughly upon returning to their places of business. However, with fewer used units available in general, auctions are becoming somewhat less common.

- **Buy by the truckload**. Many used appliance dealers reported receiving sales calls from "guys out of state" offering to sell them a "grab bag truckload" of working and nonworking units. A dealer in North Carolina described the arrangement: "In the last three loads I paid $9500, $10,800, and $12,000 per truckload. A few in each load worked. About two thirds were repairable in the first and only about half in the other loads. The rest I use for parts or sell for scrap metal." While another dealer complained, "Their prices keep going up and my profits are going down as they try to pass off more of their junk on unsuspecting dealers." Reliable quality or not, this option is only available to businesses with sufficient capital and the resources to purchase and repair nonworking units.
- **Obtain more used units from individuals.** This was the most common strategy used among dealers we spoke with. It had three variations: charging people to pick up units, accepting or collecting units at no charge, and paying people for their working or nonworking units. Increasingly, people are recognizing the value of their used appliances and are charging accordingly. Craigslist.org was the most frequently cited source of individual transactions.
- **Shift revenue streams to focus less on sales of used units and more on repair services.** This was another common strategy, particularly among those dealers who indicated that their supplies of used units had been reduced by 80 percent or more. However, this option was not without its challenges since the price of used parts has also risen as fewer used units from which to draw upon have been available.
- **Switch to sales of new units.** A number of dealers indicated that they sold both new and used units. For them, shifting sales attention was fairly straightforward. However, this option appeared to be unattractive or unviable to the majority of dealers who only sold used units.
- **Buy from other used appliance dealers that are going out of business.** One business's demise is another's opportunity. More than one dealer we spoke with said he looked for others dealers who wanted to liquidate their stocks.

How Dealer Business Models Influence Perceived Effect of the Program

The choice of business model seemed to affect the level of impact that the changing market is having upon their businesses, and hence the perceived effect of Duke Energy's program as well. Those dealers who have direct supply contracts with Lowes or HH Gregg, with wholesalers who buy from these larger chains, and those dealers who have sufficient capital to buy in large quantities, generally continue to do well. While dealers who depend upon single purchases from individuals find fewer and fewer units available and thus consider Duke Energy's program to be having more of an effect on their business. Yet even among those dealers who buy predominantly from individuals, the impacts attributed to the program appear to vary based upon whether the dealers sell older, inexpensive units or more costly units that are only a few years old. The higher the prices these dealers pay for the units and sell them for, the less effect Duke Energy's ARP appears to have on their businesses. Conversely, smaller businesses are being

OFFICIAL COPY
Mar 04 2015

adversely affected by a variety of market factors, of which the Duke Energy program is one. These businesses find themselves facing a need for additional capital, a change in business model, or the prospect of going out of business. However, because customer demand for less-expensive used units remains high, the net effect appears to be that as the market continues to shift fewer companies will be selling used units in the future.

State Specific Dealer Comments

Among the 22 appliance dealers that we spoke with in North Carolina and South Carolina, half of them sold only used units. Among those that sold new units, the percentage of new unit sales to used unit sales varied from 20% new unit sales to 100% new units (no used appliance sales at all).

Effect on Dealer Businesses

Among the appliance dealers we talked with, 65% of respondents said were aware of the Duke Energy program. When it came to the program's impact on their businesses their responses ranged from: "It's cutting our throats" from a small used appliance dealer to "No real effect" from new appliance dealers. Not surprisingly, opinions varied depending upon the dealers' business models and how reliant they were on a steady stream of inexpensive used appliances from individuals in order to stock their stores. Quotes from the conversations are shown below.

- *It has reduced our business by 85-90%.*
- *It's cutting our throats. It has cut our business by 75%.*
- *Our business is down by 70%.*
- *They're putting me out of business. If this continues within two years I'll be gone. I just bought eight refrigerators off a guy who closed his doors last week. It's bad. Duke may mean well keeping things out of the landfill, but there are better ways to do things. People need inexpensive refrigerators and freezers. They can't afford new ones.*
- *So that's what going on. In the past few months we've had no used refrigerators to sell.*
- *ARP has had a huge impact. In last 18 months the number of used units available to be purchased from individuals has plummeted. We basically can't find units to be sold in the $200 range, but $500 plus units can still be found on Craigslist. Basically, it's driven up the price of used units. Since our costs are going up so are the prices we sell at. A typical refrigerator has gone from $179 to $229 in 18 months.*
- *I don't think there's a real effect. Other changes in the market are more significant. Overall there are fewer used units available than there used to be. You can't get units for free anymore so we buy used units from wholesalers now. This means that more people with moderate incomes can't afford new units since they don't have the cash or the good credit. It also means it's getting harder in business, but it's better business for those of us remaining if we are good business people.*
- *Yes, it has cut down on the number of units available from individuals, especially the free donations of units that people wanted to get rid of. It's also prompted wholesalers to raise their prices by $20-$30 per unit. So we've had to raise our prices too. We tried not to, but eventually we need to pass along the costs.*
- *Duke's program is the least of our worries. Biggest impact is not Duke, but policies by Lowes, Home Depot, HH Gregg, and others who recycle old units. They have teams that collect and track units to ensure that they are decommissioned.*

OFFICIAL COPY
Mar 04 2015

- *It's hurt us, but the big box stores are hurting us worse.*
- *I can't say. I don't think it is Duke. It's mostly companies like Lowes and others. We used to buy from them but now Lowes gives all their used units to Habitat for Humanity. They donate so many that Habitat can't sell them all. They just scrap the ones they don't sell. We tried to buy their extras but they wouldn't sell to us.*
- *I can't say how much it's hurting us as a thrift store. People will always make donations, but the number of people doing so is down. But a program like that will definitely squeeze small appliance businesses. It chokes their supply. We sell such a variety of things that the effect is less noticeable.*
- *It's not affecting us much. We buy from [wholesale] dealers so our supply seems pretty steady. But it might cut down on the number of units available from individuals.*
- *I don't think it affects us since we only sell new. But if there are fewer used units then there are fewer cheap units that people can afford to buy. In my 16 years of experience, I find that customers think about the purchase price and not the operating cost.*
- *It's had no impact. We buy mostly from wholesalers. When we buy from individuals we usually buy nicer units and pay people $150-$200 so it's no real contest with Duke's $30 haul away price.*
- *No effect. It's not a problem since we buy inoperable units and repair them.*
- *No impact. We only sell used units if they're repossessed. So Duke's program isn't a factor.*
- *I've only been in the job for weeks, but looking back in the computer system it shows little impact* [Note: She didn't say how far back in the records were checked]. *I think it's a good idea since it saves energy.*
- *No impact.*

These responses ran in close parallel with their observations about ARP's impact on the supply of used units. Those dealers who purchased from individuals noticed a scarcity of available units, while those who obtained theirs from other sources were less affected. Among those who were willing to cite numbers, the supply of used units seems to have diminished by between 75% and 100%, meaning for some stores three out of four units are no longer available for sale, while at others there is no remaining stock at all. Dealer comments are shown below:

- *Between Duke and the big box stores, they've pretty much dried up the number of refrigerators coming from individuals.*
- *You can't get used units hardly at all anymore. I used to sell 25-30 per month and keep that many on the floor. Now I have four.*
- *Overall, a few years ago we could sell five to 10 used units per week. Now it has been six weeks since any unit has even been available. There are just so few used units on the market.*
- *We used to get in four to six used units per week. Now get maybe one or two per week.*
- *There just aren't very many used units available anymore.*
- *I don't know the number, but there are many fewer units available.*
- *We mostly get used units from individuals, and they just are not available anymore.*
- *It's dramatically cut down on our supply of used units.*

OFFICIAL COPY
Mar 04 2015

- *Probably little impact since the people who donate are either unaware of ARP or would donate anyway.*
- *There are almost no more used units that we can pick up.*
- *Supply isn't a problem for us since we buy inoperable units and repair them.*
- *We only sell used units if they're repossessed. So Duke is not a factor in our used supply.*
- *We buy mostly from wholesalers so we're not affected.*
- *Since we buy from [wholesale] dealers our supply seems pretty steady.*
- *People will always make donations, but the number of people doing so is down. I can't say how much.*
- *No significant effect on our supply.*

Dealers of new appliances agreed the program was having little to no influence on new unit sales.

All used dealers that we spoke with agreed that demand for used refrigerators and freezers remains steady, while supplies dwindle. As a result, prices are rising. Some dealers indicated that their customers were unwilling or unable to pay the additional expenses. Yet overall, 86% of dealers indicated that they felt they could sell more used units if they were available. Their verbatim replies are shown below.

- *We're turning people away every day. Today I turned away three people before lunch who wanted to buy a refrigerator. And that's not unusual.*
- *Overall, demand for used units is higher than supply. It's gotten so that poor people are renting units since they can't afford to buy new ones.*
- *It's having no effect on demand. Poor people still need units they can afford.*
- *Demand is a strong as ever. But people are poor so I can't raise my prices. They can't afford to pay more. So my margins go down.*
- *Demand is the same, but our customers are not willing to pay more for used appliances. So small businesses like us are getting squeezed.*
- *Demand is the same, but supply is less. So prices are up. We used to pay $15-20 per unit. Now we need to pay $85-90, but we can't pass all the costs onto to customers since they can't pay the difference. We're selling used units at $189 and up.*
- *Demand is stronger than ever, since there aren't as many available.*
- *We can sell any used unit we have.*
- *It's driven up prices.*
- *There's plenty of demand for used units.*
- *We have steady demand.*
- *Demand is steady, but I think Duke's program has an indirect impact.*
- *Demand is about the same. (3)*
- *The program should drive demand up.*
- *I wouldn't know since we sell new units.*

Appliance Dealer Business Practices

Among the appliance dealers who sell used units, only two would only accept working units. The others accept units in a variety of conditions, ranging from needing minor hardware fixes to more

OFFICIAL COPY
Mar 04 2015

involved electrical and mechanical repairs. As may be expected in any business, the dealers must weigh the unit's purchase price and eventual sales price against the cost of used replacement parts and the amount of labor involved. While that arithmetic varies, dealers agreed that it was not economical to repair failed compressors or leaking refrigerant systems. Actual comments about the condition of units that they'll accept are shown below.

- *We only take working ones.*
- *We only accept working units, but sometimes nonworking ones are dropped off.*
- *Mostly the ones we get work. Some need repairs.*
- *A few work. Mostly we refurbish and sell them. We prefer models 10 years old or less, but we'll take older units if they're in good enough condition.*
- *We like them working, but we'll take them anyway we can and then fix them.*
- *We accept them even if they're not working. They can be fixed.*
- *Most units seem to need minor $10 parts and 15 minutes of refurbishing.*
- *We mostly only want them in working condition, but we will do minor repairs.*
- *We take them broken and repair them.*
- *We take broken units and fix what's necessary.*
- *We prefer gently used appliances.*
- *I like them to be working. But I usually take broken ones and repair them.*
- *We prefer working units, but we'll take broken units and fix them.*
- *Seems like they're mostly broken but repairable.*
- *Anything goes.*

While the actual repairs on any given unit naturally depend upon its condition, the steps that dealers take to prepare used units for sale are fairly consistent: They assess the working and ascetic condition of the unit, make necessary mechanical repairs, clean, disinfect, and occasionally kill any insects that might be in, on, or under the unit.

As business people, the dealers expressed consistent confidence that if they placed a unit on the sales floor then they could sell it. The primary reason for not selling units had to do with the cost of repairs prior to placing it up for sale. If the units could not be sold, dealers opted for one of three paths. The first is to save the unit for spare parts. Selection of this option tended to depend upon the dealer business model and upon the amount of warehouse space available for storing nonworking units. The second option is to sell the non-functioning unit for scrap metal. Dealers reported that nonworking units typically brought them $10-25 at current prices. The third option is to give the nonworking unit away, typically to scrap collectors willing to pick up the unit. No used appliance dealers we spoke with indicated that they recycled non-working units.

Among the new appliance dealers we spoke with all offered to collect old refrigerators and freezers when dropping off new appliances at customer homes. When asked what they did with the units that they'd collected, one resold the units, one gave the units away for scrap, and three national chain stores indicated the collected units were dismantled and recycled.

OFFICIAL COPY
Mar 04 2015

Evaluation and Recommendations

Evaluation

While new and used appliance dealers were reluctant to discuss the quantitative aspects of their businesses, they did offer well-informed insights into the state of the market for used refrigerators and freezers and varied opinions on the affect that the Duke Energy program was having on their businesses.

Drawing upon their collective feedback and supplemental research, TecMarket Works concludes that market volume for used refrigerators has been declining for a number of years due to a number of factors including the practices of national retailers, federal programs, and scrap metal prices. Having collected more than 10,000 used units in the Carolina System since starting in 2012, the Duke Energy program is helping to accelerate changes set in place by these other market forces.

Taken together, these myriad factors have served to greatly cut supplies of used refrigerators and freezers to the point that prices for used units and replacement parts are rising and customers who desire to purchase used units are being turned away. Despite this, the program appears to be having little or no noticeable effect on new unit sales.

With this in mind we suggest the following ideas to help increase program enrollments.

Recommendations

- Duke Energy may be able to increase its collections by exploring a retailer-utility partnership for recycling refrigerators and freezers at the time of new unit delivery, such as its new relationship with participating Sears stores in the greater Indianapolis area that launched in the fourth quarter of 2013. Details of such a partnership in the Carolina System would need to address the potential for reducing Duke Energy's net to gross ratio through the collection of non-working unit.

  In theory, the potential for such an arrangement exists among all new appliance dealers who collect older units, with the greatest opportunity lying in those companies that sell the largest number of units. Retailers who are already participating in the EPA's RAD program, such as Home Depot, and Best Buy may be ready partners for joint promotions and coordinated collections. While midsize companies that collect older units as a service to their customers may also represent possible partners. The program may be a more challenging "sell" at firms, such as Lowes, HH Gregg and others, which generate revenue from the used units that they collect.

- Duke Energy may also be able to increase its collection numbers by new appliance dealers with point of sale promotion materials to encourage them to mention the program to customers shopping for new units.

- Also consider accepting units from and paying incentives to used appliance dealers who are willing to recycle working units via the program instead of reselling them.

- The market for used appliances is influenced by a wide number of factors and continues to change with time. Thus it may be helpful to plan a follow up study of the marketplace

OFFICIAL COPY
Mar 04 2015

within a few years in order to understand and appreciate those changes are influencing customer expectations, willingness to participate, and satisfaction with the program.

OFFICIAL COPY
Mar 04 2015

Participant Survey Results

This survey focused on customers who, according to program tracking records, recycled a refrigerator and/or freezer through the Appliance Recycling program. Surveys with a total of 160 participants who recycled 82 refrigerators and 91 freezers (including thirteen participants who recycled multiple units) were completed via telephone by TecMarket Works' staff. The distribution of units recycled by survey respondents is shown in Table 23.

Table 23. Units Recycled by Surveyed Customers

Units	All survey respondents (N=160)	
	N	%
Recycled one refrigerator	71	44.4%
Recycled one freezer	76	47.5%
Recycled two refrigerators	2	1.3%
Recycled two freezers	4	2.5%
Recycled one refrigerator and one freezer	7	4.4%

Characteristics of Recycled Units: Refrigerators

Customers who recycled refrigerators were asked whether the unit(s) they recycled through the program were their primary (main) or secondary (spare) units. A little more than half of the refrigerators recycled by these customers were secondary or spare refrigerators, as seen in Table 24: out of 82 refrigerators recycled by survey respondents, 37 (45.1% of 82) were main units and 45 (54.9% of 82) were secondary units. There is no equivalent question about freezers, since all freezers are considered secondary units to the household refrigerator (i.e., almost every home has a refrigerator, and some have a stand-alone freezer in addition to the refrigerator, but it is assumed that no one has a freezer without a refrigerator).

Table 24. Use of Refrigerators Recycled by the Program

Units	All respondents who recycled refrigerators (N=80)		Number of units recycled	
	N	%	Main	Secondary
Main refrigerator (kitchen)	36	45.0%	36	0
Spare/secondary refrigerator (not in kitchen)	42	52.5%	0	42
Recycled primary and secondary refrigerator	1	1.3%	1	1
Recycled two secondary refrigerators	1	1.3%	0	2
		Totals:	37	45

As seen in Table 25, a plurality of 40.0% (18 out of 45) of the secondary refrigerators recycled by survey respondents were kept in the garage, while another 28.9% (13 out of 45) were kept in basements.

Table 25. Location of Secondary Refrigerators

Location	All recycled secondary refrigerators (N=45)
Garage	40.0%
Basement	28.9%
Utility room / storage area	6.7%

OFFICIAL COPY
Mar 04 2015

Porch/patio	4.4%
Laundry room	4.4%
Rental property	2.2%
Barn	2.2%
Other unique (listed below)	11.1%

Five respondents kept their spare refrigerators in unique locations, which are listed below.

- *Back hall*
- *Car port*
- *Extra room*
- *Game room*
- *Pool house*

As Table 26 indicates, a minority of secondary refrigerators are kept in rooms that are heated in the winter (28.9% or 13 out of 45) or cooled in the summer (26.7% or 12 out of 45). Assuming that all main refrigerators are kept in areas of the house that are heated and cooled[12] (in or by the kitchen), overall more than half of the refrigerators recycled by surveyed customers were kept in rooms that are heated (61.0% or 50 out of 82) and cooled (58.5% or 48 out of 82).

Table 26. Refrigerators Kept in Rooms that have Heating and Cooling

	Main refrigerators (N=37)	**Secondary refrigerators** (N=45)	**Total** (N=82)
Stored in a room that is heated in the winter	100.0%	28.9%	61.0%
Stored in a room that is cooled in the summer	97.3%[13]	26.7%	58.5%

Although survey respondents did not know the ages of about one recycled refrigerator in four (23.2% or 19 out of 82), at least a third of recycled units (32.9% or 27 out of 82) were 20 years old or older. Only ten respondents (12.2% of 82) recycled units that were less than 10 years old.

Recycled refrigerators that were used as spare or secondary units tend to be somewhat older: the mean age of recycled secondary units was 22.7 years, while the mean age of recycled primary units was 18.0 years (this difference is not statistically significant). Only 5.4% (2 out of 37) of the primary units recycled were 35 years or older, compared to 15.6% (7 out of 45) of the secondary units (this difference is significant at $p<.10$ using student's t-test).

[12] There was one surveyed customer who recycled a main refrigerator (1.3% or 1 out of 80) who does not have a cooling system for their home. All surveyed respondents have heating systems for their homes.
[13] One customer who recycled their main refrigerator does not have a home cooling system, thus only 97.3% (36 out of 37) of main refrigerators are kept in rooms that are cooled in the summer. All surveyed customers have home heating systems.

OFFICIAL COPY
Mar 04 2015

Table 27. Age of Recycled Refrigerators

Age of recycled refrigerator	Main refrigerators (N=37)	Secondary refrigerators (N=45)	Total (N=82)
Less than 10 years old	13.5%	11.1%	12.2%
10 years to 14 years old	21.6%	15.6%	18.3%
15 years to 19 years old	13.5%	13.3%	13.4%
20 years to 24 years old	13.5%	8.9%	11.0%
25 years to 34 years old	10.8%	11.1%	11.0%
35 years or older	5.4%	15.6%	11.0%
Don't know	21.6%	24.4%	23.2%

Secondary refrigerators recycled through this program have been used as secondary units for an average of 11.1 years, and the median length of time is ten years. The distribution of time being used as a spare refrigerator is shown in Table 28.

Table 28. Length of Time that Secondary Refrigerators have been Used as Spares

Length of time	All recycled secondary refrigerators (N=45)
Less than a year	6.7%
1 year up to 3 years	6.7%
3 years up to 6 years	15.6%
6 years up to 10 years	11.1%
10 years up to 15 years	17.8%
15 years up to 25 years	22.2%
25 years or more	6.7%
Don't know	13.3%

Table 29 shows that most (77.8% or 35 out of 45) secondary refrigerators were plugged in and running all of the time. Assuming that all main refrigerators are also plugged in and running all of the time, overall 87.8% (72 out of 82) of refrigerators recycled by surveyed customers were plugged in and running all of the time. Only one recycled refrigerator (1.2% of 82) was not plugged in and running before it was recycled.

Table 29. Refrigerator Usage

Refrigerator usage	Main refrigerators (N=37)	Secondary refrigerators (N=45)	Total (N=82)
Plugged in and running all the time	100.0%	77.8%	87.8%
For special occasions only	0.0%	13.3%	7.3%
During certain months of the year only	0.0%	6.7%	3.7%
Not plugged in and running	0.0%	2.2%	1.2%

Customers who said they used their spare refrigerators "for special occasions only" estimated that their units were plugged in and running for an average of about 1.5 months per year (ranging from "less than a month" up to 3 months). Among customers who said they used their spare refrigerator "during certain months of the year only", units were plugged in and running an average of 5.3 months during the past year (ranging from two to eight months). Among the nine spare refrigerators plugged in and running less than "all the time", only one (11.1% of 9) was

OFFICIAL COPY
Mar 04 2015

reported as mainly being used in the summer (four other units were being used primarily during "other times of the year (not summer)", three were used during "a mix of both summer and other times of the year", and one respondent is not sure how often their unit was used).

Table 30 indicates that exactly half (50.0% or 41 out of 82) of refrigerators recycled by surveyed program participants were in good working order. A little over a third of recycled units were working but in need of minor repairs (35.4% or 29 out of 82) and about one in eight were working but with significant performance problems (12.2% or 10 out of 82). Only one spare refrigerator recycled by a surveyed participant (1.2% of 82) was not in working order, although units are supposed to be functional in order to be recycled under this program. This represents a very small fraction of the units and does not appear to be a significant issue.

Even though they tend to be newer than secondary units (see Table 27), recycled refrigerators that were used as "main" kitchen units were more likely to have performance issues; only 40.5% (15 out of 37) of main units are described as being in good condition, compared to 57.8% (26 out of 45) of spare and secondary units (this difference is significant at $p<.10$ using student's t-test).

Table 30. Condition of Recycled Refrigerators

Condition of recycled refrigerator	Main refrigerators (N=37)	Secondary refrigerators (N=45)	Total (N=82)
Worked and was in good physical condition	40.5%	57.8%	50.0%
Worked but needed minor repairs	43.2%	28.9%	35.4%
Worked but had significant performance problems	16.2%	8.9%	12.2%
It did not work	0.0%	2.2%	1.2%
Don't know	0.0%	2.2%	1.2%

Characteristics of Recycled Units: Freezers

Most freezers recycled by surveyed customers were kept in either the garage (30.8% or 28 out of 91) or the basement (26.4% or 24 out of 91), as seen in Table 31.

Table 31. Location of Recycled Freezers

Location	All recycled freezers (N=91)
Garage	30.8%
Basement	26.4%
Utility / laundry room	9.9%
Porch / patio	7.7%
Outdoor shed / building	7.7%
Kitchen	6.6%
Workshop	2.2%
Unique locations (listed below)	8.8%

Eight respondents kept their freezers in unique locations, which are listed below.

- *Den*
- *Family room*

OFFICIAL COPY
Mar 04 2015

- *Insulated carport converted to an additional storage room*
- *Lower level, not basement*
- *Mudroom*
- *Passageway between kitchen and utility room*
- *Spare bedroom*
- *Washroom*

Table 32 indicates that a minority of recycled freezers were kept in rooms that were heated in the winter (42.9% or 39 out of 91) or cooled in the summer (also 42.9% or 39 out of 91).

Table 32. Freezers Kept in Rooms that have Heating and Cooling

	All recycled freezers (N=91)
Stored in a room that is heated in the winter	42.9%
Stored in a room that is cooled in the summer	42.9%

Nearly half of the freezers recycled by survey respondents (42.9% or 39 out of 91) were 25 years old or older. Only five respondents (5.5% of 91) recycled units that were less than 10 years old, as seen in Table 33.

The median age of freezers recycled by surveyed program participants is 25 years, and the mean age is 26.7 years; the mean age of all refrigerators recycled (main and secondary combined) is 20.5 years (this difference is significant at $p<.10$ using student's t-test).

Table 33. Age of Recycled Freezers

Age of recycled freezer	All recycled freezers (N=91)
Less than 10 years old	5.5%
10 to 14 years old	6.6%
15 to 19 years old	13.2%
20 to 24 years old	16.5%
25 to 34 years old	20.9%
35 years or older	22.0%
Don't know	15.4%

As seen in Table 34, the majority of freezers recycled by survey respondents were plugged in and running all of the time (90.1% or 82 out of 91), though 7.7% (7 out of 91) were not plugged in and running at all.

OFFICIAL COPY
Mar 04 2015

Table 34. Freezer Usage

Freezer Usage	All recycled freezers (N=91)
Plugged in and running all the time	90.1%
For special occasions only	2.2%
During certain months of the year only	0.0%
Not plugged in and running	7.7%
Don't know	0.0%

Among the two surveyed customers who used their freezers "for special occasions only", the average amount of usage for the recycled units was 1.5 months out of the past 12 months. Both ran their freezers sporadically throughout the entire year, rather than seasonally.

The majority of freezers recycled by surveyed program participants are described as being in good physical condition (69.2% or 63 out of 91), as seen in Table 35. Only eight freezers (8.8% of 91) were described as having significant performance problems, while one freezer (1.1% of 91) was non-functional.

Table 35. Condition of Recycled Freezers

Condition of recycled freezer	All recycled freezers (N=91)
Worked and was in good physical condition	69.2%
Worked but needed minor repairs	20.9%
Worked but had significant performance problems	8.8%
It did not work	1.1%
Don't know	0.0%

Program Awareness and Participation

All of the customers responding to the survey (100% of 160) recall participating in the Appliance Recycling program.

About two-thirds of customers surveyed (68.8% or 110 out of 160) first became aware of the Appliance Recycling program through an insert with their monthly bill. Advertising was mentioned by about a quarter of survey respondents (28.1% or 45 out of 160), and word-of-mouth from family, friends, neighbors and coworkers was mentioned by fewer than one respondent in ten (6.3% or 10 out of 160).

Customers who recycled one freezer are the most likely to have learned about the program from advertising (35.5% or 27 out of 76, significantly higher than those who recycled a refrigerator at $p<.05$ using student's t-test). Customers who recycled one refrigerator are more likely to mention recommendations from friends, family and neighbors (9.9% or 7 out of 71) and the Duke Energy website (7.0% or 5 out of 71) compared to those who recycled freezers (significant at $p<.05$ using student's t-test). Customers who recycled multiple units are the most likely to have learned about the program from a bill insert (92.3% or 12 out of 13, significantly higher than the other groups at $p<.05$ using student's t-test).

OFFICIAL COPY
Mar 04 2015

Table 36. Source of Awareness of the Appliance Recycling Program

Source of Awareness	Recycled one refrigerator (N=71)	Recycled one freezer (N=76)	Recycled multiple units (N=13)	Total (N=160)
Insert with monthly bill	67.6%	65.8%	92.3%	68.8%
Advertisement on radio, TV or newspaper (listed below)	21.1%	35.5%	23.1%	28.1%
From a friend, family, neighbor, coworker	9.9%	3.9%	0.0%	6.3%
Saw info at Duke Energy website	7.0%	1.3%	0.0%	3.8%
From appliance dealer or retailer (listed below)	1.4%	1.3%	0.0%	1.3%
Email from Duke Energy	0.0%	1.3%	0.0%	0.6%
Some other way (listed below)	1.4%	6.6%	0.0%	3.8%
Don't know / not specified	1.4%	7.9%	0.0%	4.4%

Percentages may total to more than 100% because participants could give multiple responses.

Forty-five survey participants (28.1% of 160) mentioned advertising as the source of their awareness of the recycling program. These 45 responses are categorized and listed below; most reported that they learned about the program from television.

Television (N=27)

- *WSOC-TV channel 9 (Charlotte)* (N=2)
- *WXII-TV channel 12 (Winston-Salem)* (N=2)
- *WBTV-TV channel 3 (Charlotte)*
- *WYFF-TV channel 4 (Greenville)*
- *WFMY-TV channel 2 (Greensboro)*
- *Television news report (unspecified)*
- *Television advertisement (unspecified)* (N=5)
- *Television (unspecified)* (N=14)

Newspapers (N=13)

- *Charlotte Observer* (N=4)
- *Spartanburg Herald-Journal* (N=3)
- *Newton Observer*
- *The Franklin Press*
- *Greenville News*
- *Newspaper ad (unspecified)* (N=3)

Radio (N=1)

- *Radio*

Multiple sources (N=4)

- *Newspaper ads and TV* (N=2)
- *Anderson Independent newspaper and TV*
- *TV or radio, I can't remember.*

OFFICIAL COPY
Mar 04 2015

Two survey participants (1.3% of 160) mentioned appliance dealers or retailers. These two responses are listed below.

- *Lowes*
- *H.H. Gregg*

Six survey participants (3.8% of 160) named "other" sources of awareness. These six responses are listed below.

- *Something by itself in the mail (not included with the bill).*
- *I saw an advertisement for it along with my monthly electronic bill.*
- *I saw it at a retailer's website while doing online research on new freezers: maybe Plaza Appliance?*
- *I saw information about this program on my Home Energy Report (MyHER).*
- *Through the MyHER low-income program.*[14]
- *I know someone who works for Duke.*

Table 37 shows sources of awareness of the Appliance Recycling program by state. Customers in South Carolina are more likely to mention advertising (34.4% or 21 out of 61) and less likely to mention word-of-mouth from friends, family and neighbors (1.6% or 1 out of 61) compared to North Carolina customers (differences significant at p<.10 or better using student's t-test).

Table 37. Source of Awareness of the Appliance Recycling Program

Source of Awareness	North Carolina (N=99)	South Carolina (N=61)	Total (N=160)
Insert with monthly bill	69.7%	67.2%	68.8%
Advertisement on radio, TV or newspaper (listed below)	24.2%	34.4%	28.1%
From a friend, family, neighbor, coworker	9.1%	1.6%	6.3%
Saw info at Duke Energy website	4.0%	3.3%	3.8%
From appliance dealer or retailer (listed below)	2.0%	0.0%	1.3%
Email from Duke Energy	0.0%	1.6%	0.6%
Some other way (listed below)	2.0%	6.6%	3.8%
Don't know / not specified	4.0%	4.9%	4.4%

Percentages may total to more than 100% because participants could give multiple responses.

Customers' Reasons for Recycling Refrigerators

Figure 9 shows the reasons surveyed customers who participated in the Appliance Recycling program give for disposing of their refrigerators. Nearly a third (overall 30.0% or 24 out of 80) of participants mentioned that the unit they recycled was not working properly, and for about a

[14] This survey respondent said that they learned about Appliance Recycling from a low-income program. When asked which program, they identified My Home Energy Report (MyHER) although participation in the MyHER program is not based on income.

OFFICIAL COPY
Mar 04 2015

quarter of surveyed refrigerator recyclers (23.8% or 19 out of 80) this was the main reason for their participation in the program. Two more reasons were given by more than 20% of customers who recycled refrigerators: the unit was a spare that was not used much or at all (overall 31.3% or 25 out of 80) and wanting a newer unit with more modern features (26.3% or 21 out of 80). Wanting to save energy is the only other reason mentioned by more than 10% of respondents who recycled refrigerators (overall 17.5% or 14 out of 80). Only one customer mentioned the incentive money (1.3% of 80), and for this customer it was not the main reason why they recycled their refrigerator.



Figure 9. Customers' Reasons for Recycling Refrigerators (N=80)

Nine survey participants who recycled refrigerators named "other" reasons for participating in the program. These responses are listed below; most of these other reasons are aesthetic (matching colors with other appliances or rust spots).

Main reasons (N=6)

- *There was an odor couldn't get rid of after a three day power outage.*
- *We were matching our appliances in our newly purchased home.*
- *I needed a different color refrigerator. I wish I had my old refrigerator back.*
- *The refrigerator had rust spots on the door*
- *It had rust.*
- *I am moving to a nursing home.*

OFFICIAL COPY
Mar 04 2015

Other reasons (N=3)

- *There were growing rust spots on the outside of the refrigerator.*
- *We wanted our appliances to match.*
- *I wanted a different color.*

Figure 10 shows the reasons for disposing of freezers given by surveyed customers in the recycling program who recycled freezers. A majority (overall 55.2% or 48 out of 87) mentioned that the recycled freezer was a spare unit that was not used much or at all, and a plurality of 41.4% (36 out of 87) said this was the main reason. Three other reasons were given by more than 20% of survey participants who recycled freezers: wanting to save energy (overall 40.2% or 35 out of 87), wanting to save money (26.4% or 23 out of 87) and the unit was not working properly (20.7% or 18 out of 87).



Figure 10. Customers' Reasons for Recycling Freezers (N=87)

Fourteen survey participants who recycled freezers named "other" reasons for participating in the program. These responses are listed below; the most common "other" reasons have to do with concerns that the unit would break down and its contents would be spoiled.

Main reasons (N=7)

- *I was afraid it was going to break down due to its age.*

OFFICIAL COPY
Mar 04 2015

- *Reliability concerns; I was worried that I would lose the contents if it failed on me.*
- *I was concerned with the possibility of failure and losing several hundred dollars' worth of frozen foods.*
- *I had a power outage and had to clean it out; I was concerned of contamination from spoiled meat.*
- *I wanted a smaller freezer after this one was accidentally left open and all the food spoiled.*
- *We are downsizing since we have no kids living with us anymore, and mobility concerns since the freezer was in the basement.*
- *We are moving and can't take it with us.*

Other reasons (N=7)

- *I disliked having to manually defrost the freezer.*
- *The upkeep and maintenance for defrosting was too much.*
- *The chest freezer was hard to reach down into to access the food stored at the bottom.*
- *I wanted to make sure the freezer wouldn't break down unexpectedly.*
- *I was worried that it would break down and ruin the contents.*
- *It was in an inconvenient location.*
- *We are downsizing.*

Customers' Reasons for Recycling Appliances through the Duke Energy Program

Table 38 shows the main reasons given by customers for recycling their units through the Duke Energy Appliance Recycling program rather than disposing of the units some other way. A plurality of 40.0% (64 out of 160) cited the convenience of home pick-up, and nearly a quarter (24.4% or 39 out of 160) mentioned the cash incentive. Another 13.8% (22 out of 160) mentioned proper appliance disposal that was environmentally friendly, and 9.4% (15 out of 160) did not know of any other options for disposal.

Customers who recycled multiple units through the program are more likely to mention the convenience of home pick-up (61.5% or 8 out of 13; significantly higher than customers who recycled one freezer or one refrigerator at $p<.10$ or better using student's t-test). Customers who recycled one freezer are more likely to mention mailings from Duke Energy (6.6% or 5 out of 76), and customers who recycled one refrigerator are more likely to mention free pick-up (4.2% or 3 out of 71; these differences are significant at $p<.05$ using student's t-test).

Table 38. Main Reasons for Recycling Through the Duke Energy Program

Reason	Recycled one refrigerator (N=71)	Recycled one freezer (N=76)	Recycled multiple units (N=13)	Total (N=160)
The convenience of the home pick-up	35.2%	40.8%	61.5%	40.0%
The cash incentive	28.2%	21.1%	23.1%	24.4%
Appliance was disposed of in a way that was good for the environment	16.9%	11.8%	7.7%	13.8%
Did not know of any other way / no other option	7.0%	11.8%	7.7%	9.4%
Information from mailings convinced me	0.0%	6.6%	0.0%	3.1%
Experience with Duke Energy: familiar, reliable,	2.8%	3.9%	0.0%	3.1%

OFFICIAL COPY
Mar 04 2015

trustworthy				
Pick-up was free	4.2%	0.0%	0.0%	1.9%
Recommended by friend/family/neighbor/coworker	0.0%	2.6%	0.0%	1.3%
Information from advertising or website convinced me	1.4%	0.0%	0.0%	0.6%
Timing / speed of pick-up	1.4%	0.0%	0.0%	0.6%
Other (listed after Figure 11)	2.8%	1.3%	0.0%	1.9%
Don't know	0.0%	0.0%	0.0%	0.0%

Percentages may total to more than 100% because participants could give multiple responses.

The other reasons (not including the "main reason") customers recycled their units through the Duke Energy program are shown in Table 39. The convenience of home pick-up (26.3% or 42 out of 160), cash incentive (19.4% or 31 out of 160) and disposing of the appliance in an environmentally-friendly way (16.3% or 26 out of 160) were the most-mentioned secondary reasons for participating in the program.

Customers who recycled one freezer were more likely to mention not knowing of any other disposal options (13.2% or 10 out of 76) compared to those who recycled one refrigerator or multiple units (differences significant at $p<.10$ or better using student's t-test). There are no other statistically significant differences in this table.

Table 39. Other Reasons for Recycling through the Duke Energy Program (Not Including Main Reason)

Reason	Recycled one refrigerator (N=71)	Recycled one freezer (N=76)	Recycled multiple units (N=13)	Total (N=160)
The convenience of the home pick-up	25.4%	26.3%	30.8%	26.3%
The cash incentive	18.3%	18.4%	30.8%	19.4%
Appliance was disposed of in a way that was good for the environment	12.7%	18.4%	23.1%	16.3%
Pick-up was free	5.6%	9.2%	15.4%	8.1%
Did not know of any other way / no other option	1.4%	13.2%	0.0%	6.9%
Experience with Duke Energy: familiar, reliable, trustworthy	0.0%	3.9%	0.0%	1.9%
Recommended by friend/family/neighbor/coworker	1.4%	0.0%	0.0%	0.6%
Information from mailings convinced me	0.0%	0.0%	0.0%	0.0%
Timing / speed of pick-up	0.0%	0.0%	0.0%	0.0%
Other (listed after Figure 11)	4.2%	5.3%	0.0%	4.4%

Percentages may total to more than 100% because participants could give multiple responses.

Figure 11 shows the combined main and secondary reasons why surveyed customers recycled their units through the Duke Energy program. Overall, about two-thirds of customers (66.3% or 106 out of 160) mentioned the convenience of home pick-up as a reason they participated in the Duke Energy program, and nearly half (43.8% or 70 out of 160) mentioned the cash incentive. Another 30.0% (48 out of 160) mentioned environmentally-friendly disposal, and 16.3% (26 out of 160) did not know of any other way to dispose of their units.

OFFICIAL COPY
Mar 04 2015



Figure 11. Customers' Reasons for Recycling Units through the Duke Energy Program (N=160)

Ten survey participants gave "other" reasons for recycling their units through the Duke Energy program. These responses are listed below.

Main reasons (N=3)

- *Because Duke Energy called me.*
- *Because they offered the service.*
- *We thought we were donating the freezer to someone who could use it.*

Other reasons (N=7)

- *Through the information I received, I was inspired to lower my energy bill by getting rid of the refrigerator.*
- *I knew that by recycling the old inefficient freezer, I'd be saving energy for the entire grid.*
- *I got to help someone else by donating the incentive money.*
- *I was under the assumption that it would be donated to a needy family.*
- *I figured Duke would do something useful with it.*
- *Goodwill, St. Vincent and Salvation Army would not take it.*
- *Nobody else wanted the freezer after it got damaged by the delivery crew.*

OFFICIAL COPY
Mar 04 2015

Customers were also asked if the incentive payment and the information provided explaining the program had any influence on their decision to participate. As seen in Figure 12, both the incentive (74.4% or 119 out of 160) and the information (66.9% or 107 out of 160) were an influence for most customers. Customers who recycled one refrigerator were more likely to report being influence by both incentives (84.5% or 60 out of 71) and program information (73.2% or 52 out of 71) compared to those who recycled one freezer or multiple units (all differences significant at $p<.10$ or better using student's t-test).



Figure 12. Influence of Incentive Payment and Program Information on Participation

Participation in the Program

Almost two-thirds of surveyed participants signed up for the program by telephone (65.6% or 105 out of 160) and 15.6% (25 out of 160) signed up online, while another 12.5% (20 out of 160) were signed up by someone else in their household.

Table 40. Methods of Signing Up for the Program

Who signed up and how	Recycled one refrigerator (N=71)	Recycled one freezer (N=76)	Recycled multiple units (N=13)	Total (N=160)
Respondent signed up for program	**87.3%**	**85.5%**	**84.6%**	**86.3%**
Respondent signed up by telephone	62.0%	68.4%	69.2%	65.6%
Respondent signed up online	19.7%	11.8%	15.4%	15.6%

OFFICIAL COPY
Mar 04 2015

Respondent signed up by telephone while waiting for access to website	0.0%	1.3%	0.0%	0.6%
Respondent signed up but can't recall how	5.6%	3.9%	0.0%	4.4%
Someone else in the household signed up	**9.9%**	**14.5%**	**15.4%**	**12.5%**
Don't know	**2.8%**	**0.0%**	**0.0%**	**1.3%**

As seen in Table 41, only 3.8% (4 out of 105) of customers who signed up for the program by telephone had to call more than once to sign up.

Table 41. Signing Up for the Program by Telephone

Base: Respondents who signed up by telephone	**Recycled one refrigerator** (N=44)	**Recycled one freezer** (N=52)	**Recycled multiple units** (N=9)	**Total** (N=105)
Called one time	93.2%	96.2%	100.0%	95.2%
Called more than once	4.5%	3.8%	0.0%	3.8%
Don't know	2.3%	0.0%	0.0%	1.0%

The four surveyed customers who had to call more than once to sign up for the program were asked why they had to make more than one call. These responses are listed below.

- *When I called the first time I was told that the program needed to get up and running and that someone would call me back. No one called me back, so I called them back.*
- *It was my doing, because I had to go out of town when they came to pick up the freezer the first time.*
- *I needed to change the pick-up date.*
- *I called to get more information on the details of the pick-up.*

Overall, 96.9% (155 out of 160) of surveyed customers were able to schedule a convenient pick-up time, as shown in Table 42. Only one respondent (0.6% of 160) was unable to schedule a convenient pick-up time.

Table 42. Scheduling a Convenient Pick-Up Time

	Recycled one refrigerator (N=71)	**Recycled one freezer** (N=76)	**Recycled multiple units** (N=13)	**Total** (N=160)
Able to schedule convenient pick-up time	95.8%	97.4%	100.0%	96.9%
Not able to schedule convenient pick-up time	1.4%	0.0%	0.0%	0.6%
Don't know	2.8%	2.6%	0.0%	2.5%

According to Table 43, only 5.6% (9 out of 160) of survey participants scheduled pick-up dates that were more than one month from the date they signed up for the program, while about one respondent in eight (13.8% or 22 out of 160) was able to schedule a pick-up within a week of the date they signed up for the program. Most customers (64.4% or 103 out of 160) scheduled pick-ups for between one week and one month after the date they signed up, although about one in six (16.3% or 26 out of 160) could not recall the length of time between sign-up and appliance pick-

OFFICIAL COPY
Mar 04 2015

up. There are no statistically significant differences in schedule timing by the type of unit(s) recycled.

Table 43. Length of Time between Scheduling Appointment and Pick-Up

Time between scheduling and unit pick-up	Recycled one refrigerator (N=71)	Recycled one freezer (N=76)	Recycled multiple units (N=13)	Total (N=160)
Less than 1 week	11.3%	17.1%	7.7%	13.8%
1 week up to 2 weeks	39.4%	40.8%	53.8%	41.3%
2 weeks up to 1 month	26.8%	18.4%	30.8%	23.1%
1 month up to 2 months	5.6%	3.9%	0.0%	4.4%
2 months or longer	0.0%	2.6%	0.0%	1.3%
Don't know	16.9%	17.1%	7.7%	16.3%

As seen in Table 44, only five survey respondents (3.1% of 160) said that they did not receive a confirmation call before pick-up. The vast majority (90.6% or 145 out of 160) did recall receiving a confirmation call, while 6.3% (10 out of 160) were not sure.

Table 44. Customers Receiving a Confirmation Call before Pick-Up

	Recycled one refrigerator (N=71)	Recycled one freezer (N=76)	Recycled multiple units (N=13)	Total (N=160)
Received confirmation call before pick-up	91.5%	89.5%	92.3%	90.6%
Did not receive confirmation call before pick-up	2.8%	2.6%	7.7%	3.1%
Don't know	5.6%	7.9%	0.0%	6.3%

Table 45 shows that 96.9% (155 out of 160) of surveyed customers say that the collection team arrived on time to pick up their units for recycling. Only three respondents (1.9% of 160) said that the collection team was not on time, while the other 1.3% (2 out of 160) of survey respondents could not recall.

Table 45. Timeliness of Collection Team's Arrival

	Recycled one refrigerator (N=71)	Recycled one freezer (N=76)	Recycled multiple units (N=13)	Total (N=160)
Collection team arrived on time	94.4%	98.7%	100.0%	96.9%
Collection team did not arrive on time	2.8%	1.3%	0.0%	1.9%
Don't know	2.8%	0.0%	0.0%	1.3%

Incentive Payments

Nearly four out of five customers surveyed (79.4% or 127 out of 160) recalled correctly that the incentive for this program is $30 per unit recycled, as seen in Table 46. Only 4.4% (7 out of 160) could not recall the amount, while most of the remaining survey respondents' recollections are within $10 of the actual incentive amount.

OFFICIAL COPY
Mar 04 2015

Table 46. Customers' Recall of Incentive Amount

Incentive per unit	Recycled one refrigerator (N=71)	Recycled one freezer (N=76)	Recycled multiple units (N=13)	Total (N=160)
$19 or less	1.4%	0.0%	0.0%	0.6%
$20 to $29	4.2%	3.9%	7.7%	4.4%
$30 (actual amount)	77.5%	78.9%	92.3%	79.4%
$31 to $39	4.2%	7.9%	0.0%	5.6%
$40 to $49	4.2%	1.3%	0.0%	2.5%
$50 to $59	2.8%	2.6%	0.0%	2.5%
$60 or more	0.0%	1.3%	0.0%	0.6%
Don't know	5.6%	3.9%	0.0%	4.4%

As shown in Table 47, only four survey respondents (2.5% of 160) said that they donated their incentive to the Duke Energy's winter heating assistance program. The vast majority of 96.9% (155 out of 160) took the incentive payment.

Table 47. Taking Payment or Donating the Program Incentive

	Recycled one refrigerator (N=71)	Recycled one freezer (N=76)	Recycled multiple units (N=13)	Total (N=160)
Took payment for incentive	97.2%	96.1%	100.0%	96.9%
Donated incentive to Duke Energy's winter heating assistance program	1.4%	3.9%	0.0%	2.5%
Don't know	1.4%	0.0%	0.0%	0.6%

Table 48 indicates that only two surveyed customers (1.3% of 160) reported waiting 6 weeks or longer to receive their incentive payment, though eight (5.0% of 160) report that they are still waiting for their payment to arrive. About one customer in five (19.4% or 31 out of 160) was unable to answer this question; among respondents who were able to give a length of time, more received their checks in under three weeks (46.3% or 74 out of 160) than three weeks or longer (26.9% or 43 out of 160). The median length of time waiting for an incentive payment check to arrive is between two and three weeks.

Table 48. Length of Time to Receive Incentive Payment

Time from unit pick-up to receipt of incentive check	Recycled one refrigerator (N=71)	Recycled one freezer (N=76)	Recycled multiple units (N=13)	Total (N=160)
Less than 1 week	1.4%	1.3%	7.7%	1.9%
1 week up to 2 weeks	15.5%	22.4%	30.8%	20.0%
2 weeks up to 3 weeks	29.6%	18.4%	30.8%	24.4%
3 weeks up to 4 weeks	15.5%	18.4%	15.4%	16.9%
4 weeks up to 5 weeks	5.6%	7.9%	7.7%	6.9%
5 weeks up to 6 weeks	0.0%	2.6%	7.7%	1.9%
6 weeks up to 7 weeks	0.0%	1.3%	0.0%	0.6%
Longer than 7 weeks	0.0%	1.3%	0.0%	0.6%
Have not received payment yet	9.9%	1.3%	0.0%	5.0%

OFFICIAL COPY
Mar 04 2015

Donated incentive (no payment to receive)	1.4%	3.9%	0.0%	2.5%
Don't know	21.1%	21.1%	0.0%	19.4%

The eight participants who have not yet received their incentive payments were asked how long it has been since their units were taken away for recycling. These responses are listed below; the average length of time they have been waiting is a little over four weeks, and half of them (4 out of 8) have been waiting for three weeks or less.

- *A little over two weeks* (N=2)
- *Two to three weeks*
- *Three weeks*
- *Four weeks* (N=2)
- *Five weeks*
- *Eleven weeks*

Replacing Recycled Units

TecMarket Works asked surveyed program participants if they have replaced the units they recycled, or if they are intending to replace the units in the next 12 months.

As seen in Figure 13, all main refrigerators which were recycled have already been replaced (100% or 37 out of 37). However, only 26.7% (12 out of 45) of secondary refrigerators have been replaced, and 37.4% (34 out of 91) of recycled freezers have been replaced. Out of the total of 82 refrigerators recycled by program participants, 59.8% (49 out of 82) have been replaced. There are also four customers who still plan to replace secondary refrigerators in the next 12 months (8.9% of 45), and three customers who plan to replace freezers in the next 12 months (3.3% of 91).

OFFICIAL COPY
Mar 04 2015



Figure 13. Replacing Recycled Units (N=173 recycled units)

Table 49 shows details about replacement units for recycled refrigerators and freezers. Overall, 81.9% (68 out of 83) of replaced units were replaced with refrigerators and freezers that were purchased new. A majority of 68.7% (57 out of 83) of replacement units were acquired before the old units were taken away.

The only statistically significant difference between groups is that spare refrigerators (16.7% or 2 out of 12) are more likely to be replaced by moving another unit from somewhere else in the home (significantly more likely than main refrigerators or freezers at $p<.05$ using student's t-test). Replacement with a unit moved from somewhere else in the home usually represents a scenario where a secondary refrigerator is recycled and replaced with the "demoted" old primary refrigerator, which in turn is replaced by a new unit.

Table 49. Source and Timing of Replacement Unit Acquisition

Base: replaced units	Replaced main refrigerator (N=37)	Replaced secondary refrigerator (N=12)	Replaced freezer (N=34)	Total (N=83)
Bought new replacement unit	81.1%	75.0%	85.3%	81.9%
Bought used replacement unit	18.9%	8.3%	11.8%	14.5%
Moved replacement unit from somewhere else in the home	0.0%	16.7%	2.9%	3.6%

OFFICIAL COPY
Mar 04 2015

Acquired replacement same day as recycling pick-up	8.1%	0.0%	5.9%	6.0%
Acquired replacement before recycling pick-up	73.0%	58.3%	67.6%	68.7%
Acquired replacement after recycling pick-up	16.2%	25.0%	23.5%	20.5%
Replacement was another unit already in the home	0.0%	16.7%	2.9%	3.6%
Don't know	2.7%	0.0%	0.0%	1.2%

Table 50 shows how long before or after the recycling pick-up date customers acquired their replacement units (for only those customers who purchased a replacement unit before or after the pick-up date). Most customers who replaced units before recycling their old units received the replacement unit less than two weeks before recycling pick-up (overall 80.7% or 46 out of 57).

Replacement units acquired after recycling pick-up are less common; most replacements for main refrigerators were replaced within two weeks after pick-up (83.3% or 5 out of 6), however most replacements for secondary refrigerators (66.7% or 2 out of 3) and freezers (62.5% or 5 out of 8) were replaced two weeks to two months after pick-up (these differences are significant at $p<.05$ using student's t-test).

Table 50. Timing of Replacement of Recycled Units

Base: replaced unit BEFORE recycling	**Replaced main refrigerator** (N=27)	**Replaced secondary refrigerator** (N=7)	**Replaced freezer** (N=23)	**Total** (N=57)
Replaced unit less than 2 weeks before recycling	85.2%	71.4%	78.3%	80.7%
Replaced unit 2 weeks to 2 months before recycling	3.7%	0.0%	13.0%	7.0%
Replaced unit 2 to 6 months before recycling	3.7%	28.6%	4.3%	7.0%
Replaced unit more than 6 months before recycling	7.4%	0.0%	4.3%	5.3%
Don't know how long before recycling	0.0%	0.0%	0.0%	0.0%
Base: replaced unit AFTER recycling	**Replaced main refrigerator** (N=6)	**Replaced secondary refrigerator** (N=3)	**Replaced freezer** (N=8)	**Total** (N=17)
Replaced unit less than 2 weeks after recycling	83.3%	0.0%	25.0%	41.2%
Replaced unit 2 weeks to 2 months after recycling	16.7%	66.7%	62.5%	47.1%
Replaced unit 2 to 6 months after recycling	0.0%	33.3%	0.0%	5.9%
Replaced unit more than 6 months after recycling	0.0%	0.0%	12.5%	5.9%
Don't know how long after recycling	0.0%	0.0%	0.0%	0.0%

Characteristics of Replacement Units

As shown in Table 51, the most popular style of replacement refrigerators are two-door models: a plurality of 43.2% (16 out of 37) of primary refrigerators were replaced with two-door units with side-by-side refrigeration and freezer compartments, while a plurality of secondary

OFFICIAL COPY
Mar 04 2015

refrigerators (41.7% or 5 out of 12) are two-door units with the freezer on top. All of the single-door replacement units replaced secondary refrigerators (16.7% or 2 out of 12 secondary refrigerators; different from primary refrigerators at p<.05 using student's t-test).

Only two of these replacement refrigerators are "manual defrost": one primary refrigerator replacement (2.7% of 37) and one secondary replacement (8.3% of 12). The vast majority of replacement refrigerators are "frost free": 94.6% (35 out of 37) of primary replacements and 91.7% (11 out of 12) secondary replacements.

Table 51. Replacement Refrigerator Type

Base: replaced refrigerator	Replaced main refrigerator (N=37)	Replaced secondary refrigerator (N=12)	Total (N=49)
Single door, freezer compartment inside	0.0%	16.7%	4.1%
Two doors, side by side	43.2%	25.0%	38.8%
Two doors, freezer on top	21.6%	41.7%	26.5%
Two doors, freezer on bottom	35.1%	16.7%	30.6%
Don't know	0.0%	0.0%	0.0%
Frost-free	94.6%	91.7%	93.9%
Manual defrost	2.7%	8.3%	4.1%
Don't know	2.7%	0.0%	2.0%

Table 52 indicates that about three-quarters of replacement freezers are upright models (73.5% or 25 out of 34), while most of the rest are chest freezers (23.5% or 8 out of 34). One customer (2.9% of 34) replaced their recycled freezer with a refrigerator. Six of these replacement freezers (17.6% of 34) are manual defrost, while 28 (82.4% of 34) are frost free.

Table 52. Replacement Freezer Type

Base: replaced freezer	Replaced freezer (N=34)
Chest freezer	23.5%
Upright freezer	73.5%
Refrigerator with a freezer section	2.9%
Frost-free	82.4%
Manual defrost	17.6%
Don't know	0.0%

About half of replacement units for recycled primary refrigerators are larger than the units they replaced (48.6% or 18 out of 37) while only 13.5% (5 out of 37) are smaller, as seen in Table 53. However, more replacement freezers are smaller (38.2% or 13 out of 34) than larger (23.5% or 8 out of 34) than the units they replaced. Compared to replacement freezers, main refrigerators are significantly more likely to be replaced with larger units and significantly less likely to be replaced with smaller units (both differences significant at p<.05 using student's t-test). Replacement secondary refrigerators are not significantly different from the other groups, in part due to the small sample size of twelve respondents.

OFFICIAL COPY
Mar 04 2015

Table 53. Relative Size of Replacement Units

Base: replaced units	Replaced main refrigerator (N=37)	Replaced secondary refrigerator (N=12)	Replaced freezer (N=34)	Total (N=83)
Replacement unit is larger	48.6%	41.7%	23.5%	37.3%
Replacement unit is the same size	37.8%	33.3%	38.2%	37.3%
Replacement unit is smaller	13.5%	25.0%	38.2%	25.3%
Don't know	0.0%	0.0%	0.0%	0.0%

Most customers who replaced recycled refrigerators or freezers do not know the cubic footage of their new units (overall 59.0% or 49 out of 83). Based on the responses of customers who were able to report a number for the cubic footage of their replacement units, main refrigerators were replaced with units that average 26.2 cubic feet, secondary units were replaced with models that average 15.6 cubic feet, and the average freezer replacement unit was 17.4 cubic feet. (Main refrigerator replacements are significantly larger than secondary refrigerator or freezer replacements at $p<.05$ using ANOVA.) The distribution of responses is shown in Table 54.

Table 54. Cubic Footage of Replacement Units

Base: replaced units	Replaced main refrigerator (N=37)	Replaced secondary refrigerator (N=12)	Replaced freezer (N=34)	Total (N=83)
Under 14 cubic feet	0.0%	0.0%	8.8%	3.6%
14 cubic feet up to 18 cubic feet	0.0%	33.3%	14.7%	10.8%
18 cubic feet up to 21 cubic feet	2.7%	0.0%	8.8%	4.8%
21 cubic feet up to 25 cubic feet	8.1%	0.0%	8.8%	7.2%
25 cubic feet or more	27.0%	0.0%	5.9%	14.5%
Don't know	62.2%	66.7%	52.9%	59.0%

Recall from Table 49 that 18.1% (15 out of 83) of replacement units were not acquired or purchased new. Table 55 shows the ages of previously-used units that replaced units recycled by the program (both units purchased or otherwise acquired used, and units moved from somewhere else in the home). All of the used replacement refrigerators (primary and secondary) for which respondents provided ages are less than ten years old, while replacement freezers are split between less than ten years old (40% of 5) and ten to fifteen years old (also 40% of 5). The average ages of used replacement units are 2.3 years for main refrigerators, 6 years for secondary refrigerators and 7.4 years for freezers.

Table 55. Age of Used Replacement Units

Base: replaced unit with used unit or unit moved from somewhere else in the home	Replaced main refrigerator (N=7)	Replaced secondary refrigerator (N=3)	Replaced freezer (N=5)	Total (N=15)
Replacement unit less than 10 years old	57.1%	100.0%	40.0%	60.0%
Replacement unit 10 up to 15 years old	0.0%	0.0%	40.0%	13.3%
Replacement unit 15 up to 20 years old	0.0%	0.0%	0.0%	0.0%
Replacement unit 20 to 25 years old	0.0%	0.0%	0.0%	0.0%
Replacement unit 25 years old or older	0.0%	0.0%	0.0%	0.0%
Don't know age of replacement unit	42.9%	0.0%	20.0%	26.7%

OFFICIAL COPY
Mar 04 2015

Intentions in the Absence of the Recycling Program

TecMarket Works asked participants what they would have done with their recycled units in the absence of the program; the results are shown in Table 56. For refrigerators, the most frequent response is "taken it to a dump or recycling center" (20.0% or 16 out of 80), followed by "kept it" (18.8% or 15 out of 80) and "given it away for free" (17.5% or 14 out of 80). For freezers, the top response is also "taken it to a dump or recycling center" (27.6% or 24 out of 87), followed by "given it away for free" (24.1% or 21 out of 87) and "kept it" (12.6% or 11 out of 87).

If the categories "taken it to a dump", "hired someone to take it to a dump" and "leave for curbside pickup" are combined into one category representing units that would have been taken off of the grid even without the program, then 30.0% (24 out of 80) of refrigerator recyclers and 34.5% (30 out of 87) of freezer recyclers were going to have their units removed from the grid anyway. Thus, most of the units recycled by the program may have remained in use after the program, either in the customers' household (if they kept it) or in another household (if they were going to sell or donate it to someone).

The only difference between customers who recycled refrigerators and those who recycled freezers which reaches the $p<.05$ level of significance (using student's t-test) is that refrigerator recyclers are more likely to say they would have had their old unit taken away by the dealer who delivered their replacement unit (15.0% or 12 out of 80).

Table 56. What Customers Would Have Done in the Absence of the Program

Recycled unit disposition without the program	Respondents who recycled refrigerators (N=80)	Respondents who recycled freezers (N=87)
Kept the old unit	18.8%	12.6%
Given it away for free	17.5%	24.1%
Sold it	3.8%	8.0%
Had it removed by the dealer that delivered replacement unit	15.0%	6.9%
Given it to a dealer that accepts used units (without buying a replacement)	0.0%	2.3%
Taken it to a dump or recycling center	20.0%	27.6%
Hired someone to take it to a dump or recycling center	8.8%	4.6%
Donated to a charity that accepts used appliances	8.8%	5.7%
Leave for curbside pickup on large item recycling day	1.3%	2.3%
Get rid of it some other way (listed below)	1.3%	2.3%
Don't know	5.0%	3.4%

Three customers gave responses that did not fit any of the categories above, which are listed below.

Recycled refrigerator (N=1)

- *Craigslist or Goodwill.*

Recycled freezer (N=2)

- *I would have sold it for scrap metal for about $10.*

OFFICIAL COPY
Mar 04 2015

- *'Curbside Christmas': if it's left at the curb, someone will pick it up within a few hours.*

Customers who would have kept their recycled units in the absence of the program were asked how these units would have been used if they had kept them. As seen in Table 57, 13.3% of these refrigerators (2 out of 15) would have been stored unplugged, and 45.5% (5 out of 11) of these freezers would also have been stored unplugged. Most of the refrigerators that would have been kept (73.3% or 11 out of 15) would have been used as secondary refrigerators at least part of the time.

Table 57. Use of Recycled Units if they had been Kept Instead of Recycled

Recycled unit use without the program	Respondents who recycled refrigerators but would have kept them without the program (N=15)	Respondents who recycled freezers but would have kept them without the program (N=11)
Stored it unplugged	13.3%	45.5%
Used it as a secondary refrigerator at least some of the time	73.3%	NA
Used it as my primary refrigerator or freezer	13.3%	45.5%
Don't know	0.0%	9.1%

Customers who would have kept using their old units without the program were asked how much they would have used them. All five of the freezer recyclers (100% of 5) who would have kept using their freezers would have had them plugged in and running "all of the time". Among the eleven refrigerator recyclers who would have continued using their old units as secondary refrigerators, ten (90.9% of 11) would have had them plugged in and running "all of the time", while one (9.1% of 11) would have used their old unit for "certain months of the year only" (specifying six months out of the year). The two refrigerator recyclers who would have kept using their old units as their main refrigerators would also have kept these units plugged in and running "all of the time".

Furthermore, customers that would have kept their old units in use without the program were asked how much longer they think they would be using them. Among the thirteen refrigerator recyclers who would have kept their units running, eight (61.5% of 13) would have kept them running "indefinitely", two (15.4% of 13) would have stopped using the old units within a year or two, and the other three (23.1% of 13) are not sure. Among the five freezer recyclers who would have kept their units running, four (80%) would have kept them running "indefinitely", while the other one (20%) would have kept it running for another year or two.

Customers who "don't know" what they would have done in the absence of the program were also asked "*assuming you had kept [your old unit], would it have been stored unplugged or would you have continued using it?*" Among the four refrigerator recyclers who don't know what they would have done in the absence of the program, two would have stored their units unplugged and two are not sure what they would have done. Among the three freezer recyclers who don't know what they would have done in the absence of the program, one would have stored their unit unplugged and the other two are not sure what they would have done if they had kept their old units.

OFFICIAL COPY
Mar 04 2015

Customers who would have sold their old units were asked how much they think they would receive for the sale and how they would sell it. These responses are listed below; though more freezer recyclers would have tried to sell their old units, most would have asked for less money than the refrigerator recyclers who would have tried to sell their old units (two of the three refrigerator recyclers would have asked for $100 or more compared to only one of the seven freezer recyclers who would have asked for that much.)

Recycled refrigerators (N=3)

- *$400 through Craigslist/Internet sale.*
- *$100 through word-of-mouth.*
- *$50 through Craigslist/Internet sale.*

Recycled freezers (N=7)

- *$150 through Craigslist/Internet sale.*
- *$75 through Craigslist/Internet or newspaper ad.*
- *$50 through newspaper ad.*
- *$40 to $50: "I was thinking about selling it; I would have offered it to some folks in the neighborhood for a garage sale. If there were no takers, I would have had the appliance company take it away.*
- *"As much as I could get: $25? $50?" through Craigslist/Internet sale.*
- *$20 through Craigslist/Internet or garage sale.*
- *Don't know how much through word-of-mouth.*

Customers who would have hired someone to haul their old unit away were asked how much they would be willing to pay for this service. These responses are listed below.

Recycled refrigerators (N=7)

- *$75*
- *$65*
- *"Under $50"*
- *$25* (N=2)
- *$0*
- *Don't know*

Recycled freezers (N=4)

- *$40*
- *$20*
- *Pay the city $15 to pick it up.*
- *Don't know*

Customers who would have given away or sold their old units were also asked if they had recipients (or buyers) in mind for these transactions.

OFFICIAL COPY
Mar 04 2015

- Among refrigerator recyclers, none of the three customers (0%) who were intending to sell their unit had a specific person in mind, though two out of fourteen (14.3%) of customers who were intending to give their unit away did have a specific person or organization in mind. These two recipients are listed below:
  - *A friend of the family*
  - *My church*
- The survey also included a question asking if respondents knew whether the person they would have given their old refrigerator to would have used it as a primary or secondary refrigerator. Of the two refrigerator recyclers who had a recipient in mind, one said their old refrigerator would have been used as a primary unit (the "*friend of the family*") and one said it would be used as a spare secondary unit ("*my church*").
- Among freezer recyclers, only one of the seven customers (14.3%) who were intending to sell their unit had a specific person in mind: "*our neighbors, a young couple, though I'm not sure they would want it.*" Among the 21 freezer recyclers who would have given their old units away for free, six (28.6%) did have specific recipients in mind; these are listed below.
  - *A friend who would have used it for venison*
  - *A friend*
  - *Friend or family*
  - *My son*
  - *Family member*
  - *My church*

Survey participants were also asked about the timing of disposing of their old units if the Duke Energy Appliance Recycling program had not been available. Table 58 shows that at least a third of participants would have delayed disposing of their units: 35.0% (28 out of 80) of refrigerator recyclers would have waited, as would 35.6% (31 out of 87) of freezer recyclers. There are no statistically significant differences between refrigerator and freezer recyclers in response to this question.

Table 58. Timing of Unit Disposal in the Absence of the Program

Timing of recycled unit disposition without the program	Respondents who recycled refrigerators (N=80)	Respondents who recycled freezers (N=87)
Would have removed it sooner without the program	**5.0%**	**8.0%**
Would have removed it at the same time without the program	**41.3%**	**41.4%**
Would have removed it later without the program (total)	**35.0%**	**35.6%**
Up to a month later	6.3%	4.6%
More than one month up to six months later	6.3%	10.3%
Six months up to a year later	5.0%	5.7%
More than a year later	1.3%	3.4%
Would have kept it indefinitely / until it broke	5.0%	4.6%
Would have kept it, but unplugged	1.3%	0.0%
Not sure how much later	10.0%	6.9%
Don't know	**18.8%**	**14.9%**

OFFICIAL COPY
Mar 04 2015

Table 59 shows that three refrigerator recyclers (3.8% of 80) who did not replace their old units would have purchased replacements in the absence of the program, and the same number (3.8% or 3 out of 80) who did replace their old units would not have done so in the absence of the program. Only one freezer recycler (1.1% of 87) did not replace their unit but would have in the absence of the program, while two (2.3% of 87) did replace units but would not have done so in the absence of the program. However, a large majority of customers surveyed would have taken the same action (either purchasing a replacement or not) with or without the program; most customers who recycled refrigerators would replace recycled units (55.0% or 44 out of 80), and most who recycled freezers would not replace them (57.5% or 50 out of 87; significant differences between groups at $p<.05$ using student's t-test).

Table 59. Replacing Units in the Absence of the Program

Unit replacement without the program	Respondents who recycled refrigerators (N=80)	Respondents who recycled freezers (N=87)
Replaced unit, and would have replaced it without the program	55.0%	33.3%
Did not replace unit, but would have replaced it without the program	3.8%	1.1%
Replaced unit, but would not have replaced it without the program	3.8%	2.3%
Did not replace unit, and would not have replaced it without the program	35.0%	57.5%
Don't know if unit would have been replaced without the program	2.5%	5.7%

Program Satisfaction

TecMarket Works asked program participants to rate several specific aspects of the Duke Energy Appliance Recycling program on a 10-point scale, with "10" indicating very high satisfaction, and "1" indicating very low satisfaction. The average rating scores for all 160 surveyed participants are shown in Figure 14, along with average satisfaction ratings for the program overall and Duke Energy overall.

The Appliance Recycling program gets very high marks for satisfaction from surveyed customers: 9.63 for the program overall, as well as average scores higher than 9.6 for the collection team (9.78), telephone customer service representatives (9.67), and the sign-up and scheduling process (9.71). The size of the incentive payment (9.25) receives a somewhat lower satisfaction rating (significantly lower than the top four items in Figure 14 at $p<.10$ or better using student's t-test). However, average satisfaction scores over 9.0 still represent a very high level of customer satisfaction (even for the lowest rated aspect of the program shown in the chart below, 70.6% or 113 out of 160 customers surveyed rated the size of the incentive payment a "10 out of 10", the highest possible score).

Duke Energy received an overall mean satisfaction rating score of 8.84 from surveyed program participants, which is also a very high level of satisfaction, but lower than the 9.63 satisfaction for the Appliance Recycling program overall (significant at $p<.05$ using student's t-test). Just

OFFICIAL COPY
Mar 04 2015

over half of survey respondents (52.5% or 84 out of 160) rated their satisfaction with Duke Energy a "10 out of 10", the highest possible score.



Figure 14. Average Satisfaction Ratings for the Appliance Recycling Program

Table 60 shows the average satisfaction ratings by unit(s) recycled. There is only one statistically significant difference by units recycled: customers who recycled multiple units are more satisfied with the time between scheduling and pick-up (9.92) compared to the other two groups (significant at p<.10 or better using student's t-test). There are no significant differences in satisfaction ratings between customers in North and South Carolina.

Table 60. Average Satisfaction Ratings by Unit(s) Recycled

Satisfaction ratings	Recycled one refrigerator (N=71)	Recycled one freezer (N=76)	Recycled multiple units (N=13)	Total (N=160)
Collection team that did pick-up	9.73	9.86	9.62	9.78
Process of signing up for and scheduling pick-up	9.75	9.65	9.83	9.71
Customer service by representative who took your call (Total N=105 customers who signed up by phone)	9.73	9.56	10.00	9.67
Overall satisfaction with the program	9.66	9.58	9.69	9.63

OFFICIAL COPY
Mar 04 2015

Time it took between scheduling and pick-up	9.32	9.55	9.92	9.48
Time it took to receive payment (Total N=119 customers who recalled how long it took)	9.39	9.40	9.69	9.43
Size of incentive payment	9.27	9.18	9.62	9.25
Overall satisfaction with Duke Energy	8.94	8.83	8.31	8.84

Customers who gave satisfaction scores of "7" or lower on a 10-point scale were asked what could be done to improve the situation. These responses are listed below for each aspect of the program rated.

Two customers (1.3% of 160) gave satisfaction ratings of "7" or lower for the process of signing up and scheduling pick-up:

Recycled one refrigerator

- *It was hard to find on the Duke website: harder than it should be.*

Recycled one freezer

- *I would have preferred a more specific time for the pick-up; I found the time frame that was given to me was too broad. Also, since I wanted a Saturday pick up, I could not get my freezer picked up for nearly two months. I advise having more pick up teams available for Saturdays.*

Three customers (2.9% of 105 respondents who signed up by telephone) gave satisfaction ratings of "7" or lower for the customer service representative who took their call:

Recycled one refrigerator

- *The first time I called, he could have been more clear on who I needed to speak to and the details. The second time I called, the representative was much more helpful.*

Recycled one freezer

- *The customer service representative who took my call was very abrupt and rather rude to me when I called to ask about the service. They were rather short and didn't really give me an opportunity to ask questions about the program. The customer service representative should have been more patient and helpful.*
- *When I called the first time I was told that the program needed to get up and running and that someone would call me back. No one called me, so I called them back. It would have been better if someone would have called me back.*

Four customers (2.5% of 160) gave satisfaction ratings of "7" or lower for the collection team:

Recycled one refrigerator

- *Make sure the collection team listens to the customer. We had the pickup scheduled. We got a call saying that they were on their way to pick up the refrigerator, but they never showed up. When they had called my husband gave them directions. There happened to be a festival in our area so the directions my husband gave them led them around the festival because streets were blocked off. The collection team did not follow my*

OFFICIAL COPY
Mar 04 2015

husband's directions and instead used GPS. We then had to reschedule and, yet again, arrange to stay home to meet with the collection team.

- *They did a little damage to the paneling in my basement. They didn't seem very well versed in how to bring the refrigerator up the stairs.*

Recycled one freezer

- *The pick-up team needs to be more careful; they damaged my door, but the door was repaired at no cost to me.*

Recycled multiple units

- *The young man who came to pick up the appliances was so nervous that he tripped over the electrical cord reel and broke it, even though I had cleared a large space for ease of appliance removal.*

Nine customers (7.6% of 119 respondents who could recall how long it took to receive payment) gave satisfaction ratings of "7" or lower for time it took to receive payment:

Recycled one refrigerator

- *I haven't received my payment yet. I wasn't sure if it's the wrong address or some other reason for the delay. I'd like a letter saying why they haven't sent it and any reason why it may be delayed.*
- *Send the payment out within a few days.*
- *I would have liked to receive the payment sooner.*
- *Send the money sooner.*

Recycled one freezer

- *The check should have arrived sooner; we were depending on that money to buy food. I think that the check should have arrived in two weeks or less.*
- *The payment could arrive within one week after the unit gets picked up.*
- *The payment could have arrived sooner.*
- *The payment could have been processed sooner.*

Recycled multiple units

- *I thought it would be sooner; I thought it could take a few days to send out a check after the appliance was picked up, I can't see why it took about a month to get the check.*

Twelve customers (7.5% of 160) gave satisfaction ratings of "7" or lower for the time it took between scheduling and pick-up:

Recycled one refrigerator

- *We had the pickup scheduled. We got a call saying that they were on their way to pick up the refrigerator, but they never showed up. When they had called my husband gave them directions. There happened to be a festival in our area so the directions my husband gave them led them around the festival because streets were blocked off. The collection team*

OFFICIAL COPY
Mar 04 2015

did not follow my husband's directions and instead used GPS. We then had to reschedule and, yet again, arrange to stay home to meet with the collection team.

- *The time between the scheduling and actual pick up needs to quicker. I wanted a Saturday pick-up, which most other customers probably want as well because we work during the rest of the week. I could not get my freezer picked up for nearly two months because of the high demand of Saturday pick up. I advise having more pick-up teams available for Saturdays.*
- *I work 12-hour shifts at different times and I had a lot of trouble finding convenient times and days when this could be done. They didn't have any pick-ups available on my days off.*
- *There should be more appointments available online.*
- *It would be nice if there were more dates available for appliance pick-up*
- *I would have liked if it had been picked up a week or so earlier.*
- *I would have preferred the pickup to be within a week to 10 days.*
- *I wish it could have been sooner, like a week or less.*

Recycled one freezer

- *The time between the scheduling and actual pick-up needs to quicker. I wanted a Saturday pick-up, which most other customers probably want as well because we work during the rest of the week. I could not get my freezer picked up for nearly two months because of the high demand for Saturday pick-up. I advise having more pick up teams available for Saturdays.*
- *Duke could pick up appliances within two days of enrollment, because having appliances with closable lids sit around for any extended period of time is a safety issue.*
- *It could have been quicker.*
- *I thought it was too lengthy.*

Nineteen customers (11.9% of 160) gave satisfaction ratings of "7" or lower for the size of the incentive payment:

Recycled one refrigerator

- *Offer more money.* (N=2)
- *I am disappointed, in that after I participated in this they raised the payment to $40.*
- *I am living on social security so a larger incentive payment, say $50, would have been nice. I may have been able to sell the refrigerator for $100 or more.*
- *I think probably another $10 or $15 would have been better. It was not that old of a refrigerator.*
- *The refrigerator worked fine and only had minor problems, so more money could have been offered.*
- *Don't know.* (N=3)

Recycled one freezer

- *Offer more money.*
- *Duke could increase the amount of payment to $50.*

OFFICIAL COPY
Mar 04 2015

- *First, just after participating I see Duke is now offering $40, which I think is still less than the value of the item. I don't appreciate Duke making a profit off me in this way.*
- *I originally heard that the amount would be $50 instead of $35, but I was happy just to get the $35.*
- *I heard y'all have paid more for appliances. It would have been nice to get an extra $20.*
- *I was expecting more money for the freezer, at least $50 dollars.*
- *I was expecting that the payment would have been at least $50.*
- *Would have appreciated more money; we used it for buying the new freezer.*
- *The freezer was still usable, perhaps it should have been considered for reuse instead of recycling. The freezer probably would have been worth more money if it was fixed and sent to a needy family. If someone came to look at the freezer and appraised it, it probably would have been worth more than $30.*

Recycled multiple units

- *I heard that Georgia Power is offering more for recycling appliances; I think it is $45 per appliance, which is a better price than what Duke is offering.*

Only two customers (1.3% of 160) gave satisfaction ratings of "7" or lower for the Appliance Recycling Program overall:

Recycled one refrigerator

- *I haven't received my payment yet. I wasn't sure if it's the wrong address or some other reason for the delay. I'd like a letter they saying why they haven't sent it and any reason why it may be delayed.*
- *Improve the pick-up. Have the drivers be more responsible. We had the pickup scheduled. We got a call saying that they were on their way to pick up the refrigerator, but they never showed up. When they had called my husband gave them directions. There happened to be a festival in our area so the directions my husband gave them led them around the festival because streets were blocked off. The collection team did not follow my husband's directions and instead used GPS. We then had to reschedule and, yet again, arrange to stay home to meet with the collection team.*

Twenty-nine customers (18.1% of 160) gave satisfaction ratings of "7" or lower for Duke Energy overall; most of these customers' complaints are about rate increases and power outages.

Recycled one refrigerator

- *I have some energy problems in my area and have power blips about 25 to 30 times a year. They've done quality checks and talked to neighbors. There are no thunderstorms or anything. It'll be a perfectly sunny day and the power goes out and I have to do things like wait for the DVR to reset itself and reset all the clocks. It's definitely better than it used to be, but sometimes the power will go out for as long as a minute.*
- *We experience too many power outages. We have a lot of power outages and are very conservative about using energy and yet our rates keep going up. We have had engineers come out and explain, or rather give excuses, for the problems. Our underground lines are attached to above ground lines. The engineers said the above ground lines are probably the cause of the problems.*

OFFICIAL COPY
Mar 04 2015

- *We had another power company when we lived across town. Since getting Duke, we have more power outages.*
- *Too many power outages.*
- *Duke Energy needs more renewable energy to lower the rates to make it easier for people to afford it and to not damage the environment. It would be better for everybody.*
- *I think they charge too much. I also think, being that we are in the South, they should be doing more with solar energy.*
- *I don't like their management style, which seems disorganized. They have high pay for some employees but then don't pay everyone else enough. They seem to raise rates a lot when they should be lowering the payment for some of the upper echelon so everyone would be able to afford their electric bills.*
- *I think their prices fluctuate too much.*
- *They should lower their rates. Duke should adjust their rates according to income. I am living on social security.*
- *Lower the bills. We have not even been running the A/C and our bill still shot up. I like Duke otherwise.*
- *Lower the rates / stop increasing rates.* (N=3)
- *Don't know.*

Recycled one freezer

- *As a service provider, they're OK, but I think there are things they could do to improve and become a first-class utility.*
- *In Lancaster we cannot go talk to a Duke Energy representative in person like we used to, we must call over the phone. There is no longer a location where I can pay my bill at a Duke office, I now must pay at a service station in an unsafe neighborhood or send my payment by mail. I think it is unfair to the customers to not have the availability of speaking with somebody face to face about our energy service or account.*
- *When we have ice storms we stay without power for a long time, and I really don't see the reason for that. Duke Energy asks us to pay for upgrades on the power lines, they should pay that out of their own pocket, that is not something that the customers should have to carry the weight for. Duke does not understand how difficult it is for older people to pay for these extra costs.*
- *I have a lot of brown-outs, but they're just a quick flash. My thermostat resets itself to 82 after a brown-out which is hotter than I'd like the house. I don't understand why the thermostat is resetting itself. Sometimes the brown-out happens while I'm away and the house is too hot when I get back.*
- *Duke could do be more proactive about cutting trees near power lines, and also make attempts keep energy rates low.*
- *Lower the price of the energy bills; otherwise, I like Duke very much. Their response after the ice storm of 2002 was wonderful.*
- *All of the services that are provided through Duke are excellent. Our only issue with the company is the rate hikes, which are too often and too large. It's really hard on the poor people.*
- *I have no choice; Duke is the only game in town.*
- *Lower the rates / stop increasing rates.* (N=4)

OFFICIAL COPY
Mar 04 2015

Recycled multiple units

- *I think our bills are too high. Our bill keeps going up even though we changed to high efficiency appliances and gas. Other people in our area who are running on electric seem to pay about half of what I do. I called Duke to arrange for them to come out to see if there was a problem with my meter. They said that if they found out that there was not a problem with my meter that I would then be charged $70. Because I cannot risk having to pay $70, I have not had anyone from Duke inspect the meter.*
- *The rate increases are too high and there have been too many, especially as of recently. Having two rate increases in one year is excessive.*
- *Lower the rates / stop increasing rates.*

Effect of the Program on Customers' Perception of Duke Energy

Survey respondents were asked if participating in the program made them feel more or less favorably about Duke Energy, or if it made no difference. Table 61 indicates that most customers (overall 59.4% or 95 out of 160) feel more favorably about Duke Energy after the program, and none (0.0% of 160) feel less favorably.

Customers who recycled multiple units are the least likely to report that their perception of Duke Energy was improved by the program (38.5% or 5 out of 13; significantly less than customers who recycled one unit at $p<.10$ using student's t-test). There is also a statistically significant difference by state: Customers in South Carolina are more likely to say that their perception of Duke Energy has improved (67.2% or 41 out of 61) compared to North Carolina participants (54.5% or 54 out of 99; this difference is significant at $p<.10$ using student's t-test).

Table 61. Effect of Program Participation on Perception of Duke Energy

Perception of Duke Energy	Recycled one refrigerator (N=71)	Recycled one freezer (N=76)	Recycled multiple units (N=13)	Total (N=160)
Participating in the program made me feel more favorable about Duke Energy	66.2%	56.6%	38.5%	59.4%
Participating in the program did not make me feel any different about Duke Energy	33.8%	43.4%	61.5%	40.6%
Participating in the program made me feel less favorable about Duke Energy	0.0%	0.0%	0.0%	0.0%
Don't know	0.0%	0.0%	0.0%	0.0%

Favorite and Least Favorite Aspects of the Program

Surveyed customers were asked about their favorite and least favorite aspects of participating in the Appliance Recycling program. Table 62 indicates that the overall most popular aspect of the program is the convenience of home pick-up (and not having to personally haul the unit away, mentioned by 35.0% or 56 out of 160), followed by the incentive payment (27.5% or 44 out of 160), getting rid of old units (20.6% or 33 out of 160) and that old units are being disposed of properly in a way that is good for the environment (16.3% or 26 out of 160).

OFFICIAL COPY
Mar 04 2015

Only one surveyed customer mentioned "saving energy" (0.6% of 160) as a favorite aspect of the program, and only one participant mentioned "saving money on energy bills" (0.6% of 160). However, recall from Figure 9 and Figure 10 that saving energy and saving money on bills were mentioned by many more customers as reasons why they wanted to dispose of their old refrigerators and freezers; while saving money and energy may be motivations for deciding to participate in the program, they are not viewed as primary program benefits by the customers afterwards.

There is only one difference in Table 62 that rises to the $p<.05$ level of statistical significance: Customers who recycled one freezer are more likely than those who recycled one refrigerator to cite ease of participation, sign-up and scheduling as a favorite aspect of the program (15.8% or 12 out of 76 compared to 7.0% or 5 out of 71).

Table 62. Customers' Favorite Thing about Participating in the Appliance Recycling Program

Favorite aspects of the program	Recycled one refrigerator (N=71)	Recycled one freezer (N=76)	Recycled multiple units (N=13)	Total (N=160)
Convenience of home pick-up / not having to haul it myself	31.0%	36.8%	46.2%	35.0%
The incentive payment	32.4%	23.7%	23.1%	27.5%
Getting rid of old unit(s)	21.1%	22.4%	7.7%	20.6%
Proper unit disposal / recycling parts / good for environment	14.1%	18.4%	15.4%	16.3%
Ease of participation / sign-up and scheduling	7.0%	15.8%	7.7%	11.3%
Crew and customer reps were courteous / helpful / prompt / kind / etc.	5.6%	10.5%	15.4%	8.8%
No cost hauling & disposal	2.8%	1.3%	7.7%	2.5%
Timing / quick turnaround / conveniently scheduled	1.4%	2.6%	0.0%	1.9%
Getting a better new unit	1.4%	0.0%	7.7%	1.3%
Duke Energy's concern for customers	0.0%	2.6%	0.0%	1.3%
Saving energy	0.0%	1.3%	0.0%	0.6%
Saving money on energy bills	1.4%	0.0%	0.0%	0.6%
Other (listed below)	2.8%	2.6%	0.0%	2.5%
Don't know / not specified	4.2%	0.0%	0.0%	1.9%

Percentages total to more than 100% because participants could give multiple responses.

Four survey respondents mentioned "other" favorite aspects of the program. These are listed below; two or three of these customers mentioned that their old units would be transferred to other people who can use them, although this is not the case (the Duke Energy Appliance Recycling Program does not transfer appliances to other households, it takes them off the grid and recycles them for parts and scrap materials).

Recycled one refrigerator

- *It gave somebody that needed a refrigerator a refrigerator without them having to pay for it.*

OFFICIAL COPY
Mar 04 2015

- *Knowing that the refrigerator could be used by someone.*

Recycled one freezer

- *My favorite thing was that the collection crew verified that our freezer qualified for the program.*
- *My favorite thing about the program was getting rid of a freezer that someone else might be able to make use of.*

Most surveyed program participants (68.1% or 109 out of 160) could not name a least favorite aspect of the program, and no least favorite aspect was mentioned by more than about 5% of surveyed participants. Customers' least favorite aspects of the program are shown in Table 63.

There are two significant differences between customers who recycled different types of units: Customers who recycled multiple units are the most likely to say they don't have a least favorite aspect of the program (85.4% or 11 out of 13; higher than 66.7% or 98 out of 147 for all other surveyed customers at $p<.10$ using student's t-test). The other difference is that customers who recycled a freezer (3.9% or 3 out of 76) were more likely to complain about having to move the unit for pick-up compared to those who recycled a refrigerator (0.0% or 0 out of 71; this difference is significant at $p<.05$ using student's t-test).

There are also two notable significant differences by state: South Carolina customers are more likely to complain that the payment is too small (9.8% or 6 out of 61, compared to 2.0% or 2 out of 99 in North Carolina), while North Carolina customers are more likely to complain about payments taking too long to arrive (6.1% or 6 out of 99, compared to 0.0% or 0 out of 61 for South Carolina; these differences are both significant at $p<.05$ using student's t-test).

Table 63. Least Favorite Things about Participating in the Appliance Recycling Program

Least favorite aspects of the program	Recycled one refrigerator (N=71)	Recycled one freezer (N=76)	Recycled multiple units (N=13)	Total (N=160)
Want faster pickup / pickup was delayed	7.0%	5.3%	0.0%	5.6%
Incentive payment is too small	4.2%	6.6%	0.0%	5.0%
Scheduling the pickup / had to schedule more than once / want more scheduling options	4.2%	5.3%	0.0%	4.4%
Misunderstanding about what would happen to recycled unit / feel bad about destroying a working unit	4.2%	3.9%	0.0%	3.8%
Waiting for payment / time to receive payment	5.6%	2.6%	0.0%	3.8%
Having to move unit for pickup	0.0%	3.9%	0.0%	1.9%
Having to clean / defrost unit for pickup	2.8%	1.3%	0.0%	1.9%
Unit had to be plugged in for pickup	1.4%	0.0%	0.0%	0.6%
Being without the old unit	1.4%	0.0%	0.0%	0.6%
Having to be present for pickup	1.4%	0.0%	0.0%	0.6%
Other (listed below)	7.0%	2.6%	15.4%	5.6%
Nothing / don't know	62.0%	71.1%	84.6%	68.1%

Percentages total to more than 100% because participants could give multiple responses.

OFFICIAL COPY
Mar 04 2015

Nine customers (5.6% of 160) mentioned "other" aspects of the program as their least favorite; these responses are listed below.

Recycled one refrigerator

- *I was dissatisfied with the people not being well versed in how to remove the appliance. They caused damage to the paneling and had a hard time bringing it up the stairs.*
- *They scuffed my yard.*
- *Getting signed up was hard. It was hard to find on the Duke website.*
- *Trying to find the program online was really difficult, like trying to find the right website; then I had trouble finding out if it was available in my area.*
- *The waiting for the monitor to be placed on the refrigerator and then the waiting for them to come back and pick it up.*

Recycled one freezer

- *We didn't get the callback to confirm our pickup, but it really wasn't a problem.*
- *I could not keep my dog quiet when the pick-up team was here.*

Recycled multiple units

- *The young man who came to pick up the appliances was so nervous that he tripped over the electrical cord reel and broke it even though I had cleared a large space for ease of appliance removal.*
- *The distance the driver had to go just to pick up my appliances. I had three appliances to recycle but I could only do two at a time. I'm going to have to sign up to do the program again when I'm eligible.*

Customers Noticing a Reduction in Their Electric Bill after Removing Appliances

Survey participants were asked if they have noticed a reduction in their electric bills since their old units were recycled. As indicated in Figure 15, only about a third of customers (31.9% or 51 out of 160) did notice a reduction in electric bills, though another 21.9% (35 out of 160) are not sure if there bills have gone down or not. The percentage noticing a reduction was not significantly different depending on whether the customer recycled a refrigerator, a freezer or multiple units; there are not any significant differences between North and South Carolina either.

OFFICIAL COPY
Mar 04 2015



Figure 15. Participants Noticing a Reduction in Electric Bills since Their Old Appliance(s) Were Removed by Unit(s) Recycled and by State

Additional Energy Efficiency Actions since the Program

Surveyed program participants were asked, "*Based on your participation in the Duke Energy Appliance Recycling program, have you been inspired to take any additional actions to save energy?*", and also asked to rate the influence of the program on any actions taken.

Table 64 shows that the most common energy efficiency action taken since participating in the Appliance Recycling program is the installation of more efficient CFL and LED light bulbs (7.5% or 12 out of 160). Additionally, seven participants (4.4% of 160) mentioned joining MyHER or following tips from MyHER, four participants (2.5% of 160) have had a Home Energy House Call and one (0.6% out of 166) has joined Power Manager. There is also one participant (0.6% out of 166) who has unplugged another refrigerator or freezer. However, most participants (71.3% or 114 out of 160) report not having taken any additional energy efficiency actions. There are several statistically significant differences between customers who recycled different appliances; differences significant at $p<.10$ or better using student's t-test are marked in Table 64 with bold italic text.

Overall, the average influence of the program on actions taken after participation is 5.8 on a 10-point scale, were a "10" indicates the highest influence. The highest average influence rating of

OFFICIAL COPY
Mar 04 2015

the program is on unplugging additional refrigerators and freezers (10.0 for the one respondent who took this action), although the number of respondents who took any given action is very small so these influence ratings should be taken only as directional indicators.

Table 64. Energy Efficiency Actions Taken after Participating in the Program by Unit Recycled

Energy efficiency actions taken since the program	Recycled one refrigerator (N=71)	Recycled one freezer (N=76)	Recycled multiple units (N=13)	Total (N=160)	Average Rating Influence of Program
Took additional actions (all actions combined)	23.9%	30.3%	23.1%	26.9%	5.8
Use efficient light bulbs	***4.2%***	***10.5%***	7.7%	7.5%	5.6
Upgrade appliances / Energy Star	5.6%	3.9%	7.7%	5.0%	5.6
Follow MyHER tips / joined MyHER	***0.0%***	***7.9%***	0.0%	3.8%	6.8
Upgrade windows / doors	2.8%	2.6%	0.0%	2.5%	7.0
Home Energy House Call	2.8%	2.6%	0.0%	2.5%	6.3
Heating & cooling decisions	1.4%	3.9%	0.0%	2.5%	5.8
Add insulation	***4.2%***	***0.0%***	0.0%	1.9%	4.3
Turn lights off	***0.0%***	***3.9%***	0.0%	1.9%	6.0
Upgrade HVAC system	1.4%	0.0%	0.0%	0.6%	1.0
Weather stripping / seal leaks	1.4%	0.0%	0.0%	0.6%	8.0
Unplug extra fridge / freezer	***0.0%***	***0.0%***	***7.7%***	0.6%	10.0
Joined Power Manager	0.0%	1.3%	0.0%	0.6%	6.0
Other (listed below)	4.2%	3.9%	0.0%	3.8%	5.8
Did not take additional actions	73.2%	68.4%	76.9%	71.3%	NA
Don't know / not specified	2.8%	1.3%	0.0%	1.9%	NA

Percentages total to more than 100% because participants could mention multiple actions.

Six surveyed participants (3.8% out of 160) mentioned "other" actions they have taken for energy efficiency. These responses are listed below.

Recycled one refrigerator

- *I am thinking about adding extra portable or wall heaters that are made of ceramic for my laundry room.*
- *I attended an energy program.*
- *We recently moved and have made efforts to use energy efficient things.*

Recycled one freezer

- *We are running fans to circulate air, and we open/close windows and doors to aid in heating/cooling.*
- *We had a new roof installed.*
- *Recycling.*

OFFICIAL COPY
Mar 04 2015

There are several significant differences between North and South Carolina in terms of additional energy efficiency actions taken. Customers in South Carolina are more likely to have taken additional actions (34.4% or 21 out of 61) compared to North Carolina customers (22.2% or 22 out of 99; significant at p<.05 using student's t-test). South Carolina respondents are particularly more likely to have installed more efficient light bulbs (14.8% or 9 out of 61), to have participated in Home Energy House Call (8.2% or 5 out of 61) and to mention receiving and following tips from Home Energy Reports (4.9% or 3 out of 61). All differences which are statistically significant at p<.10 or better using student's t-test are marked in Table 65 with bold italic text.

Table 65. Energy Efficiency Actions Taken after Participating in the Program by State

Energy efficiency actions taken since the program	North Carolina (N=99)	South Carolina (N=61)
Took additional actions (all actions combined)	***22.2%***	***34.4%***
Use efficient light bulbs	***3.0%***	***14.8%***
Upgrade appliances / Energy Star	6.1%	3.3%
Follow MyHER tips / joined MyHER	***1.0%***	***8.2%***
Upgrade windows / doors	2.0%	3.3%
Home Energy House Call	***1.0%***	***4.9%***
Heating & cooling decisions	2.0%	3.3%
Add insulation	***3.0%***	***0.0%***
Turn lights off	1.0%	3.3%
Upgrade HVAC system	1.0%	0.0%
Weather stripping / seal leaks	0.0%	1.6%
Unplug extra fridge / freezer	1.0%	0.0%
Joined Power Manager	1.0%	0.0%
Other	4.0%	3.3%
Did not take additional actions	74.7%	65.6%
Don't know / not specified	3.0%	0.0%

Percentages total to more than 100% because participants could mention multiple actions.

Participation in Other Duke Energy Programs

TecMarket Works asked Appliance Recycling program participants if they had participated in any other Duke Energy programs since recycling their appliances. As seen in Table 66, about one in five of these customers report participating in at least one additional program (20.6% or 33 out of 160). The most common are CFL giveaway programs (13.1% or 21 out of 160), Home Energy House Call (6.3% or 10 out of 160) and My Home Energy Report (2.1% or 5 out of 160).

Customers who recycled multiple units are more likely than others to have participated in the CFL program (23.1% or 3 out of 13), while customers who recycled one refrigerator are the most likely to have participated in Home Energy House Call (5.6% or 4 out of 71). Differences between groups which are statistically significant at p<.10 or better using student's t-test are marked in Table 66 with bold italic text.

OFFICIAL COPY
Mar 04 2015

Table 66. Self-Reported Participation in Other Duke Energy Programs by Units Recycled

Participation in other Duke Energy programs	Recycled one refrigerator (N=71)	Recycled one freezer (N=76)	Recycled multiple units (N=13)	Total (N=160)
CFL program	***9.9%***	14.5%	***23.1%***	13.1%
Home Energy House Call	2.8%	3.9%	0.0%	6.3%
My Home Energy Report	***5.6%***	***1.3%***	0.0%	3.1%
Power Manager	***0.0%***	***2.6%***	***7.7%***	1.9%
Other: "*Repair plan*"	1.4%	0.0%	0.0%	0.6%
Other: "*Water heater and water line repair plan*"	0.0%	1.3%	0.0%	0.6%
None of the above	***83.1%***	77.6%	***61.5%***	78.8%
Don't know	***0.0%***	***0.0%***	***7.7%***	0.6%

Percentages total to more than 100% because participants could mention multiple programs.

There are also some significant differences between participants in North and South Carolina. Customers in North Carolina are more likely to report participating in other Duke Energy programs (24.2% or 24 out of 99) than South Carolina customers (14.8% or 9 out of 61), though the only specific program North Carolinians are more likely to have participated in is Home Energy House Call (5.1% or 5 out of 99). Differences between states which are statistically significant at p<.10 or better using student's t-test are marked in Table 67 with bold italic text.

Table 67. Self-Reported Participation in Other Duke Energy Programs by State

Participation in other Duke Energy programs	North Carolina (N=99)	South Carolina (N=61)
CFL program	15.2%	9.8%
Home Energy House Call	2.0%	4.9%
My Home Energy Report	***5.1%***	***0.0%***
Power Manager	2.0%	1.6%
Other: "*Repair plan*"	1.0%	0.0%
Other: "*Water heater and water line repair plan*"	1.0%	0.0%
None of the above	***74.7%***	***85.2%***
Don't know	1.0%	0.0%

Percentages total to more than 100% because participants could mention multiple programs.

OFFICIAL COPY
Mar 04 2015

Appendix A: Counts of Participant for Billing Analysis

This appendix presents the counts of total participants in each month.

Month	Total Number of Participants
201210	24
201211	776
201212	1327
201301	1639
201302	1945
201303	2368
201304	2750
201305	3070

OFFICIAL COPY
Mar 04 2015

Appendix B: Estimated Model - Overall

```
        Bill_mo 201001 - 201305: monthly dummy variables
avg_temp                : average temperature
avg_humi                : average humidity
avg_wins                : average wind speed
Free_CFL                : control for participation in free CFL program
HEHC                    : control for participation in Home Energy House Call
K12                     : control for participation in EE for Schools
LowInc_Weath            : control for participation in Low Income Weatherization
SmSvr_HVAC              : control for participation in Smart $aver HVAC
Property_Mgr            : control for participation in Property Manager CFLs
MyHER                   : control for participation in My Home Energy Report (MyHER)
part                    : saving impact from ARP
part_ref                : saving impact from refrigerator
part_frz                : saving impact from freezer

                            Number of Observations Read      153381
                            Number of Observations Used      153381

Dependent Variable: kwhd
```

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	4204	112463932.1	26751.6	91.96	<.0001
Error	149176	43393981.3	290.9		
Corrected Total	153380	155857913.5			

R-Square	Coeff Var	Root MSE	kwhd Mean
0.721580	36.05972	17.05553	47.29801

Source	DF	Type I SS	Mean Square	F Value	Pr > F
account_id	4152	97094644.45	23385.03	80.39	<.0001
bill_mo	41	15186193.87	370394.97	1273.31	<.0001
avg_temp	1	20084.82	20084.82	69.05	<.0001
avg_humi	1	9503.27	9503.27	32.67	<.0001
avg_wins	1	73658.65	73658.65	253.22	<.0001
Free_CFL	1	1048.56	1048.56	3.60	0.0576
HEHC	1	13284.19	13284.19	45.67	<.0001
K12	1	1621.17	1621.17	5.57	0.0182
LowInc_Weath	1	5523.99	5523.99	18.99	<.0001
SmSvr_HVAC	1	29914.86	29914.86	102.84	<.0001
Property_Mgr	1	55.30	55.30	0.19	0.6628
MyHER	1	9550.76	9550.76	32.83	<.0001
part	1	18848.23	18848.23	64.79	<.0001

Source	DF	Type III SS	Mean Square	F Value	Pr > F
bill_mo	41	13291578.67	324184.85	1114.45	<.0001
avg_temp	1	9734.41	9734.41	33.46	<.0001
avg_humi	1	1924.09	1924.09	6.61	0.0101
avg_wins	1	74327.73	74327.73	255.52	<.0001
Free_CFL	1	1122.52	1122.52	3.86	0.0495
HEHC	1	11255.22	11255.22	38.69	<.0001
K12	1	1442.78	1442.78	4.96	0.0259
LowInc_Weath	1	5214.18	5214.18	17.92	<.0001
SmSvr_HVAC	1	29733.03	29733.03	102.21	<.0001
Property_Mgr	1	18.27	18.27	0.06	0.8021
MyHER	1	9732.16	9732.16	33.46	<.0001
part	1	18848.23	18848.23	64.79	<.0001

OFFICIAL COPY
Mar 04 2015

Parameter		Estimate		Standard Error	t Value	Pr > |t|
bill_mo	201001	26.62969971	B	5.86220631	4.54	<.0001
bill_mo	201002	23.42624301	B	5.85708550	4.00	<.0001
bill_mo	201003	17.81752966	B	5.85315580	3.04	0.0023
bill_mo	201004	2.77759087	B	5.83210098	0.48	0.6339
bill_mo	201005	2.59120437	B	5.82364063	0.44	0.6564
bill_mo	201006	16.83299911	B	5.81915916	2.89	0.0038
bill_mo	201007	33.55536204	B	5.82158492	5.76	<.0001
bill_mo	201008	35.31301561	B	5.82021850	6.07	<.0001
bill_mo	201009	25.87420868	B	5.82178659	4.44	<.0001
bill_mo	201010	8.08731129	B	5.82232819	1.39	0.1648
bill_mo	201011	2.55413723	B	5.83061909	0.44	0.6613
bill_mo	201012	15.61243882	B	5.84823112	2.67	0.0076
bill_mo	201101	28.57447353	B	5.86521449	4.87	<.0001
bill_mo	201102	21.97947825	B	5.85685379	3.75	0.0002
bill_mo	201103	6.19332289	B	5.83994653	1.06	0.2889
bill_mo	201104	1.12966071	B	5.83052742	0.19	0.8464
bill_mo	201105	0.36685546	B	5.82086088	0.06	0.9497

Parameter		95% Confidence Limits	
bill_mo	201001	15.13989324	38.11950618
bill_mo	201002	11.94647324	34.90601279
bill_mo	201003	6.34546201	29.28959731
bill_mo	201004	-8.65320975	14.20839149
bill_mo	201005	-8.82301414	14.00542288
bill_mo	201006	5.42756420	28.23843403
bill_mo	201007	22.14517269	44.96555139
bill_mo	201008	23.90550441	46.72052680
bill_mo	201009	14.46362406	37.28479331
bill_mo	201010	-3.32433485	19.49895743
bill_mo	201011	-8.87375892	13.98203338
bill_mo	201012	4.15002344	27.07485419
bill_mo	201101	17.07877110	40.07017596
bill_mo	201102	10.50016261	33.45879388
bill_mo	201103	-5.25285486	17.63950063
bill_mo	201104	-10.29805575	12.55737718
bill_mo	201105	-11.04191479	11.77562570

OFFICIAL COPY
Mar 04 2015

Parameter		Estimate		Standard Error	t Value	Pr > |t|
bill_mo	201106	17.96413032	B	5.82000821	3.09	0.0020
bill_mo	201107	27.52281693	B	5.81890329	4.73	<.0001
bill_mo	201108	34.84025373	B	5.81978076	5.99	<.0001
bill_mo	201109	21.12583596	B	5.81816935	3.63	0.0003
bill_mo	201110	3.51643957	B	5.81987575	0.60	0.5457
bill_mo	201111	2.56189798	B	5.82938829	0.44	0.6603
bill_mo	201112	8.48601855	B	5.83437524	1.45	0.1458
bill_mo	201201	14.40243282	B	5.84170352	2.47	0.0137
bill_mo	201202	12.93825793	B	5.84299820	2.21	0.0268
bill_mo	201203	6.96500652	B	5.83501458	1.19	0.2326
bill_mo	201204	-0.67883063	B	5.82371305	-0.12	0.9072
bill_mo	201205	1.68157969	B	5.82012938	0.29	0.7726
bill_mo	201206	10.07963786	B	5.81790595	1.73	0.0832
bill_mo	201207	25.11707877	B	5.81806662	4.32	<.0001
bill_mo	201208	28.02429979	B	5.81703499	4.82	<.0001
bill_mo	201209	17.17025141	B	5.81720883	2.95	0.0032
bill_mo	201210	4.05574330	B	5.82060086	0.70	0.4859
bill_mo	201211	2.87372563	B	5.82649169	0.49	0.6219
bill_mo	201212	10.35928483	B	5.83430485	1.78	0.0758
bill_mo	201301	15.22694344	B	5.83648022	2.61	0.0091
bill_mo	201302	15.93162891	B	5.84062263	2.73	0.0064
bill_mo	201303	14.00135770	B	5.84138681	2.40	0.0165
bill_mo	201304	6.10162284	B	5.83125582	1.05	0.2954
bill_mo	201305	-1.27383100	B	5.81559152	-0.22	0.8266
avg_temp		-0.10403299		0.01798381	-5.78	<.0001
avg_humi		-0.03308826		0.01286550	-2.57	0.0101
avg_wins		1.39913337		0.08752839	15.98	<.0001
Free_CFL		0.30195760		0.15371414	1.96	0.0495
HEHC		-3.56280292		0.57276970	-6.22	<.0001
K12		1.49880387		0.67299198	2.23	0.0259
LowInc_Weath		9.95797673		2.35203288	4.23	<.0001
SmSvr_HVAC		-4.71065542		0.46593681	-10.11	<.0001
Property_Mgr		0.93389578		3.72596543	0.25	0.8021
MyHER		-1.29251305		0.22345786	-5.78	<.0001
part		-2.03392051		0.25267599	-8.05	<.0001

Parameter		95% Confidence Limits	
bill_mo	201106	6.55703129	29.37122936
bill_mo	201107	16.11788351	38.92775035
bill_mo	201108	23.43360050	46.24690697

OFFICIAL COPY

Mar 04 2015

Parameter		95% Confidence Limits	
bill_mo	201109	9.72234106	32.52933086
bill_mo	201110	-7.89039984	14.92327899
bill_mo	201111	-8.86358582	13.98738178
bill_mo	201112	-2.94923958	19.92127668
bill_mo	201201	2.95281141	25.85205424
bill_mo	201202	1.48609898	24.39041689
bill_mo	201203	-4.47150470	18.40151774
bill_mo	201204	-12.09319107	10.73552982
bill_mo	201205	-9.72575683	13.08891622
bill_mo	201206	-1.32334078	21.48261651
bill_mo	201207	13.71378522	36.52037232
bill_mo	201208	16.62302821	39.42557137
bill_mo	201209	5.76863911	28.57186370
bill_mo	201210	-7.35251732	15.46400391
bill_mo	201211	-8.54608090	14.29353216
bill_mo	201212	-1.07583533	21.79440498
bill_mo	201301	3.78755960	26.66632729
bill_mo	201302	4.48412602	27.37913180
bill_mo	201303	2.55235704	25.45035836
bill_mo	201304	-5.32752128	17.53076697
bill_mo	201305	-12.67227341	10.12461141
avg_temp		-0.13928089	-0.06878509
avg_humi		-0.05830438	-0.00787213
avg_wins		1.22757947	1.57068726
Free_CFL		0.00068099	0.60323422
HEHC		-4.68542001	-2.44018584
K12		0.17975312	2.81785462
LowInc_Weath		5.34803959	14.56791387
SmSvr_HVAC		-5.62388220	-3.79742865
Property_Mgr		-6.36892152	8.23671307
MyHER		-1.73048595	-0.85454014
part		-2.52916037	-1.53868066

OFFICIAL COPY
Mar 04 2015

Appendix C: Estimated Model – Refrigerator

```
       Bill_mo 201001 - 201305: monthly dummy variables
avg_temp               : average temperature
avg_humi               : average humidity
avg_wins               : average wind speed
Free_CFL               : control for participation in free CFL program
HEHC                   : control for participation in Home Energy House Call
K12                    : control for participation in EE for Schools
LowInc_Weath           : control for participation in Low Income Weatherization
SmSvr_HVAC             : control for participation in Smart $aver HVAC
Property_Mgr           : control for participation in Property Manager CFLs
MyHER                  : control for participation in My Home Energy Report (MyHER)
part                   : saving impact from ARP
part_ref               : saving impact from refrigerator
part_frz               : saving impact from freezer

                          Number of Observations Read      111791
                          Number of Observations Used      111791

Dependent Variable: kwhd

       Source                     DF        Sum of Squares     Mean Square    F Value    Pr > F

       Model                    3235      77739135.9          24030.6       86.14    <.0001

       Error                  108555      30285334.2            279.0

       Corrected Total        111790     108024470.0

                      R-Square     Coeff Var      Root MSE     kwhd Mean

                      0.719644      35.93618      16.70288      46.47928

       Source                     DF       Type I SS     Mean Square    F Value    Pr > F

       account_id               3183     66810128.43        20989.67      75.24    <.0001
       bill_mo                    41     10812610.09       263722.20     945.29    <.0001
       avg_temp                    1        15161.95        15161.95      54.35    <.0001
       avg_humi                    1         8120.79         8120.79      29.11    <.0001
       avg_wins                    1        42669.00        42669.00     152.94    <.0001
       Free_CFL                    1          942.69          942.69       3.38    0.0660
       HEHC                        1         7763.53         7763.53      27.83    <.0001
       K12                         1          407.50          407.50       1.46    0.2268
       LowInc_Weath                1         3558.92         3558.92      12.76    0.0004
       SmSvr_HVAC                  1        20846.58        20846.58      74.72    <.0001
       Property_Mgr                1          479.58          479.58       1.72    0.1898
       MyHER                       1         5601.62         5601.62      20.08    <.0001
       part_REF                    1        10845.15        10845.15      38.87    <.0001

       Source                     DF     Type III SS     Mean Square    F Value    Pr > F

       bill_mo                    41     9453211.105      230566.125     826.44    <.0001
       avg_temp                    1        8189.603        8189.603      29.35    <.0001
       avg_humi                    1        2349.521        2349.521       8.42    0.0037
       avg_wins                    1       43127.415       43127.415     154.59    <.0001
       Free_CFL                    1         938.387         938.387       3.36    0.0667
       HEHC                        1        6388.868        6388.868      22.90    <.0001
       K12                         1         403.156         403.156       1.45    0.2293
       LowInc_Weath                1        3339.284        3339.284      11.97    0.0005
       SmSvr_HVAC                  1       20693.363       20693.363      74.17    <.0001
       Property_Mgr                1         382.365         382.365       1.37    0.2417
       MyHER                       1        5524.988        5524.988      19.80    <.0001
```

OFFICIAL COPY
Mar 04 2015

part_REF	1	10845.150	10845.150	38.87	<.0001

Parameter		Estimate	Standard Error	t Value	Pr > |t|
bill_mo	201001	20.19235877 B	7.73089005	2.61	0.0090
bill_mo	201002	17.03808972 B	7.72581562	2.21	0.0274
bill_mo	201003	11.25027787 B	7.72168620	1.46	0.1451
bill_mo	201004	-3.69751401 B	7.70083564	-0.48	0.6311
bill_mo	201005	-3.48999954 B	7.69259280	-0.45	0.6501
bill_mo	201006	10.73171186 B	7.68855435	1.40	0.1628
bill_mo	201007	27.10754488 B	7.69094149	3.52	0.0004
bill_mo	201008	28.82363708 B	7.68973024	3.75	0.0002
bill_mo	201009	19.29799325 B	7.69115000	2.51	0.0121
bill_mo	201010	1.86505185 B	7.69151566	0.24	0.8084
bill_mo	201011	-3.70611826 B	7.69966972	-0.48	0.6303
bill_mo	201012	9.35810766 B	7.71714508	1.21	0.2253
bill_mo	201101	22.29096704 B	7.73389868	2.88	0.0039
bill_mo	201102	15.52070051 B	7.72552673	2.01	0.0445
bill_mo	201103	-0.09252389 B	7.70852164	-0.01	0.9904
bill_mo	201104	-4.89440610 B	7.69929975	-0.64	0.5250
bill_mo	201105	-5.55415593 B	7.68994797	-0.72	0.4701

Parameter		95% Confidence Limits	
bill_mo	201001	5.03992376	35.34479378
bill_mo	201002	1.89560051	32.18057893
bill_mo	201003	-3.88411773	26.38467347
bill_mo	201004	-18.79104279	11.39601478
bill_mo	201005	-18.56737248	11.58737340
bill_mo	201006	-4.33774578	25.80116951
bill_mo	201007	12.03340847	42.18168129
bill_mo	201008	13.75187470	43.89539945
bill_mo	201009	4.22344818	34.37253833
bill_mo	201010	-13.21020992	16.94031362
bill_mo	201011	-18.79736186	11.38512534
bill_mo	201012	-5.76738740	24.48360271
bill_mo	201101	7.13263516	37.44929892
bill_mo	201102	0.37877753	30.66262350
bill_mo	201103	-15.20111714	15.01606936
bill_mo	201104	-19.98492457	10.19611237
bill_mo	201105	-20.62634505	9.51803318

OFFICIAL COPY
Mar 04 2015

Parameter		Estimate		Standard Error	t Value	Pr > |t|
bill_mo	201106	11.62769937	B	7.68939537	1.51	0.1305
bill_mo	201107	21.08902776	B	7.68827884	2.74	0.0061
bill_mo	201108	28.27485281	B	7.68917393	3.68	0.0002
bill_mo	201109	14.68523183	B	7.68744879	1.91	0.0561
bill_mo	201110	-2.63019366	B	7.68916438	-0.34	0.7323
bill_mo	201111	-3.69099810	B	7.69843748	-0.48	0.6316
bill_mo	201112	2.06878116	B	7.70341230	0.27	0.7883
bill_mo	201201	7.97198805	B	7.71063722	1.03	0.3012
bill_mo	201202	6.57484938	B	7.71189356	0.85	0.3939
bill_mo	201203	0.77801776	B	7.70392238	0.10	0.9196
bill_mo	201204	-6.88354353	B	7.69279049	-0.89	0.3709
bill_mo	201205	-4.43306619	B	7.68932921	-0.58	0.5643
bill_mo	201206	3.86412750	B	7.68730971	0.50	0.6152
bill_mo	201207	18.65178320	B	7.68752331	2.43	0.0153
bill_mo	201208	21.61515634	B	7.68678409	2.81	0.0049
bill_mo	201209	10.87323307	B	7.68693308	1.41	0.1572
bill_mo	201210	-2.13832458	B	7.69008818	-0.28	0.7810
bill_mo	201211	-3.40990450	B	7.69590407	-0.44	0.6577
bill_mo	201212	3.89349486	B	7.70399309	0.51	0.6133
bill_mo	201301	8.75014875	B	7.70628259	1.14	0.2562
bill_mo	201302	9.39302754	B	7.71031751	1.22	0.2231
bill_mo	201303	7.50700340	B	7.71074980	0.97	0.3303
bill_mo	201304	-0.37078241	B	7.70068141	-0.05	0.9616
bill_mo	201305	-7.28428094	B	7.68554147	-0.95	0.3432
avg_temp		-0.11168244		0.02061317	-5.42	<.0001
avg_humi		-0.04287448		0.01477408	-2.90	0.0037
avg_wins		1.24444626		0.10009000	12.43	<.0001
Free_CFL		0.32340423		0.17633807	1.83	0.0667
HEHC		-3.36224924		0.70260175	-4.79	<.0001
K12		0.92695475		0.77110497	1.20	0.2293
LowInc_Weath		8.25794949		2.38691434	3.46	0.0005
SmSvr_HVAC		-4.72285295		0.54837817	-8.61	<.0001
Property_Mgr		5.32953822		4.55241439	1.17	0.2417
MyHER		-1.14338025		0.25693088	-4.45	<.0001
part_REF		-1.80138288		0.28892127	-6.23	<.0001

Parameter		95% Confidence Limits	
bill_mo	201106	-3.44340666	26.69880541
bill_mo	201107	6.02011011	36.15794540
bill_mo	201108	13.20418080	43.34552483

OFFICIAL COPY

Mar 04 2015

Parameter		95% Confidence Limits	
bill_mo	201109	-0.38205893	29.75252258
bill_mo	201110	-17.70084695	12.44045964
bill_mo	201111	-18.77982653	11.39783033
bill_mo	201112	-13.02979786	17.16736018
bill_mo	201201	-7.14075170	23.08472779
bill_mo	201202	-8.54035278	21.69005155
bill_mo	201203	-14.32156100	15.87759651
bill_mo	201204	-21.96130395	8.19421689
bill_mo	201205	-19.50404254	10.63791017
bill_mo	201206	-11.20289067	18.93114567
bill_mo	201207	3.58434639	33.71922001
bill_mo	201208	6.54916839	36.68114430
bill_mo	201209	-4.19304691	25.93951305
bill_mo	201210	-17.21078852	12.93413935
bill_mo	201211	-18.49376750	11.67395849
bill_mo	201212	-11.20622248	18.99321221
bill_mo	201301	-6.35405598	23.85435349
bill_mo	201302	-5.71908559	24.50514067
bill_mo	201303	-7.60595700	22.61996381
bill_mo	201304	-15.46400891	14.72244409
bill_mo	201305	-22.34783337	7.77927150
avg_temp		-0.15208396	-0.07128092
avg_humi		-0.07183147	-0.01391749
avg_wins		1.04827127	1.44062125
Free_CFL		-0.02221589	0.66902436
HEHC		-4.73933873	-1.98515976
K12		-0.58440006	2.43830957
LowInc_Weath		3.57963119	12.93626780
SmSvr_HVAC		-5.79766639	-3.64803951
Property_Mgr		-3.59312952	14.25220596
MyHER		-1.64696114	-0.63979936
part_REF		-2.36766447	-1.23510128

OFFICIAL COPY
Mar 04 2015

Appendix D: Estimated Model – Freezer

```
        Bill_mo 201001 - 201305: monthly dummy variables
avg_temp               : average temperature
avg_humi               : average humidity
avg_wins               : average wind speed
Free_CFL               : control for participation in free CFL program
HEHC                   : control for participation in Home Energy House Call
K12                    : control for participation in EE for Schools
LowInc_Weath           : control for participation in Low Income Weatherization
SmSvr_HVAC             : control for participation in Smart $aver HVAC
Property_Mgr           : control for participation in Property Manager CFLs
MyHER                  : control for participation in My Home Energy Report (MyHER)
part                   : saving impact from ARP
part_ref               : saving impact from refrigerator
part_frz               : saving impact from freezer

                            Number of Observations Read       41590
                            Number of Observations Used       41590

Dependent Variable: kwhd
```

Source	DF	Sum of Squares	Mean Square	F Value	Pr > F
Model	1167	34463439.83	29531.65	91.17	<.0001
Error	40422	13093641.59	323.92		
Corrected Total	41589	47557081.42			

R-Square	Coeff Var	Root MSE	kwhd Mean
0.724675	36.36029	17.99788	49.49872

Source	DF	Type I SS	Mean Square	F Value	Pr > F
account_id	1115	30008153.98	26913.14	83.08	<.0001
bill_mo	41	4383593.80	106916.92	330.07	<.0001
avg_temp	1	4894.04	4894.04	15.11	0.0001
avg_humi	1	1553.73	1553.73	4.80	0.0285
avg_wins	1	33512.71	33512.71	103.46	<.0001
Free_CFL	1	160.57	160.57	0.50	0.4814
HEHC	1	5243.08	5243.08	16.19	<.0001
K12	1	1912.62	1912.62	5.90	0.0151
LowInc_Weath	1	3867.54	3867.54	11.94	0.0006
SmSvr_HVAC	1	8891.58	8891.58	27.45	<.0001
Property_Mgr	1	290.55	290.55	0.90	0.3436
MyHER	1	4039.79	4039.79	12.47	0.0004
part_FRZ	1	7325.83	7325.83	22.62	<.0001

Source	DF	Type III SS	Mean Square	F Value	Pr > F
bill_mo	41	3847589.391	93843.644	289.71	<.0001
avg_temp	1	1575.071	1575.071	4.86	0.0275
avg_humi	1	27.113	27.113	0.08	0.7723
avg_wins	1	33873.672	33873.672	104.57	<.0001
Free_CFL	1	199.199	199.199	0.61	0.4329
HEHC	1	4716.577	4716.577	14.56	0.0001
K12	1	1504.201	1504.201	4.64	0.0312
LowInc_Weath	1	3802.633	3802.633	11.74	0.0006
SmSvr_HVAC	1	8869.845	8869.845	27.38	<.0001
Property_Mgr	1	371.233	371.233	1.15	0.2844
MyHER	1	4490.708	4490.708	13.86	0.0002
part_FRZ	1	7325.834	7325.834	22.62	<.0001

OFFICIAL COPY
Mar 04 2015

Parameter		Estimate		Standard Error	t Value	Pr > |t|
bill_mo	201001	34.71818051	B	9.27555705	3.74	0.0002
bill_mo	201002	31.37557977	B	9.26231114	3.39	0.0007
bill_mo	201003	26.22168834	B	9.25301786	2.83	0.0046
bill_mo	201004	10.90890719	B	9.19780018	1.19	0.2356
bill_mo	201005	9.63796266	B	9.17513151	1.05	0.2935
bill_mo	201006	23.92371739	B	9.16191419	2.61	0.0090
bill_mo	201007	41.53829977	B	9.16836545	4.53	<.0001
bill_mo	201008	43.40219328	B	9.16423226	4.74	<.0001
bill_mo	201009	34.22181222	B	9.16877531	3.73	0.0002
bill_mo	201010	15.50465693	B	9.17078377	1.69	0.0909
bill_mo	201011	10.12861347	B	9.19277943	1.10	0.2706
bill_mo	201012	23.20505403	B	9.23866623	2.51	0.0120
bill_mo	201101	36.26554976	B	9.28372645	3.91	<.0001
bill_mo	201102	30.10781458	B	9.26225957	3.25	0.0012
bill_mo	201103	13.81723721	B	9.21888544	1.50	0.1339
bill_mo	201104	8.03442836	B	9.19377311	0.87	0.3822
bill_mo	201105	6.98126383	B	9.16751625	0.76	0.4463

Parameter		95% Confidence Limits	
bill_mo	201001	16.53787838	52.89848264
bill_mo	201002	13.22123992	49.52991961
bill_mo	201003	8.08556354	44.35781314
bill_mo	201004	-7.11898970	28.93680409
bill_mo	201005	-8.34550314	27.62142845
bill_mo	201006	5.96615785	41.88127694
bill_mo	201007	23.56809560	59.50850394
bill_mo	201008	25.44009025	61.36429630
bill_mo	201009	16.25080472	52.19281972
bill_mo	201010	-2.47028720	33.47960107
bill_mo	201011	-7.88944265	28.14666958
bill_mo	201012	5.09705873	41.31304932
bill_mo	201101	18.06923542	54.46186409
bill_mo	201102	11.95357581	48.26205336
bill_mo	201103	-4.25198728	31.88646170
bill_mo	201104	-9.98557540	26.05443212
bill_mo	201105	-10.98727589	24.94980355

OFFICIAL COPY
Mar 04 2015

Parameter		Estimate		Standard Error	t Value	Pr > |t|
bill_mo	201106	25.69709920	B	9.16432428	2.80	0.0050
bill_mo	201107	35.47746451	B	9.16149531	3.87	0.0001
bill_mo	201108	43.14734461	B	9.16377897	4.71	<.0001
bill_mo	201109	29.12035588	B	9.16002478	3.18	0.0015
bill_mo	201110	10.73370604	B	9.16420679	1.17	0.2415
bill_mo	201111	10.11229812	B	9.18974075	1.10	0.2712
bill_mo	201112	16.48679018	B	9.20269209	1.79	0.0732
bill_mo	201201	22.44511060	B	9.22198383	2.43	0.0149
bill_mo	201202	20.80253483	B	9.22558313	2.25	0.0241
bill_mo	201203	14.33155313	B	9.20481660	1.56	0.1195
bill_mo	201204	6.71107030	B	9.17498690	0.73	0.4645
bill_mo	201205	8.81902247	B	9.16533468	0.96	0.3359
bill_mo	201206	17.47379148	B	9.15883208	1.91	0.0564
bill_mo	201207	33.17608229	B	9.15912685	3.62	0.0003
bill_mo	201208	35.93482597	B	9.15545339	3.92	<.0001
bill_mo	201209	24.81425532	B	9.15585653	2.71	0.0067
bill_mo	201210	11.38770299	B	9.16581735	1.24	0.2141
bill_mo	201211	10.45373677	B	9.18067931	1.14	0.2548
bill_mo	201212	18.42361157	B	9.19998900	2.00	0.0452
bill_mo	201301	23.31148424	B	9.20537771	2.53	0.0113
bill_mo	201302	24.15780115	B	9.21671493	2.62	0.0088
bill_mo	201303	22.06483592	B	9.22011611	2.39	0.0167
bill_mo	201304	14.06365989	B	9.19343175	1.53	0.1261
bill_mo	201305	5.33832299	B	9.15097697	0.58	0.5597
avg_temp		-0.08056397		0.03653525	-2.21	0.0275
avg_humi		-0.00752657		0.02601519	-0.29	0.7723
avg_wins		1.83036465		0.17898960	10.23	<.0001
Free_CFL		0.24466070		0.31199076	0.78	0.4329
HEHC		-3.83778944		1.00574756	-3.82	0.0001
K12		2.95406204		1.37084380	2.15	0.0312
LowInc_Weath		32.51988747		9.49135422	3.43	0.0006
SmSvr_HVAC		-4.64201107		0.88709365	-5.23	<.0001
Property_Mgr		-7.04323664		6.57916235	-1.07	0.2844
MyHER		-1.68060252		0.45136610	-3.72	0.0002
part_FRZ		-2.44966690		0.51510982	-4.76	<.0001

Parameter		95% Confidence Limits	
bill_mo	201106	7.73481582	43.65938259
bill_mo	201107	17.52072598	53.43420305
bill_mo	201108	25.18613004	61.10855917

OFFICIAL COPY
Mar 04 2015

Parameter		95% Confidence Limits	
bill_mo	201109	11.16649962	47.07421214
bill_mo	201110	-7.22834705	28.69575913
bill_mo	201111	-7.89980211	28.12439836
bill_mo	201112	-1.55069497	34.52427533
bill_mo	201201	4.36981319	40.52040801
bill_mo	201202	2.72018272	38.88488694
bill_mo	201203	-3.71009613	32.37320238
bill_mo	201204	-11.27211206	24.69425266
bill_mo	201205	-9.14524131	26.78328625
bill_mo	201206	-0.47772706	35.42531001
bill_mo	201207	15.22398599	51.12817859
bill_mo	201208	17.98992974	53.87972220
bill_mo	201209	6.86856892	42.75994172
bill_mo	201210	-6.57750683	29.35291281
bill_mo	201211	-7.54060285	28.44807639
bill_mo	201212	0.39142453	36.45579861
bill_mo	201301	5.26873522	41.35423327
bill_mo	201302	6.09283091	42.22277140
bill_mo	201303	3.99319930	40.13647254
bill_mo	201304	-3.95567480	32.08299458
bill_mo	201305	-12.59779935	23.27444534
avg_temp		-0.15217390	-0.00895404
avg_humi		-0.05851694	0.04346380
avg_wins		1.47954097	2.18118833
Free_CFL		-0.36684828	0.85616967
HEHC		-5.80907747	-1.86650140
K12		0.26717711	5.64094696
LowInc_Weath		13.91661799	51.12315695
SmSvr_HVAC		-6.38073474	-2.90328740
Property_Mgr		-19.93854402	5.85207074
MyHER		-2.56529031	-0.79591473
part_FRZ		-3.45929382	-1.44003997

OFFICIAL COPY
Mar 04 2015

Appendix E: Regression Table

Unit	Slope	Intercept	Raw Savings	Weather Normalized Savings	Change
1	0.0267	1.2928	1159	1058	-101
2	0.0230	2.3900	1493	1360	-133
3	-0.0019	2.4522	845	912	+67
4	0.0324	7.6892	3705	3525	-180
5	0.0022	1.9233	749	751	+2
6	0.0022	2.6996	1050	1035	-15
7	-0.0016	2.8602	998	908	-90
8	0.0153	3.1736	1594	1499	-95
9	0.0169	2.1603	1253	1129	-124
10	0.1216	-3.6143	1895	1132	-764
11	-0.0049	3.8947	1290	1414	+124
12	0.0458	-1.3499	821	560	-261
13	0.0016	7.4481	2763	2754	-9
14	0.0130	1.6478	811	950	+139
15	0.0533	-0.5380	1360	932	-428
16	0.0208	2.1960	1403	1253	-150
17	0.0884	-2.3854	1701	1053	-648
18	-0.0207	7.5219	2150	2296	+146
19	0.0369	-0.6130	478	576	+99
20	0.0624	-0.3541	1631	1220	-410
21	0.0024	2.7760	1080	1066	-15
22	0.0221	2.1895	1433	1289	-144
23	0.1124	-6.3380	897	318	-579
24	0.0498	1.0649	1469	1466	-2
25	-0.0833	9.5474	1647	1655	+8
26	0.0173	2.0480	1180	1128	-51
27	0.0288	2.0176	1448	1376	-72
28	0.0003	3.9503	1450	1449	-1
29	0.0177	0.9271	831	732	-99
30	0.0389	0.6464	1237	1077	-159
31	-0.0112	4.8575	1457	1630	+172
32	-0.0058	9.1973	3208	3240	+32
33	-0.2658	25.8848	2192	3823	+1631
34	0.0602	-0.0902	1663	1302	-361
35	0.0208	2.3540	1403	1300	-103
36	0.0191	1.2850	1017	893	-124
37	0.0724	-1.0901	1098	1209	+111
38	0.0421	1.6375	1788	1521	-267

OFFICIAL COPY
Mar 04 2015

39	-0.0015	2.9603	1041	1047	+7
40	0.0999	-4.1903	964	654	-311
41	0.0077	1.8131	867	828	-39
42	-0.0040	2.5793	831	856	+25
43	0.0074	0.8576	516	477	-39

OFFICIAL COPY
Mar 04 2015

Appendix F: Management Interview Instrument

Name: _____
Title: _____

We are conducting this interview to obtain your opinions about and experience with the [STATE NAME] Appliance Recycling Program. We'll talk about the Program and its objectives, your thoughts on improving the program and its participation rates, and the technologies the program covers. The interview will take about an hour to complete. May we begin?

PROGRAM DESCRIPTION

In your own words, please describe the [STATE NAME] Appliance Recycling Program.

Please discuss the history and development of the program.

Why appliance recycling? Why not just disposal? Why can't customers drop off appliances?

Why refrigerators and freezers? (high energy consumption, common second units, models prior to 1993, etc.) Are other appliances being considered, such as room air conditioners, kitchen and laundry appliances? If so, which ones? When might they be incorporated into the program? What factors will be used to make the determination?

What are the program's goals? That is, what goals and metrics are you tasked with achieving (such as energy savings targets, numbers of new enrollments, numbers of units recycled, website visits, etc.)? What is the current performance towards these targets?

What are the current program's objectives? That is, aside from the numerical goals what is the program trying to accomplish (save energy, improve CSAT, protect environment, etc)? In your opinion, which objectives do you think are being met or will be met? Have the objectives changed over time. If yes, how do you think they have changed??

Are there any program objectives that are not being addressed or that you think should have more attention focused on them? If yes, which ones? How should these objectives be addressed? What should be changed? How will these changes improve the program? Would it improve customer satisfaction, lower program costs or delivery a better product to customers?

Should the program objectives be changed in any way because of market conditions, other external or internal program influences, or any other conditions that have developed since the program objectives were devised? What changes would you put into place, and how would it affect the objectives?

What are the program requirements for participation? What are the customer eligibility requirements?

What are the appliance requirements for program participation? Why unit sizes of 10-30 cu ft? Why is size important? Why a limit of 2 units?

Does ARP apply to renters as well as homeowners? Why or why not?

Are there any program changes that you think would improve the program's performance towards its goals and objectives?

OFFICIAL COPY
Mar 04 2015

PROGRAM MANAGEMENT AND OPERATIONS

Please describe your role and scope of responsibility in detail. What is it that you are responsible for as it relates to this program? When did you take on this role? If a recent change in management…Do you feel that Duke Energy gave you enough time to adequately prepare to manage this program? Did you get all the support that you needed to manage this program?

Please review with us how the Appliance Recycling Program operates relative to your duties, that is, please walk us through the processes and procedures and key events that allow you do currently fulfill your duties.

Have any recent changes been made to your duties? If so, please tell us what changes were made and why they were made. What are the results of the change?

Is there any other person or group within Duke Energy that you work with on the implementation of this program? Who is that and what role do they serve?

PROGRAM IMPLEMENTATION

Which third parties or vendors do you work with to implement this program? Please describe their roles in the implementation of the program.

Describe process of hiring and integrating JACO. Is the JACO program turn key?

What kinds of marketing, outreach and customer contact approaches do you use to make your customers aware of the program and its options?

Please describe the ARP process from initial marketing, through appliance pick up and dismantling, to verification and incentive processing.

Why must unit be plugged in at time of pick up?

Please describe the incentive process. How was the $30 incentive amount determined? How long does it take for customers to get paid? In what form is the payment?

Please describe the JACO tracking and reporting system. Is it online? What reporting can you monitor and access? Pick ups, energy savings, program costs, emission impacts, call center volume, etc.

How effective is JACO in its assigned role? What works well? What could be improved? (Repeat for each third party vendor.)

How often and in what form do you communicate with JACO and any other vendors? How would you characterize your working relationships?

How do you manage and monitor or evaluate third-party involvement or performance? What do you do if vendor performance is exemplary or below expectations?

What are your quality assurance measures? What have those efforts uncovered?

OFFICIAL COPY
Mar 04 2015

MARKET ASSESSMENT AND BARRIERS

Describe the use of any advisors, technical groups or organizations that have in the past or are currently helping you think through the program's approach or methods. How often do you use them? What do you use them for?

What information, research or assessments are you using to identify barriers and to develop more effective approaches/mechanisms for achieving program goals?

Can you cite any market, operational or technical barriers that impede a more efficient program operation? Please describe.

CUSTOMER RESPONSE

What percent of people schedule online pick up versus call in?

Do you assess, track or measure customer reaction to the program? If so, how?

What is the call volume for the program? Please characterize the nature of the calls?

How is customer satisfaction addressed in this program?

What percentage of participants donate to the Helping Hand assistance program?

DATA COLLECTION AND ENERGY SAVINGS

How does Duke Energy track and attribute energy savings?

CLOSING SUGGESTIONS AND COMMENTS

Overall, what about the Appliance Recycling Program works well and why?

Do you have any suggestions for how program performance toward goals can be increased?

In what ways can the Appliance Recycling Program's operations be improved?

If you could change any part of the program what would you change and why?

Are there any other issues or topics you think we should know about and discuss for this evaluation?

Is there anyone else that I should speak with to better complete this evaluation?

OFFICIAL COPY
Mar 04 2015

Appendix G: Vendor Interview Instrument

Name: _____
Title: _____

We are conducting this interview to obtain your opinions about and experience with the [STATE NAME] Appliance Recycling Program. We'll talk about the Program and its objectives, your thoughts on improving the program and its participation rates, and the technologies the program covers. The interview will take about an hour to complete. May we begin?

PROGRAM DESCRIPTION

In your own words, please describe the [STATE NAME] Appliance Recycling Program.

What is the history and relationship between JACO and Appliance Recycling Centers of America?

Why appliance recycling? Why not just disposal? Why can't customers drop off appliances?

Why refrigerators and freezers? (high energy consumption, common second units, models prior to 1993, etc.) Are other appliances being considered, such as room air conditioners, kitchen and laundry appliances? If so, which ones? When might they be incorporated into the program? What factors will be used to make the determination? Do you recycle other appliances for other utilities?

Please discuss the history and development of the program. When did you formally start the program with Duke? What dates did you start in each state?

What are the program's goals for 2012 and 2013 for each state? That is, what goals and metrics are you tasked with achieving (such as energy savings targets, numbers of new enrollments, numbers of units recycled, website visits, etc.)? How were these goals established? What is the current performance towards these targets?

What are the current program's objectives? That is, aside from the numerical goals what is the program trying to accomplish (save energy, improve CSAT, protect environment, etc)? In your opinion, which objectives do you think are being met or will be met? Have the objectives changed over time. If yes, how do you think they have changed??

Are there any program objectives that are not being addressed or that you think should have more attention focused on them? If yes, which ones? How should these objectives be addressed? What should be changed? How will these changes improve the program? Would it improve customer satisfaction, lower program costs or delivery a better product to customers?

Should the program objectives be changed in any way because of market conditions, other external or internal program influences, or any other conditions that have developed since the program objectives were devised? What changes would you put into place, and how would it affect the objectives?

What are the program requirements for participation? What are the customer eligibility requirements? Are you considering expanding to a wider audience?

What are the appliance requirements for program participation? Why unit sizes of 10-30 cu ft? Why is size important? Why a limit of 2 units? Why not built-ins, SubZeros?

Does ARP apply to renters as well as homeowners? Why or why not?

What are the requirements for the pick up location?

OFFICIAL COPY
Mar 04 2015

Are there any program changes that you think would improve the program's performance towards its goals and objectives?

PROGRAM MANAGEMENT AND OPERATIONS

Please describe your role and scope of responsibility in detail. What is it that you are responsible for as it relates to this program? When did you take on this role? If a recent change in management…Do you feel that Duke Energy gave you enough time to adequately prepare to manage this program? Did you get all the support that you needed to manage this program?

Please review with us how the Appliance Recycling Program operates relative to your duties, that is, please walk us through the processes and procedures and key events that allow you do currently fulfill your duties.

Have any recent changes been made to your duties? If so, please tell us what changes were made and why they were made. What are the results of the change?

Is there any other person or group within Duke Energy that you work with on the implementation of this program? Who is that and what role do they serve?

PROGRAM IMPLEMENTATION

Other than Duke Energy do you work with any other firms or organization to implement this program? Please describe their roles in the implementation of the program.

How is marketing handled? What is your relationship with Runion, Salzman, Einhorn? What marketing channels do you use? How are these coordinated? Tell me about your pop up museum, filet-a-frig, and other media events.

Help me to understand the mechanics of how the program operates. Walk me through the process by which a customer signs up for the program/requests an appointment. What info do you capture when the customer enrolls? What happens if the appointment time doesn't work for the customer? What happens if the customer can't be home?

Please describe the ARP process from initial marketing, through appliance pick up and dismantling, to verification and incentive processing.

What do you do while at the customer's house? Why must unit be plugged in at time of pick up?
Why do you start to dismantle the frig at the customer's house?

What does ATO stand for?

Can you describe the demanufacturing process for me? What are the environmental regulations and controls that go into this effort? Why are they important?

How is the program structured so that Duke Energy never actually takes ownership/possession of the appliance?

How are customer incentives handled? Please describe that process from start to finish.

What are your quality assurance measures? What have those efforts uncovered?

Please describe your tracking and reporting system. Is it online? What sort of tracking and reporting do you do? How often and in what format? Tell me about the customer dashboard.

Please characterize your performance to date. What are your SLAs? How are you doing towards them? Any lapses since you started?

OFFICIAL COPY
Mar 04 2015

How often and in what form do you communicate with Duke Energy and any other businesses? How would you characterize your working relationships?

What is the business cycle of the program? Are there certain times of the year that are busier than others? When and why? How do you take this into consideration for marketing and implementation?

How does the way you run the program for Duke Energy differ from how you run it for other utility clients?

MARKET ASSESSMENT AND BARRIERS

Describe the use of any advisors, technical groups or organizations that have in the past or are currently helping you think through the program's approach or methods. How often do you use them? What do you use them for?

What information, research or assessments are you using to identify barriers and to develop more effective approaches/mechanisms for achieving program goals?

Can you cite any market, operational or technical barriers that impede a more efficient program operation? Please describe.

CUSTOMER RESPONSE

What percent of people schedule online pick up versus call in?

Do you assess, track or measure customer reaction to the program? If so, how?

What is the call volume for the program? Please characterize the nature of the calls?

How is customer satisfaction addressed in this program?

CLOSING SUGGESTIONS AND COMMENTS

Overall, what about the Appliance Recycling Program works well and why?

Do you have any suggestions for how program performance toward goals can be increased?

In what ways can the Appliance Recycling Program's operations be improved?

If you could change any part of the program what would you change and why?

Are there any other issues or topics you think we should know about and discuss for this evaluation?

Is there anyone else that I should speak with to better complete this evaluation?

OFFICIAL COPY
Mar 04 2015

Appendix H: Used Appliance Dealer Survey Instrument

INSTRUMENT

Respondent information

Name: _____ Title: _____

Address: _____ City: _____

Zip: _____ Phone: _____

Introduction

Hello. I am calling on behalf of Duke Energy, which sponsors the Appliance Recycling program that collects and recycles old operating refrigerators and freezers. We are trying to figure out how this program is affecting the market for used refrigerators and freezers. First, we want to ask your opinions of the program and the effects it may or may not be having on your business and the market for used units. Then, we want to ask you some questions to understand how the market for used units operates. The information you provide will be combined with information from others and summarized to describe how this market works. As we are doing the interview, please feel free to let me know if you are not comfortable with answering any of the questions I ask.

Respondent responsibilities

1. What are your primary responsibilities? *(Get respondent's title)*

Effect of Appliance Recycling- program on market

2. Are you aware of Duke Energy's Appliance Recycling program? *(Describe program to respondent if not aware. The Duke Energy Appliance Recycling program pays the utility's residential customers a rebate to have their working refrigerators and freezers picked up and removed from their homes to be recycled in an environmentally safe way.)*

3. What are your opinions of the Appliance Recycling program?

4. What effect does the program have on your business? Why? *(Carefully probe for whether or not these effects have already happened. If they have already happened, ask for examples. If they have not already happened, ask about how big they think the program would have to be and how long they think the program would have to run before it started to have an effect on their business.)*

5. What effect does the program have on the supply of used refrigerators? Why? *(As with Q4, carefully probe for whether or not these effects have already happened.)*

OFFICIAL COPY
Mar 04 2015

6. What effect does the program have on the demand for used refrigerators? Why? *(As with Q4, carefully probe for whether or not these effects have already happened.)*

Overview of operations

7. Please briefly describe how your business operates in the used refrigerator market. *(Obtain enough information to sketch flowchart)*

8. Do you also sell new refrigerators? What percent of the refrigerators you sell are new vs. used?

9. Considering the other businesses that you know of in STATE NAME that sell used refrigerators and freezers, how would you compare the number of units that your company sells compared to the number that they sell?
   - ☐ We sell more used units than the average company
   - ☐ We sell about the same number as other companies.
   - ☐ We sell fewer used units than the average company
   - ☐ Don't know/Not Sure

Acquisition process

10. Describe the ways in which you locate and obtain used refrigerators? Has this changed in the last year? If so, how has this changed? *(For each way that units are located and obtained, probe for percent of units in which this method was used last year vs. now)*

	Way unit is located and obtained	Refrigerators	
		Percent of units last year	Percent of units now
a.			
b.			
c.			
d.			
e.			

11. Who are your main suppliers of used refrigerators? *(Ask for description of each supplier)*

12. Roughly how many used refrigerators do you obtain in typical year? *(If not answered in Q4-Q6, then probe for changes in the last year)*

		Number of refrigerators
a.	Now	
b.	Last year	

13. How do the number of refrigerators you obtain vary by supplier? *(Obtain percent breakdown of refrigerators by supplier)*

	Supplier (from Q11)	Percent of refrigerators
a.		

OFFICIAL COPY
Mar 04 2015

b.	_____	_____
c.	_____	_____
d.	_____	_____
e.	_____	_____

14. Do you have enough used refrigerators to meet customer demand? If not, why is there a shortage? *(If not answered in Q4-Q6, then probe for changes in the last year)*

15. Please describe the range of conditions of the units that you accept in terms of age, working condition, wear, damage, appearance, etc?

16. What steps do you take to prepare the units you accept for sale to the public?

17. What are the main reasons why you reject units?

18. What do your suppliers do with the units that you reject?

Market for used refrigerators

19. Can you please characterize the general types of customers you sell to? (*Landlords, individuals, people looking for a primary or secondary unit, homeowners/renters/college students, etc.)*

20. What percent of the used refrigerators that you get in are made available for sale to your customers? What happens to the other percentages?

_____ %

21. Of the number you get in and make available for sale, what percent are actually sold?

_____ %

22. Typically about what percent of the units you make available for sale do you end up getting rid of because you were unable to sell them?

_____ %

23. What are the main reasons why you are unable to sell these units?

24. I would now like to ask you a hypothetical question: If your current used refrigerator stream was reduced in half, how would that effect your sales of used refrigerators?

25. What kind of things would you do to cope with this market reduction? Could you get more from other sources?

26. How successful do you think you would be in filling the void?

OFFICIAL COPY
Mar 04 2015

27. I would now like to ask you a question about the used refrigerator market. I would like you to tell me, in your opinion, which of the following three phrases most closely describes the used refrigerator market in your area?

- ☐ It is a supply-constrained market. That is, if you could obtain more units that were in reasonably good condition you could sell them in a reasonable amount of time.
- ☐ It is a demand-constrained market. That is, if you could obtain more units that were in reasonably good condition you would not be able to sell them in a reasonable amount of time.
- ☐ The market is a balanced market in which your current supply is about equal to your ability to sell them in a reasonable amount of time.

Decommissioning and recycling process

28. What do you do with the refrigerators that you cannot sell?

29. What steps do you take to decommission and recycle the parts from the refrigerators that you cannot sell? On about what percent of these units are you able to recycle parts?

Other notes (ask if any other comments)

OFFICIAL COPY
Mar 04 2015

Appendix I: New Appliance Dealer Survey Instrument

INSTRUMENT

Respondent information

Name: _____ Title: _____

Address: _____ City: _____

Zip: _____ Phone: _____

Introduction

Hello. I am calling on behalf of Duke Energy, which sponsors the Appliance Recycling program that collects and recycles old operating refrigerators and freezers. We are trying to figure out how this program is affecting the market for used refrigerators and freezers. First, we want to ask your opinions of the program and the effects it may or may not be having on your business and the market for used units. Then, we want to ask you some questions to understand how the market for used units operates. The information you provide will be combined with information from others and summarized to describe how this market works. As we are doing the interview, please feel free to let me know if you are not comfortable with answering any of the questions I ask.

Respondent responsibilities

30. What are your title and your primary responsibilities at the location where you sell new refrigerators? *(Get respondent's title)*

Effect of Appliance Recycling- program on market

31. Are you aware of Duke Energy's Appliance Recycling program? *(Describe program to respondent if not aware. The Duke Energy Appliance Recycling program pays the utility's residential customers a rebate to have their working refrigerators and freezers picked up and removed from their homes to be recycled in an environmentally safe way.)*

32. What are your opinions of the Appliance Recycling program?

33. What effect does the program have on your business? Why? *(Carefully probe for whether or not these effects have already happened. If they have already happened, ask for examples. If they have not already happened, ask about how big they think the program would have to be and how long they think the program would have to run before it started to have an effect on their business.)*

34. What effect does the program have on your company's sales of new refrigerators? Why? *(As with Q4, carefully probe for whether or not these effects have already happened.)*

OFFICIAL COPY
Mar 04 2015

35. Do you think that a program that dismantles old units leads to increased sales of new units?

New Unit Sales

36. What is your best estimate of many new refrigerators and freezers your company sells in a year?

37. Considering the other businesses that you know of in STATE NAME that sell new refrigerators and freezers, how would you compare the number of units that your company sells compared to the average number that are sold by these other businesses?

- ☐ We sell more new units than the average company
- ☐ We sell about the same number as other companies.
- ☐ We sell fewer new units than the average company
- ☐ Don't know/Not Sure

Dealing with Old Units

38. Does your company offer to remove old units for your customers who buy new units?

39. If you do remove older units, what percent and volume of buyers opt to have their older units taken away?

40. If so, who removes the old units?

41. What is typically done with the old units? What percentage and volume are resold at retail, resold at wholesale, given away (ask who?), recycled, trashed?

Percent
___ sold in their own retail shop(s)
___ sold wholesale to a bulk receiver of used units
___ given away
___ recycled via a recycling facility
___ trashed or dumped at waste or landfill facility
___ other (what is that) _____

42. If your company does not help with the removal of older units, what do you typically advise customers buying new units to do with their old ones?

Other notes (ask if any other comments)

_____

_____

OFFICIAL COPY
Mar 04 2015

Appendix J: Marketing Samples

Figure 16. Seasonal Bill Insert

Figure 17. Yahoo Banner Ad

Get rid of the old **Fridge** - Get a $30 rebate & easy pickup
www.duke-energy.com/recycle
Save up to $150 a year on energy

#10 - Pay Per Click Ad

Figure 18. Google Pay-Per-Click Ad

OFFICIAL COPY
Mar 04 2015



Figure 19. Email Promotion

OFFICIAL COPY
Mar 04 2015

Figure 20. Newspaper Ad

OFFICIAL COPY
Mar 04 2015

Appendix K: Earned Media Examples

Figure 21. Pop up museum in Charlotte, NC

Figure 22. Old refrigerators on display at pop up museum

OFFICIAL COPY
Mar 04 2015

Figure 23. Program messaging via refrigerators on display

OFFICIAL COPY
Mar 04 2015



Figure 24. Refrigerator art and equivalency messaging at pop up museum

OFFICIAL COPY
Mar 04 2015

Appendix L: Online Scheduling Module

Sign Up

Please enter your zip code to schedule your Unit Pickup.

zip code _____ Show Schedule Dates

Requirements for Program Participation

1. The eligible refrigerator or freezer must be clean, empty, defrosted, and in working condition.
2. The unit must meet the size requirement which is 10 cu ft - 30 cu ft.
3. You must have an active residential electric account with Duke Energy at the address where you would like us to pickup the refrigerator/freezer.
4. There is a limit of two (2) units per customer address per calendar year.
5. An adult, 18 years of age or older, must be present to sign and release the unit at the time of the pickup.
6. The unit needs to be plugged in and running on the day of the pickup.
7. Recycling appliance must be disconnected from waterlines prior to the pickup crew's arrival.
8. You must provide clear and safe access to your appliances for the removal team. They will not risk injury or be able to move personal effects or modify your home (e.g.: remove door or railings) to remove the unit(s).

Why participation is important to you

1. We give you a rebate of $30 for a working refrigerator or freezer, pick them up and recycle them.
2. Old refrigerators and freezers typically use two times more electricity than newer models that are being produced today. If everybody tries to do their part to conserve energy and to recycle responsibly, this could help manage our energy resources well into the future.

If you have any questions about the recycling program, or if you would like to schedule your pickup date by phone; please feel free to contact our customer service center toll free at 855-398-6200.

Figure 25. Online Scheduling Module page 1

OFFICIAL COPY
Mar 04 2015

Select your preferred Schedule Date :

Please select a day that is most convenient for you. You will receive a call 24 to 48 hours before your appointment date to confirm a 4-hour window for the pickup to take place.

Postal Code	Open Dates	Day	Select	Open Appointments
47129	8/23/2013	Friday	○	4
47129	8/31/2013	Saturday	◉	15
47129	9/5/2013	Thursday	○	15

Choosing a city is optional, choosing a city will put the city in automatically on the fill out page.

Clarksville	○

Requirements for Program Participation

1. The eligible refrigerator or freezer must be clean, empty, defrosted, and in working condition.
2. The unit must meet the size requirement which is 10 cu ft - 30 cu ft.
3. You must have an active residential electric account with Duke Energy at the address where you would like us to pickup the refrigerator/freezer.
4. There is a limit of two (2) units per customer address per calendar year.
5. An adult, 18 years of age or older, must be present to sign and release the unit at the time of the pickup.
6. The unit needs to be plugged in and running on the day of the pickup.
7. Recycling appliance must be disconnected from waterlines prior to the pickup crew's arrival.
8. **You must provide clear and safe access to your appliances for the removal team. They will not risk injury or be able to move personal effects or modify your home (e.g.: remove door or railings) to remove the unit(s).**

☑ I have read and agree to the above terms and conditions of the Appliance Recycling Program.

[Apply for Selected Date]

Why participation is important to you

1. Because of the way appliances have to be recycled, many recycling companies have to charge a fee to pickup and recycle your old appliances. When you participate in this program, we pick it up and recycle your old refrigerator or freezer for free.
2. Old refrigerators and freezers typically use two times more electricity than newer models that are being produced today. If everybody tries to do their part to conserve energy and to recycle responsibly, this could help manage our energy resources well into the future.

If you have any questions about the recycling program, or if you would like to schedule your pickup date by phone; please feel free to contact our customer service center toll free at 855-398-6200.

Figure 26. Online Scheduling Module page 2

OFFICIAL COPY
Mar 04 2015



Enrollment Form for Appliance Recycling Program

In order to be eligible for the Refrigerator/Freezer recycling program, you must fill in all of the fields below. When you are done, click the continue button to submit your information. Please make sure all the information is correct. If you have any questions related to this form, please call our operators at 855-396-6200

All fields marked with a " * " are required.

Pickup Date: 8/31/2013

How did you hear about us? * -Select-

Resident Status * -Select-

Electric Account Information

Account Holder First Name: * Account Holder Last Name: *

Service Address: *

(Address where appliance is located at for the day of pickup)

Service City: * Service State: *

Which intersection is nearest to your home? *

Service Zip Code: * 47129 Email: *

Daytime Phone: * Alternate Phone: Ext:

Utility Account Number:

Are you interested in donating your rebate check to the Duke Energy Helping Hands Program? * -Select-

Opt-in

By checking the "Opt-in" checkbox above, I acknowledge that I'm signing up to receive important messages about appliance recycling and similar offerings. I understand that I will be able to unsubscribe from these messages at any time.

Figure 27. Online Scheduling Module page 3 (part 1)

OFFICIAL COPY
Mar 04 2015



Figure 28. Online Scheduling Module page 3 (part 2)

OFFICIAL COPY
Mar 04 2015

Customer Information

This is the information you entered. Carefully review all entries. Click the "Edit" button if you need to make any corrections. Please click the "Final Submission" button to confirm your pickup appointment.

Pickup Date	: 12/31/2013
How did you hear about us?	: Appliance retailer
Account Holder First Name	: zzzTEST4416
Account Holder Last Name	: zzzz
Service Address	: zzz4416
Service City	: zz
Service State	: zz
Service Zip Code	: 00141
Email	: no@email.com
Alternate Phone	:
Ext	:
Daytime Phone	: 000-000-0000
Utility Account Number	: 0
First Name	:zzzTEST4416
Last Name	:zzzz
Address	:zzzMailAddress4416
City	:zzzMailCity
State	:zzzMailState
Zip Code	:95551
Resident Status	: Owner
Which intersection is nearest to your home?	: zzz zzz zzz
Do you have a Sub Zero unit?	: No
Unit pickup location	: Kitchen
Does unit removal require using stairs?	: No
Do you live in a gated community?	: No
Refrigerator Count	: 1
Freezer Count	: 0

An email will be sent to you 48 hours prior to your pickup date as a reminder. Please call Jaco Environmental at 855-398-6200 if you should have any questions.

The Jaco Staff

Edit | Final Submission

Figure 29. Online Scheduling Module page 4

PickUp Confirmation

Date of Scheduled Pickup : 12 31 2013 Tuesday
ATO # 2831185 The ATO Number is your reference number.

Your pickup is planned for 1 Refrigerator unit(s).

You will receive a call 24 to 48 hours prior to your appointment date listed above to confirm the appointment and provide a 4-hour window for the pick-up to take place.

The refrigerator or freezer needs to be plugged in and working at the time of the pickup. Remove all food prior to the time of pickup. You need to provide clear access to your unit. Our pickup team will not be able move furniture or other materials in the way of the removal or modify your home in any way to get the unit out (such as removing doors or railings). If clear access is not provided when the crew arrives, the crew may ask you to reschedule your pickup when you can provide a clear path.

As a contracted partner of your utility company, it is important to know that our drivers are required to have a visible identification badge. **Please be sure to look for the identification badge.**

Thank you for your order.

If you have any questions about the recycling program, or need to reschedule your pickup, please feel free to contact our customer service center toll free at 855-398-6200.

Print My Confirmation Schedule

JACO Environmental, on behalf of Duke Energy would like to thank you for your participation in the program. JACO Environmental is totally committed to protecting the environment and preserving the earth's valuable resources through the art of responsible appliance recycling.

Figure 30. Online Scheduling Module page 5

OFFICIAL COPY
Mar 04 2015

Appendix M: Participant Survey Instrument

The questions below require mostly short, scaled replies from the interviewee, and not all questions will be asked of all participants. This interview will take approximately 20 minutes. Use four attempts at different times of the day and different days before dropping from contact list. Call times are from 10:00 a.m. to 8:00 p.m. EDT or 9-7 CDT Monday through Saturday. No calls on Sunday.

Note: Only read words in bold type. Instructions are in italics.

Always make sure you have the correct Survey ID.
Please copy and paste it. A hand-typed approximation is not acceptable.

Surveyor Name*

_____

Survey ID*

_____

State*
( ) North Carolina

( ) South Carolina

( ) Indiana

( ) Ohio

( ) Kentucky

for answering machine 1st through penultimate attempts:

Hello, my name is _____ . I am calling to conduct a customer survey about the Appliance Recycling Program, on behalf of Duke Energy. I'm sorry I missed you. I'll try again another time.

for answering machine - Final Attempt:
Hello, my name is _____ . I am calling to conduct a customer survey, on behalf of Duke Energy. This is my last attempt at reaching you, my apologies for any inconvenience.

if person answers
Hello, my name is _____. I am calling on behalf of Duke Energy to conduct a customer survey about the Appliance Recycling Program. May I speak with _____ please?

If person talking, proceed. If person is called to the phone reintroduce. If not home, ask when would be a good time to call and schedule the call-back.

We are conducting this survey to obtain your opinions about the Appliance Recycling Program. Duke Energy's records indicate that you participated in the Appliance Recycling Program in [*month / year*]. If you qualify, we will send you a check for $20 for completing

OFFICIAL COPY
Mar 04 2015

the survey. It will take about 20 minutes and your answers will be confidential, and will help us to make improvements to the program to better serve others. May we begin the survey?
Note: If this is not a good time, ask if there is a better time to schedule a callback.

1a. **Do you recall participating in the Appliance Recycling Program?***
( ) Yes
( ) No
( ) DK/NS

If NO or DK/NS to Q1a, ask:
1b. **This program was provided through Duke Energy. In this program, Duke Energy sends contractors to your home to pick up your old refrigerator or freezer for recycling. Do you remember participating in this program?***
( ) Yes
( ) No
( ) DK/NS
If No or DK/NS to Q1b, end interview and go to next participant.

1c. **How many stand-alone freezers did you get rid of through Duke Energy's Appliance Recycling Program?***
( ) 0
( ) 1
( ) 2
( ) 3 or more *specify:*: _____*

1d. **How many refrigerators did you get rid of through Duke Energy's Appliance Recycling Program?***
( ) 0
( ) 1
( ) 2
( ) 3 or more *specify:*: _____*

[ASK IF "REFRIGERATOR" CHECKED IN Q1c]:
1e. **Was the refrigerator you recycled your main refrigerator in or near your kitchen, or was it a secondary refrigerator kept somewhere else in the house, or did you recycle more than one refrigerator?***
( ) Main (kitchen)
( ) Spare/Secondary (not in kitchen)
( ) Recycled multiple refrigerators
( ) N/A -- (Respondent is not primary user of fridge (landlord, etc.)) *TERMINATE*
( ) DK/NS

1f. **Were any of these your main refrigerator kept in or near the kitchen?***
( ) Yes
( ) No

OFFICIAL COPY
Mar 04 2015

1g. **Was the freezer that you recycled one that used primarily by people in your household, or was it primarily used by tenants or other people?***
( ) Primarily used by respondent's household
( ) Respondent is not primary user of freezer (landlord, etc.) *[TERMINATE]*

TERMINATE IF RESPONDENT DID NOT RECYCLE AT LEAST ONE REFRIGERATOR OR FREEZER.

REFRIGERATOR QUESTIONS

IF "REFRIGERATOR" CHECKED IN Q1c, BEGIN WITH Q2a AND CONTINUE FOLLOWING "SKIP" PROMPTS; OTHERWISE SKIP AHEAD TO Q14a FOR FREEZER QUESTIONS.

2a. **How old was the refrigerator when Duke Energy removed it?**
[OR if multiple refrigerators, read]:
How old were the refrigerators when Duke Energy removed them?*
( ) *Numeric open end; record in years (record all units if more than one, noting which is main/kitchen unit*: _____*
( ) Less than one year
( ) DK/NS

if they recycled one refrigerator, ask:
2b. **What was the condition of the refrigerator? Would you say …***
( ) **It worked and was in good physical condition**
( ) **It worked but needed minor repairs like a door seal or handle**
( ) **It worked but had some significant performance problems**
( ) **It did not work**
( ) DK/NS

if they recycled two refrigerators, ask:
2c. **What was the condition of the main refrigerator from your kitchen that you recycled? Would you say …***
( ) **It worked and was in good physical condition**
( ) **It worked but needed minor repairs like a door seal or handle**
( ) **It worked but had some significant performance problems**
( ) **It did not work**
( ) DK/NS

if they recycled two refrigerators, ask:
2d. **What was the condition of the spare refrigerator which was not in your kitchen that you recycled? Would you say …***
( ) **It worked and was in good physical condition**
( ) **It worked but needed minor repairs like a door seal or handle**
( ) **It worked but had some significant** performance problems
( ) **It did not work**
( ) DK/NS

OFFICIAL COPY
Mar 04 2015

3. **What was the main reason you chose to get rid of the old refrigerator that was picked up by Duke Energy?***
if they recycled two units, use "other specify" response and write in details]
( ) The refrigerator was expensive to run / to save money
( ) Wanted to reduce energy use / to save energy
( ) The refrigerator was not working properly
( ) The refrigerator was a spare that I did not use very much / use at all
( ) The refrigerator was old and I wanted something with more modern features
( ) I wanted a bigger refrigerator
( ) I wanted a new refrigerator
( ) The information provided by the program
( ) Past experience with this program
( ) Because of past experience with another Duke Energy program
ask: **What other Duke program?**: _____*
( ) Recommendation from other utility program
ask: **What other utility program?**: _____*
( ) Recommendation of family/friend/neighbor/co-worker
( ) Recommendation of dealer/retailer/contractor
( ) Recommendation of someone else
ask: **Who?**: _____*
( ) Environmental concerns / going "green"
( ) Other
SPECIFY:: _____*
( ) DK/NS

4. **Were there any other reasons you chose to get rid of the refrigerator?***
if they recycled two units, use "other specify" response and write in details]
[ ] The refrigerator was expensive to run / save money
[ ] Wanted to reduce energy use / save energy
[ ] The refrigerator was not working properly
[ ] The refrigerator was a spare that I did not use very much / use at all
[ ] The refrigerator was old and I wanted something with more modern features
[ ] I wanted a bigger refrigerator
[ ] I wanted a new refrigerator
[ ] The information provided by the program
[ ] Past experience with this program
[ ] Because of past experience with another Duke Energy program
ask: **What other Duke program?**
[ ] Recommendation from other utility program
ask: **What other utility program?**
[ ] Recommendation of family/friend/neighbor/co-worker
[ ] Recommendation of dealer/retailer/contractor
[ ] Recommendation of someone else
ask: **Who?**
[ ] Environmental concerns / going "green"

OFFICIAL COPY
Mar 04 2015

[ ] Other *SPECIFY*
[ ] DK/NS
[ ] No other reasons

if "spare/secondary" or "two refrigerators" checked in q1d, ask q5a through q6c; otherwise skip to q7a.

5a. **Where was your spare or secondary refrigerator located before it was removed by Duke Energy? That is, not where it was located when it was picked it up, but where it was located when you were still using it?***
( ) Kitchen
( ) Garage
( ) Porch/Patio
( ) Basement
( ) Other *SPECIFY*: _____*
( ) DK/NS

5b. **Was this refrigerator located in a room that is heated in the winter?***
( ) Yes
( ) No

5c. **Was this refrigerator located in a room that is cooled in the summer?***
( ) Yes
( ) No

5d. **For how long had you been using this refrigerator as a spare or secondary when you decided to get rid of it?***
( ) *[numeric open end, record in years]*: _____*
( ) Less than one year
( ) DK/NS

6a. **Thinking just about the past year, was the refrigerator in your [question("option value"), id="33"] plugged in and running...?***
( ) **All the time**
( ) **For special occasions only**
( ) **During certain months of the year only, or**
( ) **Was it never plugged in and running?**
( ) DK/NS

6b. **If you add up the total time the refrigerator in your [question("option value"), id="33"] was plugged in and running during the last 12 months that you had it, about how many total months would that be? Your best estimate is okay.***
( ) Less than 1 month
( ) 1 Month
( ) 2 Months
( ) 3 Months

OFFICIAL COPY
Mar 04 2015

( ) 4 Months
( ) 5 Months
( ) 6 Months
( ) 7 Months
( ) 8 Months
( ) 9 Months
( ) 10 Months
( ) 11 Months
( ) 12 Months
( ) DK/NS

6c. **Was the refrigerator in your [question("option value"), id="33"] running during the summer or was it mainly running during other times of the year?***
( ) Running all the time
( ) Running during the summer
( ) Mainly running other times of the year
( ) A mix of both summer and other times of the year
( ) DK/NS
( ) Other *specify:*: _____

7a. **Was the refrigerator that was picked up by Duke Energy replaced with another one?***
( ) Yes
( ) No

7b. **Are you intending to purchase another refrigerator within the next 12 months to replace the one that you recycled?***
( ) Yes
( ) No
( ) DK/NS

CONTINUE ONLY IF "YES" CHECKED IN Q7a; OTHERWISE SKIP TO Q11

8a. **Did you replace the refrigerator that was removed with a new refrigerator you bought, a used refrigerator you bought, or a refrigerator you moved from somewhere else in the house?***
If they got a replacement without having to pay for it themselves, check "bought new" if it was a new unit, or "bought used" if it was not a new unit.
( ) Bought New
( ) Bought Used
( ) Moved from somewhere else in the house
( ) DK/NS

8b. **Did you acquire the replacement refrigerator before or after the old refrigerator was picked up by Duke Energy?***
( ) Before
( ) After
( ) Got it the same day

OFFICIAL COPY
Mar 04 2015

( ) DK/NS

8c. **How long [BEFORE / AFTER** *from Q8b*] **the old one was picked up did you get the replacement refrigerator? Was it***
( ) **Within one to two weeks**
( ) **Over two weeks, but less than two months**
( ) **Within two to three months**
( ) **Within four to six months**
( ) **Within six to twelve months/ one year, or**
( ) **More than one year**
( ) Other *(Please specify)*: _____*
( ) DK/NS

ASK q9 ONLY IF "BOUGHT USED" OR "MOVED FROM SOMEWHERE ELSE" IN Q8a

9. **How old is this replacement refrigerator?***
( ) *[NUMERIC OPEN END, RECORD IN YEARS]*: _____*
( ) Less than one year
( ) DK/NS

10a. **Please keep thinking about the refrigerator that replaced the refrigerator removed by Duke Energy. Does your replacement refrigerator have …***
( ) **A single door, with a freezer compartment inside**
( ) **Two doors, side by side, with a freezer on one side**
( ) **A Top freezer, or**
( ) **A Bottom freezer?**
( ) Other *SPECIFY:*: _____*
( ) DK/NS

10b. **Is the replacement refrigerator frost-free or manual defrost?***
( ) Frost free
( ) Manual defrost
( ) Other *SPECIFY:*: _____*
( ) DK/NS

10c. **Is your replacement refrigerator larger, smaller or the same size as the one it replaced?***
( ) Larger
( ) Smaller
( ) Same Size
( ) DK/NS

10d. **Do you know the cubic footage of your new refrigerator?***
( ) Yes *[numeric open end]:*: _____*
( ) No or DK/NS

OFFICIAL COPY
Mar 04 2015

Next I am going to ask you about alternative steps you might have taken with your refrigerator(s) if the Duke Energy Appliance Recycling program had not been available.

11. **Please tell me which of the following you would have been most likely to have done if the Appliance Recycling program from Duke Energy had not been available to pick up your refrigerator(s) for recycling. Would you have...***
[read response list; record only one response]
( ) **Kept your old refrigerator**
( ) **Sold it**
( ) **Given it away for free**
( ) **Had it removed by the dealer you got your new or replacement refrigerator from**
( ) **Given it to a dealer that accepts used refrigerators (without purchasing a new refrigerator)**
( ) **Taken it to a dump or recycling center**
( ) **Hired someone to take it to a dump or recycling center**
( ) **Or, get rid of it some other way.**
ask: **What would you have done?** : _____*
( ) DK/NS

11a. **How much do you think you would have been able to sell your old refrigerator for?***

_____

11b. **How would you have tried to sell your old refrigerator?***
check all mentioned
[ ] Garage or curb sale
[ ] Newspaper ad
[ ] craigslist or internet sale
[ ] Sold to a used appliance dealer
[ ] Word of mouth / friends, family, neighbors
[ ] Other *(specify):*

11c. **How much would you have been willing to spend to hire someone to take your refrigerator away?***

_____

12a. **If the Duke Energy Appliance Recycling program had not been available, do you think you would you have gotten rid of your refrigerator(s) even sooner than you did, at the same time, or would it have taken you longer to get rid of it(/them)?***
( ) Would have done sooner
( ) Done at the same time
( ) Would have taken longer *ask:* **How much longer?** : _____*
( ) DK/NS

12b. **If the Appliance Recycling program from Duke Energy had not been available to pick up your refrigerator(s) for recycling, would you have replaced the refrigerator you recycled with a newer one?***

OFFICIAL COPY
Mar 04 2015

( ) Yes, replace one recycled unit
( ) No
( ) DK/NS

12b. **If the Appliance Recycling program from Duke Energy had not been available to pick up your refrigerators for recycling, would you have replaced the refrigerators you recycled with newer ones?***
( ) Yes, replace one recycled unit
( ) Yes, replace two units
( ) No
( ) DK/NS

12c. **You said you would have given away your old refrigerator if the recycling program from Duke Energy had not been available. Is there a specific person that you would have given it to?***
ask only if "give it away" checked in q11
( ) Yes
( ) No
( ) DK/NS

12c. **You said you would have sold your old refrigerator if the recycling program from Duke Energy had not been available. Is there a specific person that you would have sold it to?***
ask only if "sold it" checked in q11
( ) Yes
( ) No
( ) DK/NS

*if "yes" in q12c, ask:**
Who is it?: _____
What is this person's relationship to you?
RECORD RESPONSE (neighbor, relative, coworker, etc.): _____

if "yes" in q12c, ask:
12d. **Do you know if the person you had intended to ["SELL"** OR **"GIVE"** *FROM Q11*] **your old refrigerator to was planning to use it as their main kitchen refrigerator, or would they have used it as a secondary or spare refrigerator, or done something else with it?***
( ) Yes, would have been used as main kitchen refrigerator
( ) Yes, would have been used as secondary refrigerator
( ) Yes, would have done something else with it *ask:* **What would they have done with it?** : _____*
( ) No/DK/NS

CONTINUE ONLY IF "KEPT IT" OR "DON'T KNOW" CHECKED IN Q11; OTHERWISE SKIP TO Q14a (IF RECYCLED A FREEZER) OR Q25 (IF THEY DID NOT RECYCLE A FREEZER)

if "kept it" in q11

OFFICIAL COPY
Mar 04 2015

13a. **If you had kept the refrigerator, would it have been stored unplugged or used as a secondary refrigerator?***
( ) Stored it unplugged
ask: **How long would you have kept this unplugged refrigerator stored at your home?**:
_____ *
( ) Used it as a secondary refrigerator at least some of the time
( ) Used it as my primary refrigerator
( ) DK/NS

read if "don't know" in q11
13a. **Assuming you would have kept the refrigerator, would it have been stored unplugged or used as a secondary refrigerator?***
( ) Stored it unplugged
ask: **How long would you have kept this unplugged refrigerator stored at your home?**:
_____ *
( ) Used it as a secondary refrigerator at least some of the time
( ) Used it as my primary refrigerator
( ) DK/NS

13b. **If you had kept the refrigerator would you have had it plugged in and running…?***
record only one response
( ) **All the time,**
( ) **During certain months of the year only,**
( ) **For special occasions only, or**
( ) **Not at all?**
[SKIP TO Q14a IF ALSO RECYCLING FREEZER, OTHERWISE SKIP TO Q25]
( ) DK/NS

13c. **If you add up the total time this refrigerator would have been plugged in and running over a 12 month period, about how many total months would that be? Your best estimate is okay.***
( ) Less than 1 month
( ) 1 Month
( ) 2 Months
( ) 3 Months
( ) 4 Months
( ) 5 Months
( ) 6 Months
( ) 7 Months
( ) 8 Months
( ) 9 Months
( ) 10 Months
( ) 11 Months
( ) 12 Months
( ) DK/NS

OFFICIAL COPY
Mar 04 2015

13d. **For how many years would you have continued using this refrigerator?***
best estimate is fine
( ) Less than 1 year
( ) *[NUMERIC OPEN END; RECORD IN YEARS]*: _____*
( ) Until it broke, indefinitely
( ) DK/NS

OFFICIAL COPY
Mar 04 2015

FREEZER QUESTIONS

IF "FREEZER" CHECKED IN Q1c, BEGIN WITH Q14a AND CONTINUE FOLLOWING "SKIP" PROMPTS; OTHERWISE SKIP AHEAD TO Q25 NOW.

Next, I'm going to ask you some specific questions about the freezer that was picked up by Duke Energy.

14a. **How old was the freezer when Duke Energy removed it?***
( ) *numeric open end; record in years (record all units if more than one)*: _____*
( ) Less than 1 year
( ) DK/NS

if they recycled one freezer:
14b. **What was the condition of the freezer? Would you say …***
( ) **It worked and was in good physical condition**
( ) **It worked but needed minor repairs like a door seal or handle**
( ) **It worked but had some significant performance problems, or that**
( ) **It wasn't working**
( ) DK/NS

if they recycled two or more freezers:
14c. **What was the condition of the MAIN FREEZER that you recycled? That is, the one that was used most often. Would you say …***
( ) **It worked and was in good physical condition**
( ) **It worked but needed minor repairs like a door seal or handle**
( ) **It worked but had some significant performance problems, or that**
( ) **It wasn't working**
( ) DK/NS

ask if they recycled two or more freezers
14d. **What was the condition of the SECONDARY freezer that you recycled? Would you say …***
( ) **It worked and was in good physical condition**
( ) **It worked but needed minor repairs like a door seal or handle**
( ) **It worked but had some significant performance problems, or that**
( ) **It wasn't working**
( ) DK/NS

15. **What was the <u>main</u> reason you chose to get rid of the old freezer that was picked up by Duke Energy?***
Record only one response. If they recycled two units, use "other specify" response and write in details
( ) The freezer was expensive to run / to save money
( ) Wanted to reduce energy use / to save energy
( ) The freezer was not working properly
( ) The freezer was a spare that I did not use very much / use at all
( ) The freezer was old and I wanted something with more modern features

OFFICIAL COPY
Mar 04 2015

( ) I wanted a bigger freezer
( ) I wanted a new freezer
( ) The information provided by the program
( ) Past experience with this program
( ) Because of past experience with another Duke Energy program
ask: **What other Duke program?** : _____*
( ) Recommendation from other utility program
ask: **What other utility program?** : _____*
( ) Recommendation of family/friend/neighbor/co-worker
( ) Recommendation of dealer/retailer/contractor
( ) Recommendation of someone else
ask: **Who?** : _____*
( ) Environmental concerns / going "green"
( ) Other *specify*: _____*
( ) DK/NS

16. **Were there any other reasons you chose to get rid of the freezer?***
do not select answer selected in q15; allow for multiple responses
if they recycled two units, use "other specify" response and write in details

[ ] The freezer was expensive to run / to save money
[ ] Wanted to reduce energy use / to save energy
[ ] The freezer was not working properly
[ ] The freezer was a spare that I did not use very much / use at all
[ ] The freezer was old and I wanted something with more modern features
[ ] I wanted a bigger freezer
[ ] I wanted a new freezer
[ ] The information provided by the program
[ ] Past experience with this program
[ ] Because of past experience with another Duke Energy program
ask: **What other Duke program?**
[ ] Recommendation from other utility program
ask: **What other utility program?**
[ ] Recommendation of family/friend/neighbor/co-worker
[ ] Recommendation of dealer/retailer/contractor
[ ] Recommendation of someone else
ask: **Who?**
[ ] Environmental concerns / going "green"
[ ] Other *specify*
[ ] DK/NS
[ ] No other reason

17a. **Thinking just about the past year, was the freezer plugged in and running ...***
If they recycled more than one freezer, use "other specify" response to record details.
( ) **All the time**
( ) **For special occasions only**

OFFICIAL COPY
Mar 04 2015

( ) **During certain months of the year only, or**
( ) **It was never plugged in and running**
( ) Other *SPECIFY*: _____*
( ) DK/NS

If "special occasions" or "certain months" checked in q17a, ask q17b and q17c; otherwise skip to q18.

17b. **If you add up the total time your freezer was plugged in and running during the last 12 months that you had it, about how many total months would that be? Your best estimate is okay.***
( ) *numeric open end; record in years (record all units if more than one)*: _____*
( ) Less than 1 month
( ) DK/NS

17c. **Was the freezer running during the summer or was it mainly running during other times of the year?***
if they recycled more than one freezer, use "other specify" response to record details
( ) Running during the summer
( ) Mainly running other times of the year
( ) A mix of both summer and other times of the year
( ) Other *(specify)*: _____*
( ) DK/NS

18a. **Where was the freezer located in your home before it was removed by Duke Energy?***
if they recycled more than one freezer, use "other specify" response to record details
( ) Kitchen
( ) Garage
( ) Porch/Patio
( ) Basement
( ) Other *(specify)*: _____*
( ) DK/NS

18b. **Was the freezer located in a room that is heated in the winter?***
( ) Yes
( ) No

18c. **Was the freezer located in a room that is cooled in the summer?***
( ) Yes
( ) No

for 19 Yes [SKIP TO Q20a] No [CONTINUE WITH Q19b, THEN SKIP TO Q23]

19a. **Was the freezer that was picked up by Duke Energy replaced with another one?***
( ) Yes
( ) No

OFFICIAL COPY
Mar 04 2015

19b. **Are you intending to purchase another freezer within the next 12 months to replace the one that you recycled?***
( ) Yes
( ) No
( ) DK/NS

CONTINUE ONLY IF "YES" CHECKED IN Q19a; OTHERWISE SKIP TO Q23

20a. **Did you replace the freezer that was removed with a new freezer you bought, a used freezer you bought, or a freezer you moved from somewhere else in the house?***
If they got a replacement without having to pay for it themselves, check "bought new" if it was a new unit, or "bought used" if it was not a new unit.
( ) Bought New
( ) Bought Used
( ) Moved from somewhere else in the house *[SKIP TO Q21]*
( ) DK/NS

20b. **Did you acquire the replacement freezer before or after the old freezer was picked up by Duke Energy?***
( ) Before
( ) After
( ) Got it the same day *SKIP TO Q21*
( ) DK/NS *SKIP TO Q21*

20c. **How long [BEFORE / AFTER** *from Q20b*] **the old one was picked up did you get the replacement freezer?***
Record only one response
( ) **Within one to two weeks**
( ) **Over two weeks, but less than two months**
( ) **Within two to three months**
( ) **Within four to six months**
( ) **Within six to twelve months/ one year, or**
( ) **More than one year**
( ) Other *(Please specify)*: _____*
( ) DK/NS

21. **How old is this replacement freezer?***
ASK ONLY IF "BOUGHT USED" OR "MOVED FROM SOMEWHERE ELSE" IN Q20a
( ) *numeric open end; record in years*: _____*
( ) Less than 1 year
( ) DK/NS

22a. **Is your replacement freezer ...***
( ) **A chest freezer or**
( ) **An upright freezer**
( ) Other: _____*
( ) DK/NS

OFFICIAL COPY
Mar 04 2015

22b. **Is the replacement freezer frost free or manual defrost?***
( ) Frost free
( ) Manual defrost
( ) Other: _____*
( ) DK/NS

22c. **Is your replacement freezer larger, smaller or the same size as the one it replaced?***
( ) Larger
( ) Smaller
( ) Same Size
( ) DK/NS

22d. **Do you know the cubic footage of your new freezer?***
( ) YES *[numeric open end]*: _____*
( ) NO/DK/NS

Next I am going to ask you about alternative steps you might have taken with your freezer(s) if the Duke Energy Appliance Recycling program had not been available.

23. **Please tell me which of the following you would have been most likely to have done if the Appliance Recycling program from Duke Energy had not been available to pick up your freezer(s) for recycling. Would you have...***
( ) **Kept your old freezer, or**
( ) **Sold it** -- *ask:* **How much do you think you would have been able to sell your old freezer for?**: _____*
( ) **Given it away for free**
( ) **Had it removed by the dealer you got your new or replacement freezer from**
( ) **Give it to a dealer that accepts used freezers (without purchasing a new freezer)**
( ) **Taken it to a dump or recycling center**
( ) **Hired someone to take it to a dump or recycling center** - *ask:* **How much would you have been willing to spend to hire someone to take your freezer away?**: _____*
( ) **Or, get rid of it some other way.**
ask: **What would you have done?**: _____*
( ) DK/NS

If 'Sold it", ask:
23a. **How would you have tried to sell your old freezer?***
[ ] Garage or curb sale
[ ] Newspaper ad
[ ] Craig's list or internet sale
[ ] Sold to a used appliance dealer
[ ] Word of mouth / friends, family, neighbors
[ ] Other

OFFICIAL COPY
Mar 04 2015

24a. **If the Duke Energy Appliance Recycling program had not been available, do you think you would you have gotten rid of your freezer(s) even sooner than you did, at the same time, or would it have taken you longer to get rid of it(/them)?***
( ) Would have done sooner
( ) Done at the same time
( ) Would have taken longer *ask:* **How much longer?**: _____*
( ) DK/NS

24b. **If the Appliance Recycling program from Duke Energy had not been available to pick up your freezer(s) for recycling, would you have replaced the freezer(s) you recycled with (a) newer one(s)?***
( ) Yes, replace one recycled unit
( ) No
( ) DK/NS

24c. **If the Appliance Recycling program from Duke Energy had not been available to pick up your freezers for recycling, would you have replaced the freezers you recycled with newer ones?***
( ) Yes, replace one recycled unit
( ) Yes, replace two units
( ) No
( ) DK/NS

if "Sold It", ask
24c1. **You said you would have sold your old freezer if the recycling program from Duke Energy had not been available. Is there a specific person that you would have sold it to?***
( ) Yes
ask: **Who is it?**
If needed: **What is this person's relationship to you?** *RECORD RESPONSE (neighbor, relative, coworker, etc.)*: _____*
( ) No
( ) DK/NS

if "Given it away", ask
24c2. **You said you would have given away your old freezer if the recycling program from Duke Energy had not been available. Is there a specific person that you would have given it to?***
( ) Yes
ask: **Who is it?**
If needed: **What is this person's relationship to you?** *RECORD RESPONSE (neighbor, relative, coworker, etc.)*: _____*
( ) No
( ) DK/NS

Continue Only If "Kept It" Or "Don't Know" Checked In Q23; Otherwise Skip To Q25
read if "kept it" in q23

OFFICIAL COPY
Mar 04 2015

24c2. **If you had kept the freezer, would it have been stored unplugged or would you have continued using it?***
( ) stored unplugged
ask: **How long would you have kept this unplugged freezer stored at your home?**:
_____*
( ) continued using it
( ) DK/NS

read if "Don't Know" in q23
24c3. **Assuming you would have kept the freezer, would it have been stored unplugged or would you have continued using it?***
( ) stored unplugged
ask: **ask: How long would you have kept this unplugged freezer stored at your home?**:
_____*
( ) continued using it
( ) DK/NS

24d. **If you had kept the freezer would you have had it plugged in and running...?***
Record only one response
( ) **All the time,**
( ) **During certain months of the year only,**
( ) **For special occasions only, or**
( ) **Not at all?**
( ) DK/NS

24e. **If you add up the total time this freezer would have been plugged in and running over a 12 month period, about how many total months would that be? Your best estimate is okay.***
( ) less than 1 month
( ) 1
( ) 2
( ) 3
( ) 4
( ) 5
( ) 6
( ) 7
( ) 8
( ) 9
( ) 10
( ) 11
( ) 12
( ) DK/NS

24f. **For how many years would you have continued using this freezer? Your best estimate is fine.***
( ) Less than 1 year

OFFICIAL COPY
Mar 04 2015

( ) # of years
numeric open end; record in years: _____*
( ) Until it broke, indefinitely
( ) DK/NS

25. **How were you first made aware of Duke Energy's Appliance Recycling Program?***
Allow for multiple responses
[ ] Insert with monthly bill / mailing from Duke Energy
[ ] Email from Duke Energy
[ ] Saw information at the Duke Energy website
[ ] Other web site
ask: **Which one?**
[ ] Saw an advertisement on radio, TV, or on the newspaper
ask: **Where?**
[ ] From an appliance dealer or retailer
ask: **Which one?**
[ ] Through another energy program
ask: **Which program?**
[ ] Through a low-income program
ask: **Which program?**
[ ] Friend/ Family Member/ Neighbor / Co-Worker
[ ] Other, *please specify:*
[ ] DK/NS

26a. **Once you decided to participate, the first step was signing up for the program. Are you the one that signed up, or did someone else in your household sign up?***
( ) I signed up
( ) Someone else signed up
( ) DK/NS

26b. **Did you sign up online or on the phone?***
( ) Telephone
( ) Online
( ) Other *specify* : _____*
( ) DK/NS

CONTINUE IF "TELEPHONE" CHECKED IN Q26b; OTHERWISE SKIP TO Q27

26c. **Did you have to call more than once?***
( ) Yes *ask:* **Why did you need to call more than once?**: _____*
( ) No
( ) DK/NS

26d. **On a scale of 1 to 10 where 1 is very dissatisfied and 10 is very satisfied, how satisfied were you with the customer service provided by the representative who took your call?***
( ) 1 = very dissatisfied
…

OFFICIAL COPY
Mar 04 2015

( ) 10 = very satisfied
( ) DK/NS

If 7 or less ask:
26e. **How could this be improved?***

27. **Were you able to schedule a pick-up date and time that was convenient for you?***
( ) Yes
( ) No
( ) DK/NS

28a. **On a scale of 1 to 10 where 1 is very dissatisfied and 10 is very satisfied, how satisfied were you with the process of signing up for and scheduling your pick up?***
( ) 1 = very dissatisfied
...
( ) 10 = very satisfied
( ) DK/NS

If 7 or less ask:
28b. **How could this be improved?***

29a. **How much time passed between when you scheduled the appointment and when your appliance(s) was/were picked up?***
( ) *record*: _____*
( ) DK/NS

29b. **On a scale of 1 to 10 where 1 is very dissatisfied and 10 is very satisfied, how satisfied are you with the time it took between when you scheduled the appliance pickup and when it actually was picked up?***
( ) 1 = very dissatisfied
...
( ) 10 = very satisfied
( ) DK/NS

If 7 or less ask:
29c. **How could this be improved?***

30a. **Just before the pick-up took place, did you or anyone in your household receive a call in advance to confirm the appointment or to let you know the collection team was coming?***
( ) Yes
( ) No
( ) DK/NS

30b. **Did the collection team arrive on time?***
( ) Yes

OFFICIAL COPY
Mar 04 2015

( ) No
( ) DK/NS

30c. **On a scale of 1 to 10 where 1 is very dissatisfied and 10 is very satisfied, how satisfied were you with the collection team who picked up your appliance(s)? ***
( ) 1 = very dissatisfied
…
( ) 10 = very satisfied
( ) DK/NS

If 7 or less ask:
30d. **How could this be improved?***

31a. **How much was the payment that Duke Energy offered you for recycling your appliance?***

_____

31b. **Did you take the payment, or choose the option to donate the money to the Helping Hand Assistance program?***
( ) took payment
( ) donated to Helping Hand Assistance program
( ) DK/NS

31c. **On that same scale from 1 to 10, how satisfied are you with the size of the payment for participation in the Duke Energy Appliance Recycling program?***
( ) 1 = very dissatisfied
…
( ) 10 = very satisfied
( ) DK/NS

If 7 or less ask:
31d. How could this be improved?*

ONLY ASK Q31e-Q31g IF RESPONDENT ANSWERED "TOOK PAYMENT" IN Q31b, OTHERWISE SKIP AHEAD TO Q32a

31e. **How long did it take to get the check after your appliance was picked up?***
( ) 1 week or less
( ) more than one week to 2 weeks
( ) more than 2 weeks to 3 weeks
( ) more than 3 weeks to 4 weeks
( ) more than 4 weeks to 5 weeks
( ) more than 5 weeks to 6 weeks
( ) more than 6 weeks to 7 weeks
( ) longer than 7 weeks *SPECIFY NUMBER OF WEEKS*: _____ *
( ) have not received my check yet *SPECIFY NUMBER OF WEEKS*: _____ *
( ) DK/NS [SKIP TO 32a]

OFFICIAL COPY
Mar 04 2015

31f. **How satisfied are you with the amount of time it took to receive your payment from Duke Energy, using the same scale from 1 to 10? ***
( ) 1 = very dissatisfied
...
( ) 10 = very satisfied
( ) DK/NS

If 7 or less ask:
31g. **How could this be improved?***

32a. **There are a number of ways you could have gotten rid of your appliance(s). What is the MAIN reason you chose the Duke Energy Appliance Recycling Program instead of some other way?***
Record only one response
( ) The cash incentive
( ) The convenience of the home pick-up / don't have to take it someplace myself
( ) Pick up was free
( ) Appliance was recycled / disposed of in a way that was good for environment
( ) Was recommended by friend / family / neighbor / coworker
( ) Was recommended by dealer / retailer / contractor
( ) Did not know of any other way / no other option
( ) Other *specify*: _____*
( ) DK/NS

32b. **Were there any other reasons?***
[do not read response list; do not select answer selected in q32a; allow for multiple responses]
[ ] The cash incentive
[ ] The convenience of the home pick-up / don't have to take it someplace myself
[ ] Pick up was free
[ ] Appliance was recycled / disposed of in a way that was good for environment
[ ] Was recommended by friend / family / neighbor / coworker
[ ] Was recommended by dealer / retailer / contractor
[ ] Did not know of any other way / no other option
[ ] Other *specify*
[ ] No other reason
[ ] DK/NS
[ ] No other reason

33a. **Did the <u>incentive payment</u> have any influence at all on your decision to participate in Duke Energy's Appliance Recycling program?***
( ) Yes
( ) No
( ) DK/NS

OFFICIAL COPY
Mar 04 2015

34a. **Did the information provided explaining the program have any influence at all on your decision to participate in Duke Energy's Appliance Recycling program?***
( ) Yes
( ) No
( ) DK/NS

35a. **Thinking about your entire experience with the Duke Energy Appliance Recycling Program overall, how satisfied are you with the service, using the same scale from 1 to 10?***
( ) 1 = very dissatisfied
…
( ) 10 = very satisfied
( ) DK/NS

If 7 or less ask:
35b. **How could this be improved?***

35c. **What was your FAVORITE thing about participating in the Appliance Recycling program?***
( ) *(answer)*: _____*
( ) DK/NS

35d. **What was your LEAST favorite thing about participating in the Appliance Recycling program?***
( ) *(answer)*: _____*
( ) DK/NS

(ask q35e for Ohio only)
35e. **If you were rating your overall satisfaction with the Appliance Recycling Program, would you say you were Very Satisfied, Somewhat Satisfied, Neither Satisfied nor Dissatisfied, Somewhat Dissatisfied, or Very Dissatisfied?***
( ) Very Satisfied
( ) Somewhat Satisfied
( ) Neither Satisfied nor Dissatisfied
( ) Somewhat Dissatisfied
( ) Very Dissatisfied
( ) Refused
( ) DK/NS

(ask q35f for Ohio only)
35f. **Why do you give it that rating?***

36a. **Using the same scale from 1 to 10, how satisfied are you with Duke Energy overall?***
( ) 1 = very dissatisfied
…
( ) 10 = very satisfied
( ) DK/NS

OFFICIAL COPY
Mar 04 2015

If 7 or less ask:

36b. **How could this be improved?***

36c. **Would you say participating in this program has made you feel more favorable, less favorable, or no different about Duke Energy? ***
( ) More favorable about Duke Energy
( ) Less favorable about Duke Energy
( ) No different about Duke Energy
( ) DK/NS

37. **Based on your participation in the Duke Energy Appliance Recycling Program, have you been inspired to take any additional actions to save energy?***
( ) Yes *ask:* **What energy saving actions have you taken?** : _____*
( ) No
( ) DK/NS

37a. **Using a scale of 1 to 10, where 10 means very much and 1 means very little - to what extent did the Appliance Recycling program from Duke Energy motivate you to take these additional energy saving actions?***
Very little
( ) 1
…
( ) 10
( ) DK/NS
Very much

37b. **Since participating in the program, have you participated in any other Duke Energy energy efficiency programs?***
( ) Yes - *ask:* **Which programs?** : _____*
( ) No
( ) DK/NS

37c. **Have you noticed a reduction in the amount of your electric bill since your appliance(s) was/were removed?***
( ) Yes
( ) No
( ) DK/NS

Demographics

Finally, we have some general demographic questions…

d18. **Do you own or rent your home?***
( ) Rent
( ) Own
( ) DK/NS

OFFICIAL COPY
Mar 04 2015

d18a. **Do you pay your own electric bill or is it included in your rent?***
( ) Pay bill
( ) Included in Rent

d1. **In what type of building do you live?***
( ) Single-family home, detached construction
( ) Single family home, factory manufactured/modular
( ) Single family, mobile home
( ) Row House
( ) Two or Three family attached residence-traditional structure
( ) Apartment (4 + families)---traditional structure
( ) Condominium---traditional structure
( ) Other: _____
( ) Refused
( ) DK/NS

d2. **What year was your residence built?***
( ) 1959 and before
( ) 1960-1979
( ) 1980-1989
( ) 1990-1997
( ) 1998-2000
( ) 2001-2007
( ) 2008-present
( ) DK/NS

d3. **How many rooms are in your home (excluding bathrooms, but including finished basements)?***
( ) 1-3
( ) 4
( ) 5
( ) 6
( ) 7
( ) 8
( ) 9
( ) 10 or more
( ) DK/NS

d4. **Which of the following best describes your home's heating system?***
Check all that apply
[ ] None
[ ] Central forced air furnace
[ ] Electric Baseboard
[ ] Heat Pump
[ ] Geothermal Heat Pump

OFFICIAL COPY
Mar 04 2015

[ ] Other

d5. **How old is your heating system?***
( ) 0-4 years
( ) 5-9 years
( ) 10-14 years
( ) 15-19 years
( ) 19 years or older
( ) DK/NS
( ) Do not have

d6. **What is the primary fuel used in your heating system?***
( ) Electricity
( ) Natural Gas
( ) Oil
( ) Propane
( ) Other: _____
( ) DK/NS

d7. **What is the secondary fuel used in your primary heating system, if any?***
( ) Electricity
( ) Natural Gas
( ) Oil
( ) Propane
( ) Other: _____
( ) None
( ) DK/NS

d8. **Do you use one or more of the following to cool your home?***
(Mark all that apply)
[ ] None, do not cool the home
[ ] Heat pump for cooling
[ ] Central air conditioning
[ ] Through the wall or window air conditioning unit
[ ] Geothermal Heat pump
[ ] Other *(please specify?)*
[ ] DK/NS

d9. **How many window-unit or "through the wall" air conditioner(s) do you use?***
( ) None
( ) 1
( ) 2
( ) 3
( ) 4
( ) 5
( ) 6

OFFICIAL COPY
Mar 04 2015

( ) 7
( ) 8 or more
( ) DK/NS

d10. **What is the fuel used in your cooling system?***
[ ] Electricity
[ ] Natural Gas
[ ] Oil
[ ] Propane
[ ] Other
[ ] None
[ ] DK/NS

d11. **How old is your cooling system?***
( ) 0-4 years
( ) 5-9 years
( ) 10-14 years
( ) 15-19 years
( ) 19 years or older
( ) DK/NS
( ) Do not have

d12. **What is the fuel used by your water heater?***
(Mark all that apply)
[ ] Electricity
[ ] Natural Gas
[ ] Oil
[ ] Propane
[ ] Other
[ ] No water heater
[ ] DK/NS

d13. **How old is your water heater?***
( ) 0-4 years
( ) 5-9 years
( ) 10-14 years
( ) 15-19 years
( ) More than 19 years
( ) DK/NS

d14. **What type of fuel do you use for indoor cooking on the stovetop or range?***
(Mark all that apply)
[ ] Electricity
[ ] Natural Gas
[ ] Oil
[ ] Propane

OFFICIAL COPY
Mar 04 2015

[ ] Other
[ ] No stovetop or range
[ ] DK/NS

d15. **What type of fuel do you use for indoor cooking in the oven?***
(Mark all that apply)
[ ] Electricity
[ ] Natural Gas
[ ] Oil
[ ] Propane
[ ] Other
[ ] No oven
[ ] DK/NS

d16. **What type of fuel do you use for clothes drying?***
(Mark all that apply)
[ ] Electricity
[ ] Natural Gas
[ ] Oil
[ ] Propane
[ ] Other
[ ] No clothes dryer
[ ] DK/NS

d17. **About how many square feet of living space are in your home?***
(Do not include garages or other unheated areas)
Note: A 10-foot by 12 foot room is 120 square feet
( ) Less than 500
( ) 500 to 999
( ) 1000 to 1499
( ) 1500 to 1999
( ) 2000 to 2499
( ) 2500 to 2999
( ) 3000 to 3499
( ) 3500 to 3999
( ) 4000 or more
( ) DK/NS

d19. **How many levels are in your home (not including your basement)?***
( ) One
( ) Two
( ) Three

d20. **Does your home have a heated or unheated basement?***
( ) Heated

OFFICIAL COPY
Mar 04 2015

( ) Unheated
( ) No basement

d21. **Does your home have an attic?***
( ) Yes
( ) No

d22. **Are your central air/heat ducts located in the attic?***
( ) Yes
( ) No
( ) N/A

d23. **Does your house have cold drafts in the winter?***
( ) Yes
( ) No

d24. **Does your house have sweaty windows in the winter?***
( ) Yes
( ) No

d25. **Do you notice uneven temperatures between the rooms in your home?***
( ) Yes
( ) No

d26. **Does your heating system keep your home comfortable in winter?***
( ) Yes
( ) No

d27. **Does your cooling system keep your home comfortable in summer?***
( ) Yes
( ) No

d28. **Do you have a programmable thermostat?***
( ) Yes
( ) No

d28b. **How many thermostats are there in your home?***
( ) 0
( ) 1
( ) 2
( ) 3
( ) 4 or more
( ) DK/NS

d29. **What temperature is your thermostat set to on a typical summer weekday afternoon?***
( ) Less than 69 degrees

OFFICIAL COPY
Mar 04 2015

( ) 69-72 degrees
( ) 73-78 degrees
( ) Higher than 78 degrees
( ) Off
( ) DK/NS

d30. **What temperature is your thermostat set to on a typical winter weekday afternoon?***
( ) Less than 67 degrees
( ) 67-70 degrees
( ) 71-73 degrees
( ) 74-77 degrees
( ) 78 degrees or higher
( ) Off
( ) DK/NS

d31. **Do You Have a swimming pool, hot-tub or spa?***
( ) Yes
( ) No

d32. **Would a two-degree increase in the summer afternoon temperature in your home affect your comfort..***
Read all answers until they reply
( ) **Not at all**
( ) **Slightly**
( ) **Moderately, or**
( ) **Greatly**

d33. **How many people live in this home?***
( ) 1
( ) 2
( ) 3
( ) 4
( ) 5
( ) 6
( ) 7
( ) 8 or more
( ) Prefer not to answer

d34. **How many of them are teenagers?***
(age 13-19)
If they ask why: Explain that teenagers are generally associated with higher energy use.
( ) 0
( ) 1
( ) 2
( ) 3
( ) 4

OFFICIAL COPY
Mar 04 2015

( ) 5
( ) 6
( ) 7
( ) 8 or more
( ) Prefer not to answer

d35. **How many persons are usually home on a weekday afternoon?***
( ) 0
( ) 1
( ) 2
( ) 3
( ) 4
( ) 5
( ) 6
( ) 7
( ) 8 or more
( ) Prefer not to answer

d36. **Are you planning on making any large purchases to improve energy efficiency in the next 3 years?***
( ) Yes
( ) No
( ) DK/NS

The following questions are for classification purposes only and will not be used for any other purpose than to help Duke Energy continue to improve service.

d37. **What is your age group?***
Read all.
( ) **18-34**
( ) **35-49**
( ) **50-59**
( ) **60-64**
( ) **65-74**
( ) **Over 74**
( ) Prefer not to answer

d38. **Please indicate your annual household income.***
Read all.
( ) **Under $15,000**
( ) **$15,000-$29,999**
( ) **$30,000-$49,999**
( ) **$50,000-$74,999**
( ) **$75,000-$100,000**
( ) **Over $100,000**
( ) Prefer Not to Answer

OFFICIAL COPY
Mar 04 2015

We've reached the end of the survey. As I mentioned earlier, we would like to send you $20 for your time and feedback today. Should we send the $20 to *{address on file}*, or would a different address be better?*

Either way, enter entire address here
Name: _____
Address: _____
City: _____
State: _____
Zip: _____

You should receive your $20 check in about 4-6 weeks. It will come in an envelope from our company: TecMarket Works.
Thanks again for your time today!

(politely end call)

Survey ID*

_____

OFFICIAL COPY
Mar 04 2015

Appendix N: Household Characteristics and Demographics

This section presents the responses to demographic and household questions asked during the participant survey in the Carolinas system.

In what type of building do you live? * State

			State		Total
			North Carolina	South Carolina	
In what type of building do you live?	Single-family home, detached construction	Count	95	58	153
		% within State	96.0%	95.1%	95.6%
	Single family home, factory manufactured/modular	Count	3	1	4
		% within State	3.0%	1.6%	2.5%
	Single family, mobile home	Count	1	1	2
		% within State	1.0%	1.6%	1.3%
	Two or Three family attached residence-traditional structure	Count	0	1	1
		% within State	0.0%	1.6%	0.6%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

What year was your residence built? * State

			State		Total
			North Carolina	South Carolina	
What year was your residence built?	1959 and before	Count	17	8	25
		% within State	17.2%	13.1%	15.6%
	1960-1979	Count	43	24	67
		% within State	43.4%	39.3%	41.9%
	1980-1989	Count	17	5	22
		% within State	17.2%	8.2%	13.8%
	1990-1997	Count	8	9	17
		% within State	8.1%	14.8%	10.6%
	1998-2000	Count	6	3	9
		% within State	6.1%	4.9%	5.6%
	2001-2007	Count	5	5	10
		% within State	5.1%	8.2%	6.3%
	2008-present	Count	1	2	3
		% within State	1.0%	3.3%	1.9%
	DK/NS	Count	2	5	7

OFFICIAL COPY
Mar 04 2015

Total	% within State	2.0%	8.2%	4.4%
	Count	99	61	160
	% within State	100.0%	100.0%	100.0%

How many rooms are in your home (excluding bathrooms, but including finished basements)? * State

			State		Total
			North Carolina	South Carolina	
How many rooms are in your home (excluding bathrooms, but including finished basements)?	4	Count	3	4	7
		% within State	3.0%	6.6%	4.4%
	5	Count	9	8	17
		% within State	9.1%	13.1%	10.6%
	6	Count	15	9	24
		% within State	15.2%	14.8%	15.0%
	7	Count	27	17	44
		% within State	27.3%	27.9%	27.5%
	8	Count	16	8	24
		% within State	16.2%	13.1%	15.0%
	9	Count	10	6	16
		% within State	10.1%	9.8%	10.0%
	1-3	Count	1	1	2
		% within State	1.0%	1.6%	1.3%
	10 or more	Count	17	7	24
		% within State	17.2%	11.5%	15.0%
	DK/NS	Count	1	1	2
		% within State	1.0%	1.6%	1.3%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

Which of the following best describes your home's heating system?	North Carolina N=99		South Carolina N=61		Total N=160	
None	0	0.0%	1	1.6%	0	0.6%
Central forced air furnace	50	50.5%	25	41.0%	75	46.9%
Electric Baseboard	1	1.0%	3	4.9%	4	2.5%
Heat Pump	49	49.5%	29	47.5%	78	48.8%
Geothermal Heat Pump	1	1.0%	0	0.0%	1	0.6%
Electric space heaters	2	2.0%	2	3.3%	4	2.5%
Wood fireplace / wood stove	0	0.0%	2	3.3%	2	1.3%

OFFICIAL COPY
Mar 04 2015

Gas pack / gas log fireplace	0	0.0%	5	8.2%	5	3.1%
Other: listed below	9	9.1%	2	3.3%	11	6.9%
Don't know	0	0.0%	1	1.6%	1	0.6%

May total to more than 100% because respondents could give multiple responses.

Eleven respondents mentioned "other" types of heating system; these are listed below.

- *Apollo system*
- *Cable ceiling heat*
- *Hot water boiler*
- *Hybrid heat pump with gas furnace*
- *Hybrid system*
- *Siegler kerosene forced air furnace*
- *Kerosene heater*
- *Mini split system*
- *Oil furnace*
- *Oil furnace or stove, I'm not sure*
- *Propane space heater*

How old is your heating system? * State

			State		Total
			North Carolina	South Carolina	
How old is your heating system?	0-4 years	Count	28	14	42
		% within State	28.3%	23.0%	26.3%
	5-9 years	Count	21	14	35
		% within State	21.2%	23.0%	21.9%
	10-14 years	Count	19	11	30
		% within State	19.2%	18.0%	18.8%
	15-19 years	Count	9	4	13
		% within State	9.1%	6.6%	8.1%
	19 years or older	Count	17	9	26
		% within State	17.2%	14.8%	16.3%
	DK/NS	Count	5	8	13
		% within State	5.1%	13.1%	8.1%
	Do not have	Count	0	1	1
		% within State	0.0%	1.6%	0.6%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

What is the primary fuel used in your heating system? * State

			State		Total
			North Carolina	South Carolina	
What is the primary fuel used in your heating system?	Electricity	Count	53	31	84
		% within State	53.5%	50.8%	52.5%
	Natural Gas	Count	38	24	62
		% within State	38.4%	39.3%	38.8%
	Oil	Count	2	2	4
		% within State	2.0%	3.3%	2.5%
	Propane	Count	2	2	4
		% within State	2.0%	3.3%	2.5%
	Kerosene	Count	1	1	2
		% within State	1.0%	1.6%	1.3%
	Other: "*furnace is gas and heat pump is electric*"	Count	1	0	1
		% within State	1.0%	0.0%	0.6%
	DK/NS	Count	2	1	3
		% within State	2.0%	1.6%	1.9%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

What is the secondary fuel used in your primary heating system, if any? * State

			State		Total
			North Carolina	South Carolina	
What is the secondary fuel used in your primary heating system, if any?	Electricity	Count	13	5	18
		% within State	13.1%	8.2%	11.3%
	Natural Gas	Count	6	2	8
		% within State	6.1%	3.3%	5.0%
	Oil	Count	2	0	2
		% within State	2.0%	0.0%	1.3%
	Propane	Count	1	0	1
		% within State	1.0%	0.0%	0.6%
	Wood	Count	2	1	3
		% within State	2.0%	1.6%	1.9%
	Gas logs	Count	3	0	3
		% within State	3.0%	0.0%	1.9%
	Other (listed	Count	5	0	5

OFFICIAL COPY
Mar 04 2015

	below)	% within State	5.1%	0.0%	3.1%
	None	Count	64	52	116
		% within State	64.6%	85.2%	72.5%
	DK/NS	Count	3	1	4
		% within State	3.0%	1.6%	2.5%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

Five respondents mentioned "other" secondary sources of heat; these are listed below.

- *Baseboard electric.*
- *Rolling heaters.*
- *Water stove.*
- *Heat pump used for one room only.*
- *We can also use oil but we choose not to continue using it because it was too expensive.*

Do you use one or more of the following to cool your home?	**North Carolina N=99**		**South Carolina N=61**		**Total N=160**	
None, do not cool the home	4	4.0%	1	1.6%	5	3.1%
Heat pump for cooling	51	51.5%	29	47.5%	80	50.0%
Central air conditioning	51	51.5%	26	42.6%	77	48.1%
Through the wall or window air conditioning unit	1	1.0%	6	9.8%	7	4.4%
Geothermal Heat pump	1	1.0%	0	0.0%	1	0.6%
Fans (ceiling, window, portable)	1	1.0%	0	0.0%	1	0.6%
Gas pack for cooling	0	0.0%	2	3.3%	2	1.3%
Other: "*mini split system*"	1	1.0%	0	0.0%	1	0.6%
Don't know	1	1.0%	0	0.0%	1	0.6%

May total to more than 100% because respondents could give multiple responses.

How many window-unit or through the wall air conditioner(s) do you use? * State

			State		Total
			North Carolina	South Carolina	
d9 How many window-unit or through the wall air conditioner(s) do you use?	1	Count	3	2	5
		% within State	3.0%	3.3%	3.1%
	2	Count	2	4	6
		% within State	2.0%	6.6%	3.8%
	3	Count	1	0	1
		% within State	1.0%	0.0%	0.6%
	4	Count	0	1	1

OFFICIAL COPY
Mar 04 2015

	None	% within State	0.0%	1.6%	0.6%
		Count	93	54	147
		% within State	93.9%	88.5%	91.9%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

What is the fuel used in your cooling system?	North Carolina N=99		South Carolina N=61		Total N=160	
Electricity	93	93.9%	58	95.1%	151	94.4%
Natural Gas	2	2.0%	2	3.3%	4	2.5%
Oil	0	0.0%	0	0.0%	0	0.0%
Propane	0	0.0%	0	0.0%	0	0.0%
None (no cooling system)	2	2.0%	1	1.6%	3	1.9%
DK/NS	3	3.0%	1	1.6%	4	2.5%

May total to more than 100% because respondents could give multiple responses.

How old is your cooling system? * State

			State		Total
			North Carolina	South Carolina	
How old is your cooling system?	0-4 years	Count	25	15	40
		% within State	25.3%	24.6%	25.0%
	5-9 years	Count	20	15	35
		% within State	20.2%	24.6%	21.9%
	10-14 years	Count	17	12	29
		% within State	17.2%	19.7%	18.1%
	15-19 years	Count	9	6	15
		% within State	9.1%	9.8%	9.4%
	19 years or older	Count	17	3	20
		% within State	17.2%	4.9%	12.5%
	DK/NS	Count	8	9	17
		% within State	8.1%	14.8%	10.6%
	Do not have	Count	3	1	4
		% within State	3.0%	1.6%	2.5%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

What is the fuel used by your water heater?	North Carolina N=99		South Carolina N=61		Total N=160	
Electricity	63	63.6%	45	73.8%	108	67.5%
Natural Gas	34	34.3%	17	27.9%	51	31.9%
Oil	0	0.0%	0	0.0%	0	0.0%
Propane	0	0.0%	0	0.0%	0	0.0%
No water heater	0	0.0%	0	0.0%	0	0.0%
DK/NS	2	2.0%	1	1.6%	3	1.9%

May total to more than 100% because respondents could give multiple responses.

How old is your water heater? * State

			State		Total
			North Carolina	South Carolina	
How old is your water heater?	0-4 years	Count	20	21	41
		% within State	20.2%	34.4%	25.6%
	5-9 years	Count	35	12	47
		% within State	35.4%	19.7%	29.4%
	10-14 years	Count	19	11	30
		% within State	19.2%	18.0%	18.8%
	15-19 years	Count	9	6	15
		% within State	9.1%	9.8%	9.4%
	More than 19 years	Count	6	2	8
		% within State	6.1%	3.3%	5.0%
	DK/NS	Count	10	9	19
		% within State	10.1%	14.8%	11.9%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

What type of fuel do you use for indoor cooking on the stovetop or range?	North Carolina N=99		South Carolina N=61		Total N=160	
Electricity	88	88.9%	52	85.2%	140	87.5%
Natural Gas	9	9.1%	9	14.8%	18	11.3%
Oil	0	0.0%	0	0.0%	0	0.0%
Propane	2	2.0%	0	0.0%	2	1.3%
None (no stove)	0	0.0%	0	0.0%	0	0.0%
DK/NS	0	0.0%	0	0.0%	0	0.0%

May total to more than 100% because respondents could give multiple responses.

OFFICIAL COPY
Mar 04 2015

What type of fuel do you use for indoor cooking in the oven?	North Carolina N=99		South Carolina N=61		Total N=160	
Electricity	91	91.9%	56	91.8%	147	91.9%
Natural Gas	7	7.1%	5	8.2%	12	7.5%
Oil	0	0.0%	0	0.0%	0	0.0%
Propane	1	1.0%	0	0.0%	1	0.6%
None (no oven)	0	0.0%	0	0.0%	0	0.0%
DK/NS	0	0.0%	0	0.0%	0	0.0%

May total to more than 100% because respondents could give multiple responses.

What type of fuel do you use for clothes drying?	North Carolina N=99		South Carolina N=61		Total N=160	
Electricity	90	90.9%	55	90.2%	145	90.6%
Natural Gas	6	6.1%	4	6.6%	10	6.3%
Oil	0	0.0%	0	0.0%	0	0.0%
Propane	2	2.0%	0	0.0%	2	1.3%
None (no dryer)	1	1.0%	2	3.3%	3	1.9%
DK/NS	0	0.0%	0	0.0%	0	0.0%

May total to more than 100% because respondents could give multiple responses.

About how many square feet of living space are in your home? * State

			State		Total
			North Carolina	South Carolina	
About how many square feet of living space are in your home?	Less than 500	Count	0	1	1
		% within State	0.0%	1.6%	0.6%
	500 to 999	Count	3	2	5
		% within State	3.0%	3.3%	3.1%
	1000 to 1499	Count	13	6	19
		% within State	13.1%	9.8%	11.9%
	1500 to 1999	Count	27	11	38
		% within State	27.3%	18.0%	23.8%
	2000 to 2499	Count	17	6	23
		% within State	17.2%	9.8%	14.4%
	2500 to 2999	Count	12	6	18
		% within State	12.1%	9.8%	11.3%
	3000 to 3499	Count	7	5	12
		% within State	7.1%	8.2%	7.5%
	3500 to 3999	Count	2	2	4
		% within State	2.0%	3.3%	2.5%

OFFICIAL COPY

Mar 04 2015

	4000 or more	Count	6	1	7
		% within State	6.1%	1.6%	4.4%
	DK/NS	Count	12	21	33
		% within State	12.1%	34.4%	20.6%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

Do you own or rent your home? * State

			State		Total
			North Carolina	South Carolina	
Do you own or rent your home?	Rent, pay separate electric bill	Count	2	2	4
		% within State	2.0%	3.3%	2.5%
	Rent, electric bill included	Count	0	1	1
		% within State	0.0%	1.6%	0.6%
	Own	Count	97	58	155
		% within State	98.0%	95.1%	96.9%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

How many levels are in your home (not including your basement)? * State

			State		Total
			North Carolina	South Carolina	
How many levels are in your home (not including your basement)?	One	Count	64	48	112
		% within State	64.6%	78.7%	70.0%
	Two	Count	35	13	48
		% within State	35.4%	21.3%	30.0%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

Does your home have a heated or unheated basement? * State

			State		Total
			North Carolina	South Carolina	
Does your home have a heated or unheated basement?	Heated	Count	31	12	43
		% within State	31.3%	19.7%	26.9%
	Unheated	Count	10	8	18
		% within State	10.1%	13.1%	11.3%

OFFICIAL COPY
Mar 04 2015

	No basement	Count	58	41	99
		% within State	58.6%	67.2%	61.9%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

Does your home have an attic? * State

			State		Total
			North Carolina	South Carolina	
Does your home have an attic?	Yes	Count	83	41	124
		% within State	83.8%	67.2%	77.5%
	No	Count	16	20	36
		% within State	16.2%	32.8%	22.5%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

Are your central air/heat ducts located in the attic? * State

			State		Total
			North Carolina	South Carolina	
Are your central air/heat ducts located in the attic?	Yes	Count	25	10	35
		% within State	25.3%	16.4%	21.9%
	No	Count	47	31	78
		% within State	47.5%	50.8%	48.8%
	N/A	Count	27	20	47
		% within State	27.3%	32.8%	29.4%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

Does your house have cold drafts in the winter? * State

			State		Total
			North Carolina	South Carolina	
Does your house have cold drafts in the winter?	Yes	Count	17	15	32
		% within State	17.2%	24.6%	20.0%
	No	Count	82	46	128
		% within State	82.8%	75.4%	80.0%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

Does your house have sweaty windows in the winter? * State

			State		Total
			North Carolina	South Carolina	
Does your house have sweaty windows in the winter?	Yes	Count	14	5	19
		% within State	14.1%	8.2%	11.9%
	No	Count	85	56	141
		% within State	85.9%	91.8%	88.1%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

Do you notice uneven temperatures between the rooms in your home? * State

			State		Total
			North Carolina	South Carolina	
Do you notice uneven temperatures between the rooms in your home?	Yes	Count	38	17	55
		% within State	38.4%	27.9%	34.4%
	No	Count	61	44	105
		% within State	61.6%	72.1%	65.6%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

Does your heating system keep your home comfortable in winter? * State

			State		Total
			North Carolina	South Carolina	
Does your heating system keep your home comfortable in winter?	Yes	Count	95	59	154
		% within State	96.0%	96.7%	96.3%
	No	Count	4	2	6
		% within State	4.0%	3.3%	3.8%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

Does your cooling system keep your home comfortable in summer? * State

			State		Total
			North Carolina	South Carolina	
Does your cooling system keep your home comfortable in summer?	Yes	Count	93	60	153
		% within State	93.9%	98.4%	95.6%
	No	Count	6	1	7
		% within State	6.1%	1.6%	4.4%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

Do you have a programmable thermostat? * State

			State		Total
			North Carolina	South Carolina	
Do you have a programmable thermostat?	Yes	Count	68	35	103
		% within State	68.7%	57.4%	64.4%
	No	Count	31	26	57
		% within State	31.3%	42.6%	35.6%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

How many thermostats are there in your home? * State

			State		Total
			North Carolina	South Carolina	
How many thermostats are there in your home?	0	Count	2	2	4
		% within State	2.0%	3.3%	2.5%
	1	Count	67	45	112
		% within State	67.7%	73.8%	70.0%
	2	Count	22	7	29
		% within State	22.2%	11.5%	18.1%
	3	Count	5	3	8
		% within State	5.1%	4.9%	5.0%
	4 or more	Count	3	4	7
		% within State	3.0%	6.6%	4.4%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

What temperature is your thermostat set to on a typical summer weekday afternoon? * State

			State		Total
			North Carolina	South Carolina	
What temperature is your thermostat set to on a typical summer weekday afternoon?	Less than 69 degrees	Count	3	1	4
		% within State	3.0%	1.6%	2.5%
	69-72 degrees	Count	15	15	30
		% within State	15.2%	24.6%	18.8%
	73-78 degrees	Count	67	39	106
		% within State	67.7%	63.9%	66.3%
	Higher than 78 degrees	Count	9	1	10
		% within State	9.1%	1.6%	6.3%
	Off	Count	4	2	6
		% within State	4.0%	3.3%	3.8%
	DK/NS	Count	1	3	4
		% within State	1.0%	4.9%	2.5%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

What temperature is your thermostat set to on a typical winter weekday afternoon? * State

			State		Total
			North Carolina	South Carolina	
What temperature is your thermostat set to on a typical winter weekday afternoon?	Less than 67 degrees	Count	2	5	7
		% within State	2.0%	8.2%	4.4%
	67-70 degrees	Count	45	28	73
		% within State	45.5%	45.9%	45.6%
	71-73 degrees	Count	31	13	44
		% within State	31.3%	21.3%	27.5%
	74-77 degrees	Count	14	7	21
		% within State	14.1%	11.5%	13.1%
	78 degrees or higher	Count	0	1	1
		% within State	0.0%	1.6%	0.6%
	Off	Count	0	2	2
		% within State	0.0%	3.3%	1.3%
	DK/NS	Count	7	5	12
		% within State	7.1%	8.2%	7.5%

OFFICIAL COPY
Mar 04 2015

Total	Count	99	61	160
	% within State	100.0%	100.0%	100.0%

Do You Have a swimming pool, hot-tub or spa? * State

			State		Total
			North Carolina	South Carolina	
Do You Have a swimming pool, hot-tub or spa?	Yes	Count	13	7	20
		% within State	13.1%	11.5%	12.5%
	No	Count	86	54	140
		% within State	86.9%	88.5%	87.5%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

Would a two-degree increase in the summer afternoon temperature in your home affect your comfort * State

			State		Total
			North Carolina	South Carolina	
Would a two-degree increase in the summer afternoon temperature in your home affect your comfort	Not at all	Count	32	20	52
		% within State	32.3%	32.8%	32.5%
	Slightly	Count	34	13	47
		% within State	34.3%	21.3%	29.4%
	Moderately, or	Count	25	24	49
		% within State	25.3%	39.3%	30.6%
	Greatly	Count	8	4	12
		% within State	8.1%	6.6%	7.5%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY

Mar 04 2015

How many people live in this home? * State

			State		Total
			North Carolina	South Carolina	
How many people live in this home?	1	Count	25	20	45
		% within State	25.3%	32.8%	28.1%
	2	Count	50	28	78
		% within State	50.5%	45.9%	48.8%
	3	Count	7	6	13
		% within State	7.1%	9.8%	8.1%
	4	Count	10	4	14
		% within State	10.1%	6.6%	8.8%
	5	Count	4	1	5
		% within State	4.0%	1.6%	3.1%
	6	Count	1	1	2
		% within State	1.0%	1.6%	1.3%
	7	Count	1	0	1
		% within State	1.0%	0.0%	0.6%
	8 or more	Count	1	0	1
		% within State	1.0%	0.0%	0.6%
	Prefer not to answer	Count	0	1	1
		% within State	0.0%	1.6%	0.6%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

How many of them are teenagers? * State

			State		Total
			North Carolina	South Carolina	
How many of them are teenagers?	0	Count	85	58	143
		% within State	85.9%	95.1%	89.4%
	1	Count	10	1	11
		% within State	10.1%	1.6%	6.9%
	2	Count	4	1	5
		% within State	4.0%	1.6%	3.1%
	Prefer not to answer	Count	0	1	1
		% within State	0.0%	1.6%	0.6%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

How many persons are usually home on a weekday afternoon? * State

			State		Total
			North Carolina	South Carolina	
How many persons are usually home on a weekday afternoon?	0	Count	5	4	9
		% within State	5.1%	6.6%	5.6%
	1	Count	37	27	64
		% within State	37.4%	44.3%	40.0%
	2	Count	50	23	73
		% within State	50.5%	37.7%	45.6%
	3	Count	3	4	7
		% within State	3.0%	6.6%	4.4%
	4	Count	3	1	4
		% within State	3.0%	1.6%	2.5%
	5	Count	1	0	1
		% within State	1.0%	0.0%	0.6%
	Prefer not to answer	Count	0	2	2
		% within State	0.0%	3.3%	1.3%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

Are you planning on making any large purchases to improve energy efficiency in the next 3 years? * State

			State		Total
			North Carolina	South Carolina	
Are you planning on making any large purchases to improve energy efficiency in the next 3 years?	Yes	Count	21	14	35
		% within State	21.2%	23.0%	21.9%
	No	Count	73	40	113
		% within State	73.7%	65.6%	70.6%
	DK/NS	Count	5	7	12
		% within State	5.1%	11.5%	7.5%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

What is your age group? * State

			State		Total
			North Carolina	South Carolina	
What is your age group?	18-34	Count	1	2	3
		% within State	1.0%	3.3%	1.9%
	35-49	Count	10	4	14
		% within State	10.1%	6.6%	8.8%
	50-59	Count	18	10	28
		% within State	18.2%	16.4%	17.5%
	60-64	Count	4	7	11
		% within State	4.0%	11.5%	6.9%
	65-74	Count	30	17	47
		% within State	30.3%	27.9%	29.4%
	Over 74	Count	35	16	51
		% within State	35.4%	26.2%	31.9%
	Prefer not to answer	Count	1	5	6
		% within State	1.0%	8.2%	3.8%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

Please indicate your annual household income * State

			State		Total
			North Carolina	South Carolina	
Please indicate your annual household income	Under $15,000	Count	4	4	8
		% within State	4.0%	6.6%	5.0%
	$15,000-$29,999	Count	11	7	18
		% within State	11.1%	11.5%	11.3%
	$30,000-$49,999	Count	21	7	28
		% within State	21.2%	11.5%	17.5%
	$50,000-$74,999	Count	9	5	14
		% within State	9.1%	8.2%	8.8%
	$75,000-$100,000	Count	11	3	14
		% within State	11.1%	4.9%	8.8%
	Over $100,000	Count	10	5	15
		% within State	10.1%	8.2%	9.4%
	Prefer Not to Answer	Count	33	30	63
		% within State	33.3%	49.2%	39.4%
Total		Count	99	61	160
		% within State	100.0%	100.0%	100.0%

OFFICIAL COPY
Mar 04 2015

Appendix O: DSMore Table

Impacts ⇨ / Technology ⇩	Product code	State	EM&V gross savings (kWh/unit)	EM&V gross kW (coincident peak/unit)	EM&V gross kW (non-coincident peak/unit)	Unit of measure	Combined spillover less freeridership adjustment	EM&V net savings (kWh/unit)	EM&V net kW (coincident peak/unit)	EM&V net kW (non-coincident peak/unit)	EM&V load shape (yes/no)	EUL (whole number)
Refrigerator		Carolinas	952	0.1359	0.1359	refrigerator	46.2%	512	0.0731	0.0731	no	6
Freezer		Carolinas	869	0.1035	0.1035	freezer	52.8%	410	0.0489	0.0489	no	6
Program wide			**930**	**0.1275**	**0.1275**		**47.9%**	**485**	**0.0664**	**0.0664**		**6**