

EXHIBIT MM 1

CONFIDENTIAL - REDACTED

EXHIBIT MM 2

EXHIBIT MM 3

EXHIBIT MM 4

EXHIBIT MM 5

EXHIBIT MM 6 CONFIDENTIAL

EXHIBIT MM 7

EXHIBIT MM 8 CONFIDENTIAL

EXHIBIT MM 9 CONFIDENTIAL

EXHIBIT MM 10 CONFIDENTIAL

EXHIBIT MM 11

CONFIDENTIAL

EXHIBIT MM 12

CONFIDENTIAL

EXHIBIT MM 13

CONFIDENTIAL

EXHIBIT MM 14

CONFIDENTIAL

EXHIBIT MM 15

| <u>SUMMARY</u> | | | |
|----------------|---|------------------------------------|-----------------------|
| | Total Poles with Attachments (from 2016 Audit) | Total Poles with Violations | Violation Rate |
| ACTV | 1868 | 533 | 29% |
| AT&T | 15976 | 1460 | 9% |
| CHA | 24888 | 3544 | 14% |
| CTL | 5453 | 554 | 10% |
| MORR | 5289 | 575 | 11% |
| SKY | 28469 | 4173 | 15% |
| WLK | 959 | 50 | 5% |

| KEY | |
|------------|--|
| ACTV | ACTV |
| AT&T | AT&T |
| CHA | Charter Communications |
| CTL | Centurylink |
| MORR | Morris Broadband |
| SKY | Sky Line and Sky Best |
| WLK | Wilkes |
| | |
| GC | Ground Clearance |
| MS | Midspan |
| SP | At the pole separation from BREMC facilities |
| | |

EXHIBIT MM 16

EXHIBIT MM 17

EXHIBIT MM 18



One Wells Fargo Center
301 South College Street
Suite 3500
Charlotte, NC 28202-6037

Telephone: (704) 331-4900
Fax: (704) 331-4955
www.wcsr.com

Matthew Tilley
Direct Dial: 704-350-6361
Direct Fax: 704-444-9961
E-mail: Matthew.Tilley@wcsr.com

October 17, 2017

VIA ELECTRONIC MAIL

Mr. J. Aaron George
Sheppard, Mullin, Richter & Hampton LLP
2099 Pennsylvania Avenue, N.W.; Suite 100
Washington, DC 20006-6801
ageorge@sheppardmullin.com

Re: *Blue Ridge Electric Membership Corporation ("Blue Ridge") v. Charter Communications Properties, LLC ("Charter")*, Docket No. EC-23, Sub 50, North Carolina Utilities Commission


Dear Aaron:

As part of its investigation into the above-referenced matter, Blue Ride engaged PowerServices, Inc. to inspect Charter's attachments to five electrical distribution circuits on Blue Ridge's system for compliance with the National Electric Safety Code ("NESC") and applicable design standards. The inspection revealed numerous violations, which are identified in Exhibit GLB-5 to Greg Booth's pre-filed testimony. While all of these violations raise serious concerns, a number, identified on the attached document, pose an immediate hazard to public safety. We trust that you will bring these violations to Charter's attention so that it can take the appropriate steps to resolve them.

Best regards.

Sincerely,

WOMBLE CARLYLE SANDRIDGE & RICE
A Limited Liability Partnership



Matthew F. Tilley

OFFICIAL COPY

Oct 31 2017

| Circuit Number | Pole Number | 40" Separation | 8.5' Encumbrance | Guy & Anchor | Pole Equipment & Pedestal | Low Span |
|----------------|----------------|----------------|------------------|--------------|---------------------------|----------|
| 112 | Pole 10-04-095 | X | X | X | | |
| 112 | Pole 11-01-102 | X | | X | | |
| 112 | Pole 10-04-098 | X | X | | | |
| 112 | Pole 06-12-149 | X | | | | |
| 112 | Pole 07-09-079 | X | X | | | |
| 112 | Pole 11-05-043 | X | | X | | |
| 112 | Pole 11-05-096 | X | X | | | |
| 112 | Pole 11-06-111 | X | X | | | |
| 112 | Pole 11-02-007 | X | X | X | | X |
| 112 | Pole 07-09-118 | X | | | | |
| 112 | Pole 07-09-060 | X | X | | | |
| 112 | Pole 11-02-075 | X | X | | | |
| 123 | Pole 22-07-033 | X | X | | | |
| 123 | Pole 22-11-038 | X | X | | | |
| 123 | Pole 22-11-020 | X | X | | | |
| 123 | Pole 22-06-081 | X | X | X | | |
| 201 | Pole 05-11-228 | X | X | | | |
| 201 | Pole 05-06-027 | X | X | X | | |
| 201 | Pole 05-07-263 | X | X | | | |
| 293 | Pole 16-08-038 | X | X | | | |
| 293 | Pole 10-09-085 | X | X | X | | |
| 303 | Pole 07-02-005 | X | | | | |
| 303 | Pole 03-10-094 | X | X | X | | |